



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:06 AM UTC

PDB ID : 2AKE / pdb_00002ake
Title : Structure of human tryptophanyl-tRNA synthetase in complex with tRNA(Trp)
Authors : Shen, N.; Guo, L.; Yang, B.; Jin, Y.; Ding, J.
Deposited on : 2005-08-03
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)
RNA backbone	3983	1022 (3.32-2.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	72	
2	A	384	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called transfer RNA-Trp.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	B	72	1541	686	276	507	72	0	0	0

- Molecule 2 is a protein called Tryptophanyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	373	3015	1934	510	556	15	0	0	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	472	HIS	-	expression tag	UNP P23381
A	473	HIS	-	expression tag	UNP P23381
A	474	HIS	-	expression tag	UNP P23381
A	475	HIS	-	expression tag	UNP P23381
A	476	HIS	-	expression tag	UNP P23381
A	477	HIS	-	expression tag	UNP P23381

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is TRYPTOPHAN (CCD ID: TRP) (formula: $C_{11}H_{12}N_2O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			15	11	2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: transfer RNA-Trp



- Molecule 2: Tryptophanyl-tRNA synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 2 2	Depositor
Cell constants a, b, c, α , β , γ	133.20Å 133.20Å 138.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.97 – 3.10 47.97 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.97-3.10) 99.9 (47.97-3.10)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 3.07Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.230 , 0.270 0.224 , 0.262	Depositor DCC
R_{free} test set	1169 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	56.8	Xtriage
Anisotropy	0.207	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 74.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for -h,l,k 0.004 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4576	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.30	0/1722	0.65	0/2682
2	A	0.53	0/3088	1.03	19/4166 (0.5%)
All	All	0.46	0/4810	0.90	19/6848 (0.3%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	292	SER	N-CA-C	-8.70	102.67	113.28
2	A	318	ARG	N-CA-C	-7.43	103.26	111.36
2	A	264	LYS	N-CA-C	-6.25	104.38	111.07
2	A	234	ILE	CB-CA-C	-6.10	103.34	110.91
2	A	186	VAL	N-CA-C	5.97	117.43	110.62
2	A	266	ILE	N-CA-C	5.77	115.95	110.53
2	A	395	ASP	N-CA-C	5.70	118.43	111.82
2	A	293	PHE	CA-C-N	5.58	125.05	119.24
2	A	293	PHE	C-N-CA	5.58	125.05	119.24
2	A	235	PHE	N-CA-C	5.33	117.49	109.23
2	A	340	PHE	CA-C-N	5.28	125.04	119.76
2	A	340	PHE	C-N-CA	5.28	125.04	119.76
2	A	307	ILE	CA-C-N	-5.22	114.23	120.13
2	A	307	ILE	C-N-CA	-5.22	114.23	120.13
2	A	154	LYS	CA-C-N	5.15	125.05	119.85
2	A	154	LYS	C-N-CA	5.15	125.05	119.85
2	A	334	LEU	N-CA-C	5.07	117.51	109.50
2	A	331	LYS	CA-C-N	5.07	124.98	119.76
2	A	331	LYS	C-N-CA	5.07	124.98	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1541	0	777	67	0
2	A	3015	0	2974	154	0
3	A	5	0	0	0	0
4	A	15	0	9	0	0
All	All	4576	0	3760	217	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:465:LYS:H	2:A:465:LYS:HD3	1.02	1.16
2:A:204:LYS:HD3	2:A:205:ASP:H	1.05	1.12
2:A:204:LYS:HD3	2:A:205:ASP:N	1.69	1.06
2:A:342:ALA:HA	2:A:350:MET:HE3	1.40	1.00
1:B:55:U:H2'	1:B:56:C:H5''	1.44	0.96
2:A:465:LYS:HD3	2:A:465:LYS:N	1.84	0.91
2:A:347:GLN:CD	2:A:347:GLN:H	1.78	0.89
1:B:58:A:H4'	1:B:59:A:OP1	1.68	0.88
2:A:457:VAL:HG12	2:A:461:MET:HE2	1.57	0.85
1:B:9:G:H21	1:B:45:G:H1	1.26	0.83
2:A:465:LYS:H	2:A:465:LYS:CD	1.86	0.81
1:B:33:U:H3	1:B:35:C:C5'	1.93	0.81
1:B:3:C:H2'	1:B:4:C:H5'	1.60	0.81
2:A:198:ASP:HB3	2:A:238:LEU:HD13	1.63	0.80
2:A:228:ASP:O	2:A:232:THR:HG23	1.81	0.80
1:B:32:C:H2'	1:B:33:U:H5''	1.63	0.79
1:B:33:U:H3	1:B:35:C:H5''	1.49	0.78
2:A:380:GLY:HA3	2:A:427:THR:HG21	1.65	0.77
2:A:140:HIS:HD2	2:A:143:MET:H	1.34	0.74
2:A:380:GLY:HA3	2:A:427:THR:CG2	2.18	0.73
2:A:207:THR:HG23	2:A:210:GLN:H	1.53	0.73
1:B:60:U:H5''	1:B:61:C:OP2	1.88	0.73
2:A:260:PHE:HE2	2:A:278:ILE:HD12	1.53	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:C:H2'	1:B:26:G:O4'	1.89	0.72
1:B:34:C:H5'	1:B:35:C:OP2	1.90	0.72
2:A:420:TYR:OH	2:A:427:THR:HG22	1.88	0.72
1:B:22:G:H2'	1:B:23:C:H1'	1.72	0.71
1:B:55:U:C2'	1:B:56:C:H5''	2.18	0.71
2:A:140:HIS:CD2	2:A:143:MET:H	2.08	0.70
2:A:294:PRO:HD2	2:A:295:GLN:HE22	1.55	0.70
2:A:431:LYS:O	2:A:435:ILE:HD12	1.92	0.69
2:A:159:TYR:CZ	2:A:287:PRO:HG2	2.28	0.69
2:A:188:ASN:ND2	2:A:231:LYS:HE2	2.08	0.69
2:A:99:ASP:OD2	2:A:102:LYS:HB2	1.92	0.68
1:B:32:C:C2'	1:B:33:U:H5''	2.24	0.67
2:A:98:ILE:HD12	2:A:99:ASP:H	1.59	0.67
2:A:384:ILE:HD12	2:A:426:LEU:HD11	1.75	0.67
2:A:204:LYS:HG3	2:A:206:LEU:HG	1.76	0.66
2:A:207:THR:HG22	2:A:210:GLN:HG3	1.78	0.65
1:B:34:C:O2	2:A:426:LEU:HB3	1.96	0.65
2:A:293:PHE:HB3	2:A:296:ILE:HG23	1.78	0.65
2:A:260:PHE:CE2	2:A:278:ILE:HD12	2.31	0.64
2:A:350:MET:HE2	2:A:358:SER:HB2	1.78	0.64
2:A:364:THR:O	2:A:368:ILE:HG12	1.97	0.64
2:A:250:ASN:O	2:A:254:ILE:HG13	1.96	0.64
1:B:34:C:H42	2:A:427:THR:HG23	1.62	0.64
2:A:99:ASP:OD2	2:A:102:LYS:CB	2.46	0.63
2:A:462:THR:O	2:A:464:ARG:HG3	1.99	0.63
2:A:369:LYS:HA	2:A:435:ILE:HG12	1.81	0.63
2:A:191:LEU:HD12	2:A:192:VAL:H	1.64	0.62
2:A:370:THR:HG23	2:A:374:LYS:HD2	1.80	0.62
2:A:251:VAL:O	2:A:255:GLN:HG3	2.00	0.62
1:B:4:C:H5'	1:B:4:C:H6	1.65	0.61
2:A:124:THR:HB	2:A:186:VAL:HG13	1.81	0.61
1:B:9:G:N2	1:B:45:G:H1	1.98	0.60
2:A:296:ILE:HD12	2:A:466:LEU:HD12	1.83	0.60
1:B:25:C:C2'	1:B:26:G:H5'	2.31	0.60
1:B:58:A:C4'	1:B:59:A:OP1	2.47	0.60
2:A:460:PHE:HA	2:A:464:ARG:HH22	1.67	0.60
2:A:141:ARG:HB2	2:A:334:LEU:HB2	1.83	0.59
1:B:44:A:O2'	1:B:45:G:H5'	2.02	0.59
2:A:207:THR:CG2	2:A:210:GLN:HG3	2.33	0.59
2:A:295:GLN:HG2	2:A:296:ILE:HG22	1.85	0.59
2:A:319:MET:O	2:A:323:VAL:HG22	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:191:LEU:HD12	2:A:192:VAL:N	2.19	0.58
2:A:354:ASP:HB2	2:A:357:SER:HB2	1.84	0.58
2:A:184:GLN:OE1	2:A:232:THR:HG22	2.02	0.58
2:A:227:PHE:HB3	2:A:232:THR:HG21	1.86	0.58
2:A:342:ALA:HA	2:A:350:MET:CE	2.25	0.57
1:B:29:U:H2'	1:B:30:G:H8	1.68	0.57
2:A:354:ASP:O	2:A:357:SER:HB3	2.04	0.57
2:A:347:GLN:CD	2:A:347:GLN:N	2.56	0.57
1:B:22:G:H2'	1:B:23:C:C1'	2.34	0.57
2:A:207:THR:HG22	2:A:210:GLN:CG	2.34	0.57
2:A:253:LYS:O	2:A:257:HIS:HD2	1.87	0.57
1:B:3:C:C2'	1:B:4:C:H5'	2.31	0.56
2:A:293:PHE:HA	2:A:295:GLN:HE22	1.69	0.56
2:A:397:ASP:O	2:A:401:MET:HG3	2.05	0.56
1:B:25:C:O2'	1:B:26:G:H5'	2.06	0.56
2:A:333:ALA:C	2:A:334:LEU:HD12	2.31	0.56
1:B:44:A:N6	1:B:45:G:H21	2.03	0.55
2:A:204:LYS:CD	2:A:205:ASP:N	2.58	0.55
1:B:33:U:H2'	1:B:34:C:H5''	1.89	0.55
2:A:350:MET:CB	2:A:357:SER:OG	2.56	0.54
2:A:184:GLN:HE22	2:A:228:ASP:H	1.56	0.54
2:A:169:MET:CE	2:A:221:ASP:HB2	2.38	0.54
2:A:353:SER:O	2:A:355:PRO:HD3	2.08	0.54
2:A:221:ASP:OD2	2:A:445:HIS:HE1	1.91	0.53
1:B:9:G:H5'	1:B:10:G:OP2	2.09	0.53
1:B:32:C:C4	1:B:33:U:H5	2.26	0.53
2:A:350:MET:CE	2:A:358:SER:HB2	2.39	0.53
1:B:44:A:H2'	1:B:45:G:O4'	2.09	0.53
2:A:414:GLU:OE1	2:A:414:GLU:HA	2.09	0.53
1:B:69:G:O2'	1:B:70:G:H5'	2.07	0.53
2:A:141:ARG:NH1	2:A:314:ASP:OD1	2.42	0.53
2:A:103:LEU:HD13	2:A:311:ILE:HG12	1.91	0.52
2:A:387:HIS:CD2	2:A:426:LEU:HD23	2.44	0.52
2:A:197:ASP:OD2	2:A:238:LEU:HB2	2.09	0.52
1:B:58:A:O2'	1:B:60:U:OP2	2.25	0.52
2:A:460:PHE:HA	2:A:464:ARG:NH2	2.24	0.52
1:B:16:U:O2'	1:B:18:G:OP1	2.27	0.52
2:A:101:ASP:O	2:A:105:VAL:HG12	2.11	0.51
2:A:188:ASN:HD21	2:A:231:LYS:HE2	1.75	0.51
2:A:312:ASP:OD2	2:A:312:ASP:C	2.51	0.51
1:B:8:U:O2	1:B:8:U:H2'	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:G:O2'	1:B:31:A:H5'	2.09	0.51
2:A:102:LYS:HA	2:A:105:VAL:CG1	2.41	0.51
2:A:139:SER:HB3	2:A:336:HIS:HB2	1.92	0.51
2:A:457:VAL:CG1	2:A:461:MET:HE2	2.35	0.51
1:B:44:A:N6	1:B:45:G:N2	2.59	0.51
1:B:34:C:C2	2:A:426:LEU:HB3	2.46	0.50
2:A:124:THR:HG21	2:A:186:VAL:CG1	2.42	0.50
2:A:362:THR:HA	2:A:446:GLN:HE21	1.76	0.50
2:A:314:ASP:N	2:A:315:PRO:HD2	2.26	0.50
2:A:342:ALA:CA	2:A:350:MET:HE3	2.28	0.50
2:A:361:LEU:HD13	2:A:445:HIS:CE1	2.47	0.50
2:A:234:ILE:O	2:A:461:MET:HA	2.12	0.49
2:A:280:PHE:N	2:A:281:PRO:CD	2.75	0.49
1:B:29:U:H2'	1:B:30:G:C8	2.46	0.49
2:A:171:VAL:HG13	2:A:406:PHE:CZ	2.47	0.49
2:A:136:ILE:HD11	2:A:404:THR:HG23	1.94	0.49
2:A:229:ILE:HA	2:A:460:PHE:CE1	2.48	0.49
2:A:102:LYS:HA	2:A:105:VAL:HG12	1.94	0.48
1:B:33:U:O2'	2:A:382:ASP:O	2.26	0.48
2:A:407:LEU:HD23	2:A:413:LEU:HA	1.94	0.48
2:A:102:LYS:HD2	2:A:105:VAL:HG11	1.95	0.48
2:A:320:THR:O	2:A:323:VAL:HG23	2.13	0.48
1:B:3:C:H2'	1:B:4:C:C5'	2.39	0.48
1:B:65:U:H2'	1:B:66:C:C6	2.49	0.48
2:A:149:ALA:HB1	2:A:154:LYS:HB2	1.96	0.48
2:A:297:PHE:O	2:A:300:ARG:HB2	2.14	0.48
1:B:3:C:C2'	1:B:4:C:C5'	2.92	0.47
2:A:294:PRO:HD2	2:A:295:GLN:NE2	2.25	0.47
2:A:295:GLN:NE2	2:A:295:GLN:H	2.12	0.47
1:B:23:C:H2'	1:B:24:G:H5'	1.95	0.47
1:B:23:C:C4	1:B:25:C:N4	2.83	0.47
2:A:403:LEU:HD21	2:A:434:LEU:HA	1.97	0.47
2:A:314:ASP:OD1	2:A:336:HIS:HE1	1.98	0.46
2:A:321:ARG:NH1	2:A:332:PRO:O	2.46	0.46
1:B:44:A:C6	1:B:45:G:N2	2.82	0.46
2:A:169:MET:HE1	2:A:221:ASP:HB2	1.98	0.46
2:A:372:VAL:HB	2:A:435:ILE:HD11	1.98	0.46
2:A:139:SER:OG	2:A:336:HIS:HD2	1.98	0.46
2:A:381:ARG:CG	2:A:387:HIS:HA	2.45	0.46
2:A:426:LEU:C	2:A:428:GLY:N	2.70	0.46
1:B:9:G:H5'	1:B:10:G:P	2.56	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:16:U:O2'	1:B:18:G:P	2.74	0.46
2:A:191:LEU:O	2:A:232:THR:HA	2.16	0.46
2:A:219:ALA:O	2:A:223:ILE:HG13	2.15	0.46
1:B:35:C:C2	1:B:36:A:C8	3.03	0.46
2:A:193:ILE:HD12	2:A:234:ILE:CD1	2.46	0.45
2:A:372:VAL:HG12	2:A:431:LYS:HD3	1.98	0.45
1:B:23:C:C2'	1:B:24:G:H5'	2.46	0.45
2:A:102:LYS:HD2	2:A:105:VAL:CG1	2.46	0.45
2:A:324:ALA:HB3	2:A:325:PRO:HD3	1.98	0.45
1:B:15:A:C2'	1:B:16:U:OP1	2.65	0.45
1:B:46:G:H2'	1:B:47:U:H5	1.82	0.45
1:B:7:G:H5''	1:B:8:U:OP2	2.16	0.45
2:A:99:ASP:CG	2:A:99:ASP:O	2.59	0.45
2:A:351:SER:C	2:A:353:SER:H	2.24	0.45
1:B:53:G:N2	1:B:62:A:C4	2.85	0.45
2:A:317:PHE:O	2:A:321:ARG:HG3	2.17	0.45
2:A:294:PRO:HG2	2:A:295:GLN:H	1.81	0.44
2:A:100:TYR:O	2:A:104:ILE:HG13	2.18	0.44
2:A:466:LEU:O	2:A:467:SER:C	2.60	0.44
2:A:293:PHE:C	2:A:295:GLN:NE2	2.75	0.44
2:A:233:PHE:CZ	2:A:235:PHE:HB3	2.53	0.44
2:A:376:ALA:HB3	2:A:431:LYS:HE2	2.00	0.44
2:A:98:ILE:HD12	2:A:99:ASP:N	2.28	0.44
1:B:25:C:H2'	1:B:26:G:C5'	2.48	0.44
1:B:27:U:H3'	1:B:28:C:C6	2.52	0.43
1:B:43:A:H2'	1:B:44:A:C8	2.53	0.43
1:B:27:U:H5'	1:B:28:C:P	2.58	0.43
2:A:293:PHE:HA	2:A:295:GLN:NE2	2.32	0.43
1:B:33:U:H2'	1:B:33:U:O2	2.18	0.43
1:B:55:U:C2'	1:B:55:U:O2	2.67	0.43
2:A:409:ASP:OD1	2:A:409:ASP:C	2.61	0.43
1:B:24:G:P	1:B:25:C:OP2	2.77	0.43
2:A:137:PHE:CZ	2:A:337:SER:HB3	2.54	0.43
2:A:207:THR:O	2:A:208:LEU:C	2.60	0.43
2:A:442:ILE:O	2:A:446:GLN:HG3	2.19	0.43
2:A:449:ARG:HH11	2:A:449:ARG:HG2	1.84	0.43
2:A:102:LYS:HA	2:A:102:LYS:HD2	1.73	0.43
1:B:2:A:H61	1:B:71:U:H3	1.65	0.43
2:A:359:ILE:N	2:A:359:ILE:HD12	2.34	0.43
1:B:35:C:O2	1:B:35:C:H2'	2.19	0.42
2:A:174:LEU:O	2:A:178:ILE:HG13	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:384:ILE:O	2:A:388:ARG:HG2	2.19	0.42
1:B:16:U:HO2'	1:B:18:G:P	2.41	0.42
2:A:156:PHE:CD1	2:A:156:PHE:C	2.96	0.42
2:A:300:ARG:HH11	2:A:300:ARG:CG	2.32	0.42
2:A:129:HIS:HB2	2:A:182:TRP:CD2	2.55	0.42
2:A:238:LEU:HD12	2:A:238:LEU:HA	1.77	0.42
2:A:160:THR:O	2:A:193:ILE:HA	2.20	0.42
2:A:321:ARG:O	2:A:331:LYS:HE2	2.20	0.42
2:A:391:GLY:HA3	2:A:421:THR:O	2.20	0.42
2:A:162:ARG:HB2	2:A:177:PHE:HZ	1.84	0.41
2:A:295:GLN:H	2:A:295:GLN:CD	2.28	0.41
2:A:113:ASP:OD1	2:A:115:GLU:HB2	2.20	0.41
2:A:364:THR:O	2:A:365:ALA:C	2.63	0.41
1:B:49:G:H8	1:B:49:G:H5'	1.85	0.41
1:B:9:G:N3	1:B:45:G:O6	2.54	0.41
2:A:99:ASP:OD2	2:A:102:LYS:HB3	2.18	0.41
2:A:240:TYR:O	2:A:241:MET:C	2.64	0.41
2:A:334:LEU:HD23	2:A:336:HIS:CE1	2.55	0.41
2:A:171:VAL:HG13	2:A:406:PHE:HZ	1.85	0.41
2:A:298:ARG:O	2:A:300:ARG:N	2.53	0.41
2:A:444:GLU:HB3	2:A:448:ARG:NH2	2.35	0.41
1:B:3:C:O2'	1:B:4:C:H5''	2.20	0.41
1:B:55:U:C2	1:B:57:G:OP2	2.74	0.41
1:B:38:A:C2'	1:B:39:U:H5'	2.51	0.41
2:A:314:ASP:OD1	2:A:336:HIS:CE1	2.74	0.40
2:A:124:THR:CB	2:A:186:VAL:HG13	2.50	0.40
2:A:323:VAL:O	2:A:324:ALA:C	2.64	0.40
2:A:444:GLU:HB3	2:A:448:ARG:HH21	1.87	0.40
2:A:169:MET:HE2	2:A:221:ASP:HB2	2.02	0.40
2:A:409:ASP:CG	2:A:412:LYS:HG3	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	371/384 (97%)	340 (92%)	27 (7%)	4 (1%)	11	39

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	171	VAL
2	A	467	SER
2	A	109	SER
2	A	382	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	330/340 (97%)	309 (94%)	21 (6%)	16	44

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	114	LYS
2	A	166	SER
2	A	174	LEU
2	A	192	VAL
2	A	202	LEU
2	A	232	THR
2	A	236	SER
2	A	238	LEU
2	A	245	SER
2	A	296	ILE
2	A	300	ARG
2	A	323	VAL
2	A	347	GLN
2	A	354	ASP
2	A	384	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	394	CYS
2	A	404	THR
2	A	430	LEU
2	A	441	LEU
2	A	464	ARG
2	A	465	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	130	HIS
2	A	140	HIS
2	A	145	GLN
2	A	188	ASN
2	A	230	ASN
2	A	255	GLN
2	A	257	HIS
2	A	284	GLN
2	A	295	GLN
2	A	336	HIS
2	A	373	ASN
2	A	389	GLN
2	A	445	HIS
2	A	446	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B	71/72 (98%)	24 (33%)	4 (5%)

All (24) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	4	C
1	B	8	U
1	B	10	G
1	B	15	A
1	B	16	U
1	B	18	G
1	B	19	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	23	C
1	B	24	G
1	B	27	U
1	B	28	C
1	B	29	U
1	B	33	U
1	B	34	C
1	B	35	C
1	B	46	G
1	B	47	U
1	B	48	U
1	B	49	G
1	B	53	G
1	B	56	C
1	B	59	A
1	B	72	C
1	B	73	A

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B	7	G
1	B	9	G
1	B	16	U
1	B	58	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	478	-	4,4,4	0.43	0	6,6,6	0.09	0
4	TRP	A	479	-	15,16,16	2.91	7 (46%)	18,22,22	2.61	6 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TRP	A	479	-	-	0/8/8/8	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	479	TRP	CZ2-CE2	5.11	1.48	1.39
4	A	479	TRP	CH2-CZ2	4.72	1.47	1.38
4	A	479	TRP	CD2-CG	-4.36	1.36	1.44
4	A	479	TRP	CE3-CD2	4.14	1.46	1.39
4	A	479	TRP	OXT-C	3.78	1.42	1.30
4	A	479	TRP	CH2-CZ3	2.99	1.44	1.38
4	A	479	TRP	CD2-CE2	2.16	1.44	1.41

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	479	TRP	CD2-CG-CD1	5.98	112.28	106.16
4	A	479	TRP	CE2-CD2-CG	-5.00	102.12	107.17
4	A	479	TRP	CZ2-CE2-CD2	-4.33	118.00	122.19
4	A	479	TRP	CG-CD1-NE1	-4.07	105.84	110.31
4	A	479	TRP	CD2-CE2-NE1	2.67	109.74	107.52
4	A	479	TRP	CE3-CD2-CE2	2.60	121.53	118.84

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	72/72 (100%)	3.15	52 (72%) 0 0	54, 134, 199, 205	0
2	A	373/384 (97%)	-0.13	8 (2%) 63 42	13, 34, 77, 116	0
All	All	445/456 (97%)	0.40	60 (13%) 7 4	13, 37, 161, 205	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	9	G	8.9
1	B	8	U	8.2
1	B	21	A	7.8
1	B	48	U	6.7
1	B	16	U	6.4
1	B	23	C	5.8
2	A	99	ASP	5.7
1	B	47	U	5.6
1	B	15	A	5.5
1	B	20	U	5.3
1	B	46	G	5.1
1	B	18	G	5.0
2	A	468	PHE	4.8
1	B	25	C	4.8
1	B	10	G	4.6
1	B	28	C	4.2
1	B	42	G	4.2
1	B	1	G	4.1
1	B	7	G	4.1
1	B	19	G	4.0
1	B	59	A	3.7
1	B	57	G	3.7
1	B	55	U	3.6
1	B	43	A	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	2	A	3.5
1	B	22	G	3.5
1	B	24	G	3.5
1	B	13	C	3.5
1	B	41	A	3.4
1	B	3	C	3.4
1	B	14	A	3.4
1	B	69	G	3.4
1	B	45	G	3.3
1	B	27	U	3.3
1	B	61	C	3.3
1	B	40	C	3.3
1	B	58	A	3.2
2	A	299	ASP	3.1
1	B	26	G	3.0
1	B	5	U	3.0
1	B	53	G	3.0
2	A	107	PHE	3.0
1	B	54	U	2.9
1	B	73	A	2.9
1	B	29	U	2.8
1	B	68	G	2.8
2	A	385	GLU	2.6
2	A	366	LYS	2.5
1	B	44	A	2.5
2	A	346	ALA	2.4
1	B	71	U	2.4
1	B	56	C	2.3
1	B	30	G	2.3
1	B	62	A	2.3
1	B	33	U	2.3
1	B	4	C	2.2
1	B	60	U	2.2
2	A	97	GLY	2.2
1	B	31	A	2.1
1	B	6	C	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	478	5/5	0.84	0.15	73,83,84,84	0
4	TRP	A	479	15/15	0.96	0.11	36,38,48,49	0

6.5 Other polymers [i](#)

There are no such residues in this entry.