



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:38 PM UTC

PDB ID : 7AL6 / pdb_00007al6
Title : Crystal structure of the hypothetical protein PA1622 from *Pseudomonas aeruginosa* PAO1
Authors : Feiler, C.G.; Blankenfeldt, W.
Deposited on : 2020-10-05
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	% 90% 8% .
1	B	286	5% 83% 15% .
1	C	286	% 87% 12% .
1	D	286	4% 87% 12% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PEG	A	401	-	-	X	-
4	EDO	A	404	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 18602 atoms, of which 9050 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	285	Total	C	H	N	O	S	0	3	0
			4471	1419	2252	404	388	8			
1	B	285	Total	C	H	N	O	S	0	0	0
			4432	1406	2232	401	386	7			
1	C	285	Total	C	H	N	O	S	0	1	0
			4451	1411	2243	404	386	7			
1	D	282	Total	C	H	N	O	S	0	2	0
			4410	1402	2221	399	381	7			

- Molecule 2 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			17	4	10	3		
2	A	1	Total	C	H	O	0	0
			17	4	10	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	H	O	0	0
			17	4	10	3		
2	C	1	Total	C	H	O	0	0
			17	4	10	3		
2	D	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 3 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			24	6	14	4		
3	C	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	186	Total	O	0	0
			186	186		
5	B	131	Total	O	0	0
			131	131		
5	C	209	Total	O	0	0
			209	209		
5	D	139	Total	O	0	0
			139	139		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Probable hydrolase




- Molecule 1: Probable hydrolase




- Molecule 1: Probable hydrolase



- Molecule 1: Probable hydrolase





4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	136.76Å 136.76Å 148.13Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.76 – 2.10 44.76 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.76-2.10) 100.0 (44.76-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 2.10Å)	Xtriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, R_{free}	0.163 , 0.206 0.167 , 0.206	Depositor DCC
R_{free} test set	4540 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.146	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.042 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18602	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, PGE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.99	7/2280 (0.3%)	1.03	7/3091 (0.2%)
1	B	0.65	3/2252 (0.1%)	0.84	0/3055
1	C	0.83	3/2263 (0.1%)	0.87	1/3069 (0.0%)
1	D	0.71	0/2248	0.80	2/3050 (0.1%)
All	All	0.81	13/9043 (0.1%)	0.89	10/12265 (0.1%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	235[A]	GLU	N-CA	7.46	1.55	1.46
1	A	235[B]	GLU	N-CA	7.46	1.55	1.46
1	A	116	PRO	C-O	-6.76	1.15	1.24
1	A	42	SER	C-O	-6.46	1.16	1.24
1	A	48	PRO	C-O	-6.12	1.16	1.24
1	C	48	PRO	C-O	-5.72	1.17	1.24
1	B	260	PRO	C-O	-5.71	1.17	1.23
1	A	158	PRO	C-O	-5.51	1.17	1.23
1	C	42	SER	C-O	-5.39	1.17	1.24
1	C	260	PRO	C-O	-5.21	1.17	1.23
1	B	158	PRO	C-O	-5.19	1.17	1.23
1	B	208	PRO	C-O	-5.02	1.18	1.23
1	A	110	LEU	C-O	-5.02	1.18	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	235[A]	GLU	CA-C-O	8.65	129.72	120.55
1	A	235[B]	GLU	CA-C-O	8.65	129.72	120.55
1	A	117	GLU	CB-CG-CD	7.32	125.04	112.60
1	A	158	PRO	CB-CA-C	-6.29	103.18	111.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	155	LYS	CA-C-N	5.47	128.63	120.87
1	D	155	LYS	C-N-CA	5.47	128.63	120.87
1	C	286	ARG	CG-CD-NE	-5.40	100.13	112.00
1	A	42	SER	N-CA-C	-5.09	105.86	111.71
1	A	242	GLU	CA-C-N	5.03	125.10	119.87
1	A	242	GLU	C-N-CA	5.03	125.10	119.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2219	2252	2259	26	0
1	B	2200	2232	2231	27	1
1	C	2208	2243	2244	28	0
1	D	2189	2221	2225	24	1
2	A	14	20	20	5	0
2	C	14	20	20	4	0
2	D	7	10	10	0	0
3	A	10	14	14	1	0
3	C	10	14	14	2	0
4	A	4	6	6	5	0
4	D	12	18	18	0	0
5	A	186	0	0	5	0
5	B	131	0	0	3	0
5	C	209	0	0	6	0
5	D	139	0	0	2	0
All	All	9552	9050	9061	101	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:ARG:NH1	1:B:270:GLU:OE1	1.90	1.02
1:A:235[A]:GLU:OE2	5:A:501:HOH:O	1.79	1.00
1:A:235[A]:GLU:OE1	5:A:502:HOH:O	1.96	0.82
1:C:3:LEU:HD11	3:C:303:PGE:C1	2.15	0.76
1:A:212:ARG:HD2	2:A:401:PEG:H21	1.67	0.74
1:D:219[A]:LEU:HD11	1:D:223:ARG:CZ	2.17	0.74
1:D:41:MET:HE2	1:D:41:MET:HA	1.71	0.73
1:C:94:GLU:OE2	5:C:401:HOH:O	2.06	0.73
1:C:174:VAL:HG12	1:C:175:GLY:H	1.54	0.72
1:C:255:GLU:OE1	1:C:286:ARG:NH1	2.21	0.71
1:A:95:ARG:HD2	2:A:402:PEG:H41	1.72	0.70
1:C:3:LEU:HD11	3:C:303:PGE:H12	1.73	0.69
1:A:257:HIS:ND1	5:A:503:HOH:O	2.27	0.68
1:A:228:PRO:HB3	4:A:404:EDO:H11	1.77	0.65
1:B:242:GLU:OE1	1:B:245:MET:N	2.23	0.65
1:A:174:VAL:HG12	1:A:175:GLY:H	1.64	0.62
1:A:255:GLU:HG3	4:A:404:EDO:H21	1.80	0.62
1:A:212:ARG:HD2	2:A:401:PEG:C2	2.30	0.60
1:D:237:GLY:O	1:D:241:VAL:HG23	2.01	0.60
1:B:152:LEU:HD12	1:B:155:LYS:HD2	1.85	0.58
1:B:28:LYS:HA	1:B:28:LYS:HE2	1.84	0.58
1:A:242:GLU:OE2	1:A:244:ARG:HB2	2.05	0.57
1:B:239:LEU:O	1:B:245:MET:HG2	2.06	0.55
1:C:95:ARG:NH1	1:C:120:GLU:OE2	2.39	0.55
1:B:239:LEU:HD12	1:B:245:MET:HG2	1.89	0.54
1:A:212:ARG:HH21	2:A:401:PEG:H22	1.71	0.54
1:B:28:LYS:HB2	1:B:53:LEU:HD12	1.89	0.54
1:D:219[A]:LEU:HD11	1:D:223:ARG:NH2	2.24	0.53
1:D:159:VAL:HG22	1:D:198:THR:CG2	2.38	0.52
1:D:238:MET:HA	1:D:241:VAL:HB	1.91	0.52
1:A:28:LYS:NZ	5:A:510:HOH:O	2.41	0.52
1:B:140:GLN:HG2	5:B:424:HOH:O	2.10	0.52
1:C:177:ILE:HG12	1:C:181:ALA:HB3	1.92	0.51
1:D:85:LEU:HD11	1:D:115:LEU:CD1	2.41	0.51
1:D:152:LEU:O	1:D:155:LYS:HB2	2.11	0.51
1:B:177:ILE:HG12	1:B:181:ALA:HB3	1.91	0.51
1:B:246:ARG:O	1:B:250:GLU:OE1	2.29	0.51
1:C:249:LEU:HB3	1:C:256:ARG:HD3	1.92	0.51
1:A:54:ARG:HE	2:C:301:PEG:H32	1.76	0.51
1:C:50:LEU:HB3	1:C:53:LEU:HD12	1.93	0.50
1:C:173:GLY:HA3	5:C:583:HOH:O	2.11	0.50
1:C:174:VAL:HG12	1:C:175:GLY:N	2.24	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:255:GLU:CD	1:C:286:ARG:HH12	2.14	0.50
1:B:30:VAL:HG22	1:B:97:SER:HB2	1.93	0.49
1:B:178:SER:HB3	1:B:268:ASP:OD1	2.12	0.49
1:A:228:PRO:CB	4:A:404:EDO:H11	2.42	0.49
1:A:255:GLU:OE2	4:A:404:EDO:H12	2.12	0.48
1:B:163:LEU:HD23	1:B:167:VAL:HG23	1.96	0.48
1:C:71:GLU:OE2	1:D:14:HIS:HA	2.14	0.48
1:D:85:LEU:HD11	1:D:115:LEU:HD12	1.96	0.48
1:A:54:ARG:HH11	2:C:301:PEG:H22	1.78	0.48
1:A:278:ARG:HG2	1:A:278:ARG:HH11	1.78	0.48
1:C:121:ARG:HD2	1:C:284:PHE:CD1	2.49	0.48
1:D:238:MET:HE3	1:D:242:GLU:HB2	1.94	0.47
1:B:236:GLN:HB3	1:B:261:GLY:O	2.14	0.47
1:D:95:ARG:HD2	1:D:117:GLU:O	2.15	0.47
1:C:215:GLN:NE2	5:C:410:HOH:O	2.48	0.47
1:A:174:VAL:HG12	1:A:175:GLY:N	2.30	0.46
1:B:87:VAL:O	1:B:91:LEU:HG	2.15	0.46
1:B:176:GLU:HG2	5:B:403:HOH:O	2.15	0.46
1:D:14:HIS:HD2	5:D:479:HOH:O	1.99	0.46
1:D:141:LYS:HD2	5:D:431:HOH:O	2.15	0.46
1:A:54:ARG:HH11	2:C:301:PEG:C2	2.29	0.46
1:B:64:GLY:O	1:B:200:ARG:HD3	2.15	0.46
1:C:154:HIS:O	1:C:154:HIS:CG	2.68	0.46
1:A:223[A]:ARG:HD3	5:A:641:HOH:O	2.16	0.46
1:B:234:ALA:HB1	1:B:261:GLY:O	2.16	0.45
1:C:147:LYS:HE3	1:D:115:LEU:CD2	2.46	0.45
1:A:120:GLU:C	1:A:121:ARG:HG2	2.42	0.45
1:B:164:GLU:CG	1:B:179:ARG:HH22	2.30	0.44
1:C:176:GLU:HB3	2:C:302:PEG:H32	2.00	0.44
1:C:141:LYS:HD3	1:C:141:LYS:HA	1.81	0.44
1:A:228:PRO:CA	4:A:404:EDO:H11	2.48	0.44
1:D:171:MET:CE	1:D:179:ARG:HB2	2.48	0.43
1:C:135:ALA:HB2	1:D:217[B]:HIS:ND1	2.33	0.43
1:D:32:ALA:HA	1:D:99:LEU:O	2.18	0.43
1:C:14:HIS:HD2	5:C:521:HOH:O	2.02	0.43
1:A:98:LEU:HD11	1:A:111:LEU:HD23	2.00	0.43
1:B:46:LEU:O	1:B:50:LEU:HD22	2.19	0.43
1:B:242:GLU:OE1	1:B:244:ARG:N	2.52	0.43
1:C:135:ALA:CB	1:D:217[B]:HIS:ND1	2.82	0.43
1:D:177:ILE:HG22	1:D:264:HIS:HB2	2.01	0.42
1:B:153:ARG:HG2	1:B:154:HIS:ND1	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:ALA:HA	1:B:99:LEU:O	2.19	0.42
1:C:223[A]:ARG:NH1	5:C:411:HOH:O	2.49	0.42
1:D:47:ALA:N	1:D:48:PRO:CD	2.83	0.42
1:C:245:MET:HA	1:C:245:MET:HE2	2.01	0.42
1:D:159:VAL:HG22	1:D:198:THR:HG22	2.02	0.41
1:A:230:SER:HB2	1:A:283:PHE:CD1	2.56	0.41
1:C:47:ALA:N	1:C:48:PRO:CD	2.84	0.41
1:B:218:ALA:O	1:B:222:VAL:HG22	2.21	0.41
1:B:156:ARG:HA	1:B:156:ARG:HD3	1.87	0.41
1:A:28:LYS:HE2	3:A:403:PGE:H22	2.02	0.41
1:C:32:ALA:HA	1:C:99:LEU:O	2.20	0.41
1:A:209:SER:H	2:A:401:PEG:H12	1.85	0.41
1:B:141:LYS:HB3	5:B:399:HOH:O	2.20	0.41
1:D:242:GLU:HA	1:D:243:PRO:HD3	1.92	0.41
1:B:141:LYS:HA	1:B:141:LYS:HD3	1.86	0.40
1:D:215:GLN:O	1:D:219[B]:LEU:HG	2.22	0.40
1:C:219:LEU:HD12	1:C:223[A]:ARG:CZ	2.51	0.40
1:C:194:PRO:O	5:C:402:HOH:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:MET:HE1	1:D:154:HIS:HB3[5_554]	1.25	0.35

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/286 (100%)	279 (98%)	6 (2%)	1 (0%)	36	36
1	B	283/286 (99%)	274 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	284/286 (99%)	277 (98%)	6 (2%)	1 (0%)	30	28
1	D	282/286 (99%)	273 (97%)	8 (3%)	1 (0%)	30	28
All	All	1135/1144 (99%)	1103 (97%)	29 (3%)	3 (0%)	36	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	174	VAL
1	C	174	VAL
1	D	173	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/222 (101%)	222 (99%)	2 (1%)	70	78
1	B	221/222 (100%)	215 (97%)	6 (3%)	39	45
1	C	222/222 (100%)	219 (99%)	3 (1%)	59	67
1	D	220/222 (99%)	216 (98%)	4 (2%)	51	60
All	All	887/888 (100%)	872 (98%)	15 (2%)	53	62

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	157	LYS
1	A	212	ARG
1	B	157	LYS
1	B	171	MET
1	B	178	SER
1	B	179	ARG
1	B	200	ARG
1	B	238	MET
1	C	95	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	155	LYS
1	C	222	VAL
1	D	156	ARG
1	D	157	LYS
1	D	172	ARG
1	D	246	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
1	A	257	HIS
1	A	258	HIS
1	D	149	GLN
1	D	257	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PEG	A	401	-	6,6,6	0.50	0	5,5,5	0.34	0
3	PGE	C	303	-	9,9,9	0.26	0	8,8,8	0.13	0
2	PEG	C	302	-	6,6,6	0.46	0	5,5,5	0.35	0
4	EDO	D	302	-	3,3,3	0.42	0	2,2,2	0.01	0
4	EDO	D	303	-	3,3,3	0.31	0	2,2,2	0.09	0
4	EDO	D	304	-	3,3,3	0.38	0	2,2,2	0.11	0
3	PGE	A	403	-	9,9,9	0.14	0	8,8,8	0.14	0
2	PEG	C	301	-	6,6,6	0.63	0	5,5,5	0.54	0
4	EDO	A	404	-	3,3,3	0.43	0	2,2,2	0.44	0
2	PEG	A	402	-	6,6,6	0.22	0	5,5,5	0.09	0
2	PEG	D	301	-	6,6,6	0.54	0	5,5,5	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	A	401	-	-	1/4/4/4	-
3	PGE	C	303	-	-	3/7/7/7	-
2	PEG	C	302	-	-	2/4/4/4	-
4	EDO	D	302	-	-	1/1/1/1	-
4	EDO	D	303	-	-	1/1/1/1	-
4	EDO	D	304	-	-	1/1/1/1	-
3	PGE	A	403	-	-	5/7/7/7	-
2	PEG	C	301	-	-	3/4/4/4	-
4	EDO	A	404	-	-	1/1/1/1	-
2	PEG	A	402	-	-	3/4/4/4	-
2	PEG	D	301	-	-	1/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	303	PGE	O2-C3-C4-O3
3	A	403	PGE	O3-C5-C6-O4
2	C	301	PEG	O1-C1-C2-O2
3	A	403	PGE	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	404	EDO	O1-C1-C2-O2
4	D	302	EDO	O1-C1-C2-O2
3	C	303	PGE	O3-C5-C6-O4
2	A	402	PEG	O1-C1-C2-O2
2	C	302	PEG	O1-C1-C2-O2
3	A	403	PGE	O1-C1-C2-O2
2	C	302	PEG	O2-C3-C4-O4
2	A	402	PEG	C1-C2-O2-C3
4	D	304	EDO	O1-C1-C2-O2
3	A	403	PGE	C3-C4-O3-C5
3	C	303	PGE	C1-C2-O2-C3
2	D	301	PEG	O2-C3-C4-O4
3	A	403	PGE	C4-C3-O2-C2
2	C	301	PEG	C1-C2-O2-C3
2	A	402	PEG	C4-C3-O2-C2
2	C	301	PEG	C4-C3-O2-C2
2	A	401	PEG	C4-C3-O2-C2
4	D	303	EDO	O1-C1-C2-O2

There are no ring outliers.

7 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	PEG	4	0
3	C	303	PGE	2	0
2	C	302	PEG	1	0
3	A	403	PGE	1	0
2	C	301	PEG	3	0
4	A	404	EDO	5	0
2	A	402	PEG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/286 (99%)	-0.32	4 (1%) 73 75	18, 36, 78, 118	3 (1%)
1	B	285/286 (99%)	0.24	13 (4%) 37 39	29, 55, 98, 134	0
1	C	285/286 (99%)	-0.42	3 (1%) 78 80	23, 36, 76, 128	1 (0%)
1	D	282/286 (98%)	-0.02	11 (3%) 43 45	19, 46, 91, 123	2 (0%)
All	All	1137/1144 (99%)	-0.13	31 (2%) 56 59	18, 43, 90, 134	6 (0%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	174	VAL	5.2
1	A	174	VAL	4.8
1	B	174	VAL	4.4
1	A	173	GLY	3.6
1	D	154	HIS	3.6
1	D	174	VAL	3.5
1	D	153	ARG	3.1
1	C	154	HIS	3.1
1	D	5	VAL	2.9
1	B	197	TYR	2.7
1	C	175	GLY	2.5
1	D	197	TYR	2.5
1	B	2	SER	2.5
1	D	163	LEU	2.5
1	D	177	ILE	2.4
1	B	3	LEU	2.4
1	B	154	HIS	2.4
1	D	175	GLY	2.4
1	D	241	VAL	2.4
1	D	161	ALA	2.3
1	B	171	MET	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	236	GLN	2.2
1	A	154	HIS	2.1
1	B	153	ARG	2.1
1	B	163	LEU	2.1
1	B	244	ARG	2.1
1	B	168	GLU	2.1
1	A	243	PRO	2.1
1	D	240	ALA	2.1
1	B	172	ARG	2.0
1	B	173	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PGE	A	403	10/10	0.83	0.14	57,69,83,87	0
2	PEG	A	402	7/7	0.86	0.16	60,72,86,86	0
4	EDO	A	404	4/4	0.87	0.24	39,49,56,59	0
4	EDO	D	304	4/4	0.87	0.14	52,62,69,78	0
2	PEG	C	302	7/7	0.88	0.13	62,80,95,96	0
4	EDO	D	303	4/4	0.88	0.12	59,71,75,75	0
2	PEG	A	401	7/7	0.88	0.12	45,69,85,85	0
2	PEG	C	301	7/7	0.89	0.12	35,57,75,75	0
4	EDO	D	302	4/4	0.92	0.12	58,70,74,80	0
3	PGE	C	303	10/10	0.92	0.10	52,63,73,75	0
2	PEG	D	301	7/7	0.92	0.10	43,56,71,71	0

6.5 Other polymers ⓘ

There are no such residues in this entry.