



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:43 AM UTC

PDB ID : 8ALP / pdb_00008alp
Title : Botulinum neurotoxin A6 cell binding domain crystal form II
Authors : Gregory, K.S.; Acharya, K.R.; Liu, S.M.
Deposited on : 2022-08-01
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	433	43% 75% 13% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PEG	AAA	1305	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3286 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bont/A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AAA	381	3127	2007	536	572	12	0	0	0

There are 7 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
AAA	864	MET	-	initiating methionine	UNP C9WWY7
AAA	865	HIS	-	expression tag	UNP C9WWY7
AAA	866	HIS	-	expression tag	UNP C9WWY7
AAA	867	HIS	-	expression tag	UNP C9WWY7
AAA	868	HIS	-	expression tag	UNP C9WWY7
AAA	869	HIS	-	expression tag	UNP C9WWY7
AAA	870	HIS	-	expression tag	UNP C9WWY7

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	AAA	1	Total C O 4 2 2	0	0
2	AAA	1	Total C O 4 2 2	0	0
2	AAA	1	Total C O 4 2 2	0	0
2	AAA	1	Total C O 4 2 2	0	0
2	AAA	1	Total C O 4 2 2	0	0
2	AAA	1	Total C O 4 2 2	0	0
2	AAA	1	Total C O 4 2 2	0	0

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	AAA	1	Total C O 7 4 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	124	Total O 124 124	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bont/A1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	39.55Å 78.94Å 118.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.70 – 1.50 65.70 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (65.70-1.50) 99.4 (65.70-1.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.248 , 0.289 0.255 , 0.292	Depositor DCC
R_{free} test set	2991 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3286	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	1.06	1/3184 (0.0%)	1.21	5/4287 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AAA	947	ILE	C-O	6.20	1.30	1.23

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	1171	ASP	CA-CB-CG	6.68	119.28	112.60
1	AAA	1068	MET	CA-C-O	-5.85	114.04	120.30
1	AAA	1285	ILE	O-C-N	-5.58	117.86	121.37
1	AAA	1247	ILE	N-CA-C	-5.57	105.67	111.58
1	AAA	1287	VAL	CA-C-O	-5.16	112.03	120.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	3127	0	3134	38	0
2	AAA	28	0	41	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	AAA	7	0	10	6	0
4	AAA	124	0	0	0	0
All	All	3286	0	3185	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:903:ARG:HH11	1:AAA:919:LEU:HB3	1.60	0.65
1:AAA:925:GLU:HB2	1:AAA:1054:MET:HE1	1.78	0.64
1:AAA:1128:VAL:HB	3:AAA:1305:PEG:H32	1.80	0.62
1:AAA:985:TRP:CE3	1:AAA:1019:ILE:HD13	2.37	0.57
1:AAA:1193:LEU:C	1:AAA:1193:LEU:HD23	2.30	0.57
1:AAA:1128:VAL:H	3:AAA:1305:PEG:C3	2.19	0.56
1:AAA:916:LEU:HD12	1:AAA:1067:ILE:HD11	1.87	0.55
1:AAA:1127:ASN:HB3	3:AAA:1305:PEG:H41	1.91	0.53
1:AAA:903:ARG:HD2	1:AAA:920:GLU:O	2.12	0.49
1:AAA:985:TRP:CD2	1:AAA:1019:ILE:HG21	2.47	0.49
1:AAA:1128:VAL:H	3:AAA:1305:PEG:H32	1.78	0.48
1:AAA:1046:ASN:C	1:AAA:1047:ILE:HG13	2.39	0.48
1:AAA:903:ARG:CG	1:AAA:921:SER:HB2	2.44	0.47
1:AAA:1128:VAL:HG23	3:AAA:1305:PEG:H21	1.94	0.47
1:AAA:903:ARG:HD2	1:AAA:921:SER:HB2	1.96	0.47
1:AAA:1160:PHE:CE2	1:AAA:1184:VAL:HG22	2.50	0.47
1:AAA:1196:ASN:O	2:AAA:1301:EDO:O1	2.25	0.47
1:AAA:977:SER:OG	1:AAA:984:ILE:HB	2.15	0.46
1:AAA:890:ASP:C	1:AAA:890:ASP:OD1	2.59	0.46
1:AAA:1158:THR:HG21	1:AAA:1184:VAL:CG1	2.46	0.46
1:AAA:1122:TYR:CE1	1:AAA:1137:LYS:HD3	2.51	0.46
1:AAA:903:ARG:HD3	1:AAA:919:LEU:HD13	1.98	0.45
1:AAA:991:LYS:HB2	1:AAA:993:ASN:ND2	2.32	0.45
1:AAA:903:ARG:CD	1:AAA:921:SER:HB2	2.47	0.44
1:AAA:903:ARG:HG3	1:AAA:921:SER:HB2	1.99	0.44
1:AAA:967:CYS:HB3	1:AAA:974:TRP:CE2	2.52	0.43
1:AAA:943:THR:CG2	1:AAA:1072:PHE:CE2	3.02	0.43
1:AAA:995:GLN:HG2	1:AAA:1044:LEU:HD21	2.00	0.43
1:AAA:1070:LYS:HD3	2:AAA:1302:EDO:H12	2.01	0.43
1:AAA:989:ASP:OD1	1:AAA:989:ASP:C	2.62	0.42
1:AAA:990:ASN:ND2	1:AAA:1046:ASN:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:883:TYR:HA	1:AAA:887:HIS:O	2.18	0.42
1:AAA:1127:ASN:CB	3:AAA:1305:PEG:H41	2.49	0.42
1:AAA:974:TRP:HB2	1:AAA:985:TRP:CH2	2.55	0.42
1:AAA:995:GLN:CG	1:AAA:1044:LEU:HD11	2.51	0.41
1:AAA:919:LEU:C	1:AAA:920:GLU:O	2.61	0.41
1:AAA:967:CYS:CB	1:AAA:974:TRP:CE2	3.04	0.41
1:AAA:1109:LYS:HA	1:AAA:1110:PRO:HD3	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	367/433 (85%)	342 (93%)	25 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	350/400 (88%)	338 (97%)	12 (3%)	32	7

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	877	SER
1	AAA	940	ASN
1	AAA	960	ASN
1	AAA	975	LYS
1	AAA	1012	ASN
1	AAA	1039	LYS
1	AAA	1046	ASN
1	AAA	1077	LYS
1	AAA	1094	SER
1	AAA	1098	LYS
1	AAA	1154	LEU
1	AAA	1257	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	AAA	1306	-	3,3,3	0.09	0	2,2,2	0.22	0
2	EDO	AAA	1304	-	3,3,3	0.10	0	2,2,2	0.50	0
2	EDO	AAA	1302	-	3,3,3	0.05	0	2,2,2	0.33	0
2	EDO	AAA	1301	-	3,3,3	0.83	0	2,2,2	0.47	0
3	PEG	AAA	1305	-	6,6,6	0.39	0	5,5,5	0.29	0
2	EDO	AAA	1308	-	3,3,3	0.13	0	2,2,2	0.34	0
2	EDO	AAA	1303	-	3,3,3	0.35	0	2,2,2	0.16	0
2	EDO	AAA	1307	-	3,3,3	0.10	0	2,2,2	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	AAA	1306	-	-	0/1/1/1	-
2	EDO	AAA	1304	-	-	1/1/1/1	-
2	EDO	AAA	1302	-	-	1/1/1/1	-
2	EDO	AAA	1301	-	-	1/1/1/1	-
3	PEG	AAA	1305	-	-	2/4/4/4	-
2	EDO	AAA	1308	-	-	1/1/1/1	-
2	EDO	AAA	1303	-	-	1/1/1/1	-
2	EDO	AAA	1307	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	AAA	1308	EDO	O1-C1-C2-O2
3	AAA	1305	PEG	O1-C1-C2-O2
2	AAA	1302	EDO	O1-C1-C2-O2
2	AAA	1304	EDO	O1-C1-C2-O2
2	AAA	1307	EDO	O1-C1-C2-O2
2	AAA	1301	EDO	O1-C1-C2-O2
3	AAA	1305	PEG	O2-C3-C4-O4
2	AAA	1303	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	AAA	1302	EDO	1	0
2	AAA	1301	EDO	1	0
3	AAA	1305	PEG	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	381/433 (87%)	2.21	187 (49%) 0 0	18, 36, 67, 102	0

All (187) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	AAA	999	PHE	7.7
1	AAA	898	ILE	6.7
1	AAA	906	PHE	6.2
1	AAA	881	LEU	6.2
1	AAA	932	ILE	6.1
1	AAA	1154	LEU	6.0
1	AAA	883	TYR	6.0
1	AAA	928	LEU	5.9
1	AAA	980	TYR	5.8
1	AAA	998	VAL	5.8
1	AAA	927	ILE	5.8
1	AAA	917	PHE	5.8
1	AAA	949	ILE	5.7
1	AAA	1055	PHE	5.7
1	AAA	933	VAL	5.7
1	AAA	934	TYR	5.6
1	AAA	985	TRP	5.6
1	AAA	997	VAL	5.5
1	AAA	963	THR	5.5
1	AAA	889	ILE	5.5
1	AAA	974	TRP	5.4
1	AAA	1231	ILE	5.3
1	AAA	924	ILE	5.3
1	AAA	914	ILE	5.2
1	AAA	938	TYR	5.2
1	AAA	923	LYS	5.1
1	AAA	1047	ILE	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	1029	ILE	4.9
1	AAA	904	VAL	4.9
1	AAA	978	LEU	4.8
1	AAA	894	TYR	4.8
1	AAA	926	VAL	4.8
1	AAA	965	ILE	4.8
1	AAA	950	PRO	4.7
1	AAA	895	ALA	4.6
1	AAA	916	LEU	4.5
1	AAA	900	ILE	4.5
1	AAA	903	ARG	4.5
1	AAA	983	ILE	4.4
1	AAA	1036	ILE	4.4
1	AAA	888	LEU	4.4
1	AAA	1057	LEU	4.4
1	AAA	929	LYS	4.4
1	AAA	1015	ILE	4.4
1	AAA	1012	ASN	4.3
1	AAA	1229	GLN	4.3
1	AAA	1069	ILE	4.3
1	AAA	1053	ILE	4.3
1	AAA	1093	ASN	4.3
1	AAA	936	SER	4.2
1	AAA	1072	PHE	4.2
1	AAA	976	VAL	4.2
1	AAA	966	ASN	4.0
1	AAA	994	ILE	4.0
1	AAA	1066	TYR	4.0
1	AAA	887	HIS	4.0
1	AAA	1000	LYS	4.0
1	AAA	1043	ASN	4.0
1	AAA	1044	LEU	4.0
1	AAA	1230	GLY	3.9
1	AAA	920	GLU	3.9
1	AAA	1167	SER	3.9
1	AAA	945	PHE	3.9
1	AAA	937	MET	3.9
1	AAA	981	GLY	3.8
1	AAA	990	ASN	3.8
1	AAA	878	ILE	3.8
1	AAA	958	LEU	3.8
1	AAA	993	ASN	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	1035	LEU	3.7
1	AAA	1153	GLY	3.7
1	AAA	896	SER	3.7
1	AAA	1168	GLY	3.7
1	AAA	873	ILE	3.6
1	AAA	1287	VAL	3.6
1	AAA	962	TYR	3.6
1	AAA	915	GLN	3.6
1	AAA	991	LYS	3.6
1	AAA	1017	ILE	3.6
1	AAA	1067	ILE	3.5
1	AAA	1048	HIS	3.5
1	AAA	996	ARG	3.4
1	AAA	1074	LEU	3.4
1	AAA	984	ILE	3.4
1	AAA	1016	PHE	3.4
1	AAA	960	ASN	3.4
1	AAA	947	ILE	3.4
1	AAA	1058	ASP	3.4
1	AAA	1060	CYS	3.4
1	AAA	1054	MET	3.4
1	AAA	874	ILE	3.3
1	AAA	1051	ASN	3.3
1	AAA	987	LEU	3.2
1	AAA	973	GLY	3.2
1	AAA	1056	LYS	3.2
1	AAA	891	LEU	3.2
1	AAA	919	LEU	3.2
1	AAA	905	ASN	3.2
1	AAA	1014	TRP	3.2
1	AAA	995	GLN	3.2
1	AAA	1050	SER	3.2
1	AAA	1040	PRO	3.2
1	AAA	1046	ASN	3.1
1	AAA	988	GLN	3.1
1	AAA	1088	TYR	3.1
1	AAA	1092	SER	3.1
1	AAA	897	LYS	3.0
1	AAA	902	SER	3.0
1	AAA	1113	MET	3.0
1	AAA	899	ASN	3.0
1	AAA	986	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	901	GLY	3.0
1	AAA	968	ILE	2.9
1	AAA	1094	SER	2.9
1	AAA	893	ARG	2.9
1	AAA	876	THR	2.9
1	AAA	967	CYS	2.9
1	AAA	977	SER	2.9
1	AAA	1019	ILE	2.9
1	AAA	1031	ILE	2.9
1	AAA	935	ASN	2.9
1	AAA	1152	SER	2.9
1	AAA	890	ASP	2.8
1	AAA	946	TRP	2.8
1	AAA	956	ILE	2.8
1	AAA	1166	ALA	2.8
1	AAA	1013	ARG	2.8
1	AAA	1090	SER	2.8
1	AAA	1275	SER	2.8
1	AAA	989	ASP	2.8
1	AAA	909	ILE	2.8
1	AAA	1155	TYR	2.7
1	AAA	1114	LEU	2.7
1	AAA	959	ASN	2.7
1	AAA	1170	LYS	2.7
1	AAA	1086	ASP	2.7
1	AAA	1169	ASN	2.7
1	AAA	1037	ASP	2.7
1	AAA	1199	GLN	2.7
1	AAA	1085	LYS	2.6
1	AAA	975	LYS	2.6
1	AAA	1273	ILE	2.6
1	AAA	913	GLN	2.6
1	AAA	1068	MET	2.6
1	AAA	1034	ARG	2.6
1	AAA	1041	ILE	2.5
1	AAA	1052	LYS	2.5
1	AAA	879	LEU	2.5
1	AAA	922	SER	2.5
1	AAA	1032	ASN	2.5
1	AAA	1200	ALA	2.5
1	AAA	1033	GLY	2.5
1	AAA	1139	SER	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	979	ASN	2.5
1	AAA	921	SER	2.4
1	AAA	1101	TRP	2.4
1	AAA	1184	VAL	2.4
1	AAA	1232	ARG	2.4
1	AAA	1158	THR	2.4
1	AAA	941	PHE	2.4
1	AAA	1061	ARG	2.4
1	AAA	1096	ILE	2.3
1	AAA	1258	ILE	2.3
1	AAA	982	GLU	2.3
1	AAA	1119	PRO	2.3
1	AAA	1100	PHE	2.3
1	AAA	1227	ASN	2.3
1	AAA	1064	ARG	2.3
1	AAA	1285	ILE	2.2
1	AAA	1039	LYS	2.2
1	AAA	925	GLU	2.2
1	AAA	1259	TYR	2.2
1	AAA	1272	GLU	2.2
1	AAA	1087	LEU	2.1
1	AAA	1122	TYR	2.1
1	AAA	972	SER	2.1
1	AAA	875	ASN	2.1
1	AAA	970	ASN	2.1
1	AAA	1030	TYR	2.1
1	AAA	1104	TYR	2.1
1	AAA	1156	MET	2.1
1	AAA	1171	ASP	2.1
1	AAA	957	SER	2.1
1	AAA	1045	GLY	2.1
1	AAA	1084	ILE	2.0
1	AAA	1123	VAL	2.0
1	AAA	1116	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	AAA	1308	4/4	0.75	0.16	54,55,58,58	0
2	EDO	AAA	1306	4/4	0.77	0.15	51,53,57,58	0
2	EDO	AAA	1304	4/4	0.80	0.14	39,46,49,49	0
3	PEG	AAA	1305	7/7	0.83	0.13	39,42,47,48	0
2	EDO	AAA	1307	4/4	0.84	0.18	60,61,63,68	0
2	EDO	AAA	1303	4/4	0.85	0.12	45,46,46,48	0
2	EDO	AAA	1302	4/4	0.86	0.16	47,49,52,56	0
2	EDO	AAA	1301	4/4	0.90	0.13	29,36,38,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.