



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:00 PM UTC

PDB ID : 2AMD / pdb\_00002amd  
Title : Crystal Structure Of SARS\_CoV Mpro in Complex with an Inhibitor N9  
Authors : Yang, H.; Xue, X.; Yang, K.; Zhao, Q.; Bartlam, M.; Rao, Z.  
Deposited on : 2005-08-09  
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	
1	B	311	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5223 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 3C-like proteinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	309	2386	1510	407	447	22	0	0	0
1	B	304	2346	1481	402	441	22	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	cloning artifact	UNP P59641
A	-3	PRO	-	cloning artifact	UNP P59641
A	-2	LEU	-	cloning artifact	UNP P59641
A	-1	GLY	-	cloning artifact	UNP P59641
A	0	SER	-	cloning artifact	UNP P59641
B	-4	GLY	-	cloning artifact	UNP P59641
B	-3	PRO	-	cloning artifact	UNP P59641
B	-2	LEU	-	cloning artifact	UNP P59641
B	-1	GLY	-	cloning artifact	UNP P59641
B	0	SER	-	cloning artifact	UNP P59641

- Molecule 2 is N-(3-FUROYL)-D-VALYL-L-VALYL-N 1 -((1R,2Z)-4-ETHOXY-4-OXO-1-[(3S)-2-OXOPYRROLIDIN-3-YL]METHYL}BUT-2-ENYL)-D-LEUCINAMIDE (CCD ID: 9IN) (formula: C<sub>32</sub>H<sub>49</sub>N<sub>5</sub>O<sub>8</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	45	32	5	8	0	0
2	B	1	45	32	5	8	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	194	194	194	0	0
3	B	207	207	207	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 3C-like proteinase



- Molecule 1: 3C-like proteinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.11Å 94.99Å 67.60Å 90.00° 103.09° 90.00°	Depositor
Resolution (Å)	30.00 – 1.85 30.00 – 1.86	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-1.85) 95.6 (30.00-1.86)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.86 (at 1.86Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.215 , 0.245 0.214 , 0.245	Depositor DCC
$R_{free}$ test set	2600 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.2	Xtrriage
Anisotropy	0.083	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 35.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5223	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.24% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 9IN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/2440	0.91	8/3315 (0.2%)
1	B	0.39	0/2398	0.93	10/3257 (0.3%)
All	All	0.38	0/4838	0.92	18/6572 (0.3%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	165	MET	N-CA-C	6.38	116.99	108.38
1	B	2	GLY	N-CA-C	-6.36	103.40	112.81
1	A	178	GLU	N-CA-C	-6.35	104.79	113.30
1	B	100	LYS	N-CA-C	-6.07	101.30	110.28
1	A	165	MET	N-CA-C	6.00	117.37	108.60
1	B	49	MET	N-CA-C	6.00	119.85	112.54
1	A	148	VAL	N-CA-C	5.99	118.33	108.99
1	A	182	TYR	N-CA-C	-5.96	99.57	109.46
1	B	45	THR	N-CA-C	-5.74	101.24	110.14
1	B	182	TYR	N-CA-C	-5.64	99.53	108.73
1	B	178	GLU	N-CA-C	-5.58	105.82	113.30
1	A	176	ASP	N-CA-C	-5.45	101.92	110.36
1	B	226	THR	N-CA-C	-5.35	102.60	110.52
1	A	100	LYS	N-CA-C	-5.34	101.94	109.96
1	A	10	SER	N-CA-C	5.18	119.70	113.17
1	B	65	SER	N-CA-C	-5.16	106.50	112.89
1	B	218	TRP	N-CA-C	5.11	117.59	111.71
1	A	185	PHE	N-CA-C	5.02	117.01	110.43

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2386	0	2339	61	0
1	B	2346	0	2296	65	0
2	A	45	0	47	4	0
2	B	45	0	47	4	0
3	A	194	0	0	4	0
3	B	207	0	0	6	0
All	All	5223	0	4729	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:4:ARG:H	1:B:299:GLN:HE22	1.08	1.01
1:B:231:ASN:HB3	1:B:235:MET:HE3	1.50	0.93
1:A:6:MET:HE2	1:A:299:GLN:HG3	1.48	0.93
1:B:277:ASN:HD22	1:B:279:ARG:HH12	1.10	0.92
1:B:88:ARG:HH11	1:B:88:ARG:HG3	1.43	0.83
1:A:222:ARG:HG3	1:A:222:ARG:HH11	1.45	0.82
1:A:245:ASP:O	1:A:249:ILE:HD13	1.80	0.82
1:B:51:ASN:HD22	1:B:188:ARG:NH1	1.83	0.76
1:B:277:ASN:HD22	1:B:279:ARG:NH1	1.84	0.76
1:B:68:VAL:HG23	1:B:75:LEU:HB2	1.68	0.74
1:A:276:MET:HE3	1:A:281:ILE:HG13	1.69	0.72
1:B:51:ASN:HD22	1:B:188:ARG:HH12	1.37	0.70
1:A:6:MET:HE1	3:B:2094:HOH:O	1.90	0.70
1:B:4:ARG:H	1:B:299:GLN:NE2	1.87	0.70
1:B:169:THR:HG21	3:B:2140:HOH:O	1.91	0.69
1:B:231:ASN:HB3	1:B:235:MET:CE	2.21	0.69
1:B:276:MET:HE3	1:B:281:ILE:HG13	1.76	0.68
1:A:60:ARG:HB2	1:A:60:ARG:NH1	2.10	0.67
1:A:235:MET:HE3	1:A:241:PRO:HG3	1.77	0.66
1:A:136:ILE:HD13	1:A:172:HIS:O	1.97	0.65
1:A:1:SER:HB2	3:A:1128:HOH:O	1.96	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:GLU:HB2	3:B:2051:HOH:O	1.97	0.64
1:B:86:LEU:HG	1:B:179:GLY:HA2	1.80	0.64
1:B:209:TYR:O	1:B:213:ILE:HG23	1.98	0.64
1:A:127:GLN:HG2	3:A:1020:HOH:O	1.99	0.63
1:B:227:LEU:HD21	1:B:242:LEU:O	1.99	0.62
1:A:40:ARG:HA	1:A:87:LEU:HG	1.81	0.62
1:B:48:ASP:O	1:B:52:PRO:HB3	1.98	0.61
1:B:277:ASN:ND2	1:B:279:ARG:HH12	1.92	0.60
1:B:169:THR:HG23	1:B:171:VAL:HG22	1.83	0.60
1:B:51:ASN:ND2	1:B:188:ARG:HH12	1.97	0.60
1:A:-3:PRO:N	3:A:1067:HOH:O	2.33	0.60
1:B:72:ASN:HD22	1:B:72:ASN:H	1.47	0.60
1:A:236:LYS:HG3	1:A:237:TYR:CD1	2.37	0.59
1:A:60:ARG:HB2	1:A:60:ARG:HH11	1.67	0.58
1:A:75:LEU:HD22	1:A:91:VAL:HB	1.88	0.55
1:B:49:MET:HE2	2:B:2001:9IN:H203	1.89	0.55
1:A:6:MET:HE2	1:A:299:GLN:CG	2.31	0.55
1:B:247:VAL:HB	1:B:261:VAL:HG11	1.88	0.55
1:B:131:ARG:HD2	1:B:197:ASP:OD1	2.07	0.55
1:B:8:PHE:HD1	1:B:113:SER:HG	1.53	0.54
1:B:88:ARG:HG3	1:B:88:ARG:NH1	2.18	0.54
1:A:25:THR:HG23	2:A:1001:9IN:H273	1.90	0.54
1:B:83:GLN:HB2	1:B:88:ARG:NH1	2.22	0.54
1:A:86:LEU:HG	1:A:179:GLY:HA2	1.89	0.54
1:A:48:ASP:OD2	1:A:57:LEU:HD11	2.08	0.54
1:A:55:GLU:H	1:A:55:GLU:CD	2.16	0.53
1:B:213:ILE:CD1	1:B:300:CYS:HB3	2.38	0.53
1:B:136:ILE:HD12	1:B:136:ILE:N	2.23	0.53
1:A:236:LYS:O	1:A:236:LYS:HD2	2.08	0.53
1:B:168:PRO:HG3	2:B:2001:9IN:C5	2.38	0.53
1:B:213:ILE:HD11	1:B:300:CYS:HB3	1.89	0.53
1:A:276:MET:CE	1:A:281:ILE:HG13	2.39	0.52
1:A:163:HIS:HE1	1:A:172:HIS:HB3	1.73	0.52
1:A:6:MET:CE	1:A:299:GLN:HG3	2.30	0.52
1:A:78:ILE:C	1:A:78:ILE:HD12	2.35	0.52
1:B:4:ARG:N	1:B:299:GLN:HE22	1.91	0.51
1:A:31:TRP:CE2	1:A:75:LEU:HD11	2.45	0.51
1:A:209:TYR:O	1:A:213:ILE:HG12	2.09	0.51
1:B:131:ARG:CD	1:B:197:ASP:OD1	2.58	0.51
1:B:31:TRP:CE2	1:B:95:ASN:HB2	2.46	0.51
1:B:19:GLN:NE2	1:B:119:ASN:HD22	2.09	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:276:MET:HE2	1:B:279:ARG:O	2.11	0.51
1:B:31:TRP:CD2	1:B:95:ASN:HB2	2.47	0.50
1:B:243:THR:H	1:B:246:HIS:CD2	2.30	0.50
1:A:4:ARG:HG2	1:B:139:SER:HB2	1.93	0.49
1:A:136:ILE:HD13	1:A:136:ILE:H	1.76	0.49
1:A:152:ILE:HD12	1:A:157:VAL:HG22	1.95	0.49
1:B:47:GLU:H	1:B:47:GLU:CD	2.21	0.48
1:B:245:ASP:O	1:B:249:ILE:HG12	2.12	0.48
1:A:166:GLU:OE2	1:B:0:SER:O	2.31	0.48
1:A:49:MET:HE2	2:A:1001:9IN:H203	1.94	0.48
1:A:276:MET:HE2	1:A:279:ARG:O	2.13	0.47
1:A:1:SER:N	3:A:1188:HOH:O	2.47	0.47
1:A:5:LYS:HG2	1:A:291:PHE:CZ	2.50	0.47
1:A:19:GLN:HE21	1:A:119:ASN:HA	1.80	0.47
1:B:68:VAL:HG22	1:B:75:LEU:O	2.15	0.47
2:B:2001:9IN:HN2	2:B:2001:9IN:H4	1.15	0.47
1:A:109:GLY:HA2	1:A:200:ILE:HD13	1.97	0.47
1:B:19:GLN:HE22	1:B:119:ASN:HD22	1.63	0.46
1:A:47:GLU:OE1	1:A:47:GLU:N	2.45	0.46
1:B:113:SER:O	1:B:149:GLY:HA2	2.16	0.46
1:A:163:HIS:CE1	1:A:172:HIS:HB3	2.50	0.46
1:A:136:ILE:HD13	1:A:136:ILE:N	2.31	0.45
1:A:222:ARG:HH11	1:A:222:ARG:CG	2.19	0.45
1:A:192:GLN:NE2	2:A:1001:9IN:H101	2.32	0.45
1:A:0:SER:O	1:A:1:SER:HB2	2.16	0.45
1:A:222:ARG:HG3	1:A:222:ARG:O	2.15	0.45
1:B:142:ASN:ND2	3:B:2167:HOH:O	2.50	0.45
1:A:19:GLN:HE21	1:A:119:ASN:CA	2.30	0.45
1:B:51:ASN:ND2	1:B:188:ARG:NH1	2.57	0.45
1:B:68:VAL:CG2	1:B:75:LEU:O	2.65	0.45
1:B:131:ARG:HH22	1:B:289:ASP:CG	2.25	0.44
1:B:235:MET:HE2	1:B:241:PRO:HB3	1.98	0.44
1:A:153:ASP:O	1:A:154:TYR:HB3	2.18	0.44
1:B:25:THR:HG21	1:B:42:VAL:O	2.18	0.44
1:A:3:PHE:HB2	1:A:282:LEU:HD13	2.00	0.44
1:B:25:THR:CG2	1:B:42:VAL:O	2.66	0.44
1:B:118:TYR:CE1	1:B:144:SER:HB3	2.53	0.44
1:B:86:LEU:HG	1:B:179:GLY:CA	2.47	0.44
1:B:133:ASN:O	1:B:134:HIS:HB2	2.16	0.44
1:B:169:THR:CG2	1:B:171:VAL:HG22	2.46	0.44
1:A:115:LEU:HD13	1:A:125:VAL:CG1	2.48	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:PRO:HD2	3:B:2121:HOH:O	2.18	0.43
1:B:175:THR:HG22	1:B:181:PHE:HA	1.99	0.43
1:B:68:VAL:CG2	1:B:75:LEU:HB2	2.45	0.43
1:A:191:ALA:HA	2:A:1001:9IN:C2	2.49	0.43
1:A:118:TYR:CE1	1:A:144:SER:HB3	2.54	0.43
2:B:2001:9IN:H271	3:B:2151:HOH:O	2.18	0.43
1:B:198:THR:OG1	1:B:240:GLU:HG2	2.19	0.42
1:A:167:LEU:HD12	1:A:171:VAL:HG23	2.00	0.42
1:A:126:TYR:HE1	1:A:128:CYS:SG	2.42	0.42
1:B:243:THR:H	1:B:246:HIS:HD2	1.68	0.42
1:A:27:LEU:HG	1:A:42:VAL:HG23	2.02	0.42
1:A:-1:GLY:O	1:A:0:SER:C	2.63	0.41
1:A:115:LEU:CD1	1:A:125:VAL:CG1	2.98	0.41
1:B:40:ARG:O	1:B:43:ILE:HG12	2.19	0.41
1:A:72:ASN:OD1	1:A:72:ASN:N	2.49	0.41
1:A:228:ASN:O	1:A:232:LEU:HG	2.21	0.41
1:A:52:PRO:HG2	1:A:54:TYR:CE1	2.56	0.41
1:A:129:ALA:HB3	1:A:290:GLU:OE2	2.20	0.41
1:B:294:PHE:O	1:B:297:VAL:HG22	2.20	0.41
1:B:2:GLY:H	1:B:214:ASN:HD21	1.68	0.41
1:A:19:GLN:NE2	1:A:119:ASN:HD22	2.19	0.41
1:A:132:PRO:HD2	1:A:197:ASP:OD1	2.21	0.41
1:B:163:HIS:HE1	1:B:172:HIS:HB3	1.87	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	307/311 (99%)	298 (97%)	6 (2%)	3 (1%)	12 4
1	B	302/311 (97%)	296 (98%)	6 (2%)	0	100 100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	609/622 (98%)	594 (98%)	12 (2%)	3 (0%)	24	13

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	SER
1	A	0	SER
1	A	154	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/266 (100%)	254 (96%)	11 (4%)	26	12
1	B	260/266 (98%)	251 (96%)	9 (4%)	32	16
All	All	525/532 (99%)	505 (96%)	20 (4%)	29	14

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LEU
1	A	45	THR
1	A	47	GLU
1	A	72	ASN
1	A	75	LEU
1	A	136	ILE
1	A	222	ARG
1	A	227	LEU
1	A	228	ASN
1	A	236	LYS
1	A	268	LEU
1	B	47	GLU
1	B	55	GLU
1	B	72	ASN
1	B	127	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	213	ILE
1	B	228	ASN
1	B	247	VAL
1	B	268	LEU
1	B	277	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	51	ASN
1	A	74	GLN
1	A	84	ASN
1	A	228	ASN
1	A	246	HIS
1	A	277	ASN
1	B	19	GLN
1	B	51	ASN
1	B	69	GLN
1	B	72	ASN
1	B	74	GLN
1	B	107	GLN
1	B	119	ASN
1	B	127	GLN
1	B	134	HIS
1	B	142	ASN
1	B	214	ASN
1	B	244	GLN
1	B	246	HIS
1	B	274	ASN
1	B	277	ASN
1	B	299	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	9IN	A	1001	1	46,46,46	2.92	15 (32%)	56,62,62	4.78	21 (37%)
2	9IN	B	2001	1	46,46,46	2.87	15 (32%)	56,62,62	4.11	18 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	9IN	A	1001	1	-	7/56/66/66	0/2/2/2
2	9IN	B	2001	1	-	3/56/66/66	0/2/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	9IN	C22-N5	-9.45	1.32	1.46
2	B	2001	9IN	C24-C23	9.28	1.53	1.32
2	A	1001	9IN	C24-C23	8.43	1.51	1.32
2	B	2001	9IN	C7-N3	-7.11	1.18	1.34
2	A	1001	9IN	C7-N3	-7.06	1.18	1.34
2	B	2001	9IN	C22-N5	-6.35	1.37	1.46
2	B	2001	9IN	O1-C4	5.77	1.48	1.36
2	A	1001	9IN	O1-C4	5.21	1.47	1.36
2	A	1001	9IN	C28-C22	-4.87	1.47	1.53
2	B	2001	9IN	C4-C1	-4.75	1.25	1.35

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	9IN	C4-C1	-4.43	1.26	1.35
2	B	2001	9IN	C28-C22	-4.40	1.48	1.53
2	A	1001	9IN	C15-N4	3.80	1.42	1.34
2	B	2001	9IN	C16-N4	3.76	1.53	1.45
2	B	2001	9IN	O5-C21	3.58	1.30	1.23
2	A	1001	9IN	C16-N4	3.58	1.53	1.45
2	B	2001	9IN	C1-C5	3.53	1.60	1.49
2	A	1001	9IN	O5-C21	3.53	1.30	1.23
2	B	2001	9IN	C5-N2	3.45	1.41	1.34
2	B	2001	9IN	C21-N5	3.43	1.41	1.34
2	B	2001	9IN	C15-N4	3.00	1.40	1.34
2	A	1001	9IN	O7-C25	2.82	1.40	1.34
2	B	2001	9IN	O7-C25	2.74	1.40	1.34
2	A	1001	9IN	O6-C25	2.72	1.27	1.21
2	A	1001	9IN	C6-N2	-2.67	1.40	1.45
2	A	1001	9IN	C1-C5	2.65	1.57	1.49
2	A	1001	9IN	C28-C29	-2.63	1.47	1.53
2	B	2001	9IN	O6-C25	2.26	1.26	1.21
2	A	1001	9IN	C5-N2	2.18	1.38	1.34
2	B	2001	9IN	C6-N2	-2.05	1.41	1.45

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	9IN	C1-C5-N2	-28.89	87.18	116.69
2	B	2001	9IN	C1-C5-N2	-22.95	93.25	116.69
2	B	2001	9IN	C22-C23-C24	-14.17	100.66	125.84
2	A	1001	9IN	C22-C23-C24	-11.38	105.62	125.84
2	A	1001	9IN	C12-C11-C15	-6.98	94.37	111.38
2	A	1001	9IN	C2-C1-C4	5.93	109.98	105.59
2	A	1001	9IN	O2-C5-C1	5.71	127.55	120.83
2	A	1001	9IN	C9-C8-C6	5.59	126.49	111.16
2	B	2001	9IN	C9-C8-C6	5.06	125.06	111.16
2	B	2001	9IN	C2-C1-C4	4.90	109.22	105.59
2	A	1001	9IN	C13-C12-C11	-4.86	97.81	111.16
2	A	1001	9IN	C2-C1-C5	4.41	140.60	124.32
2	B	2001	9IN	C12-C11-C15	-4.14	101.29	111.38
2	B	2001	9IN	C2-C1-C5	3.93	138.82	124.32
2	B	2001	9IN	O3-C7-N3	3.90	129.93	122.96
2	B	2001	9IN	O2-C5-C1	3.48	124.93	120.83
2	A	1001	9IN	O3-C7-N3	3.31	128.89	122.96
2	B	2001	9IN	C23-C22-N5	3.19	116.33	110.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	9IN	C10-C8-C9	-3.16	101.90	110.58
2	A	1001	9IN	C14-C12-C11	-2.93	103.12	111.16
2	A	1001	9IN	C6-C7-N3	-2.91	110.10	116.39
2	B	2001	9IN	C12-C11-N3	-2.87	104.51	111.44
2	A	1001	9IN	O2-C5-N2	2.83	128.09	123.09
2	A	1001	9IN	C10-C8-C9	-2.82	102.82	110.58
2	A	1001	9IN	C28-C22-C23	-2.82	106.68	110.99
2	B	2001	9IN	C6-C7-N3	-2.79	110.37	116.39
2	A	1001	9IN	C11-N3-C7	-2.77	115.04	121.90
2	B	2001	9IN	C11-N3-C7	-2.77	115.06	121.90
2	A	1001	9IN	C3-C2-C1	-2.62	103.79	107.01
2	B	2001	9IN	C28-C22-C23	-2.61	107.00	110.99
2	B	2001	9IN	C3-C2-C1	-2.53	103.90	107.01
2	B	2001	9IN	C14-C12-C11	-2.50	104.28	111.16
2	A	1001	9IN	C21-C16-N4	-2.43	104.53	111.11
2	A	1001	9IN	C23-C22-N5	2.41	114.88	110.36
2	A	1001	9IN	C8-C6-N2	-2.40	105.64	111.44
2	A	1001	9IN	C12-C11-N3	-2.40	105.65	111.44
2	A	1001	9IN	O8-C32-C29	2.08	128.62	126.21
2	B	2001	9IN	O8-C32-C29	2.06	128.60	126.21
2	B	2001	9IN	C6-N2-C5	-2.02	117.47	121.57

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1001	9IN	C4-C1-C5-O2
2	A	1001	9IN	C4-C1-C5-N2
2	A	1001	9IN	C2-C1-C5-N2
2	A	1001	9IN	O2-C5-N2-C6
2	A	1001	9IN	C22-C23-C24-C25
2	B	2001	9IN	C22-C23-C24-C25
2	B	2001	9IN	O2-C5-N2-C6
2	A	1001	9IN	C12-C11-C15-O4
2	B	2001	9IN	C2-C1-C5-N2
2	A	1001	9IN	C12-C11-C15-N4


There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	9IN	4	0
2	B	2001	9IN	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	309/311 (99%)	0.66	26 (8%) 17 17	18, 26, 46, 62	0
1	B	304/311 (97%)	0.29	9 (2%) 52 56	17, 26, 41, 59	0
All	All	613/622 (98%)	0.48	35 (5%) 29 32	17, 26, 44, 62	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	302	GLY	5.8
1	A	46	ALA	4.0
1	A	-1	GLY	3.7
1	A	0	SER	3.5
1	A	154	TYR	3.3
1	B	0	SER	3.3
1	A	2	GLY	3.0
1	A	78	ILE	3.0
1	A	1	SER	3.0
1	A	48	ASP	2.9
1	A	155	ASP	2.8
1	A	232	LEU	2.6
1	A	152	ILE	2.6
1	A	3	PHE	2.5
1	A	47	GLU	2.5
1	A	235	MET	2.5
1	B	277	ASN	2.4
1	A	72	ASN	2.3
1	A	275	GLY	2.3
1	B	2	GLY	2.3
1	A	214	ASN	2.3
1	A	276	MET	2.3
1	B	94	SER	2.3
1	A	23	GLY	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	59	ILE	2.2
1	A	136	ILE	2.2
1	B	154	TYR	2.2
1	A	24	THR	2.2
1	A	128	CYS	2.2
1	B	213	ILE	2.1
1	A	-2	LEU	2.1
1	A	301	SER	2.1
1	B	301	SER	2.0
1	B	-1	GLY	2.0
1	A	60	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	9IN	B	2001	45/45	0.88	0.11	23,28,41,43	0
2	9IN	A	1001	45/45	0.89	0.11	25,30,51,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.