



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 04:49 AM UTC

PDB ID : 3AM4 / pdb_00003am4
Title : A372M mutant of Enoyl-ACP Reductase from Plasmodium falciparum (PfENR) in complex with triclosan variant T1
Authors : Maity, K.; Banerjee, T.; Narayanappa, P.; Surolia, N.; Surolia, A.; Suguna, K.
Deposited on : 2010-08-14
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	FAILED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS failed to run properly.

Mol	Chain	Length	Quality of chain
1	A	329	
1	B	329	

2 Entry composition ⓘ

There are 4 unique types of molecules in this entry. The entry contains 4745 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Enoyl-ACP reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	287	2201	1407	367	415	12	0	1	0
1	B	287	2208	1410	367	419	12	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	372	MET	ALA	engineered mutation	UNP Q9BJJ9
B	372	MET	ALA	engineered mutation	UNP Q9BJJ9

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	44	21	7	14	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 4-(2,4-dichlorophenoxy)-3-hydroxybenzaldehyde (CCD ID: FT1) (formula: $C_{13}H_8Cl_2O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Cl	O	0	0
			18	13	2	3		
3	B	1	Total	C	Cl	O	0	0
			18	13	2	3		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	114	Total	O	0	0
			114	114		
4	B	98	Total	O	0	0
			98	98		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS failed to run properly.

- Molecule 1: Enoyl-ACP reductase



- Molecule 1: Enoyl-ACP reductase



4 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	130.68Å 130.68Å 82.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.00 – 2.30	Depositor
% Data completeness (in resolution range)	97.9 (65.00-2.30)	Depositor
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.91 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0044	Depositor
R, R_{free}	0.208 , 0.261	Depositor
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.805	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4745	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, FT1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	0/2242	1.00	2/3035 (0.1%)
1	B	0.80	0/2252	1.00	1/3048 (0.0%)
All	All	0.81	0/4494	1.00	3/6083 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	153	ILE	CB-CA-C	5.26	119.91	111.29
1	A	154	ASP	N-CA-CB	-5.19	101.72	110.49
1	B	156	ASP	N-CA-C	5.17	121.81	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2201	0	2150	58	0
1	B	2208	0	2161	61	0
2	A	44	0	26	3	0
2	B	44	0	26	5	0
3	A	18	0	8	3	0
3	B	18	0	8	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	114	0	0	8	0
4	B	98	0	0	4	0
All	All	4745	0	4379	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:SER:HB3	1:A:153:ILE:HD11	1.34	1.03
1:B:138:PHE:HE2	1:B:164:MET:HE3	1.28	0.98
1:B:117:LYS:HG2	1:B:159:MET:HE1	1.47	0.96
1:B:138:PHE:CE2	1:B:164:MET:HE3	2.03	0.92
1:A:157:LYS:HA	4:A:91:HOH:O	1.71	0.90
1:B:117:LYS:HG2	1:B:159:MET:CE	2.05	0.85
1:A:120:SER:HB3	1:A:153:ILE:CD1	2.07	0.84
1:B:139:MET:SD	1:B:164:MET:HE2	2.19	0.83
1:B:252:PHE:O	1:B:256:MET:HG3	1.83	0.77
1:A:148:ASP:HA	1:A:151:MET:CE	2.19	0.73
1:B:153:ILE:O	1:B:154:ASP:OD2	2.10	0.70
1:B:416:GLY:O	1:B:419:ILE:HG12	1.92	0.69
1:B:154:ASP:CG	1:B:155:LYS:H	2.00	0.69
1:A:139:MET:HE1	1:A:164:MET:SD	2.34	0.67
1:B:218:ASN:HD22	1:B:219:ALA:H	1.43	0.66
1:A:120:SER:CB	1:A:153:ILE:HD11	2.21	0.66
1:A:117:LYS:CG	1:A:159:MET:HE2	2.28	0.64
1:A:161:ILE:HG21	1:A:164:MET:HE2	1.79	0.64
1:A:256:MET:HE2	1:A:260:SER:HB3	1.80	0.64
1:B:320:ALA:HB1	1:B:369:ILE:HG13	1.80	0.64
1:A:218:ASN:HD22	1:A:219:ALA:H	1.46	0.64
1:B:154:ASP:CG	1:B:155:LYS:N	2.56	0.63
1:A:320:ALA:HB1	1:A:369:ILE:CG1	2.28	0.63
1:A:320:ALA:HB1	1:A:369:ILE:HG13	1.79	0.63
2:B:901:NAD:H52N	3:B:902:FT1:CL9	2.36	0.62
1:A:126:ILE:HG21	1:A:128:PHE:CE2	2.34	0.62
1:B:245:LEU:HD12	1:B:288:LEU:HD12	1.82	0.62
1:A:223:GLN:NE2	1:A:223:GLN:H	1.97	0.61
1:B:320:ALA:HB1	1:B:369:ILE:CG1	2.31	0.61
1:A:301:ARG:HH11	1:A:301:ARG:HG3	1.68	0.59
1:A:148:ASP:HA	1:A:151:MET:HE2	1.83	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:GLN:HB3	4:A:432:HOH:O	2.03	0.59
1:B:126:ILE:HG21	1:B:128:PHE:HE2	1.68	0.58
1:A:384:GLN:HE22	1:B:404:ARG:HG2	1.69	0.57
1:A:384:GLN:N	4:A:442:HOH:O	2.37	0.57
1:B:401:ARG:CZ	1:B:404:ARG:HG3	2.35	0.57
2:B:901:NAD:O1N	2:B:901:NAD:H2N	2.06	0.56
1:A:117:LYS:HG2	1:A:159:MET:HE2	1.87	0.55
1:A:252:PHE:O	1:A:256:MET:HG3	2.05	0.55
2:B:901:NAD:O1N	2:B:901:NAD:N7N	2.30	0.55
1:B:391:ILE:HD12	1:B:413:VAL:CG1	2.37	0.55
1:B:126:ILE:HG21	1:B:128:PHE:CE2	2.41	0.55
1:A:218:ASN:HD22	1:A:219:ALA:N	2.05	0.53
1:A:144:ASN:ND2	4:A:455:HOH:O	2.40	0.53
1:B:424:ASP:OD2	1:B:424:ASP:N	2.39	0.53
1:B:111:TYR:CE1	1:B:391:ILE:HG12	2.43	0.53
1:A:139:MET:HA	1:A:139:MET:HE3	1.89	0.53
1:A:169:ALA:HB1	1:A:244:SER:HB2	1.90	0.53
1:A:126:ILE:HG21	1:A:128:PHE:HE2	1.74	0.52
1:A:383:ARG:C	4:A:442:HOH:O	2.51	0.52
2:A:801:NAD:O1N	2:A:801:NAD:H2N	2.09	0.52
1:A:148:ASP:HA	1:A:151:MET:HE3	1.92	0.51
1:A:301:ARG:HH21	1:B:379:TYR:HA	1.75	0.50
1:A:111:TYR:CE1	1:A:391:ILE:HD13	2.47	0.50
1:B:391:ILE:HD12	1:B:413:VAL:HG11	1.92	0.50
1:A:117:LYS:HG3	1:A:159:MET:HE2	1.91	0.50
1:A:158:LYS:O	1:A:159:MET:C	2.54	0.50
1:A:301:ARG:HH21	1:B:379:TYR:C	2.19	0.50
1:B:369:ILE:HD12	1:B:373:ILE:HD11	1.94	0.50
1:B:177:ILE:HD11	1:B:194:THR:CG2	2.42	0.50
1:A:131:TRP:HA	1:A:167:PHE:O	2.11	0.50
1:A:126:ILE:CG2	1:A:128:PHE:CE2	2.95	0.49
1:B:148:ASP:HA	1:B:151:MET:HE3	1.94	0.49
1:B:126:ILE:CG2	1:B:128:PHE:CE2	2.96	0.49
1:B:137:ILE:HG22	4:B:430:HOH:O	2.12	0.49
1:B:404:ARG:HD3	4:B:454:HOH:O	2.13	0.49
1:B:186:ARG:NH1	4:B:38:HOH:O	2.45	0.48
1:B:422:LEU:HB2	1:B:423:PRO:HD2	1.95	0.48
1:A:301:ARG:HG3	1:A:301:ARG:NH1	2.27	0.48
1:A:301:ARG:NH2	1:B:379:TYR:HA	2.28	0.48
1:A:117:LYS:HG3	1:A:159:MET:CE	2.43	0.47
1:B:302:ASN:ND2	4:B:476:HOH:O	2.46	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:LYS:HD3	1:A:233:GLY:HA2	1.98	0.46
1:B:263:ILE:CD1	1:B:395:ALA:HB1	2.44	0.46
1:B:262:ILE:O	1:B:307:ILE:HA	2.15	0.46
1:B:131:TRP:HA	1:B:167:PHE:O	2.16	0.46
1:A:382:LEU:HD11	1:B:306:ARG:HG2	1.98	0.46
1:B:189:MET:HE3	1:B:189:MET:HB3	1.80	0.45
1:B:222:VAL:HA	1:B:279:GLY:HA3	1.98	0.45
1:B:218:ASN:HD22	1:B:219:ALA:N	2.13	0.45
1:A:146:LYS:HE2	4:A:449:HOH:O	2.16	0.44
1:A:379:TYR:HA	1:B:301:ARG:NH2	2.32	0.44
1:B:263:ILE:HD11	1:B:395:ALA:HB1	2.00	0.44
1:A:217:ALA:HB3	3:A:802:FT1:CL9	2.55	0.44
1:B:210:ASN:HA	1:B:260:SER:OG	2.18	0.44
1:A:320:ALA:HB1	1:A:369:ILE:HG12	1.99	0.44
1:B:310:ILE:HG23	1:B:413:VAL:HG23	2.00	0.44
1:B:306:ARG:NH1	1:B:403:SER:O	2.50	0.43
2:B:901:NAD:H2D	3:B:902:FT1:O7	2.17	0.43
1:A:117:LYS:HE2	4:A:57:HOH:O	2.18	0.43
1:A:397:PHE:CZ	1:A:403:SER:HB3	2.54	0.43
2:A:801:NAD:O1N	2:A:801:NAD:N7N	2.45	0.43
1:A:384:GLN:OE1	4:A:432:HOH:O	2.21	0.43
1:B:208:LYS:HA	1:B:255:ILE:O	2.18	0.43
1:B:382:LEU:HB2	1:B:415:ASN:HB3	2.01	0.43
2:B:901:NAD:H51N	2:B:901:NAD:H52A	2.00	0.43
1:A:122:ARG:HD3	1:A:396:SER:OG	2.19	0.42
1:A:132:PRO:HD3	1:A:167:PHE:O	2.19	0.42
1:B:205:LYS:HB2	1:B:206:TYR:CD1	2.54	0.42
1:A:151:MET:HE3	1:A:151:MET:HB2	1.96	0.42
1:A:375:TYR:OH	1:A:423:PRO:HD3	2.20	0.41
1:B:186:ARG:HG2	1:B:186:ARG:HH11	1.85	0.41
1:B:159:MET:HB2	1:B:159:MET:HE3	1.74	0.41
1:B:373:ILE:O	1:B:377:GLU:HG3	2.19	0.41
1:A:265:LEU:HD23	1:A:310:ILE:HB	2.03	0.41
1:A:258:PRO:O	1:A:259:GLN:HB2	2.19	0.41
1:B:238:LEU:HD13	1:B:238:LEU:HA	1.96	0.41
1:A:378:LYS:HD3	1:A:379:TYR:CE1	2.56	0.41
1:A:416:GLY:O	1:A:419:ILE:HG12	2.21	0.41
1:B:121:LYS:HG2	1:B:153:ILE:HG21	2.02	0.41
2:A:801:NAD:H3D	3:A:802:FT1:CL9	2.58	0.41
1:B:245:LEU:HD12	1:B:288:LEU:CD1	2.50	0.41
1:B:369:ILE:HD12	1:B:373:ILE:CD1	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:379:TYR:C	1:B:301:ARG:HH21	2.29	0.41
1:B:214:HIS:O	1:B:264:SER:HA	2.21	0.41
1:B:372:MET:HA	1:B:372:MET:HE3	2.03	0.41
1:A:117:LYS:CG	1:A:159:MET:CE	2.99	0.41
1:A:267:TYR:CZ	3:A:802:FT1:H14	2.56	0.40
1:B:320:ALA:HB1	1:B:369:ILE:HG12	2.01	0.40
1:B:414:ASP:O	1:B:415:ASN:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/329 (86%)	270 (95%)	13 (5%)	1 (0%)	30	38
1	B	284/329 (86%)	263 (93%)	20 (7%)	1 (0%)	30	38
All	All	568/658 (86%)	533 (94%)	33 (6%)	2 (0%)	30	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	156	ASP
1	A	155	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/289 (80%)	212 (92%)	18 (8%)	11	16
1	B	233/289 (81%)	224 (96%)	9 (4%)	28	43
All	All	463/578 (80%)	436 (94%)	27 (6%)	18	26

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	ILE
1	A	139	MET
1	A	154	ASP
1	A	162	LEU
1	A	186	ARG
1	A	218	ASN
1	A	220	LYS
1	A	223	GLN
1	A	227	LEU
1	A	242	SER
1	A	245	LEU
1	A	248	LEU
1	A	283	SER
1	A	369	ILE
1	A	372	MET
1	A	385	LYS
1	A	402	GLU
1	A	422	LEU
1	B	120	SER
1	B	189	MET
1	B	191	GLN
1	B	218	ASN
1	B	227	LEU
1	B	245	LEU
1	B	369	ILE
1	B	372	MET
1	B	422	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	144	ASN
1	A	218	ASN
1	A	223	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	271	GLN
1	A	304	ASN
1	A	384	GLN
1	B	183	ASN
1	B	191	GLN
1	B	200	ASN
1	B	218	ASN
1	B	223	GLN
1	B	259	GLN
1	B	271	GLN
1	B	304	ASN
1	B	384	GLN
1	B	409	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAD	B	901	-	46,48,48	1.66	6 (13%)	64,73,73	1.82	10 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	A	801	-	46,48,48	1.62	5 (10%)	64,73,73	1.89	11 (17%)
3	FT1	A	802	-	19,19,19	1.05	2 (10%)	26,26,26	0.76	1 (3%)
3	FT1	B	902	-	19,19,19	0.94	0	26,26,26	1.27	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	B	901	-	-	6/30/62/62	0/5/5/5
2	NAD	A	801	-	-	11/30/62/62	0/5/5/5
3	FT1	A	802	-	-	0/6/6/6	0/2/2/2
3	FT1	B	902	-	-	0/6/6/6	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	901	NAD	C4N-C3N	7.99	1.51	1.39
2	A	801	NAD	C4N-C3N	7.98	1.51	1.39
2	B	901	NAD	C5N-C4N	4.34	1.46	1.38
2	A	801	NAD	C5N-C4N	4.21	1.46	1.38
2	B	901	NAD	C5A-C6A	3.01	1.49	1.41
2	A	801	NAD	C5A-C6A	2.82	1.48	1.41
3	A	802	FT1	C9-CL9	2.64	1.79	1.73
3	A	802	FT1	C11-CL1	2.44	1.80	1.74
2	B	901	NAD	O4D-C1D	2.25	1.43	1.40
2	B	901	NAD	C8A-N7A	2.25	1.36	1.31
2	A	801	NAD	C8A-N7A	2.16	1.35	1.31
2	A	801	NAD	O4D-C1D	2.08	1.43	1.40
2	B	901	NAD	C5A-N7A	-2.06	1.35	1.39

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	NAD	C5N-C4N-C3N	-8.57	111.94	120.36
2	B	901	NAD	C5N-C4N-C3N	-8.23	112.27	120.36
2	A	801	NAD	C5A-C4A-N3A	-5.16	119.62	126.72
2	B	901	NAD	C5A-C4A-N3A	-4.72	120.22	126.72
2	B	901	NAD	N3A-C2A-N1A	-4.17	122.27	128.58
2	A	801	NAD	N3A-C2A-N1A	-4.12	122.35	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	NAD	C2A-N3A-C4A	4.00	121.60	111.83
2	B	901	NAD	C2A-N3A-C4A	3.98	121.56	111.83
3	B	902	FT1	C8-C9-CL9	3.90	123.91	119.44
2	A	801	NAD	N9A-C8A-N7A	-3.50	108.97	113.94
2	B	901	NAD	N9A-C8A-N7A	-3.38	109.13	113.94
2	B	901	NAD	N3A-C4A-N9A	3.09	132.41	127.17
2	A	801	NAD	N3A-C4A-N9A	3.08	132.41	127.17
2	A	801	NAD	O4B-C1B-N9A	2.70	113.28	108.09
2	A	801	NAD	C4A-C5A-N7A	-2.70	107.50	110.58
2	B	901	NAD	C4A-N9A-C8A	2.57	108.44	105.74
2	A	801	NAD	C5A-N7A-C8A	2.51	107.39	103.45
2	A	801	NAD	C2N-C3N-C4N	2.46	121.12	118.26
3	B	902	FT1	C10-C11-CL1	-2.44	116.10	119.17
3	B	902	FT1	C12-C11-CL1	2.40	122.89	119.36
2	A	801	NAD	C4A-N9A-C8A	2.31	108.16	105.74
2	B	901	NAD	C5A-N7A-C8A	2.27	107.01	103.45
2	B	901	NAD	C2N-C3N-C4N	2.26	120.89	118.26
2	B	901	NAD	C4A-C5A-N7A	-2.22	108.05	110.58
3	A	802	FT1	O7-C1-C2	2.06	120.08	116.59

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	NAD	C5B-O5B-PA-O1A
2	A	801	NAD	PN-O3-PA-O5B
2	A	801	NAD	C5D-O5D-PN-O3
2	A	801	NAD	O4D-C1D-N1N-C2N
2	B	901	NAD	C3D-C4D-C5D-O5D
2	A	801	NAD	O4B-C4B-C5B-O5B
2	B	901	NAD	O4B-C4B-C5B-O5B
2	A	801	NAD	C3B-C4B-C5B-O5B
2	B	901	NAD	C3B-C4B-C5B-O5B
2	B	901	NAD	O4D-C4D-C5D-O5D
2	A	801	NAD	C5D-O5D-PN-O1N
2	B	901	NAD	C5D-O5D-PN-O1N
2	B	901	NAD	C4B-C5B-O5B-PA
2	A	801	NAD	O4D-C1D-N1N-C6N
2	A	801	NAD	C4B-C5B-O5B-PA
2	A	801	NAD	O4D-C4D-C5D-O5D
2	A	801	NAD	C3D-C4D-C5D-O5D


There are no ring outliers.


4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	901	NAD	5	0
2	A	801	NAD	3	0
3	A	802	FT1	3	0
3	B	902	FT1	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

6.4 Ligands

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers

EDS failed to run properly - this section is therefore empty.