



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:19 PM UTC

PDB ID : 4AM8 / pdb_00004am8
Title : Crystal structure of the R54G mutant of putrescine transcarbamylase from *Enterococcus faecalis* bound to a curing guanidinium ion
Authors : Polo, L.M.; Rubio, V.
Deposited on : 2012-03-08
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	355	% 88%6% • 5%
1	B	355	3% 89%6% 5%
1	C	355	% 87%6% 6%
1	D	355	6% 91%7% • •
1	E	355	3% 85%8% • 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	355	3% 84% 9% 7%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 16546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PUTRESCINE CARBAMOYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	S	0	0	0
			2603	1641	433	507	22			
1	B	336	Total	C	N	O	S	0	0	0
			2603	1643	431	508	21			
1	C	332	Total	C	N	O	S	0	0	0
			2560	1617	427	495	21			
1	D	349	Total	C	N	O	S	0	0	0
			2670	1686	448	514	22			
1	E	331	Total	C	N	O	S	0	0	0
			2543	1607	426	488	22			
1	F	331	Total	C	N	O	S	0	0	0
			2564	1620	424	498	22			

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	340	SER	-	expression tag	UNP Q837U7
A	341	ALA	-	expression tag	UNP Q837U7
A	342	ALA	-	expression tag	UNP Q837U7
A	343	LYS	-	expression tag	UNP Q837U7
A	344	LEU	-	expression tag	UNP Q837U7
A	345	ALA	-	expression tag	UNP Q837U7
A	346	ALA	-	expression tag	UNP Q837U7
A	347	ALA	-	expression tag	UNP Q837U7
A	348	LEU	-	expression tag	UNP Q837U7
A	349	GLU	-	expression tag	UNP Q837U7
A	350	HIS	-	expression tag	UNP Q837U7
A	351	HIS	-	expression tag	UNP Q837U7
A	352	HIS	-	expression tag	UNP Q837U7
A	353	HIS	-	expression tag	UNP Q837U7
A	354	HIS	-	expression tag	UNP Q837U7
A	355	HIS	-	expression tag	UNP Q837U7
A	54	GLY	ARG	engineered mutation	UNP Q837U7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	340	SER	-	expression tag	UNP Q837U7
B	341	ALA	-	expression tag	UNP Q837U7
B	342	ALA	-	expression tag	UNP Q837U7
B	343	LYS	-	expression tag	UNP Q837U7
B	344	LEU	-	expression tag	UNP Q837U7
B	345	ALA	-	expression tag	UNP Q837U7
B	346	ALA	-	expression tag	UNP Q837U7
B	347	ALA	-	expression tag	UNP Q837U7
B	348	LEU	-	expression tag	UNP Q837U7
B	349	GLU	-	expression tag	UNP Q837U7
B	350	HIS	-	expression tag	UNP Q837U7
B	351	HIS	-	expression tag	UNP Q837U7
B	352	HIS	-	expression tag	UNP Q837U7
B	353	HIS	-	expression tag	UNP Q837U7
B	354	HIS	-	expression tag	UNP Q837U7
B	355	HIS	-	expression tag	UNP Q837U7
B	54	GLY	ARG	engineered mutation	UNP Q837U7
C	340	SER	-	expression tag	UNP Q837U7
C	341	ALA	-	expression tag	UNP Q837U7
C	342	ALA	-	expression tag	UNP Q837U7
C	343	LYS	-	expression tag	UNP Q837U7
C	344	LEU	-	expression tag	UNP Q837U7
C	345	ALA	-	expression tag	UNP Q837U7
C	346	ALA	-	expression tag	UNP Q837U7
C	347	ALA	-	expression tag	UNP Q837U7
C	348	LEU	-	expression tag	UNP Q837U7
C	349	GLU	-	expression tag	UNP Q837U7
C	350	HIS	-	expression tag	UNP Q837U7
C	351	HIS	-	expression tag	UNP Q837U7
C	352	HIS	-	expression tag	UNP Q837U7
C	353	HIS	-	expression tag	UNP Q837U7
C	354	HIS	-	expression tag	UNP Q837U7
C	355	HIS	-	expression tag	UNP Q837U7
C	54	GLY	ARG	engineered mutation	UNP Q837U7
D	340	SER	-	expression tag	UNP Q837U7
D	341	ALA	-	expression tag	UNP Q837U7
D	342	ALA	-	expression tag	UNP Q837U7
D	343	LYS	-	expression tag	UNP Q837U7
D	344	LEU	-	expression tag	UNP Q837U7
D	345	ALA	-	expression tag	UNP Q837U7
D	346	ALA	-	expression tag	UNP Q837U7
D	347	ALA	-	expression tag	UNP Q837U7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	348	LEU	-	expression tag	UNP Q837U7
D	349	GLU	-	expression tag	UNP Q837U7
D	350	HIS	-	expression tag	UNP Q837U7
D	351	HIS	-	expression tag	UNP Q837U7
D	352	HIS	-	expression tag	UNP Q837U7
D	353	HIS	-	expression tag	UNP Q837U7
D	354	HIS	-	expression tag	UNP Q837U7
D	355	HIS	-	expression tag	UNP Q837U7
D	54	GLY	ARG	engineered mutation	UNP Q837U7
E	340	SER	-	expression tag	UNP Q837U7
E	341	ALA	-	expression tag	UNP Q837U7
E	342	ALA	-	expression tag	UNP Q837U7
E	343	LYS	-	expression tag	UNP Q837U7
E	344	LEU	-	expression tag	UNP Q837U7
E	345	ALA	-	expression tag	UNP Q837U7
E	346	ALA	-	expression tag	UNP Q837U7
E	347	ALA	-	expression tag	UNP Q837U7
E	348	LEU	-	expression tag	UNP Q837U7
E	349	GLU	-	expression tag	UNP Q837U7
E	350	HIS	-	expression tag	UNP Q837U7
E	351	HIS	-	expression tag	UNP Q837U7
E	352	HIS	-	expression tag	UNP Q837U7
E	353	HIS	-	expression tag	UNP Q837U7
E	354	HIS	-	expression tag	UNP Q837U7
E	355	HIS	-	expression tag	UNP Q837U7
E	54	GLY	ARG	engineered mutation	UNP Q837U7
F	340	SER	-	expression tag	UNP Q837U7
F	341	ALA	-	expression tag	UNP Q837U7
F	342	ALA	-	expression tag	UNP Q837U7
F	343	LYS	-	expression tag	UNP Q837U7
F	344	LEU	-	expression tag	UNP Q837U7
F	345	ALA	-	expression tag	UNP Q837U7
F	346	ALA	-	expression tag	UNP Q837U7
F	347	ALA	-	expression tag	UNP Q837U7
F	348	LEU	-	expression tag	UNP Q837U7
F	349	GLU	-	expression tag	UNP Q837U7
F	350	HIS	-	expression tag	UNP Q837U7
F	351	HIS	-	expression tag	UNP Q837U7
F	352	HIS	-	expression tag	UNP Q837U7
F	353	HIS	-	expression tag	UNP Q837U7
F	354	HIS	-	expression tag	UNP Q837U7
F	355	HIS	-	expression tag	UNP Q837U7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	54	GLY	ARG	engineered mutation	UNP Q837U7

- Molecule 2 is GLUTAMINE (CCD ID: GLN) (formula: $C_5H_{10}N_2O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			5	3	1	1		
2	C	1	Total	C	N	O	0	0
			5	3	1	1		
2	E	1	Total	C	N	O	0	0
			5	3	1	1		

- Molecule 3 is N-(PHOSPHONOACETYL)-L-ORNITHINE (CCD ID: PAO) (formula: $C_7H_{15}N_2O_6P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			16	7	2	6	1		
3	B	1	Total	C	N	O	P	0	0
			16	7	2	6	1		
3	C	1	Total	C	N	O	P	0	0
			16	7	2	6	1		
3	D	1	Total	C	N	O	P	0	0
			16	7	2	6	1		
3	E	1	Total	C	N	O	P	0	0
			16	7	2	6	1		
3	F	1	Total	C	N	O	P	0	0
			16	7	2	6	1		

- Molecule 4 is GUANIDINE (CCD ID: GAI) (formula: CH₅N₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			4	1	3		
4	B	1	Total	C	N	0	0
			4	1	3		
4	C	1	Total	C	N	0	0
			4	1	3		
4	D	1	Total	C	N	0	0
			4	1	3		
4	D	1	Total	C	N	0	0
			4	1	3		
4	E	1	Total	C	N	0	0
			4	1	3		
4	F	1	Total	C	N	0	0
			4	1	3		

- Molecule 5 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			8	4	1	3		
5	B	1	Total	C	N	O	0	0
			8	4	1	3		
5	C	1	Total	C	N	O	0	0
			8	4	1	3		
5	F	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 6 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ni	0	0
			1	1		
6	F	1	Total	Ni	0	0
			1	1		

- Molecule 7 is ISOLEUCINE (CCD ID: ILE) (formula: C₆H₁₃NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			5	3	1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	179	Total	O	0	0
			179	179		
8	B	155	Total	O	0	0
			155	155		
8	C	140	Total	O	0	0
			140	140		
8	D	163	Total	O	0	0
			163	163		
8	E	86	Total	O	0	0
			86	86		
8	F	102	Total	O	0	0
			102	102		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PUTRESCINE CARBAMOYLTRANSFERASE




• Molecule 1: PUTRESCINE CARBAMOYLTRANSFERASE




• Molecule 1: PUTRESCINE CARBAMOYLTRANSFERASE





• Molecule 1: PUTRESCINE CARBAMOYLTRANSFERASE







● Molecule 1: PUTRESCINE CARBAMOYLTRANSFERASE



● Molecule 1: PUTRESCINE CARBAMOYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.69Å 130.60Å 164.16Å 90.00° 104.25° 90.00°	Depositor
Resolution (Å)	25.00 – 1.99 25.00 – 1.99	Depositor EDS
% Data completeness (in resolution range)	89.8 (25.00-1.99) 89.7 (25.00-1.99)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.182 , 0.206 0.186 , 0.211	Depositor DCC
R_{free} test set	6565 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	23.8	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 31.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.018 for -1/2*h+1/2*k-1/2*1,1/2*h-1/2*k-1/2*1,-h-k 0.010 for -1/2*h-1/2*k-1/2*1,-1/2*h-1/2*k+1/2*1,-h+k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16546	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAI, PAO, NI, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/2651	0.72	1/3585 (0.0%)
1	B	0.65	1/2648 (0.0%)	0.70	0/3578
1	C	0.62	0/2606	0.68	0/3525
1	D	0.65	0/2718	0.71	0/3678
1	E	0.62	0/2589	0.69	0/3503
1	F	0.62	0/2610	0.70	0/3528
All	All	0.64	1/15822 (0.0%)	0.70	1/21397 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	17	HIS	CG-CD2	5.10	1.41	1.35

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	81	GLY	N-CA-C	5.26	118.60	112.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2603	0	2508	12	0
1	B	2603	0	2505	9	1
1	C	2560	0	2464	13	0
1	D	2670	0	2580	17	0
1	E	2543	0	2451	21	0
1	F	2564	0	2474	20	1
2	A	5	0	1	0	0
2	C	5	0	1	0	0
2	E	5	0	1	1	0
3	A	16	0	12	1	0
3	B	16	0	12	0	0
3	C	16	0	12	0	0
3	D	16	0	12	0	0
3	E	16	0	12	0	0
3	F	16	0	12	0	0
4	A	4	0	4	1	0
4	B	4	0	4	0	0
4	C	4	0	4	0	0
4	D	8	0	8	0	0
4	E	4	0	4	0	0
4	F	4	0	4	0	0
5	A	8	0	12	0	0
5	B	8	0	12	0	0
5	C	8	0	12	0	0
5	F	8	0	12	0	0
6	A	1	0	0	0	0
6	F	1	0	0	0	0
7	B	5	0	1	0	0
8	A	179	0	0	0	0
8	B	155	0	0	0	0
8	C	140	0	0	1	0
8	D	163	0	0	1	0
8	E	86	0	0	0	0
8	F	102	0	0	0	0
All	All	16546	0	15134	89	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:266:PHE:CZ	1:F:278:VAL:HG11	2.07	0.89
1:A:245:VAL:HG23	1:A:246:PHE:CD2	2.07	0.88
1:C:245:VAL:HG13	1:C:246:PHE:CD2	2.12	0.85
1:A:80:LEU:O	1:A:86:ILE:HD11	1.76	0.84
1:F:245:VAL:HG13	1:F:246:PHE:CD2	2.18	0.79
1:D:73:LEU:HB3	1:D:78:ILE:HD13	1.65	0.79
1:E:245:VAL:HG13	1:E:246:PHE:CD2	2.17	0.79
1:D:77:GLN:C	1:D:78:ILE:HD12	2.11	0.75
1:C:159:VAL:HG11	1:C:252:VAL:CG2	2.21	0.70
1:A:1:MET:HE3	1:A:1:MET:HA	1.73	0.69
1:B:203:GLU:HG3	1:D:10:THR:HG21	1.73	0.68
1:D:319:ASP:OD1	1:D:321:ILE:HG22	1.95	0.67
1:F:266:PHE:HZ	1:F:278:VAL:HG11	1.58	0.67
1:F:252:VAL:HB	1:F:278:VAL:HG12	1.78	0.65
1:E:156:VAL:HG11	1:E:169:LEU:HD21	1.79	0.64
1:A:242:ARG:HA	1:A:245:VAL:HG22	1.81	0.61
1:E:242:ARG:HA	1:E:245:VAL:HG12	1.83	0.60
1:B:49:GLN:HE21	1:B:105:GLU:H	1.50	0.59
1:F:242:ARG:HA	1:F:245:VAL:HG12	1.84	0.59
1:E:336:THR:O	2:E:401:GLN:CB	2.52	0.57
1:F:224:LEU:C	1:F:224:LEU:HD23	2.30	0.56
1:F:49:GLN:HE21	1:F:105:GLU:H	1.53	0.56
1:E:141:MET:O	1:E:145:LEU:HD13	2.06	0.56
1:C:242:ARG:HA	1:C:245:VAL:HG12	1.89	0.55
1:D:192:GLU:H	1:D:192:GLU:CD	2.14	0.55
1:F:1:MET:HG2	1:F:315:LYS:HD3	1.89	0.53
1:A:1:MET:HE2	1:A:2:LYS:H	1.73	0.52
1:A:49:GLN:HE21	1:A:105:GLU:H	1.56	0.52
1:C:49:GLN:HE21	1:C:105:GLU:H	1.56	0.52
1:D:349:GLU:C	1:F:321:ILE:HD11	2.35	0.52
1:A:245:VAL:CG2	1:A:246:PHE:CD2	2.86	0.52
1:D:321:ILE:O	1:D:321:ILE:HD12	2.10	0.52
1:C:77:GLN:NE2	8:C:502:HOH:O	2.42	0.52
1:E:49:GLN:HE21	1:E:105:GLU:H	1.56	0.51
1:F:49:GLN:NE2	1:F:105:GLU:H	2.09	0.51
1:C:159:VAL:CG1	1:C:226:THR:HB	2.41	0.50
1:E:169:LEU:HD23	1:E:173:THR:HG23	1.93	0.50
1:E:169:LEU:HD22	1:E:180:PHE:CE1	2.46	0.50
1:B:74:ALA:HB1	1:B:75:PRO:HD2	1.93	0.50
1:E:333:PHE:O	1:E:336:THR:O	2.30	0.49
1:B:49:GLN:NE2	1:B:105:GLU:H	2.10	0.48
1:D:346:ALA:HB2	1:F:320:LEU:HD13	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:321:ILE:H	1:E:321:ILE:HD12	1.79	0.47
1:A:1:MET:CE	1:A:2:LYS:H	2.27	0.47
1:E:332:VAL:O	1:E:336:THR:HG22	2.14	0.47
1:D:78:ILE:HD12	1:D:78:ILE:N	2.29	0.46
1:C:49:GLN:NE2	1:C:105:GLU:H	2.13	0.46
1:E:141:MET:O	1:E:145:LEU:CD1	2.64	0.45
1:B:75:PRO:O	1:B:77:GLN:N	2.49	0.45
1:E:142:VAL:HA	1:E:145:LEU:HD13	1.99	0.45
1:B:97:VAL:HG21	1:B:100:LEU:HD13	1.99	0.45
1:E:5:TYR:CE2	1:E:131:PRO:HB2	2.52	0.44
1:C:72:TYR:CE2	1:C:74:ALA:HB2	2.51	0.44
1:F:102:ALA:HB3	1:F:110:ILE:HD13	1.98	0.44
1:D:5:TYR:CE2	1:D:131:PRO:HB2	2.53	0.44
1:B:47:ILE:O	1:B:102:ALA:HA	2.18	0.44
1:D:72:TYR:CE2	1:D:74:ALA:HB2	2.52	0.44
1:E:49:GLN:NE2	1:E:105:GLU:H	2.16	0.44
1:A:5:TYR:CE2	1:A:131:PRO:HB2	2.53	0.43
1:A:47:ILE:O	1:A:102:ALA:HA	2.18	0.43
1:E:169:LEU:HD23	1:E:169:LEU:O	2.18	0.43
1:F:5:TYR:CE2	1:F:131:PRO:HB2	2.54	0.43
1:E:47:ILE:O	1:E:102:ALA:HA	2.18	0.43
1:C:5:TYR:CE2	1:C:131:PRO:HB2	2.53	0.43
1:B:74:ALA:HB1	1:B:75:PRO:CD	2.49	0.43
1:D:47:ILE:O	1:D:102:ALA:HA	2.18	0.43
1:E:5:TYR:CD2	1:E:304:LEU:HD21	2.54	0.43
1:B:5:TYR:CE2	1:B:131:PRO:HB2	2.54	0.42
1:E:242:ARG:HA	1:E:245:VAL:CG1	2.50	0.42
1:C:47:ILE:O	1:C:102:ALA:HA	2.19	0.42
1:D:151:LEU:HB2	8:D:643:HOH:O	2.20	0.42
1:F:47:ILE:O	1:F:102:ALA:HA	2.19	0.42
1:E:107:HIS:O	1:E:110:ILE:HG22	2.19	0.42
1:F:226:THR:HG21	1:F:278:VAL:HG13	2.01	0.41
1:F:97:VAL:HG21	1:F:100:LEU:HD13	2.01	0.41
1:C:245:VAL:CG1	1:C:246:PHE:CD2	2.95	0.41
1:D:319:ASP:OD1	1:D:321:ILE:CG2	2.68	0.41
1:F:172:ILE:O	1:F:176:MET:HG2	2.21	0.41
1:A:82:GLY:O	1:A:85:THR:HG22	2.21	0.41
1:A:49:GLN:NE2	1:A:105:GLU:H	2.18	0.41
1:D:97:VAL:HG21	1:D:100:LEU:HD13	2.03	0.41
1:D:346:ALA:CB	1:F:320:LEU:HD13	2.50	0.41
1:F:188:PHE:CE1	1:F:245:VAL:HG21	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:402:PAO:O	4:A:403:GAI:N1	2.53	0.41
1:E:169:LEU:HD23	1:E:173:THR:CG2	2.51	0.40
1:F:242:ARG:HA	1:F:245:VAL:CG1	2.50	0.40
1:C:157:VAL:HB	1:C:224:LEU:HD12	2.02	0.40
1:D:172:ILE:O	1:D:176:MET:HG2	2.21	0.40
1:C:172:ILE:O	1:C:176:MET:HG2	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:327:LYS:NZ	1:F:244:LYS:O[2_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/355 (94%)	327 (98%)	6 (2%)	1 (0%)	36	35
1	B	330/355 (93%)	323 (98%)	6 (2%)	1 (0%)	36	35
1	C	328/355 (92%)	321 (98%)	6 (2%)	1 (0%)	36	35
1	D	347/355 (98%)	339 (98%)	7 (2%)	1 (0%)	36	35
1	E	327/355 (92%)	320 (98%)	6 (2%)	1 (0%)	36	35
1	F	327/355 (92%)	320 (98%)	6 (2%)	1 (0%)	36	35
All	All	1993/2130 (94%)	1950 (98%)	37 (2%)	6 (0%)	36	35

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	125	MET
1	B	125	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	125	MET
1	D	125	MET
1	E	125	MET
1	F	125	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/306 (91%)	271 (97%)	8 (3%)	37	40
1	B	278/306 (91%)	271 (98%)	7 (2%)	42	45
1	C	272/306 (89%)	267 (98%)	5 (2%)	51	58
1	D	281/306 (92%)	273 (97%)	8 (3%)	38	41
1	E	270/306 (88%)	263 (97%)	7 (3%)	40	44
1	F	274/306 (90%)	266 (97%)	8 (3%)	37	40
All	All	1654/1836 (90%)	1611 (97%)	43 (3%)	40	44

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	2	LYS
1	A	100	LEU
1	A	152	GLU
1	A	164	GLN
1	A	168	SER
1	A	234	GLU
1	A	335	ASP
1	B	2	LYS
1	B	39	LEU
1	B	78	ILE
1	B	100	LEU
1	B	152	GLU
1	B	164	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	168	SER
1	C	2	LYS
1	C	77	GLN
1	C	100	LEU
1	C	152	GLU
1	C	164	GLN
1	D	2	LYS
1	D	80	LEU
1	D	100	LEU
1	D	113	LEU
1	D	152	GLU
1	D	164	GLN
1	D	168	SER
1	D	321	ILE
1	E	2	LYS
1	E	86	ILE
1	E	145	LEU
1	E	152	GLU
1	E	164	GLN
1	E	168	SER
1	E	169	LEU
1	F	2	LYS
1	F	77	GLN
1	F	100	LEU
1	F	152	GLU
1	F	164	GLN
1	F	168	SER
1	F	234	GLU
1	F	335	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	41	ASN
1	A	49	GLN
1	A	115	ASN
1	A	133	GLN
1	A	201	ASN
1	A	310	ASN
1	B	37	GLN
1	B	41	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	49	GLN
1	B	189	GLN
1	B	195	GLN
1	B	201	ASN
1	B	310	ASN
1	C	41	ASN
1	C	49	GLN
1	C	77	GLN
1	C	115	ASN
1	C	201	ASN
1	C	310	ASN
1	D	41	ASN
1	D	79	GLN
1	D	133	GLN
1	D	201	ASN
1	D	310	ASN
1	E	37	GLN
1	E	41	ASN
1	E	49	GLN
1	E	189	GLN
1	E	195	GLN
1	E	201	ASN
1	E	310	ASN
1	F	41	ASN
1	F	49	GLN
1	F	189	GLN
1	F	201	ASN
1	F	310	ASN
1	F	323	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 23 ligands modelled in this entry, 2 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	TRS	F	404	-	7,7,7	0.54	0	9,9,9	1.10	1 (11%)
3	PAO	A	402	-	14,15,15	1.35	2 (14%)	15,20,20	0.65	0
3	PAO	D	401	-	14,15,15	1.32	1 (7%)	15,20,20	0.98	0
5	TRS	A	404	-	7,7,7	0.57	0	9,9,9	1.28	2 (22%)
4	GAI	E	403	-	3,3,3	1.06	0	3,3,3	0.87	0
4	GAI	D	403	-	3,3,3	0.83	0	3,3,3	1.32	0
4	GAI	C	403	-	3,3,3	0.94	0	3,3,3	1.01	0
5	TRS	C	404	-	7,7,7	0.46	0	9,9,9	1.26	1 (11%)
3	PAO	B	402	-	14,15,15	1.42	1 (7%)	15,20,20	0.47	0
5	TRS	B	404	-	7,7,7	0.41	0	9,9,9	1.11	1 (11%)
4	GAI	B	403	-	3,3,3	1.01	0	3,3,3	1.00	0
3	PAO	E	402	-	14,15,15	1.32	2 (14%)	15,20,20	0.71	0
4	GAI	A	403	-	3,3,3	1.02	0	3,3,3	0.98	0
4	GAI	F	403	-	3,3,3	1.03	0	3,3,3	1.35	1 (33%)
2	GLN	E	401	-	3,4,9	0.52	0	2,4,11	1.03	0
3	PAO	F	402	-	14,15,15	1.25	3 (21%)	15,20,20	0.78	0
2	GLN	C	401	-	3,4,9	0.49	0	2,4,11	0.77	0
4	GAI	D	402	-	3,3,3	1.11	0	3,3,3	1.05	0
3	PAO	C	402	-	14,15,15	1.08	1 (7%)	15,20,20	1.00	1 (6%)
7	ILE	B	401	-	3,4,8	0.52	0	2,4,10	0.74	0
2	GLN	A	401	-	3,4,9	0.68	0	2,4,11	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLN	C	401	-	-	0/1/2/9	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TRS	A	404	-	-	3/9/9/9	-
5	TRS	F	404	-	-	4/9/9/9	-
5	TRS	C	404	-	-	0/9/9/9	-
3	PAO	B	402	-	-	1/16/16/16	-
3	PAO	C	402	-	-	0/16/16/16	-
5	TRS	B	404	-	-	4/9/9/9	-
3	PAO	A	402	-	-	2/16/16/16	-
3	PAO	D	401	-	-	0/16/16/16	-
3	PAO	E	402	-	-	0/16/16/16	-
2	GLN	E	401	-	-	0/1/2/9	-
3	PAO	F	402	-	-	0/16/16/16	-
7	ILE	B	401	-	-	0/1/2/10	-
2	GLN	A	401	-	-	0/1/2/9	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	PAO	P-C1P	3.76	1.85	1.79
3	D	401	PAO	P-O2P	3.61	1.63	1.55
3	E	402	PAO	P-O2P	2.95	1.61	1.55
3	A	402	PAO	P-O3P	2.86	1.61	1.55
3	F	402	PAO	P-O2P	2.41	1.60	1.55
3	E	402	PAO	P-C1P	2.37	1.83	1.79
3	C	402	PAO	P-O2P	2.34	1.60	1.55
3	F	402	PAO	P-C1P	2.30	1.83	1.79
3	A	402	PAO	P-O2P	2.19	1.59	1.55
3	F	402	PAO	P-O3P	2.02	1.59	1.55

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	404	TRS	O2-C2-C	-2.62	103.58	110.88
5	A	404	TRS	C3-C-N	2.50	114.54	108.17
5	A	404	TRS	C3-C-C2	-2.35	104.41	110.66
3	C	402	PAO	O3P-P-C1P	2.29	111.65	106.84
5	F	404	TRS	O2-C2-C	-2.11	104.99	110.88
5	B	404	TRS	C3-C-C2	-2.05	105.19	110.66
4	F	403	GAI	N3-C-N2	2.01	120.88	116.18

There are no chirality outliers.

All (14) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	404	TRS	C1-C-C2-O2
5	A	404	TRS	N-C-C2-O2
5	F	404	TRS	N-C-C3-O3
5	F	404	TRS	C1-C-C3-O3
5	A	404	TRS	C3-C-C2-O2
5	B	404	TRS	N-C-C3-O3
5	B	404	TRS	C1-C-C3-O3
5	B	404	TRS	C2-C-C3-O3
5	F	404	TRS	C2-C-C3-O3
5	F	404	TRS	C3-C-C2-O2
5	B	404	TRS	N-C-C2-O2
3	A	402	PAO	C1-C1P-P-O2P
3	B	402	PAO	C1-C1P-P-O2P
3	A	402	PAO	OXT-C-CA-N



There are no ring outliers.


3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	PAO	1	0
4	A	403	GAI	1	0
2	E	401	GLN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/355 (94%)	-0.20	5 (1%) 72 71	12, 19, 34, 50	1 (0%)
1	B	336/355 (94%)	-0.11	10 (2%) 52 51	13, 22, 40, 67	4 (1%)
1	C	332/355 (93%)	-0.08	4 (1%) 76 76	12, 24, 39, 53	0
1	D	349/355 (98%)	0.07	22 (6%) 26 24	14, 22, 42, 61	4 (1%)
1	E	331/355 (93%)	0.27	9 (2%) 56 55	16, 31, 49, 57	1 (0%)
1	F	331/355 (93%)	0.14	9 (2%) 56 55	15, 29, 48, 63	1 (0%)
All	All	2015/2130 (94%)	0.01	59 (2%) 53 52	12, 24, 44, 67	11 (0%)

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	348	LEU	6.2
1	D	148	GLY	6.1
1	D	349	GLU	5.9
1	E	1	MET	5.7
1	B	73	LEU	5.2
1	F	78	ILE	4.4
1	B	74	ALA	3.5
1	B	83	HIS	3.5
1	D	78	ILE	3.4
1	B	77	GLN	3.3
1	D	233	TYR	3.3
1	B	78	ILE	3.2
1	D	235	ALA	3.2
1	B	338	SER	3.2
1	E	336	THR	3.1
1	D	86	ILE	3.1
1	C	76	GLY	3.0
1	F	1	MET	3.0
1	D	80	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	75	PRO	2.9
1	D	347	ALA	2.9
1	B	75	PRO	2.8
1	A	233	TYR	2.8
1	B	80	LEU	2.8
1	E	237	LEU	2.7
1	D	83	HIS	2.6
1	E	235	ALA	2.5
1	F	74	ALA	2.5
1	B	337	GLN	2.5
1	D	234	GLU	2.4
1	D	345	ALA	2.4
1	D	346	ALA	2.4
1	E	148	GLY	2.4
1	D	344	LEU	2.3
1	D	81	GLY	2.3
1	B	84	GLU	2.3
1	F	73	LEU	2.3
1	E	240	GLU	2.3
1	A	336	THR	2.3
1	E	74	ALA	2.2
1	A	79	GLN	2.2
1	F	336	THR	2.2
1	D	232	LEU	2.2
1	D	77	GLN	2.2
1	C	336	THR	2.2
1	D	336	THR	2.2
1	C	79	GLN	2.2
1	A	1	MET	2.2
1	D	338	SER	2.2
1	A	81	GLY	2.1
1	E	233	TYR	2.1
1	D	149	LYS	2.1
1	F	72	TYR	2.1
1	F	245	VAL	2.1
1	E	75	PRO	2.1
1	C	80	LEU	2.1
1	D	230	TYR	2.0
1	F	75	PRO	2.0
1	F	76	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLN	E	401	5/10	0.60	0.17	40,42,43,44	0
7	ILE	B	401	5/9	0.64	0.22	48,49,51,52	5
2	GLN	A	401	5/10	0.72	0.17	44,46,47,47	0
5	TRS	A	404	8/8	0.76	0.15	28,34,35,36	0
5	TRS	F	404	8/8	0.77	0.12	39,42,42,44	0
5	TRS	C	404	8/8	0.82	0.11	27,30,31,33	0
2	GLN	C	401	5/10	0.83	0.14	44,44,45,46	0
4	GAI	A	403	4/4	0.87	0.13	33,33,34,35	0
4	GAI	F	403	4/4	0.88	0.10	28,28,28,28	0
4	GAI	D	403	4/4	0.88	0.12	28,30,30,31	0
5	TRS	B	404	8/8	0.88	0.08	23,25,25,25	0
4	GAI	D	402	4/4	0.92	0.10	41,41,41,42	0
4	GAI	C	403	4/4	0.92	0.08	26,26,27,27	0
4	GAI	E	403	4/4	0.92	0.14	41,41,42,42	0
4	GAI	B	403	4/4	0.94	0.07	22,24,24,24	0
3	PAO	E	402	16/16	0.96	0.06	23,27,30,31	0
3	PAO	D	401	16/16	0.97	0.06	15,17,21,21	0
3	PAO	C	402	16/16	0.97	0.06	14,16,20,22	0
3	PAO	F	402	16/16	0.97	0.05	18,19,22,23	0
3	PAO	A	402	16/16	0.98	0.05	13,15,18,18	0
3	PAO	B	402	16/16	0.98	0.05	13,15,18,19	0
6	NI	F	401	1/1	0.99	0.03	19,19,19,19	0
6	NI	A	405	1/1	0.99	0.03	15,15,15,15	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PAO E 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PAO D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAO C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PAO F 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAO A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PAO B 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.