



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:19 PM UTC

PDB ID : 7AMB / pdb_00007amb
Title : Crystal structure of rsFolder2 in its fluorescent on-state
Authors : Moreno-Chicano, T.; El Khatib, M.; Colletier, J.-P.
Deposited on : 2020-10-08
Resolution : 1.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1141 (1.64-1.64)
Clashscore	190562	1171 (1.64-1.64)
Ramachandran outliers	187476	1151 (1.64-1.64)
Sidechain outliers	187428	1150 (1.64-1.64)
RSRZ outliers	180081	1141 (1.64-1.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	2% 84% 12% ..
1	B	236	% 85% 11% ..
1	C	236	4% 84% 12% ..
1	D	236	3% 86% 10% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9302 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Green fluorescent protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	24	0
			2029	1281	350	392	6			
1	B	229	Total	C	N	O	S	0	28	0
			2063	1303	355	399	6			
1	C	231	Total	C	N	O	S	0	27	0
			2057	1297	354	400	6			
1	D	230	Total	C	N	O	S	0	29	0
			2080	1309	359	406	6			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	HIS	-	expression tag	UNP P42212
A	-3	HIS	-	expression tag	UNP P42212
A	-2	THR	-	expression tag	UNP P42212
A	-1	ASP	-	expression tag	UNP P42212
A	0	PRO	-	expression tag	UNP P42212
A	1	MET	-	expression tag	UNP P42212
A	2	VAL	-	expression tag	UNP P42212
A	31	ARG	SER	engineered mutation	UNP P42212
A	40	ASN	TYR	engineered mutation	UNP P42212
A	65	LEU	PHE	engineered mutation	UNP P42212
A	68	PIA	SER	chromophore	UNP P42212
A	68	PIA	TYR	chromophore	UNP P42212
A	68	PIA	GLY	chromophore	UNP P42212
A	70	LEU	GLN	engineered mutation	UNP P42212
A	81	ARG	GLN	engineered mutation	UNP P42212
A	100	SER	PHE	engineered mutation	UNP P42212
A	106	THR	ASN	engineered mutation	UNP P42212
A	154	THR	MET	engineered mutation	UNP P42212
A	164	SER	VAL	engineered mutation	UNP P42212
A	172	VAL	ILE	engineered mutation	UNP P42212
A	207	LYS	ALA	engineered mutation	UNP P42212

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	HIS	-	expression tag	UNP P42212
B	-3	HIS	-	expression tag	UNP P42212
B	-2	THR	-	expression tag	UNP P42212
B	-1	ASP	-	expression tag	UNP P42212
B	0	PRO	-	expression tag	UNP P42212
B	1	MET	-	expression tag	UNP P42212
B	2	VAL	-	expression tag	UNP P42212
B	31	ARG	SER	engineered mutation	UNP P42212
B	40	ASN	TYR	engineered mutation	UNP P42212
B	65	LEU	PHE	engineered mutation	UNP P42212
B	68	PIA	SER	chromophore	UNP P42212
B	68	PIA	TYR	chromophore	UNP P42212
B	68	PIA	GLY	chromophore	UNP P42212
B	70	LEU	GLN	engineered mutation	UNP P42212
B	81	ARG	GLN	engineered mutation	UNP P42212
B	100	SER	PHE	engineered mutation	UNP P42212
B	106	THR	ASN	engineered mutation	UNP P42212
B	154	THR	MET	engineered mutation	UNP P42212
B	164	SER	VAL	engineered mutation	UNP P42212
B	172	VAL	ILE	engineered mutation	UNP P42212
B	207	LYS	ALA	engineered mutation	UNP P42212
C	-4	HIS	-	expression tag	UNP P42212
C	-3	HIS	-	expression tag	UNP P42212
C	-2	THR	-	expression tag	UNP P42212
C	-1	ASP	-	expression tag	UNP P42212
C	0	PRO	-	expression tag	UNP P42212
C	1	MET	-	expression tag	UNP P42212
C	2	VAL	-	expression tag	UNP P42212
C	31	ARG	SER	engineered mutation	UNP P42212
C	40	ASN	TYR	engineered mutation	UNP P42212
C	65	LEU	PHE	engineered mutation	UNP P42212
C	68	PIA	SER	chromophore	UNP P42212
C	68	PIA	TYR	chromophore	UNP P42212
C	68	PIA	GLY	chromophore	UNP P42212
C	70	LEU	GLN	engineered mutation	UNP P42212
C	81	ARG	GLN	engineered mutation	UNP P42212
C	100	SER	PHE	engineered mutation	UNP P42212
C	106	THR	ASN	engineered mutation	UNP P42212
C	154	THR	MET	engineered mutation	UNP P42212
C	164	SER	VAL	engineered mutation	UNP P42212
C	172	VAL	ILE	engineered mutation	UNP P42212
C	207	LYS	ALA	engineered mutation	UNP P42212

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	HIS	-	expression tag	UNP P42212
D	-3	HIS	-	expression tag	UNP P42212
D	-2	THR	-	expression tag	UNP P42212
D	-1	ASP	-	expression tag	UNP P42212
D	0	PRO	-	expression tag	UNP P42212
D	1	MET	-	expression tag	UNP P42212
D	2	VAL	-	expression tag	UNP P42212
D	31	ARG	SER	engineered mutation	UNP P42212
D	40	ASN	TYR	engineered mutation	UNP P42212
D	65	LEU	PHE	engineered mutation	UNP P42212
D	68	PIA	SER	chromophore	UNP P42212
D	68	PIA	TYR	chromophore	UNP P42212
D	68	PIA	GLY	chromophore	UNP P42212
D	70	LEU	GLN	engineered mutation	UNP P42212
D	81	ARG	GLN	engineered mutation	UNP P42212
D	100	SER	PHE	engineered mutation	UNP P42212
D	106	THR	ASN	engineered mutation	UNP P42212
D	154	THR	MET	engineered mutation	UNP P42212
D	164	SER	VAL	engineered mutation	UNP P42212
D	172	VAL	ILE	engineered mutation	UNP P42212
D	207	LYS	ALA	engineered mutation	UNP P42212

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	238	Total	O	0	0
			238	238		
3	B	287	Total	O	0	0
			287	287		
3	C	257	Total	O	0	3
			260	260		
3	D	251	Total	O	0	1
			252	252		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Green fluorescent protein




- Molecule 1: Green fluorescent protein




- Molecule 1: Green fluorescent protein



- Molecule 1: Green fluorescent protein





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.30Å 134.50Å 51.62Å 90.00° 106.11° 90.00°	Depositor
Resolution (Å)	47.98 – 1.63 47.98 – 1.63	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.98-1.63) 99.7 (47.98-1.63)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 1.63Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.151 , 0.190 0.165 , 0.204	Depositor DCC
R_{free} test set	2000 reflections (1.73%)	wwPDB-VP
Wilson B-factor (Å ²)	20.1	Xtriage
Anisotropy	0.481	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9302	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.74 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9999e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PIA, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	1/2052 (0.0%)	1.10	0/2771
1	B	0.96	1/2085 (0.0%)	1.04	1/2812 (0.0%)
1	C	0.97	0/2080	1.06	0/2804
1	D	0.96	1/2103 (0.0%)	1.10	2/2839 (0.1%)
All	All	0.98	3/8320 (0.0%)	1.08	3/11226 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
1	C	0	2
All	All	0	4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	105	GLY	C-O	7.00	1.30	1.23
1	D	197	PRO	C-O	-6.52	1.15	1.23
1	A	200	HIS	C-O	5.70	1.29	1.24

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	211	ASP	CB-CA-C	5.56	118.41	109.51
1	D	211	ASP	CA-CB-CG	5.40	118.00	112.60
1	D	194	VAL	CA-C-O	-5.06	116.51	121.67

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	123[A]	ARG	Mainchain
1	B	123[B]	ARG	Mainchain
1	C	1	MET	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2029	0	1978	35	0
1	B	2063	0	2013	22	0
1	C	2057	0	2002	46	0
1	D	2080	0	2003	28	0
2	A	6	0	8	0	0
2	B	6	0	8	0	0
2	C	6	0	8	0	0
2	D	18	0	24	4	0
3	A	238	0	0	11	0
3	B	287	0	0	4	0
3	C	260	0	0	11	0
3	D	252	0	0	14	0
All	All	9302	0	8044	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:232:HIS:HB2	3:C:588:HOH:O	1.46	1.15
1:C:2[B]:VAL:HG23	1:C:81:ARG:HH11	1.14	1.08
1:C:4[B]:LYS:O	1:C:6[B]:GLU:N	1.92	1.02
1:A:169[B]:ARG:HG2	1:A:179[B]:LEU:CD1	1.97	0.94
1:D:5[B]:GLY:HA2	3:D:472:HOH:O	1.72	0.88
1:C:4[B]:LYS:O	1:C:5[B]:GLY:C	2.17	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:4[B]:LYS:HD2	1:D:4[B]:LYS:C	2.00	0.84
1:C:2[B]:VAL:HG23	1:C:81:ARG:NH1	1.93	0.83
1:C:2[A]:VAL:CG2	1:C:80:LYS:HB3	2.09	0.82
1:C:151[B]:VAL:HG12	1:C:202:LEU:HB2	1.61	0.82
1:C:151[B]:VAL:HG23	1:C:166:PHE:CD1	2.14	0.81
1:C:2[B]:VAL:CG2	1:C:81:ARG:HH11	1.92	0.81
1:A:169[B]:ARG:HG2	1:A:179[B]:LEU:HD13	1.64	0.80
1:D:4[A]:LYS:O	1:D:7[A]:GLU:N	2.15	0.79
1:A:169[B]:ARG:HG2	1:A:179[B]:LEU:HD11	1.62	0.78
1:C:2[B]:VAL:CG1	1:C:80:LYS:HB3	2.14	0.76
1:C:2[A]:VAL:O	3:C:404:HOH:O	2.01	0.76
1:A:215:LYS:HD2	3:A:560:HOH:O	1.87	0.73
1:A:149:HIS:NE2	3:A:413:HOH:O	2.23	0.72
1:D:1:MET:N	3:D:402:HOH:O	2.23	0.70
1:C:5[B]:GLY:O	1:C:8:LEU:HB2	1.91	0.70
1:C:151[B]:VAL:CG2	1:C:166:PHE:CD1	2.75	0.69
1:A:156:ASP:OD1	1:A:158:GLN:HG3	1.93	0.69
1:C:2[B]:VAL:HG21	1:C:81:ARG:CD	2.23	0.69
1:A:169[A]:ARG:HB2	3:A:413:HOH:O	1.95	0.67
1:A:19[A]:LEU:HD23	1:A:19[A]:LEU:C	2.20	0.67
1:C:116:GLU:OE2	1:C:123[B]:ARG:NH1	2.28	0.67
1:D:5[A]:GLY:HA2	3:D:472:HOH:O	1.95	0.66
1:A:27:LYS:HE2	3:A:620:HOH:O	1.97	0.65
1:C:2[A]:VAL:HG23	1:C:80:LYS:HB3	1.77	0.65
1:D:81:ARG:NH1	3:D:405:HOH:O	2.28	0.65
1:A:43[B]:LEU:CD1	3:A:521:HOH:O	2.44	0.65
1:D:74[B]:ARG:NH1	3:D:407:HOH:O	2.29	0.65
1:C:6[B]:GLU:HB2	3:C:404:HOH:O	1.98	0.64
1:C:2[B]:VAL:HG21	1:C:81:ARG:HD3	1.79	0.63
1:C:2[B]:VAL:CG2	1:C:81:ARG:HD2	2.30	0.62
1:C:2[A]:VAL:HG12	1:C:81:ARG:HH11	1.64	0.61
1:A:163[B]:LYS:HD2	3:A:510:HOH:O	2.00	0.61
1:C:2[A]:VAL:HG21	1:C:80:LYS:HB3	1.83	0.60
1:B:116:GLU:OE2	1:B:123[B]:ARG:NH1	2.28	0.60
1:C:151[B]:VAL:HG23	1:C:166:PHE:CG	2.37	0.60
1:A:213[B]:ASN:OD1	1:A:213[B]:ASN:O	2.19	0.60
1:C:151[B]:VAL:CG1	1:C:151[B]:VAL:O	2.50	0.59
1:D:4[B]:LYS:HD2	3:D:472:HOH:O	2.03	0.58
1:C:4[B]:LYS:C	1:C:6[B]:GLU:N	2.61	0.58
1:D:125[A]:GLU:HG3	2:D:303:GOL:H32	1.85	0.58
1:C:2[B]:VAL:O	3:C:404:HOH:O	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2[A]:VAL:HG23	3:C:488:HOH:O	2.03	0.57
1:B:123[B]:ARG:NH1	1:B:123[B]:ARG:HG3	2.20	0.56
1:A:213[B]:ASN:OD1	1:A:213[B]:ASN:C	2.49	0.56
2:D:301:GOL:H2	3:D:403:HOH:O	2.04	0.56
1:B:31[B]:ARG:NH1	3:B:412:HOH:O	2.30	0.56
1:B:213[B]:ASN:OD1	1:B:213[B]:ASN:C	2.49	0.55
1:B:199:ASN:O	1:B:230[B]:ILE:HD11	2.06	0.55
1:D:4[A]:LYS:O	1:D:5[A]:GLY:C	2.49	0.55
1:C:2[B]:VAL:HG21	1:C:81:ARG:HD2	1.87	0.55
1:A:19[B]:LEU:HD13	1:A:124:ILE:CG2	2.38	0.54
1:A:1:MET:HB3	3:A:441:HOH:O	2.07	0.54
1:A:169[B]:ARG:CG	1:A:179[B]:LEU:CD1	2.78	0.54
1:C:232:HIS:CB	3:C:588:HOH:O	2.23	0.53
1:D:169[A]:ARG:NE	3:D:419:HOH:O	2.41	0.53
1:A:43[B]:LEU:HD11	3:A:521:HOH:O	2.06	0.53
1:A:162[A]:ILE:HD12	1:A:162[A]:ILE:C	2.34	0.53
1:B:200:HIS:HB3	1:B:230[B]:ILE:HD11	1.91	0.52
1:D:74[B]:ARG:CZ	3:D:407:HOH:O	2.57	0.52
1:C:2[B]:VAL:CG2	1:C:81:ARG:CD	2.87	0.52
1:A:43[B]:LEU:HB2	1:A:223[B]:GLU:HB3	1.92	0.52
1:C:80:LYS:HG2	3:C:419:HOH:O	2.09	0.52
1:C:116:GLU:CD	1:C:123[B]:ARG:HH12	2.19	0.51
1:C:151[B]:VAL:O	1:C:151[B]:VAL:HG13	2.11	0.50
1:B:123[B]:ARG:HG3	1:B:123[B]:ARG:HH11	1.77	0.50
1:C:2[B]:VAL:O	1:C:6[B]:GLU:HB2	2.12	0.50
1:A:85:PHE:CE1	1:A:162[B]:ILE:HD11	2.46	0.50
1:C:165:ASN:HA	1:C:182:HIS:O	2.12	0.50
1:C:2[B]:VAL:HG13	3:C:488:HOH:O	2.11	0.50
1:B:126:LEU:C	1:B:126:LEU:HD23	2.37	0.50
1:B:116:GLU:CD	1:B:123[B]:ARG:HH12	2.18	0.50
1:C:10[B]:THR:HG22	3:C:613:HOH:O	2.11	0.49
1:A:19[B]:LEU:HD13	1:A:124:ILE:HB	1.94	0.49
1:B:33[B]:GLU:CG	3:B:533:HOH:O	2.59	0.49
1:D:1:MET:HG2	3:D:410[A]:HOH:O	2.13	0.49
1:D:140:HIS:O	2:D:302:GOL:H11	2.12	0.49
1:D:181[B]:ASP:CG	3:D:421:HOH:O	2.55	0.49
1:A:145:ASN:HB2	3:A:562:HOH:O	2.14	0.48
1:D:1:MET:CA	3:D:402:HOH:O	2.59	0.48
1:D:12:VAL:HG11	1:D:35[B]:GLU:OE1	2.13	0.48
1:D:4[B]:LYS:HD2	1:D:4[B]:LYS:O	2.13	0.48
1:D:18:GLU:OE1	1:D:123[B]:ARG:NH1	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19[B]:LEU:HD12	1:B:124:ILE:HB	1.96	0.47
1:D:215:LYS:CD	1:D:215:LYS:H	2.25	0.47
1:C:43[A]:LEU:C	1:C:43[A]:LEU:HD12	2.38	0.47
1:B:137[B]:ILE:N	1:B:137[B]:ILE:HD13	2.30	0.47
1:A:46:LYS:HE2	1:A:48[A]:ILE:HD11	1.97	0.46
1:C:205[C]:GLN:HG2	3:C:605:HOH:O	2.14	0.46
1:A:169[B]:ARG:NH1	3:C:409:HOH:O	2.40	0.46
3:A:617:HOH:O	1:B:129:ILE:CD1	2.64	0.45
1:B:27:LYS:NZ	3:B:426:HOH:O	2.48	0.45
1:B:19[A]:LEU:C	1:B:19[A]:LEU:HD23	2.42	0.45
1:C:19[A]:LEU:C	1:C:19[A]:LEU:HD23	2.42	0.45
1:D:43[B]:LEU:HD21	1:D:72:PHE:HB2	1.99	0.45
1:C:94:VAL:O	1:C:186:ASN:HA	2.17	0.44
1:A:169[B]:ARG:CG	1:A:179[B]:LEU:HD11	2.41	0.44
1:A:162[A]:ILE:HG13	1:A:186:ASN:HB2	1.99	0.44
1:D:4[A]:LYS:HE2	1:D:89:MET:O	2.17	0.44
2:D:301:GOL:C3	3:D:428:HOH:O	2.65	0.44
1:C:158:GLN:H	1:C:158:GLN:CD	2.26	0.44
1:A:156:ASP:OD1	1:A:158:GLN:CG	2.65	0.44
1:D:4[B]:LYS:C	1:D:4[B]:LYS:CD	2.75	0.44
1:D:19[A]:LEU:C	1:D:19[A]:LEU:HD23	2.43	0.44
1:C:162[A]:ILE:C	1:C:162[A]:ILE:HD12	2.43	0.44
1:B:41:GLY:O	1:B:224:PHE:HA	2.17	0.43
1:D:4[A]:LYS:O	1:D:7[A]:GLU:CB	2.66	0.43
1:B:85:PHE:CE1	1:B:162[B]:ILE:HD11	2.53	0.43
1:A:43[B]:LEU:HD11	1:A:69:VAL:HG23	2.01	0.43
1:C:111:ALA:HA	1:C:123[B]:ARG:O	2.19	0.43
1:A:169[B]:ARG:CG	1:A:179[B]:LEU:HD13	2.41	0.42
1:B:127[B]:LYS:NZ	3:B:433:HOH:O	2.51	0.42
1:A:81:ARG:HG2	1:A:81:ARG:HH11	1.83	0.42
1:A:94:VAL:O	1:A:186:ASN:HA	2.20	0.42
1:B:64:THR:CG2	1:B:124:ILE:HG21	2.49	0.42
1:C:2[B]:VAL:O	1:C:6[B]:GLU:CB	2.67	0.42
1:D:85:PHE:CE1	1:D:162[B]:ILE:HD11	2.54	0.42
1:D:163:LYS:HD2	3:D:528:HOH:O	2.19	0.42
1:A:74:ARG:HD2	3:A:417:HOH:O	2.20	0.42
1:D:4[A]:LYS:O	1:D:7[A]:GLU:HB3	2.21	0.41
1:A:167:LYS:HG2	1:A:181[B]:ASP:OD1	2.21	0.41
1:B:162[A]:ILE:HG13	1:B:186:ASN:HB2	2.03	0.41
1:B:22:ASP:OD1	1:B:22:ASP:C	2.64	0.41
1:A:126:LEU:C	1:A:126:LEU:HD23	2.45	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148[B]:SER:OG	1:C:204:THR:O	2.39	0.40
1:A:19[A]:LEU:C	1:A:19[A]:LEU:CD2	2.91	0.40
1:B:165:ASN:HA	1:B:182:HIS:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/236 (106%)	246 (99%)	3 (1%)	0	100	100
1	B	252/236 (107%)	249 (99%)	3 (1%)	0	100	100
1	C	253/236 (107%)	243 (96%)	4 (2%)	6 (2%)	4	0
1	D	255/236 (108%)	252 (99%)	3 (1%)	0	100	100
All	All	1009/944 (107%)	990 (98%)	13 (1%)	6 (1%)	30	7

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	5[A]	GLY
1	C	5[B]	GLY
1	C	4[A]	LYS
1	C	4[B]	LYS
1	C	7	GLU
1	C	232	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/207 (109%)	220 (98%)	5 (2%)	45	18
1	B	229/207 (111%)	225 (98%)	4 (2%)	53	27
1	C	228/207 (110%)	223 (98%)	5 (2%)	45	18
1	D	228/207 (110%)	222 (97%)	6 (3%)	40	14
All	All	910/828 (110%)	890 (98%)	20 (2%)	48	18

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	158	GLN
1	A	191	ASP
1	A	215	LYS
1	A	232	HIS
1	B	124	ILE
1	B	158	GLN
1	B	191[A]	ASP
1	B	191[B]	ASP
1	C	1	MET
1	C	3[A]	SER
1	C	3[B]	SER
1	C	157	LYS
1	C	232	HIS
1	D	4[A]	LYS
1	D	4[B]	LYS
1	D	6[A]	GLU
1	D	6[B]	GLU
1	D	163	LYS
1	D	215	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	158	GLN
1	B	165	ASN
1	D	199	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	PIA	A	68	1	20,21,22	2.83	6 (30%)	28,29,31	2.51	12 (42%)
1	PIA	D	68	1	20,21,22	2.52	5 (25%)	28,29,31	2.32	10 (35%)
1	PIA	C	68	1	20,21,22	3.20	4 (20%)	28,29,31	2.48	8 (28%)
1	PIA	B	68	1	20,21,22	2.63	5 (25%)	28,29,31	3.04	12 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PIA	A	68	1	-	0/8/27/28	0/2/2/2
1	PIA	D	68	1	-	0/8/27/28	0/2/2/2
1	PIA	C	68	1	-	1/8/27/28	0/2/2/2
1	PIA	B	68	1	-	0/8/27/28	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	68	PIA	CB2-CA2	12.96	1.47	1.35
1	A	68	PIA	CB2-CA2	9.62	1.44	1.35
1	B	68	PIA	CB2-CA2	9.41	1.44	1.35
1	D	68	PIA	CB2-CA2	8.76	1.43	1.35
1	A	68	PIA	CA2-C2	-4.35	1.43	1.48
1	A	68	PIA	C1-N2	4.08	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	68	PIA	CA2-C2	-3.81	1.44	1.48
1	B	68	PIA	C1-N2	3.60	1.37	1.32
1	C	68	PIA	CA2-C2	-3.58	1.44	1.48
1	A	68	PIA	O2-C2	3.41	1.30	1.23
1	D	68	PIA	C2-N3	-3.19	1.32	1.40
1	A	68	PIA	C2-N3	-3.09	1.32	1.40
1	C	68	PIA	C2-N3	-3.07	1.32	1.40
1	B	68	PIA	C2-N3	-3.01	1.33	1.40
1	D	68	PIA	C1-N2	2.75	1.36	1.32
1	D	68	PIA	O2-C2	2.69	1.28	1.23
1	B	68	PIA	O2-C2	2.64	1.28	1.23
1	C	68	PIA	C1-N2	2.63	1.36	1.32
1	B	68	PIA	CA3-N3	-2.18	1.43	1.47
1	A	68	PIA	CG2-CB2	-2.11	1.43	1.46

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	68	PIA	O2-C2-CA2	-7.80	126.04	131.02
1	B	68	PIA	C2-N3-C1	-7.69	104.51	108.07
1	C	68	PIA	CA2-C2-N3	7.40	109.71	103.50
1	B	68	PIA	O2-C2-CA2	-7.26	126.39	131.02
1	D	68	PIA	O2-C2-CA2	-6.16	127.09	131.02
1	A	68	PIA	CA2-C2-N3	5.62	108.22	103.50
1	B	68	PIA	CA1-C1-N3	-4.89	118.90	124.69
1	D	68	PIA	CA2-C2-N3	4.83	107.56	103.50
1	C	68	PIA	C2-N3-C1	-4.77	105.86	108.07
1	B	68	PIA	CA2-C2-N3	4.69	107.44	103.50
1	D	68	PIA	CA1-C1-N3	-4.41	119.47	124.69
1	C	68	PIA	O2-C2-CA2	-4.30	128.28	131.02
1	C	68	PIA	C2-CA2-N2	-4.30	105.87	108.95
1	B	68	PIA	CA2-N2-C1	-4.27	102.46	105.80
1	B	68	PIA	N3-C1-N2	4.17	114.77	111.48
1	D	68	PIA	C2-N3-C1	-4.10	106.17	108.07
1	C	68	PIA	CA1-C1-N3	-3.92	120.05	124.69
1	A	68	PIA	CE1-CD1-CG2	-3.62	116.54	121.22
1	A	68	PIA	C2-N3-C1	-3.19	106.59	108.07
1	B	68	PIA	CD2-CG2-CB2	-2.81	111.56	121.22
1	A	68	PIA	CD2-CG2-CD1	2.77	121.77	117.65
1	A	68	PIA	O3-C3-CA3	-2.75	113.08	125.47
1	C	68	PIA	C3-CA3-N3	2.67	118.50	112.43
1	C	68	PIA	O3-C3-CA3	-2.62	113.67	125.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	68	PIA	CA2-N2-C1	-2.58	103.79	105.80
1	A	68	PIA	CG2-CB2-CA2	-2.57	126.81	129.87
1	B	68	PIA	CD2-CG2-CD1	2.55	121.44	117.65
1	D	68	PIA	CA1-C1-N2	2.48	127.14	124.04
1	A	68	PIA	CB1-CA1-C1	2.47	114.90	111.43
1	B	68	PIA	O3-C3-CA3	-2.43	114.53	125.47
1	D	68	PIA	CE1-CD1-CG2	-2.39	118.13	121.22
1	B	68	PIA	OH-CZ-CE1	-2.37	113.39	120.00
1	D	68	PIA	CA2-N2-C1	-2.36	103.96	105.80
1	B	68	PIA	CB2-CA2-N2	-2.26	125.69	128.76
1	C	68	PIA	CA1-C1-N2	2.26	126.87	124.04
1	D	68	PIA	CD2-CG2-CD1	2.25	120.98	117.65
1	D	68	PIA	C3-CA3-N3	2.24	117.52	112.43
1	A	68	PIA	CD2-CG2-CB2	-2.23	113.56	121.22
1	B	68	PIA	C2-CA2-N2	2.22	110.54	108.95
1	D	68	PIA	N3-C1-N2	2.14	113.17	111.48
1	A	68	PIA	CD1-CE1-CZ	2.10	122.10	119.88
1	A	68	PIA	N3-C1-N2	2.05	113.10	111.48

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	68	PIA	N3-C1-CA1-CB1

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	B	301	-	5,5,5	0.14	0	5,5,5	0.38	0
2	GOL	D	302	-	5,5,5	0.13	0	5,5,5	0.55	0
2	GOL	A	301	-	5,5,5	0.12	0	5,5,5	0.29	0
2	GOL	C	301	-	5,5,5	0.17	0	5,5,5	0.48	0
2	GOL	D	303	-	5,5,5	0.12	0	5,5,5	0.27	0
2	GOL	D	301	-	5,5,5	0.09	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	301	-	-	1/4/4/4	-
2	GOL	D	302	-	-	4/4/4/4	-
2	GOL	A	301	-	-	2/4/4/4	-
2	GOL	C	301	-	-	2/4/4/4	-
2	GOL	D	303	-	-	2/4/4/4	-
2	GOL	D	301	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	GOL	O1-C1-C2-O2
2	A	301	GOL	O1-C1-C2-C3
2	C	301	GOL	C1-C2-C3-O3
2	D	302	GOL	O1-C1-C2-O2
2	D	302	GOL	O1-C1-C2-C3
2	D	302	GOL	C1-C2-C3-O3
2	D	303	GOL	C1-C2-C3-O3
2	C	301	GOL	O2-C2-C3-O3
2	D	302	GOL	O2-C2-C3-O3
2	B	301	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	303	GOL	O2-C2-C3-O3
2	D	301	GOL	O1-C1-C2-C3
2	D	301	GOL	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	302	GOL	1	0
2	D	303	GOL	1	0
2	D	301	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	229/236 (97%)	-0.03	5 (2%) 62 68	10, 23, 45, 77	24 (10%)
1	B	228/236 (96%)	-0.27	3 (1%) 75 80	8, 19, 37, 60	28 (12%)
1	C	230/236 (97%)	-0.07	10 (4%) 40 44	9, 21, 44, 82	27 (11%)
1	D	229/236 (97%)	-0.04	8 (3%) 47 51	7, 22, 44, 71	29 (12%)
All	All	916/944 (97%)	-0.10	26 (2%) 55 60	7, 21, 44, 82	108 (11%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	2[A]	VAL	6.7
1	C	1	MET	3.7
1	C	3[A]	SER	3.7
1	C	233	GLY	3.7
1	D	1	MET	3.2
1	A	190	GLY	2.9
1	D	3	SER	2.9
1	D	2	VAL	2.8
1	C	5[A]	GLY	2.8
1	D	232	HIS	2.6
1	A	2	VAL	2.6
1	B	231	THR	2.5
1	C	231	THR	2.5
1	A	232	HIS	2.5
1	C	158	GLN	2.4
1	C	191	ASP	2.4
1	D	6[A]	GLU	2.4
1	B	3	SER	2.4
1	D	4[A]	LYS	2.4
1	C	232	HIS	2.3
1	A	1	MET	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1	MET	2.3
1	A	192	GLY	2.2
1	C	6[A]	GLU	2.2
1	D	5[A]	GLY	2.2
1	D	212	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PIA	A	68	20/21	0.97	0.05	14,16,19,20	0
1	PIA	B	68	20/21	0.98	0.04	13,14,15,16	0
1	PIA	C	68	20/21	0.98	0.04	14,16,18,18	0
1	PIA	D	68	20/21	0.98	0.04	15,16,19,21	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	D	302	6/6	0.69	0.15	51,59,62,65	0
2	GOL	D	301	6/6	0.76	0.13	60,63,64,67	0
2	GOL	D	303	6/6	0.84	0.16	59,63,65,71	0
2	GOL	B	301	6/6	0.86	0.11	60,63,66,67	0
2	GOL	C	301	6/6	0.87	0.10	54,56,57,61	0
2	GOL	A	301	6/6	0.87	0.12	59,62,76,82	0

6.5 Other polymers ⓘ

There are no such residues in this entry.