



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:08 PM UTC

PDB ID : 1AN5 / pdb_00001an5
Title : E. COLI THYMIDYLATE SYNTHASE IN COMPLEX WITH CB3717
Authors : Stout, T.J.; Sage, C.R.; Stroud, R.M.
Deposited on : 1997-06-26
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	265	
1	B	265	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	686	-	X	-	-
2	PO4	B	687	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4558 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THYMIDYLATE SYNTHASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	265	Total	C	N	O	S	0	0	0
			2153	1375	371	395	12			
1	B	265	Total	C	N	O	S	0	0	0
			2153	1375	371	395	12			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 10-PROPARGYL-5,8-DIDEAZAFOLIC ACID (CCD ID: CB3) (formula: C₂₄H₂₃N₅O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			35	24	5	6		
3	B	1	Total	C	N	O	0	0
			35	24	5	6		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	104	Total	O	0	0
			104	104		
4	B	68	Total	O	0	0
			68	68		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: THYMIDYLATE SYNTHASE



• Molecule 1: THYMIDYLATE SYNTHASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.30Å 127.30Å 67.93Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.60	Depositor
% Data completeness (in resolution range)	92.7 (8.00-2.60)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
Refinement program	X-PLOR 3.843	Depositor
R, R_{free}	0.193 , 0.266	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4558	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, PO4, CB3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/2210	0.96	7/3000 (0.2%)
1	B	0.45	0/2210	0.99	12/3000 (0.4%)
All	All	0.45	0/4420	0.97	19/6000 (0.3%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	148	ALA	N-CA-C	11.23	124.85	111.82
1	A	148	ALA	N-CA-C	7.17	121.77	112.89
1	A	170	VAL	N-CA-C	6.46	117.98	110.62
1	A	27	LEU	N-CA-C	-6.40	98.08	108.52
1	A	173	GLY	N-CA-C	6.18	119.97	112.49
1	B	79	ILE	N-CA-C	5.79	117.22	110.62
1	A	207	HIS	N-CA-C	5.71	117.64	109.14
1	A	81	ASP	N-CA-C	5.67	117.46	111.28
1	B	173	GLY	N-CA-C	5.65	119.51	112.73
1	B	28	SER	N-CA-C	5.50	117.75	109.23
1	B	27	LEU	N-CA-C	-5.47	100.38	109.46
1	A	28	SER	N-CA-C	5.40	118.03	109.50
1	B	170	VAL	N-CA-C	5.40	116.03	110.36
1	B	13	ASP	N-CA-C	5.38	118.06	111.82
1	B	235	LYS	CA-C-N	5.23	125.21	120.03
1	B	235	LYS	C-N-CA	5.23	125.21	120.03
1	B	52	LEU	N-CA-C	5.21	117.70	111.71
1	B	207	HIS	N-CA-C	5.18	117.07	109.24
1	B	149	PHE	N-CA-CB	-5.08	102.07	111.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2153	0	2080	19	0
1	B	2153	0	2080	26	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	35	0	21	2	0
3	B	35	0	21	5	0
4	A	104	0	0	4	0
4	B	68	0	0	3	0
All	All	4558	0	4202	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:44:LEU:HD21	1:B:52:LEU:HD21	1.54	0.89
1:A:129:ILE:HB	4:A:856:HOH:O	1.86	0.74
1:B:44:LEU:CD2	1:B:52:LEU:HD21	2.20	0.71
1:A:233:LYS:HE3	1:A:248:GLU:HG3	1.75	0.66
1:A:7:LEU:HD13	1:A:32:HIS:CD2	2.36	0.60
1:A:86:GLU:H	1:A:86:GLU:CD	2.14	0.56
1:A:146:CYS:SG	3:A:684:CB3:C2	2.97	0.52
1:B:182:ALA:O	1:B:186:HIS:HD2	1.92	0.52
1:B:231:ILE:HB	1:B:248:GLU:HB2	1.90	0.52
1:A:129:ILE:HG21	1:A:149:PHE:CZ	2.45	0.51
1:B:1:MET:HG2	1:B:227:LEU:HD21	1.90	0.51
1:A:182:ALA:O	1:A:186:HIS:HD2	1.94	0.51
1:A:169:ASP:OD2	1:A:172:LEU:HB2	2.11	0.50
1:B:168:CYS:SG	1:B:174:LEU:HD13	2.51	0.49
1:B:146:CYS:HB3	3:B:685:CB3:NA2	2.27	0.49
1:A:130:VAL:HG21	4:A:759:HOH:O	2.13	0.49
1:A:108:HIS:HD2	4:A:709:HOH:O	1.95	0.48
1:B:79:ILE:HB	3:B:685:CB3:H13	1.95	0.48
1:A:8:MET:HG2	1:A:170:VAL:HG11	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:ARG:O	1:B:236:PRO:HD3	2.16	0.46
1:B:116:LEU:HD11	1:B:239:ILE:CG2	2.46	0.46
3:A:684:CB3:H13	3:A:684:CB3:H92	1.38	0.46
1:A:212:HIS:CD2	1:A:260:ALA:HB1	2.50	0.45
3:B:685:CB3:H15	3:B:685:CB3:CP2	2.47	0.45
1:B:0:FMT:O1	1:B:45:VAL:HG13	2.17	0.45
1:B:99:ARG:HH11	1:B:99:ARG:HG3	1.80	0.45
1:B:61:TRP:CD1	1:B:66:ASP:HB3	2.52	0.44
1:B:150:PHE:HA	4:B:748:HOH:O	2.17	0.44
1:B:108:HIS:HB2	4:B:700:HOH:O	2.16	0.44
1:A:187:MET:HB3	1:A:239:ILE:CD1	2.47	0.44
1:A:251:GLY:HA3	4:A:838:HOH:O	2.17	0.44
1:B:236:PRO:HB3	1:B:241:ASP:HB2	2.00	0.43
1:B:5:LEU:HG	4:B:862:HOH:O	2.17	0.43
1:A:149:PHE:O	1:A:163:LEU:HD12	2.18	0.43
1:B:166:ARG:HG3	1:B:167:SER:N	2.34	0.43
1:B:171:PHE:CZ	1:B:215:GLN:HB3	2.54	0.43
1:A:27:LEU:HD23	1:A:27:LEU:HA	1.87	0.42
1:B:79:ILE:HB	3:B:685:CB3:C13	2.49	0.42
1:B:243:ARG:HH21	1:B:245:GLU:CD	2.28	0.42
1:A:44:LEU:HD22	1:A:52:LEU:HD21	2.01	0.42
1:B:163:LEU:HD22	1:B:181:TYR:CD2	2.54	0.42
1:A:147:HIS:HB2	1:A:163:LEU:HD11	2.02	0.42
1:A:187:MET:HB3	1:A:239:ILE:HD11	2.02	0.42
1:B:225:ARG:HD2	1:B:253:ASP:O	2.21	0.41
1:B:51:HIS:ND1	3:B:685:CB3:OE1	2.54	0.41
1:B:7:LEU:O	1:B:11:VAL:HG23	2.21	0.40
1:B:92:PRO:CB	1:B:96:LYS:HG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/265 (99%)	252 (96%)	10 (4%)	1 (0%)	30	51
1	B	263/265 (99%)	254 (97%)	8 (3%)	1 (0%)	30	51
All	All	526/530 (99%)	506 (96%)	18 (3%)	2 (0%)	30	51

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	94	TYR
1	B	93	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	227 (97%)	6 (3%)	40	68
1	B	233/233 (100%)	227 (97%)	6 (3%)	40	68
All	All	466/466 (100%)	454 (97%)	12 (3%)	40	68

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	LEU
1	A	52	LEU
1	A	237	GLU
1	A	243	ARG
1	A	245	GLU
1	A	250	GLU
1	B	2	LYS
1	B	20	ASP
1	B	34	MET
1	B	86	GLU
1	B	176	PHE
1	B	264	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	HIS
1	A	151	GLN
1	A	191	GLN
1	A	207	HIS
1	A	217	HIS
1	B	19	ASN
1	B	118	GLN
1	B	151	GLN
1	B	186	HIS
1	B	217	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CB3	A	684	-	37,37,37	2.13	5 (13%)	50,51,51	2.44	14 (28%)
3	CB3	B	685	-	37,37,37	2.12	5 (13%)	50,51,51	2.32	14 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	B	687	-	4,4,4	2.78	4 (100%)	6,6,6	2.36	4 (66%)
2	PO4	A	686	-	4,4,4	3.07	4 (100%)	6,6,6	2.05	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CB3	A	684	-	-	7/27/28/28	0/3/3/3
3	CB3	B	685	-	-	10/27/28/28	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	684	CB3	O4-C4	8.88	1.38	1.23
3	B	685	CB3	O4-C4	8.54	1.37	1.23
3	B	685	CB3	C4A-C4	-5.52	1.38	1.48
3	A	684	CB3	C4A-C4	-4.72	1.40	1.48
2	A	686	PO4	P-O1	3.89	1.59	1.50
3	A	684	CB3	C9-C6	-3.61	1.44	1.51
3	B	685	CB3	C11-C	-3.43	1.42	1.50
2	B	687	PO4	P-O1	3.40	1.58	1.50
2	A	686	PO4	P-O3	-3.22	1.45	1.54
3	B	685	CB3	C8A-N1	-3.17	1.34	1.39
3	B	685	CB3	C9-C6	-3.07	1.45	1.51
3	A	684	CB3	C8A-N1	-2.95	1.34	1.39
2	B	687	PO4	P-O3	-2.66	1.46	1.54
2	B	687	PO4	P-O4	-2.54	1.47	1.54
2	A	686	PO4	P-O4	-2.54	1.47	1.54
2	B	687	PO4	P-O2	-2.40	1.47	1.54
2	A	686	PO4	P-O2	-2.38	1.47	1.54
3	A	684	CB3	C16-C11	2.15	1.42	1.39

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	685	CB3	CP1-N10-C9	6.74	123.97	117.19
3	A	684	CB3	CP1-N10-C9	6.33	123.56	117.19
3	B	685	CB3	C9-N10-C14	-6.26	109.87	120.72
3	A	684	CB3	C6-C9-N10	6.19	124.15	114.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	685	CB3	C9-C6-C7	-5.90	109.89	120.75
3	A	684	CB3	C9-N10-C14	-5.90	110.51	120.72
3	B	685	CB3	C9-C6-C5	5.07	129.84	120.27
3	A	684	CB3	C9-C6-C7	-4.92	111.69	120.75
3	B	685	CB3	C6-C9-N10	4.58	121.54	114.13
3	A	684	CB3	C15-C14-N10	4.53	127.68	121.39
3	A	684	CB3	CT-CA-N	-4.32	100.55	110.57
3	A	684	CB3	C9-C6-C5	4.13	128.07	120.27
3	A	684	CB3	C12-C13-C14	4.11	125.50	120.30
3	B	685	CB3	CP2-CP1-N10	-4.04	109.72	113.45
2	B	687	PO4	O4-P-O1	-3.68	97.95	110.95
3	A	684	CB3	CP1-N10-C14	3.62	125.82	119.03
3	A	684	CB3	C13-C14-N10	-3.24	116.89	121.39
2	A	686	PO4	O3-P-O1	-3.06	100.12	110.95
3	A	684	CB3	C8A-C4A-C4	-2.81	117.08	120.11
2	B	687	PO4	O4-P-O3	2.74	116.44	107.91
3	B	685	CB3	C8A-C4A-C4	-2.74	117.15	120.11
3	A	684	CB3	C12-C11-C	-2.66	111.97	120.60
3	A	684	CB3	CP1-CP2-CP3	-2.62	173.39	177.63
3	B	685	CB3	CT-CA-N	-2.57	104.61	110.57
3	B	685	CB3	C5-C4A-C8A	2.53	121.37	119.09
3	B	685	CB3	CP1-N10-C14	2.50	123.74	119.03
3	A	684	CB3	C16-C11-C	2.42	128.45	120.60
2	B	687	PO4	O4-P-O2	2.40	115.37	107.91
2	A	686	PO4	O4-P-O2	2.36	115.27	107.91
3	B	685	CB3	C12-C13-C14	2.31	123.23	120.30
3	B	685	CB3	N1-C2-N3	-2.14	119.41	123.32
3	B	685	CB3	C15-C14-N10	2.07	124.26	121.39
2	B	687	PO4	O3-P-O1	-2.05	103.71	110.95
3	B	685	CB3	CP1-CP2-CP3	-2.01	174.37	177.63

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	685	CB3	C11-C-N-CA
3	B	685	CB3	O-C-N-CA
3	A	684	CB3	C11-C-N-CA
3	A	684	CB3	O-C-N-CA
3	B	685	CB3	N-CA-CT-O1
3	B	685	CB3	N-CA-CT-O2
3	B	685	CB3	CT-CA-N-C

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	684	CB3	N-CA-CT-O2
3	B	685	CB3	C6-C9-N10-CP1
3	B	685	CB3	C6-C9-N10-C14
3	A	684	CB3	C6-C9-N10-C14
3	A	684	CB3	CT-CA-CB-CG
3	B	685	CB3	C15-C14-N10-C9
3	B	685	CB3	OE2-CD-CG-CB
3	B	685	CB3	OE1-CD-CG-CB
3	A	684	CB3	N-CA-CT-O1
3	A	684	CB3	C6-C9-N10-CP1


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	684	CB3	2	0
3	B	685	CB3	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.