



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 08:41 PM UTC

PDB ID : 8AN2 / pdb_00008an2
EMDB ID : EMD-15530
Title : S-layer protein SlaA from Sulfolobus acidocaldarius at pH 10.0
Authors : Gambelli, L.; Isupov, M.N.; Daum, B.
Deposited on : 2022-08-04
Resolution : 3.20 Å(reported)
Based on initial model : 7ZCX

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMD archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY


The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	1424	
2	BBB	3	
3	A	2	
3	C	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	M	2	
3	O	2	
4	B	6	
5	D	3	
5	E	3	
5	H	3	
6	F	5	
6	G	5	
6	J	5	
6	K	5	
6	L	5	
6	N	5	
7	I	4	

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 8657 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-layer protein A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	AAA	1040	7826	5047	1202	1562	15	0	0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	BBB	3	39	22	2	15	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	A	2	28	16	2	10	0	0
3	C	2	28	16	2	10	0	0
3	M	2	28	16	2	10	0	0
3	O	2	28	16	2	10	0	0

- Molecule 4 is an oligosaccharide called beta-D-glucopyranose-(1-4)-6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetami

do-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	6	Total	C	N	O	S	0	0
			75	40	2	32	1		

- Molecule 5 is an oligosaccharide called 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	3	Total	C	N	O	S	0	0
			42	22	2	17	1		
5	E	3	Total	C	N	O	S	0	0
			42	22	2	17	1		
5	H	3	Total	C	N	O	S	0	0
			42	22	2	17	1		

- Molecule 6 is an oligosaccharide called 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.


Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	5	Total	C	N	O	S	0	0
			64	34	2	27	1		
6	G	5	Total	C	N	O	S	0	0
			64	34	2	27	1		
6	J	5	Total	C	N	O	S	0	0
			64	34	2	27	1		
6	K	5	Total	C	N	O	S	0	0
			64	34	2	27	1		
6	L	5	Total	C	N	O	S	0	0
			64	34	2	27	1		
6	N	5	Total	C	N	O	S	0	0
			64	34	2	27	1		

- Molecule 7 is an oligosaccharide called 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	4	Total	C	N	O	S	0	0
			53	28	2	22	1		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:

C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
8	AAA	1	Total	C	N	O	0
			14	8	1	5	
8	AAA	1	Total	C	N	O	0
			14	8	1	5	
8	AAA	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: S-layer protein A



- Molecule 2: alpha-D-mannopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-glucopyranose-(1-4)-6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose






- Molecule 6: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-4)][alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 6-deoxy-6-sulfo-beta-D-glucopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	29819	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	61	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.061	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.081	Depositor
Map size (Å)	269.824, 269.824, 269.824	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.054, 1.054, 1.054	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, MAN, YZT, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	0.61	0/8028	1.09	9/11056 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	696	TYR	CB-CA-C	-7.20	101.80	110.08
1	AAA	1018	ASN	CA-CB-CG	5.87	118.47	112.60
1	AAA	581	ASN	CA-CB-CG	5.80	118.40	112.60
1	AAA	538	THR	O-C-N	-5.73	117.81	121.88
1	AAA	517	ASN	CA-CB-CG	5.66	118.26	112.60
1	AAA	432	ASN	CA-CB-CG	5.13	117.73	112.60
1	AAA	599	SER	CA-C-N	5.05	124.37	120.33
1	AAA	599	SER	C-N-CA	5.05	124.37	120.33
1	AAA	50	PRO	N-CA-C	5.05	120.46	113.65

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	7826	0	7688	12	0
2	BBB	39	0	34	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	28	0	25	0	0
3	C	28	0	25	0	0
3	M	28	0	25	0	0
3	O	28	0	25	0	0
4	B	75	0	52	0	0
5	D	42	0	24	0	0
5	E	42	0	24	0	0
5	H	42	0	24	0	0
6	F	64	0	42	1	0
6	G	64	0	42	0	0
6	J	64	0	42	0	0
6	K	64	0	42	0	0
6	L	64	0	42	1	0
6	N	64	0	42	1	0
7	I	53	0	33	1	0
8	AAA	42	0	39	1	0
All	All	8657	0	8270	12	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (12) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:976:TYR:H	6:L:1:NAG:H82	1.66	0.60
1:AAA:30:LEU:N	2:BBB:3:MAN:HO2	2.00	0.58
1:AAA:617:VAL:HG13	1:AAA:618:PRO:HD2	1.85	0.58
1:AAA:1041:LEU:HD13	6:N:1:NAG:H62	1.89	0.54
1:AAA:617:VAL:CG1	1:AAA:618:PRO:HD2	2.42	0.49
1:AAA:644:THR:HG21	1:AAA:734:GLY:HA2	1.98	0.46
1:AAA:545:ASN:ND2	7:I:1:NAG:C7	2.79	0.45
1:AAA:783:ILE:O	1:AAA:783:ILE:HG22	2.18	0.43
1:AAA:944:SER:HB2	1:AAA:945:PRO:CD	2.48	0.43
1:AAA:250:MET:HE1	1:AAA:689:PRO:HB3	2.00	0.42
1:AAA:384:TYR:CE2	8:AAA:1510:NAG:H61	2.56	0.41
1:AAA:351:LEU:HB2	6:F:1:NAG:H62	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	AAA	1038/1424 (73%)	1000 (96%)	37 (4%)	1 (0%)	48 79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	AAA	770	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	AAA	896/1212 (74%)	887 (99%)	9 (1%)	68 80

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	239	ASN
1	AAA	246	LEU
1	AAA	383	GLU
1	AAA	426	THR
1	AAA	677	CYS
1	AAA	724	SER
1	AAA	768	LEU
1	AAA	872	VAL
1	AAA	1043	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

60 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	1	1,3	14,14,15	0.64	0	17,19,21	1.70	1 (5%)
3	NAG	A	2	3	14,14,15	0.60	0	17,19,21	1.30	2 (11%)
4	NAG	B	1	1,4	14,14,15	1.49	4 (28%)	17,19,21	2.91	5 (29%)
4	NAG	B	2	4	14,14,15	1.09	1 (7%)	17,19,21	1.59	1 (5%)
4	YZT	B	3	4	12,14,15	0.83	1 (8%)	18,21,23	0.94	1 (5%)
4	BGC	B	4	4	11,11,12	0.51	0	15,15,17	0.89	1 (6%)
4	MAN	B	5	4	11,11,12	0.50	0	15,15,17	0.68	0
4	MAN	B	6	4	11,11,12	0.26	0	15,15,17	0.67	0
2	NAG	BBB	1	1,2	14,14,15	1.18	1 (7%)	17,19,21	4.01	6 (35%)
2	NAG	BBB	2	2	14,14,15	0.51	0	17,19,21	1.79	2 (11%)
2	MAN	BBB	3	2	11,11,12	0.69	0	15,15,17	2.25	2 (13%)
3	NAG	C	1	1,3	14,14,15	0.84	1 (7%)	17,19,21	1.72	2 (11%)
3	NAG	C	2	3	14,14,15	0.56	0	17,19,21	1.54	2 (11%)
5	NAG	D	1	1,5	14,14,15	2.04	5 (35%)	17,19,21	4.55	10 (58%)
5	NAG	D	2	5	14,14,15	2.07	4 (28%)	17,19,21	4.31	8 (47%)
5	YZT	D	3	5	12,14,15	2.04	4 (33%)	18,21,23	2.40	9 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	E	1	1,5	14,14,15	0.75	1 (7%)	17,19,21	1.58	2 (11%)
5	NAG	E	2	5	14,14,15	0.51	0	17,19,21	1.14	2 (11%)
5	YZT	E	3	5	12,14,15	0.87	1 (8%)	18,21,23	0.90	1 (5%)
6	NAG	F	1	6,1	14,14,15	0.86	1 (7%)	17,19,21	1.54	3 (17%)
6	NAG	F	2	6	14,14,15	0.65	0	17,19,21	1.33	3 (17%)
6	YZT	F	3	6	12,14,15	1.18	1 (8%)	18,21,23	1.17	2 (11%)
6	MAN	F	4	6	11,11,12	0.77	0	15,15,17	1.01	2 (13%)
6	MAN	F	5	6	11,11,12	0.61	0	15,15,17	1.03	1 (6%)
6	NAG	G	1	6,1	14,14,15	0.57	0	17,19,21	1.35	4 (23%)
6	NAG	G	2	6	14,14,15	0.62	0	17,19,21	1.54	1 (5%)
6	YZT	G	3	6	12,14,15	0.79	1 (8%)	18,21,23	1.03	1 (5%)
6	MAN	G	4	6	11,11,12	0.74	0	15,15,17	0.89	1 (6%)
6	MAN	G	5	6	11,11,12	0.65	0	15,15,17	0.90	1 (6%)
5	NAG	H	1	1,5	14,14,15	0.85	1 (7%)	17,19,21	2.43	5 (29%)
5	NAG	H	2	5	14,14,15	0.35	0	17,19,21	0.95	1 (5%)
5	YZT	H	3	5	12,14,15	0.83	1 (8%)	18,21,23	0.84	0
7	NAG	I	1	1,7	14,14,15	0.82	0	17,19,21	1.82	3 (17%)
7	NAG	I	2	7	14,14,15	0.65	0	17,19,21	1.72	4 (23%)
7	YZT	I	3	7	12,14,15	1.22	1 (8%)	18,21,23	1.17	2 (11%)
7	MAN	I	4	7	11,11,12	0.69	0	15,15,17	1.10	1 (6%)
6	NAG	J	1	6,1	14,14,15	1.37	2 (14%)	17,19,21	2.77	6 (35%)
6	NAG	J	2	6	14,14,15	0.64	0	17,19,21	2.13	7 (41%)
6	YZT	J	3	6	12,14,15	1.15	1 (8%)	18,21,23	1.23	2 (11%)
6	MAN	J	4	6	11,11,12	0.72	0	15,15,17	0.93	0
6	MAN	J	5	6	11,11,12	0.66	0	15,15,17	1.03	1 (6%)
6	NAG	K	1	6,1	14,14,15	0.70	0	17,19,21	2.17	5 (29%)
6	NAG	K	2	6	14,14,15	0.64	0	17,19,21	1.79	4 (23%)
6	YZT	K	3	6	12,14,15	0.80	1 (8%)	18,21,23	0.82	0
6	MAN	K	4	6	11,11,12	0.75	0	15,15,17	0.97	1 (6%)
6	MAN	K	5	6	11,11,12	0.55	0	15,15,17	1.00	1 (6%)
6	NAG	L	1	6,1	14,14,15	1.21	2 (14%)	17,19,21	2.00	3 (17%)
6	NAG	L	2	6	14,14,15	0.89	1 (7%)	17,19,21	1.90	4 (23%)
6	YZT	L	3	6	12,14,15	0.86	1 (8%)	18,21,23	0.95	1 (5%)
6	MAN	L	4	6	11,11,12	1.28	1 (9%)	15,15,17	3.02	9 (60%)
6	MAN	L	5	6	11,11,12	0.56	0	15,15,17	0.79	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	M	1	1,3	14,14,15	0.71	0	17,19,21	1.64	3 (17%)
3	NAG	M	2	3	14,14,15	0.37	0	17,19,21	1.55	1 (5%)
6	NAG	N	1	6,1	14,14,15	0.47	0	17,19,21	0.89	0
6	NAG	N	2	6	14,14,15	0.71	0	17,19,21	2.39	4 (23%)
6	YZT	N	3	6	12,14,15	1.16	1 (8%)	18,21,23	1.30	3 (16%)
6	MAN	N	4	6	11,11,12	0.64	0	15,15,17	0.86	1 (6%)
6	MAN	N	5	6	11,11,12	1.00	1 (9%)	15,15,17	4.04	5 (33%)
3	NAG	O	1	1,3	14,14,15	1.09	0	17,19,21	1.26	3 (17%)
3	NAG	O	2	3	14,14,15	1.02	1 (7%)	17,19,21	1.23	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	2	3	-	2/6/23/26	0/1/1/1
4	NAG	B	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	B	2	4	-	1/6/23/26	0/1/1/1
4	YZT	B	3	4	-	1/5/22/25	0/1/1/1
4	BGC	B	4	4	-	2/2/19/22	0/1/1/1
4	MAN	B	5	4	-	2/2/19/22	0/1/1/1
4	MAN	B	6	4	-	1/2/19/22	0/1/1/1
2	NAG	BBB	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	BBB	2	2	-	2/6/23/26	0/1/1/1
2	MAN	BBB	3	2	-	0/2/19/22	0/1/1/1
3	NAG	C	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
5	NAG	D	1	1,5	-	4/6/23/26	0/1/1/1
5	NAG	D	2	5	-	0/6/23/26	0/1/1/1
5	YZT	D	3	5	-	1/5/22/25	0/1/1/1
5	NAG	E	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	E	2	5	-	0/6/23/26	0/1/1/1
5	YZT	E	3	5	-	0/5/22/25	0/1/1/1
6	NAG	F	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	F	2	6	-	2/6/23/26	0/1/1/1
6	YZT	F	3	6	-	1/5/22/25	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MAN	F	4	6	-	2/2/19/22	0/1/1/1
6	MAN	F	5	6	-	1/2/19/22	0/1/1/1
6	NAG	G	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	G	2	6	-	0/6/23/26	0/1/1/1
6	YZT	G	3	6	-	1/5/22/25	0/1/1/1
6	MAN	G	4	6	-	2/2/19/22	0/1/1/1
6	MAN	G	5	6	-	2/2/19/22	0/1/1/1
5	NAG	H	1	1,5	-	4/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1
5	YZT	H	3	5	-	4/5/22/25	0/1/1/1
7	NAG	I	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	I	2	7	-	2/6/23/26	0/1/1/1
7	YZT	I	3	7	-	3/5/22/25	0/1/1/1
7	MAN	I	4	7	-	0/2/19/22	0/1/1/1
6	NAG	J	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	2/6/23/26	0/1/1/1
6	YZT	J	3	6	-	1/5/22/25	0/1/1/1
6	MAN	J	4	6	-	2/2/19/22	0/1/1/1
6	MAN	J	5	6	-	0/2/19/22	1/1/1/1
6	NAG	K	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	4/6/23/26	0/1/1/1
6	YZT	K	3	6	-	1/5/22/25	0/1/1/1
6	MAN	K	4	6	-	2/2/19/22	0/1/1/1
6	MAN	K	5	6	-	0/2/19/22	0/1/1/1
6	NAG	L	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	L	2	6	-	2/6/23/26	0/1/1/1
6	YZT	L	3	6	-	1/5/22/25	0/1/1/1
6	MAN	L	4	6	-	2/2/19/22	0/1/1/1
6	MAN	L	5	6	-	2/2/19/22	0/1/1/1
3	NAG	M	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	M	2	3	-	4/6/23/26	0/1/1/1
6	NAG	N	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	N	2	6	-	4/6/23/26	0/1/1/1
6	YZT	N	3	6	-	2/5/22/25	0/1/1/1
6	MAN	N	4	6	-	0/2/19/22	0/1/1/1
6	MAN	N	5	6	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	O	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	1/6/23/26	0/1/1/1

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	2	NAG	O3-C3	4.20	1.53	1.43
5	D	1	NAG	C4-C3	3.88	1.62	1.52
6	N	3	YZT	O2S6-S6	3.67	1.55	1.45
6	F	3	YZT	O2S6-S6	3.66	1.55	1.45
7	I	3	YZT	O3S6-S6	3.66	1.55	1.45
6	J	3	YZT	O2S6-S6	3.58	1.55	1.45
6	L	4	MAN	C2-C3	3.56	1.57	1.52
6	J	1	NAG	C2-N2	-3.46	1.40	1.46
5	D	2	NAG	O5-C1	-3.41	1.38	1.43
5	D	3	YZT	C1-C2	3.41	1.60	1.52
5	D	3	YZT	C4-C5	3.40	1.60	1.53
2	BBB	1	NAG	O5-C1	-3.40	1.38	1.43
5	D	3	YZT	O2S6-S6	3.37	1.54	1.45
5	D	2	NAG	C2-N2	-3.35	1.40	1.46
5	D	1	NAG	C3-C2	3.33	1.59	1.52
5	D	2	NAG	C1-C2	3.25	1.56	1.52
4	B	1	NAG	C1-C2	-3.15	1.48	1.52
4	B	2	NAG	O5-C1	-3.07	1.38	1.43
5	D	1	NAG	O4-C4	3.01	1.50	1.43
6	L	1	NAG	C1-C2	-2.74	1.48	1.52
4	B	3	YZT	O1S6-S6	2.52	1.56	1.47
6	J	1	NAG	C1-C2	-2.51	1.48	1.52
6	L	1	NAG	C2-N2	-2.40	1.42	1.46
3	C	1	NAG	C2-N2	-2.27	1.42	1.46
5	H	3	YZT	O1S6-S6	2.25	1.55	1.47
5	H	1	NAG	C2-N2	-2.24	1.42	1.46
6	L	3	YZT	O1S6-S6	2.23	1.55	1.47
6	N	5	MAN	C6-C5	2.21	1.59	1.51
5	D	3	YZT	C4-C3	2.21	1.58	1.52
3	O	2	NAG	C1-C2	2.20	1.55	1.52
6	F	1	NAG	O5-C1	-2.20	1.40	1.43
6	K	3	YZT	O1S6-S6	2.17	1.55	1.47
5	E	3	YZT	O1S6-S6	2.17	1.55	1.47
5	D	1	NAG	O3-C3	2.16	1.48	1.43
6	G	3	YZT	O1S6-S6	2.14	1.55	1.47
5	D	1	NAG	C2-N2	2.09	1.49	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	1	NAG	C2-N2	-2.08	1.42	1.46
4	B	1	NAG	O5-C5	-2.06	1.39	1.43
4	B	1	NAG	O5-C1	-2.02	1.40	1.43
6	L	2	NAG	C2-N2	-2.01	1.42	1.46
4	B	1	NAG	C2-N2	-2.01	1.42	1.46

All (158) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	5	MAN	O2-C2-C1	-9.58	87.29	109.22
2	BBB	1	NAG	C1-O5-C5	9.41	124.79	112.19
2	BBB	1	NAG	C1-C2-N2	-9.36	95.69	110.43
5	D	2	NAG	O5-C1-C2	-9.10	97.21	111.29
5	D	1	NAG	C1-O5-C5	8.87	124.07	112.19
6	N	5	MAN	C1-O5-C5	8.83	124.02	112.19
5	D	1	NAG	C4-C3-C2	8.77	123.86	111.02
4	B	1	NAG	O5-C1-C2	-8.75	97.75	111.29
5	D	2	NAG	C1-O5-C5	-7.81	101.71	112.19
2	BBB	3	MAN	C1-O5-C5	7.79	122.63	112.19
2	BBB	1	NAG	O5-C5-C6	-7.78	92.52	107.66
6	K	1	NAG	O5-C1-C2	-7.00	100.46	111.29
6	N	2	NAG	C1-O5-C5	6.54	120.95	112.19
3	A	1	NAG	C1-O5-C5	6.53	120.94	112.19
6	J	1	NAG	O5-C1-C2	-6.40	101.39	111.29
5	D	2	NAG	C1-C2-N2	-6.29	100.52	110.43
6	J	1	NAG	C1-C2-N2	-6.28	100.53	110.43
5	H	1	NAG	C1-O5-C5	6.21	120.51	112.19
5	D	1	NAG	C2-N2-C7	6.19	131.19	122.90
2	BBB	2	NAG	C1-O5-C5	6.16	120.44	112.19
5	D	1	NAG	C1-C2-N2	-6.15	100.74	110.43
5	D	2	NAG	C2-N2-C7	-6.14	114.67	122.90
5	D	1	NAG	O4-C4-C3	6.11	124.78	110.38
6	N	5	MAN	O5-C5-C6	5.93	119.21	107.66
6	L	1	NAG	C2-N2-C7	-5.83	115.09	122.90
6	L	4	MAN	C1-O5-C5	5.71	119.84	112.19
5	E	1	NAG	O5-C1-C2	-5.64	102.57	111.29
5	D	2	NAG	C4-C3-C2	-5.45	103.03	111.02
5	D	3	YZT	O2S6-S6-C6	-5.40	98.69	106.76
4	B	2	NAG	O5-C1-C2	-5.38	102.97	111.29
5	D	2	NAG	O3-C3-C2	5.35	120.52	109.40
6	L	4	MAN	C2-C3-C4	5.18	119.97	110.86
5	D	1	NAG	O3-C3-C2	-5.08	98.85	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	1	NAG	O5-C5-C6	5.01	117.42	107.66
6	N	5	MAN	C1-C2-C3	5.01	116.93	109.64
7	I	1	NAG	C1-O5-C5	4.98	118.86	112.19
6	N	2	NAG	O5-C1-C2	4.91	118.88	111.29
3	M	2	NAG	C1-O5-C5	4.85	118.68	112.19
4	B	1	NAG	C3-C4-C5	-4.63	101.83	110.23
3	C	1	NAG	C4-C3-C2	4.57	117.71	111.02
3	C	2	NAG	C4-C3-C2	4.54	117.67	111.02
6	L	4	MAN	C3-C4-C5	-4.50	102.07	110.23
6	J	2	NAG	O5-C1-C2	-4.48	104.36	111.29
6	J	1	NAG	C1-O5-C5	4.40	118.09	112.19
6	G	2	NAG	C4-C3-C2	4.36	117.41	111.02
5	H	1	NAG	O5-C1-C2	-4.29	104.65	111.29
5	H	1	NAG	C1-C2-N2	-4.24	103.75	110.43
6	L	2	NAG	C4-C3-C2	4.20	117.17	111.02
7	I	2	NAG	C3-C4-C5	-4.20	102.62	110.23
6	F	1	NAG	O5-C1-C2	-3.96	105.16	111.29
5	D	3	YZT	O1S6-S6-C6	3.76	113.23	105.97
6	J	2	NAG	C4-C3-C2	3.75	116.51	111.02
6	K	2	NAG	C1-O5-C5	-3.73	107.19	112.19
3	M	1	NAG	C1-C2-N2	-3.66	104.66	110.43
7	I	4	MAN	C1-O5-C5	3.62	117.04	112.19
4	B	1	NAG	C6-C5-C4	-3.61	104.16	113.02
3	M	1	NAG	C4-C3-C2	3.58	116.26	111.02
5	D	2	NAG	C8-C7-N2	-3.54	110.25	116.12
6	L	4	MAN	O2-C2-C1	-3.53	101.14	109.22
5	D	3	YZT	C3-C4-C5	3.46	116.51	110.23
3	C	1	NAG	C1-C2-N2	-3.43	105.03	110.43
6	N	2	NAG	O6-C6-C5	-3.42	99.67	111.33
6	L	2	NAG	C1-C2-N2	-3.40	105.07	110.43
6	L	1	NAG	C1-C2-N2	-3.34	105.17	110.43
5	H	1	NAG	C2-N2-C7	-3.34	118.43	122.90
6	J	3	YZT	O2S6-S6-C6	-3.30	101.82	106.76
6	K	2	NAG	C2-N2-C7	-3.30	118.48	122.90
6	K	2	NAG	O5-C5-C4	-3.29	102.82	110.83
6	L	1	NAG	O5-C1-C2	-3.28	106.21	111.29
6	G	5	MAN	C1-O5-C5	3.21	116.48	112.19
4	B	1	NAG	C1-C2-N2	-3.20	105.39	110.43
6	F	5	MAN	C1-O5-C5	3.13	116.39	112.19
6	J	2	NAG	O4-C4-C3	-3.12	103.02	110.38
6	N	3	YZT	O2S6-S6-C6	-3.09	102.14	106.76
3	A	2	NAG	C4-C3-C2	3.08	115.53	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	BBB	1	NAG	C4-C3-C2	3.05	115.49	111.02
6	L	4	MAN	O3-C3-C4	-3.05	103.20	110.38
5	D	1	NAG	O3-C3-C4	2.99	117.41	110.38
2	BBB	1	NAG	C3-C4-C5	2.97	115.62	110.23
3	O	1	NAG	C1-O5-C5	2.97	116.16	112.19
4	B	3	YZT	O1S6-S6-C6	-2.88	100.41	105.97
3	A	2	NAG	C1-O5-C5	2.86	116.02	112.19
2	BBB	2	NAG	O5-C5-C6	2.83	113.17	107.66
6	K	5	MAN	C1-O5-C5	2.82	115.97	112.19
7	I	2	NAG	O5-C5-C4	-2.77	104.09	110.83
6	F	3	YZT	O2S6-S6-C6	-2.76	102.63	106.76
5	D	2	NAG	O4-C4-C3	-2.75	103.90	110.38
3	M	1	NAG	O5-C1-C2	-2.75	107.04	111.29
6	J	2	NAG	C3-C4-C5	2.73	115.19	110.23
7	I	3	YZT	O1S6-S6-O2S6	2.71	118.19	111.40
5	H	1	NAG	C4-C3-C2	2.69	114.97	111.02
6	F	3	YZT	O1S6-S6-O3S6	2.69	118.13	111.40
6	K	4	MAN	C1-O5-C5	2.67	115.77	112.19
5	D	3	YZT	C1-O5-C5	-2.67	108.60	112.19
6	F	2	NAG	C2-N2-C7	-2.67	119.33	122.90
6	J	3	YZT	O1S6-S6-O3S6	2.66	118.06	111.40
6	N	5	MAN	O5-C1-C2	2.64	117.09	110.79
6	J	5	MAN	C1-O5-C5	2.64	115.72	112.19
6	N	3	YZT	O1S6-S6-O3S6	2.63	117.97	111.40
6	G	3	YZT	O1S6-S6-C6	-2.61	100.93	105.97
6	J	1	NAG	C8-C7-N2	-2.61	111.79	116.12
6	L	4	MAN	O2-C2-C3	2.58	115.49	110.15
7	I	1	NAG	O4-C4-C3	-2.57	104.33	110.38
6	L	4	MAN	C1-C2-C3	2.57	113.38	109.64
6	L	4	MAN	O4-C4-C5	2.56	115.64	109.32
6	L	2	NAG	O5-C1-C2	-2.56	107.32	111.29
7	I	3	YZT	O3S6-S6-C6	-2.55	102.96	106.76
5	D	1	NAG	O4-C4-C5	-2.53	103.09	109.32
5	D	3	YZT	O3-C3-C4	2.53	116.34	110.38
5	D	3	YZT	C1-C2-C3	2.53	113.33	109.64
6	J	1	NAG	O3-C3-C2	2.52	114.64	109.40
7	I	2	NAG	O5-C5-C6	2.51	112.55	107.66
6	J	2	NAG	C1-O5-C5	-2.50	108.84	112.19
6	K	1	NAG	C1-O5-C5	-2.49	108.85	112.19
5	E	2	NAG	C1-C2-N2	-2.48	106.53	110.43
4	B	1	NAG	C4-C3-C2	2.46	114.62	111.02
2	BBB	1	NAG	O5-C1-C2	-2.43	107.54	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	3	YZT	C1-C2-C3	2.41	113.16	109.64
6	N	2	NAG	C4-C3-C2	-2.40	107.49	111.02
6	J	2	NAG	C2-N2-C7	-2.40	119.68	122.90
6	F	2	NAG	O5-C1-C2	-2.39	107.59	111.29
3	C	2	NAG	O5-C1-C2	-2.38	107.62	111.29
3	O	2	NAG	C1-O5-C5	2.36	115.35	112.19
6	L	4	MAN	O5-C5-C4	2.34	116.52	110.83
6	K	2	NAG	O5-C5-C6	2.33	112.20	107.66
5	E	3	YZT	C1-C2-C3	2.32	113.02	109.64
6	F	1	NAG	O4-C4-C5	-2.32	103.62	109.32
6	G	1	NAG	C1-O5-C5	2.31	115.28	112.19
6	J	2	NAG	C8-C7-N2	-2.28	112.33	116.12
5	D	3	YZT	O4-C4-C5	-2.28	103.72	109.32
6	F	4	MAN	C1-O5-C5	2.28	115.24	112.19
5	D	3	YZT	O3-C3-C2	2.25	114.65	110.05
3	O	1	NAG	C4-C3-C2	2.23	114.29	111.02
6	F	1	NAG	O5-C5-C6	-2.23	103.33	107.66
7	I	2	NAG	C4-C3-C2	-2.22	107.77	111.02
6	K	1	NAG	O4-C4-C3	-2.19	105.22	110.38
2	BBB	3	MAN	O2-C2-C1	-2.19	104.22	109.22
6	N	4	MAN	C1-O5-C5	2.18	115.11	112.19
4	B	4	BGC	C2-C3-C4	2.18	114.69	110.86
6	L	3	YZT	C1-C2-C3	2.18	112.81	109.64
6	K	1	NAG	C2-N2-C7	-2.18	119.98	122.90
3	O	1	NAG	C6-C5-C4	2.15	118.31	113.02
6	G	1	NAG	C6-C5-C4	-2.14	107.75	113.02
6	L	2	NAG	C8-C7-N2	-2.12	112.60	116.12
6	L	5	MAN	C1-O5-C5	2.12	115.03	112.19
6	F	4	MAN	C1-C2-C3	2.11	112.71	109.64
6	K	1	NAG	C3-C4-C5	-2.11	106.42	110.23
5	E	2	NAG	C3-C4-C5	-2.09	106.44	110.23
6	J	1	NAG	C3-C4-C5	-2.08	106.46	110.23
6	G	1	NAG	O5-C5-C6	-2.07	103.63	107.66
6	G	4	MAN	C2-C3-C4	2.06	114.49	110.86
5	E	1	NAG	C2-N2-C7	-2.05	120.15	122.90
5	D	3	YZT	O4-C4-C3	-2.04	105.57	110.38
6	F	2	NAG	O5-C5-C6	-2.02	103.73	107.66
7	I	1	NAG	O6-C6-C5	2.01	118.19	111.33
6	G	1	NAG	C2-N2-C7	-2.01	120.20	122.90
5	H	2	NAG	C4-C3-C2	-2.00	108.08	111.02
5	D	1	NAG	O6-C6-C5	2.00	118.16	111.33

There are no chirality outliers.

All (99) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	BBB	2	NAG	C8-C7-N2-C2
2	BBB	2	NAG	O7-C7-N2-C2
5	H	1	NAG	C8-C7-N2-C2
5	H	1	NAG	O7-C7-N2-C2
5	H	3	YZT	C5-C6-S6-O1S6
5	H	3	YZT	C5-C6-S6-O2S6
6	F	1	NAG	C8-C7-N2-C2
6	F	1	NAG	O7-C7-N2-C2
6	F	2	NAG	C8-C7-N2-C2
6	F	2	NAG	O7-C7-N2-C2
6	N	1	NAG	C8-C7-N2-C2
6	N	1	NAG	O7-C7-N2-C2
7	I	1	NAG	O7-C7-N2-C2
7	I	3	YZT	C5-C6-S6-O2S6
7	I	3	YZT	C5-C6-S6-O3S6
3	C	1	NAG	C8-C7-N2-C2
3	C	1	NAG	O7-C7-N2-C2
7	I	1	NAG	C8-C7-N2-C2
3	C	1	NAG	O5-C5-C6-O6
2	BBB	1	NAG	C8-C7-N2-C2
2	BBB	1	NAG	O7-C7-N2-C2
3	A	2	NAG	O5-C5-C6-O6
6	L	4	MAN	C4-C5-C6-O6
4	B	1	NAG	O5-C5-C6-O6
6	K	2	NAG	O5-C5-C6-O6
6	N	2	NAG	O5-C5-C6-O6
6	K	2	NAG	C4-C5-C6-O6
6	L	5	MAN	O5-C5-C6-O6
6	K	4	MAN	O5-C5-C6-O6
3	O	1	NAG	O5-C5-C6-O6
3	A	2	NAG	C4-C5-C6-O6
3	C	1	NAG	C4-C5-C6-O6
6	L	5	MAN	C4-C5-C6-O6
4	B	4	BGC	O5-C5-C6-O6
5	H	1	NAG	O5-C5-C6-O6
6	J	2	NAG	C8-C7-N2-C2
6	K	1	NAG	C8-C7-N2-C2
6	L	4	MAN	O5-C5-C6-O6
7	I	2	NAG	O5-C5-C6-O6
6	F	4	MAN	O5-C5-C6-O6
6	J	4	MAN	O5-C5-C6-O6
4	B	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	D	1	NAG	C4-C5-C6-O6
6	F	4	MAN	C4-C5-C6-O6
6	J	4	MAN	C4-C5-C6-O6
3	M	1	NAG	C8-C7-N2-C2
5	D	1	NAG	C8-C7-N2-C2
6	K	1	NAG	O7-C7-N2-C2
6	L	1	NAG	C8-C7-N2-C2
6	N	2	NAG	C8-C7-N2-C2
4	B	4	BGC	C4-C5-C6-O6
6	K	4	MAN	C4-C5-C6-O6
6	N	2	NAG	C4-C5-C6-O6
5	H	1	NAG	C4-C5-C6-O6
7	I	2	NAG	C4-C5-C6-O6
3	M	1	NAG	O7-C7-N2-C2
3	M	2	NAG	C8-C7-N2-C2
5	D	1	NAG	O7-C7-N2-C2
6	J	1	NAG	C8-C7-N2-C2
6	J	1	NAG	O7-C7-N2-C2
6	J	2	NAG	O7-C7-N2-C2
6	K	2	NAG	C8-C7-N2-C2
6	L	1	NAG	O7-C7-N2-C2
6	N	2	NAG	O7-C7-N2-C2
4	B	5	MAN	C4-C5-C6-O6
3	M	2	NAG	C4-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
5	D	1	NAG	O5-C5-C6-O6
3	M	2	NAG	O7-C7-N2-C2
5	H	2	NAG	C8-C7-N2-C2
6	K	2	NAG	O7-C7-N2-C2
6	G	4	MAN	C4-C5-C6-O6
4	B	5	MAN	O5-C5-C6-O6
5	E	1	NAG	C8-C7-N2-C2
5	H	2	NAG	O7-C7-N2-C2
6	G	5	MAN	C4-C5-C6-O6
6	F	5	MAN	C4-C5-C6-O6
5	E	1	NAG	O7-C7-N2-C2
3	O	2	NAG	O5-C5-C6-O6
6	L	2	NAG	C8-C7-N2-C2
3	M	2	NAG	O5-C5-C6-O6
6	F	3	YZT	C5-C6-S6-O1S6
6	N	3	YZT	C5-C6-S6-O1S6
7	I	3	YZT	C5-C6-S6-O1S6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	3	YZT	C5-C6-S6-O2S6
6	K	3	YZT	C5-C6-S6-O2S6
4	B	6	MAN	C4-C5-C6-O6
5	D	3	YZT	O5-C5-C6-S6
5	H	3	YZT	O5-C5-C6-S6
6	L	3	YZT	O5-C5-C6-S6
2	BBB	1	NAG	C3-C2-N2-C7
6	L	2	NAG	O7-C7-N2-C2
6	G	4	MAN	O5-C5-C6-O6
4	B	2	NAG	O5-C5-C6-O6
6	G	5	MAN	O5-C5-C6-O6
5	H	3	YZT	C5-C6-S6-O3S6
6	G	3	YZT	O5-C5-C6-S6
6	J	3	YZT	O5-C5-C6-S6
6	N	3	YZT	O5-C5-C6-S6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	J	5	MAN	C1-C2-C3-C4-C5-O5


5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	BBB	3	MAN	1	0
6	F	1	NAG	1	0
6	N	1	NAG	1	0
7	I	1	NAG	1	0
6	L	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.












































5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	NAG	AAA	1510	1	14,14,15	0.81	1 (7%)	17,19,21	2.24	8 (47%)
8	NAG	AAA	1514	1	14,14,15	0.76	0	17,19,21	1.07	2 (11%)
8	NAG	AAA	1509	1	14,14,15	0.45	0	17,19,21	0.82	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	AAA	1510	1	-	5/6/23/26	0/1/1/1
8	NAG	AAA	1514	1	-	2/6/23/26	0/1/1/1
8	NAG	AAA	1509	1	-	4/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	AAA	1510	NAG	C1-C2	2.08	1.55	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AAA	1510	NAG	C4-C3-C2	4.25	117.25	111.02
8	AAA	1510	NAG	C3-C4-C5	3.77	117.06	110.23
8	AAA	1510	NAG	C2-N2-C7	3.01	126.94	122.90
8	AAA	1510	NAG	O4-C4-C5	-2.94	102.08	109.32
8	AAA	1510	NAG	O5-C1-C2	-2.77	107.00	111.29
8	AAA	1510	NAG	O5-C5-C6	2.71	112.93	107.66
8	AAA	1510	NAG	C1-O5-C5	2.63	115.71	112.19
8	AAA	1510	NAG	O6-C6-C5	-2.44	103.03	111.33
8	AAA	1514	NAG	C2-N2-C7	2.39	126.11	122.90
8	AAA	1514	NAG	C1-O5-C5	2.30	115.27	112.19
8	AAA	1509	NAG	C4-C3-C2	2.13	114.13	111.02

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	AAA	1510	NAG	C3-C2-N2-C7
8	AAA	1510	NAG	C8-C7-N2-C2
8	AAA	1510	NAG	O7-C7-N2-C2
8	AAA	1510	NAG	O5-C5-C6-O6
8	AAA	1509	NAG	O7-C7-N2-C2
8	AAA	1509	NAG	C8-C7-N2-C2
8	AAA	1510	NAG	C4-C5-C6-O6
8	AAA	1514	NAG	C8-C7-N2-C2
8	AAA	1509	NAG	C4-C5-C6-O6
8	AAA	1514	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	AAA	1509	NAG	O5-C5-C6-O6

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	AAA	1510	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand NAG AAA 1514



Ligand NAG AAA 1509



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-15530. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128



Z Index: 128

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 127




Y Index: 130




Z Index: 134


6.3.2 Raw map



X Index: 127



Y Index: 130




Z Index: 134


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.081. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 55 nm³; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.312 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.20	3.75	3.26
Unmasked-calculated*	4.03	7.32	4.11

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.03 differs from the reported value 3.2 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-15530 and PDB model 8AN2. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.081 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.081).

9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.081) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8020	 0.4390
A	 0.2860	 0.1010
AAA	 0.8380	 0.4590
B	 0.7730	 0.3920
BBB	 0.2820	 0.1620
C	 0.3930	 0.3500
D	 0.3090	 0.1470
E	 0.3330	 0.2450
F	 0.4220	 0.3010
G	 0.4220	 0.1600
H	 0.4520	 0.2630
I	 0.3960	 0.2150
J	 0.4840	 0.2330
K	 0.4690	 0.2490
L	 0.6410	 0.2880
M	 0.5000	 0.2880
N	 0.2660	 0.0340
O	 0.5710	 0.3190

