



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:43 PM UTC

PDB ID : 6AOG / pdb_00006aog
Title : Crystal structure of Toxoplasma gondii TS-DHFR complexed with NADPH, dUMP, PDDF, and 5-(4-chlorophenyl)-6-ethylpyrimidine-2,4-diamine (pyrimethamine)
Authors : Thomas, S.B.; Li, Y.; Chen, Z.; Lu, H.
Deposited on : 2017-08-16
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	566	3% 76% 14% 10%
1	B	566	4% 76% 13% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CP6	A	704	-	-	X	-
5	CP6	B	704	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 8430 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	511	Total	C	N	O	S	0	1	0
			4095	2618	717	735	25			
1	B	511	Total	C	N	O	S	0	1	0
			4095	2617	716	737	25			

- Molecule 2 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (CCD ID: UMP) (formula: $C_9H_{13}N_2O_8P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
2	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 4 is 10-PROPARGYL-5,8-DIDEAZAFOLIC ACID (CCD ID: CB3) (formula: C₂₄H₂₃N₅O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			35	24	5	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			35	24	5	6		

- Molecule 5 is 5-(4-CHLORO-PHENYL)-6-ETHYL-PYRIMIDINE-2,4-DIAMINE (CCD ID: CP6) (formula: $C_{12}H_{13}ClN_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	0	0
			17	12	1	4		
5	B	1	Total	C	Cl	N	0	0
			17	12	1	4		

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	53.59Å 144.92Å 176.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.20 50.00 – 3.20	Depositor EDS
% Data completeness (in resolution range)	79.3 (50.00-3.20) 79.6 (50.00-3.20)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.6.0116	Depositor
R, R_{free}	0.240 , 0.275 0.239 , 0.276	Depositor DCC
R_{free} test set	960 reflections (4.06%)	wwPDB-VP
Wilson B-factor (Å ²)	62.8	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 22.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	8430	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, UMP, CP6, CB3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/4194	0.75	0/5680
1	B	0.37	0/4194	0.76	0/5680
All	All	0.37	0/8388	0.76	0/11360

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4095	0	4064	47	0
1	B	4095	0	4058	59	0
2	A	20	0	11	1	0
2	B	20	0	11	1	0
3	A	48	0	26	3	0
3	B	48	0	26	5	0
4	A	35	0	21	0	0
4	B	35	0	21	4	0
5	A	17	0	13	14	0
5	B	17	0	13	15	0
All	All	8430	0	8264	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:704:CP6:H132	5:A:704:CP6:H12	1.00	1.13
5:B:704:CP6:H8	5:B:704:CP6:H152	1.19	1.12
5:B:704:CP6:H132	5:B:704:CP6:H12	1.01	1.12
5:A:704:CP6:H152	5:A:704:CP6:H8	1.18	1.11
5:A:704:CP6:H8	5:A:704:CP6:C15	1.87	1.03
5:B:704:CP6:H8	5:B:704:CP6:C15	1.85	1.03
5:A:704:CP6:H12	5:A:704:CP6:N13	1.82	0.93
1:A:37:ARG:NH2	1:B:299:GLU:OE1	2.03	0.90
5:B:704:CP6:H12	5:B:704:CP6:N13	1.82	0.89
5:B:704:CP6:H132	5:B:704:CP6:C12	1.87	0.88
1:B:313:ALA:O	1:B:320:ARG:NH2	2.07	0.85
5:B:704:CP6:H152	5:B:704:CP6:C8	2.05	0.85
1:A:87:MET:HE1	1:A:94:LEU:HG	1.63	0.81
5:A:704:CP6:H152	5:A:704:CP6:C8	2.04	0.80
1:A:13:PRO:HD3	1:A:174:VAL:O	1.85	0.77
1:B:314:VAL:HG12	1:B:317:VAL:HG23	1.70	0.74
1:B:81:ARG:HH12	3:B:702:NDP:P2B	2.11	0.73
5:A:704:CP6:H132	5:A:704:CP6:C12	1.85	0.71
5:B:704:CP6:C15	5:B:704:CP6:C8	2.65	0.71
1:B:81:ARG:HH11	1:B:104:SER:H	1.39	0.70
1:B:296:TRP:O	1:B:299:GLU:HB2	1.92	0.70
1:B:84:TRP:O	1:B:92:ARG:NH2	2.26	0.69
3:B:702:NDP:H42N	5:B:704:CP6:C12	2.24	0.68
1:A:313:ALA:O	1:A:320:ARG:NH2	2.20	0.67
1:B:192:ILE:HD12	1:B:193:LEU:HG	1.77	0.67
1:B:81:ARG:NH1	1:B:104:SER:H	1.92	0.66
1:A:558[A]:GLU:H	1:A:558[A]:GLU:CD	2.01	0.66
1:B:81:ARG:NH1	3:B:702:NDP:O2B	2.29	0.65
1:A:173:ARG:NH2	1:A:569:ARG:HA	2.12	0.65
3:A:702:NDP:H42N	5:A:704:CP6:C12	2.29	0.62
1:B:608:MET:HE2	4:B:703:CB3:H16	1.82	0.61
5:B:704:CP6:H8	5:B:704:CP6:C16	2.32	0.59
1:A:314:VAL:HG11	1:A:567:GLU:HB3	1.84	0.59
1:A:296:TRP:HB3	1:B:37:ARG:HG2	1.84	0.59
1:B:81:ARG:NH1	3:B:702:NDP:O2X	2.36	0.58
1:B:580:GLU:H	1:B:580:GLU:CD	2.11	0.57
1:A:173:ARG:HD3	1:A:244:ASP:OD1	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:ARG:HH22	1:A:569:ARG:HA	1.70	0.56
5:A:704:CP6:H8	5:A:704:CP6:C16	2.36	0.56
1:B:151:VAL:HG12	5:B:704:CP6:H11	1.88	0.55
1:A:291:ALA:N	1:A:292:PRO:HD2	2.21	0.55
1:B:314:VAL:HG12	1:B:317:VAL:CG2	2.36	0.54
1:B:8:VAL:HG22	5:B:704:CP6:N1	2.22	0.54
1:B:8:VAL:O	5:B:704:CP6:N13	2.33	0.53
1:A:12:THR:CG2	1:A:13:PRO:HD2	2.40	0.52
1:A:192:ILE:HD12	1:A:193:LEU:HG	1.90	0.52
1:B:333:ASP:OD2	1:B:352:LYS:NZ	2.37	0.51
1:A:30:THR:HB	1:A:243:TYR:OH	2.11	0.50
1:B:10:ALA:HA	1:B:172:THR:HB	1.92	0.50
1:A:31:ASP:OD2	5:A:704:CP6:H151	2.12	0.50
1:B:314:VAL:CG1	1:B:317:VAL:HG23	2.40	0.50
1:A:151:VAL:HG12	5:A:704:CP6:H11	1.93	0.49
1:A:354:GLY:O	1:B:358:ARG:NH2	2.46	0.49
1:B:285:SER:HA	1:B:288:ALA:HB3	1.94	0.49
1:B:81:ARG:HH11	1:B:104:SER:N	2.07	0.49
1:A:169:LEU:HD12	1:A:248:LEU:HD12	1.93	0.49
1:B:310:LEU:HB3	1:B:311:ILE:HD12	1.94	0.49
1:B:5:VAL:HG23	1:B:148:ILE:HB	1.95	0.48
1:B:314:VAL:CG1	1:B:317:VAL:CG2	2.90	0.48
1:B:400:VAL:HG12	1:B:402:ILE:HG12	1.95	0.48
1:B:558[A]:GLU:H	1:B:558[A]:GLU:CD	2.22	0.48
1:A:502:GLU:HB3	1:A:541:LYS:HB2	1.96	0.48
1:B:489:CYS:SG	2:B:701:UMP:C6	3.07	0.48
1:A:511:SER:HG	1:B:469:ARG:HD2	1.79	0.47
1:A:400:VAL:HG12	1:A:402:ILE:HG12	1.96	0.47
1:B:502:GLU:HB3	1:B:541:LYS:HB2	1.97	0.47
1:A:9:VAL:HG13	1:A:157:TYR:CZ	2.50	0.47
1:B:9:VAL:HG13	1:B:157:TYR:CZ	2.50	0.47
1:A:469:ARG:HD2	1:B:511:SER:OG	2.15	0.46
5:A:704:CP6:C15	5:A:704:CP6:C8	2.67	0.46
1:A:5:VAL:HG21	1:A:150:VAL:HG23	1.98	0.46
1:B:547:MET:HE2	1:B:550:THR:HG23	1.98	0.46
1:A:151:VAL:HG12	1:A:151:VAL:O	2.14	0.46
1:A:12:THR:HG22	1:A:13:PRO:HD2	1.99	0.45
1:B:425:ILE:HD12	1:B:428:GLY:HA3	1.98	0.45
1:A:176:ARG:HG3	1:A:242:PRO:HD2	1.97	0.45
1:B:299:GLU:OE2	1:B:299:GLU:HA	2.16	0.45
1:A:8:VAL:O	5:A:704:CP6:N13	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:VAL:HG22	5:A:704:CP6:N1	2.31	0.45
1:B:375:TRP:CH2	1:B:379:LEU:HD22	2.50	0.45
1:B:237:SER:HB2	1:B:573:ILE:HD11	1.98	0.45
1:B:23:LEU:HA	1:B:24:PRO:HD3	1.84	0.44
1:B:175:ALA:HB3	1:B:242:PRO:HG2	1.97	0.44
1:A:506:ILE:HG12	1:A:544:ILE:HB	1.99	0.44
1:A:15:ARG:HD2	1:A:184:PHE:O	2.17	0.44
1:A:232:ILE:HG12	1:A:246:VAL:HG12	2.00	0.44
1:A:514:VAL:HA	1:A:518:VAL:CG2	2.48	0.44
1:B:84:TRP:CZ2	1:B:92:ARG:HD2	2.53	0.44
1:A:33:LYS:O	1:A:37:ARG:HG2	2.17	0.44
1:A:511:SER:OG	1:B:469:ARG:HD2	2.18	0.44
3:B:702:NDP:H42N	5:B:704:CP6:C11	2.48	0.44
1:B:30:THR:HB	1:B:243:TYR:OH	2.18	0.43
1:B:74:PHE:O	1:B:145:VAL:HA	2.18	0.43
1:A:382:LEU:HD11	1:A:528:LEU:HD13	2.00	0.43
1:A:469:ARG:HD2	1:B:511:SER:HG	1.83	0.43
1:B:299:GLU:C	1:B:300:GLU:HG3	2.44	0.43
1:A:582:ILE:HG23	1:A:587:ASP:HB2	2.00	0.43
1:A:23:LEU:HA	1:A:24:PRO:HD3	1.85	0.42
1:B:517:GLY:HA2	4:B:703:CB3:CP3	2.49	0.42
1:A:489:CYS:SG	2:A:701:UMP:C6	3.12	0.42
1:A:514:VAL:HB	1:A:552:VAL:HG12	2.01	0.42
3:A:702:NDP:H42N	5:A:704:CP6:C11	2.48	0.42
1:B:79:MET:O	1:B:101:VAL:HA	2.19	0.42
1:A:17:ILE:O	3:A:702:NDP:H2N	2.20	0.42
1:B:517:GLY:CA	4:B:703:CB3:HP3	2.49	0.42
1:B:190:ASP:HB2	1:B:193:LEU:HD12	2.01	0.42
1:B:142:LYS:HE2	1:B:142:LYS:HA	2.01	0.42
1:A:327:TYR:CE2	1:A:331:ILE:HD11	2.54	0.41
1:B:31:ASP:OD2	5:B:704:CP6:H151	2.21	0.41
1:B:517:GLY:HA2	4:B:703:CB3:HP3	2.03	0.41
1:A:192:ILE:H	1:A:192:ILE:HG13	1.59	0.40
1:A:427:PRO:HB2	1:A:432:GLN:HE21	1.86	0.40
1:B:314:VAL:HG11	1:B:317:VAL:HG21	2.03	0.40
1:B:333:ASP:CG	1:B:352:LYS:NZ	2.79	0.40
1:A:334:ILE:HD11	1:A:550:THR:HG22	2.03	0.40
1:B:151:VAL:CG1	5:B:704:CP6:H11	2.50	0.40
1:A:175:ALA:HB3	1:A:242:PRO:HG2	2.03	0.40
1:B:81:ARG:NH1	1:B:103:SER:HA	2.36	0.40
1:B:232:ILE:HG12	1:B:246:VAL:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/566 (89%)	488 (97%)	14 (3%)	0	100	100
1	B	502/566 (89%)	486 (97%)	16 (3%)	0	100	100
All	All	1004/1132 (89%)	974 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	444/491 (90%)	422 (95%)	22 (5%)	22	55
1	B	444/491 (90%)	417 (94%)	27 (6%)	17	49
All	All	888/982 (90%)	839 (94%)	49 (6%)	19	52

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	9	VAL
1	A	42	THR
1	A	107	LYS
1	A	122	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	137	LEU
1	A	156	LEU
1	A	161	LEU
1	A	192	ILE
1	A	234	LYS
1	A	252	ARG
1	A	310	LEU
1	A	312	ARG
1	A	314	VAL
1	A	330	LEU
1	A	349	VAL
1	A	378	VAL
1	A	441	LYS
1	A	486	LEU
1	A	500	GLN
1	A	539	LYS
1	A	580	GLU
1	B	9	VAL
1	B	29	THR
1	B	37	ARG
1	B	42	THR
1	B	107	LYS
1	B	123	ARG
1	B	137	LEU
1	B	142	LYS
1	B	143	ASP
1	B	148	ILE
1	B	161	LEU
1	B	192	ILE
1	B	234	LYS
1	B	299	GLU
1	B	300	GLU
1	B	310	LEU
1	B	312	ARG
1	B	316	HIS
1	B	330	LEU
1	B	349	VAL
1	B	378	VAL
1	B	383	LEU
1	B	486	LEU
1	B	539	LYS
1	B	552	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	567	GLU
1	B	580	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	444	HIS
1	A	465	ASN
1	A	575	ASN
1	B	337	ASN
1	B	432	GLN
1	B	444	HIS
1	B	477	ASN
1	B	575	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CB3	A	703	-	37,37,37	1.31	3 (8%)	50,51,51	1.11	4 (8%)
3	NDP	B	702	-	51,52,52	1.27	7 (13%)	71,80,80	1.58	11 (15%)
4	CB3	B	703	-	37,37,37	1.28	3 (8%)	50,51,51	1.17	3 (6%)
5	CP6	B	704	-	18,18,18	1.51	2 (11%)	25,25,25	2.18	6 (24%)
5	CP6	A	704	-	18,18,18	1.52	2 (11%)	25,25,25	2.21	7 (28%)
2	UMP	B	701	-	21,21,21	1.23	3 (14%)	30,31,31	1.66	5 (16%)
2	UMP	A	701	-	21,21,21	1.24	2 (9%)	30,31,31	1.72	5 (16%)
3	NDP	A	702	-	51,52,52	1.26	6 (11%)	71,80,80	1.55	9 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CB3	A	703	-	-	8/27/28/28	0/3/3/3
3	NDP	B	702	-	-	5/34/77/77	0/5/5/5
4	CB3	B	703	-	-	10/27/28/28	0/3/3/3
5	CP6	B	704	-	-	4/6/6/6	0/2/2/2
5	CP6	A	704	-	-	4/6/6/6	0/2/2/2
2	UMP	B	701	-	-	1/10/22/22	0/2/2/2
2	UMP	A	701	-	-	2/10/22/22	0/2/2/2
3	NDP	A	702	-	-	5/34/77/77	0/5/5/5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	NDP	C5A-C4A	5.00	1.48	1.39
5	B	704	CP6	C4-C7	-4.95	1.41	1.50
3	B	702	NDP	C5A-C4A	4.89	1.47	1.39
5	A	704	CP6	C4-C7	-4.80	1.41	1.50
4	A	703	CB3	C4A-C8A	4.58	1.48	1.41
4	B	703	CB3	C4A-C8A	4.41	1.48	1.41
4	A	703	CB3	CP2-CP3	3.54	1.28	1.18
4	A	703	CB3	C8A-N1	-3.40	1.34	1.39
4	B	703	CB3	CP2-CP3	3.39	1.28	1.18
4	B	703	CB3	C8A-N1	-3.34	1.34	1.39
2	A	701	UMP	C2-N1	2.93	1.43	1.38
3	B	702	NDP	C5A-C6A	2.85	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	UMP	C2-N1	2.82	1.42	1.38
3	A	702	NDP	C5A-C6A	2.81	1.48	1.41
5	A	704	CP6	C10-CL1	2.56	1.80	1.74
5	B	704	CP6	C10-CL1	2.33	1.79	1.74
3	B	702	NDP	C8A-N7A	2.32	1.36	1.31
3	A	702	NDP	C5A-N7A	-2.31	1.34	1.39
3	A	702	NDP	C8A-N7A	2.31	1.36	1.31
2	B	701	UMP	C4-N3	-2.31	1.34	1.38
3	B	702	NDP	C5A-N7A	-2.29	1.34	1.39
2	A	701	UMP	C4-N3	-2.24	1.34	1.38
3	B	702	NDP	PA-O3	2.24	1.61	1.59
3	B	702	NDP	C6N-C5N	2.14	1.39	1.33
3	A	702	NDP	C6N-C5N	2.14	1.39	1.33
3	A	702	NDP	PA-O3	2.12	1.61	1.59
3	B	702	NDP	PN-O3	2.07	1.61	1.59
2	B	701	UMP	C6-C5	2.04	1.39	1.35

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	704	CP6	C2-N6-C5	6.97	121.34	116.26
5	B	704	CP6	C2-N6-C5	6.87	121.27	116.26
3	A	702	NDP	C5A-C4A-N3A	-5.97	118.50	126.72
3	B	702	NDP	C5A-C4A-N3A	-5.60	119.01	126.72
3	A	702	NDP	N3A-C4A-N9A	4.75	135.25	127.17
3	B	702	NDP	C2B-C1B-N9A	-4.49	106.37	113.75
3	B	702	NDP	N3A-C4A-N9A	4.40	134.66	127.17
2	A	701	UMP	C4-N3-C2	-4.29	121.29	126.61
2	B	701	UMP	C4-N3-C2	-4.12	121.50	126.61
2	A	701	UMP	C5-C4-N3	3.91	120.28	114.80
4	B	703	CB3	CP2-CP1-N10	-3.89	109.86	113.45
2	B	701	UMP	N3-C2-N1	3.81	119.85	114.89
2	A	701	UMP	N3-C2-N1	3.79	119.83	114.89
5	A	704	CP6	N6-C2-N1	-3.79	119.67	125.48
5	B	704	CP6	C4-C3-N1	-3.75	120.38	122.55
3	A	702	NDP	C2A-N3A-C4A	3.73	120.94	111.83
5	B	704	CP6	N6-C2-N1	-3.73	119.77	125.48
2	B	701	UMP	C5-C4-N3	3.72	120.02	114.80
3	B	702	NDP	C2A-N3A-C4A	3.71	120.89	111.83
5	A	704	CP6	C4-C3-N1	-3.61	120.46	122.55
3	B	702	NDP	N3A-C2A-N1A	-3.43	123.39	128.58
5	B	704	CP6	C2-N1-C3	3.41	121.38	117.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	704	CP6	C2-N1-C3	3.41	121.37	117.28
3	A	702	NDP	C4A-C5A-N7A	-3.39	106.70	110.58
3	B	702	NDP	C4A-C5A-N7A	-3.38	106.71	110.58
3	A	702	NDP	N3A-C2A-N1A	-3.32	123.55	128.58
2	A	701	UMP	O4-C4-C5	-3.11	119.80	125.16
4	B	703	CB3	C8A-C4A-C4	-2.91	116.97	120.11
2	B	701	UMP	O4-C4-C5	-2.86	120.23	125.16
4	B	703	CB3	C6-C9-N10	-2.77	109.64	114.13
4	A	703	CB3	C8A-C4A-C4	-2.75	117.14	120.11
4	A	703	CB3	C6-C9-N10	-2.67	109.80	114.13
5	B	704	CP6	C4-C5-N6	-2.60	120.49	123.47
2	A	701	UMP	C1'-N1-C2	2.56	122.66	117.66
5	A	704	CP6	C4-C5-N6	-2.49	120.61	123.47
3	A	702	NDP	C5A-N7A-C8A	2.49	107.36	103.45
5	B	704	CP6	C15-C5-C4	2.45	124.10	122.47
3	B	702	NDP	C5A-N7A-C8A	2.43	107.28	103.45
3	A	702	NDP	C6N-N1N-C2N	2.41	121.90	119.32
3	B	702	NDP	C4A-N9A-C8A	2.40	108.26	105.74
3	A	702	NDP	C4A-N9A-C8A	2.28	108.13	105.74
3	B	702	NDP	C1D-N1N-C2N	-2.28	117.39	121.14
5	A	704	CP6	N14-C2-N1	2.22	120.55	117.22
2	B	701	UMP	C1'-N1-C2	2.20	121.97	117.66
3	B	702	NDP	C6A-C5A-N7A	2.20	136.33	132.09
3	B	702	NDP	C6N-N1N-C2N	2.18	121.65	119.32
5	A	704	CP6	C15-C5-C4	2.14	123.90	122.47
4	A	703	CB3	C7-C6-C5	2.08	121.42	118.55
4	A	703	CB3	CP1-CP2-CP3	-2.07	174.28	177.63
3	A	702	NDP	C1D-N1N-C2N	-2.02	117.82	121.14

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	703	CB3	C11-C-N-CA
4	B	703	CB3	C11-C-N-CA
4	B	703	CB3	N-CA-CB-CG
5	A	704	CP6	C3-C4-C7-C8
5	A	704	CP6	C3-C4-C7-C12
5	A	704	CP6	C5-C4-C7-C8
5	A	704	CP6	C5-C4-C7-C12
5	B	704	CP6	C3-C4-C7-C8
5	B	704	CP6	C3-C4-C7-C12

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	B	704	CP6	C5-C4-C7-C8
5	B	704	CP6	C5-C4-C7-C12
4	A	703	CB3	O-C-N-CA
4	B	703	CB3	O-C-N-CA
4	B	703	CB3	CB-CA-CT-O2
4	B	703	CB3	CT-CA-CB-CG
4	A	703	CB3	CT-CA-CB-CG
4	B	703	CB3	CB-CA-CT-O1
4	A	703	CB3	N-CA-CB-CG
4	A	703	CB3	CB-CA-CT-O2
4	A	703	CB3	CB-CA-CT-O1
4	B	703	CB3	N-CA-CT-O2
3	A	702	NDP	C3B-C4B-C5B-O5B
3	B	702	NDP	C3B-C4B-C5B-O5B
4	B	703	CB3	N-CA-CT-O1
2	A	701	UMP	C2'-C1'-N1-C2
2	B	701	UMP	O4'-C4'-C5'-O5'
3	A	702	NDP	O4D-C1D-N1N-C2N
3	B	702	NDP	O4D-C1D-N1N-C2N
3	B	702	NDP	C4D-C5D-O5D-PN
4	A	703	CB3	OE2-CD-CG-CB
3	A	702	NDP	O4B-C4B-C5B-O5B
3	B	702	NDP	O4B-C4B-C5B-O5B
2	A	701	UMP	C2'-C1'-N1-C6
4	A	703	CB3	OE1-CD-CG-CB
3	A	702	NDP	C4D-C5D-O5D-PN
3	A	702	NDP	C2D-C1D-N1N-C2N
3	B	702	NDP	C2D-C1D-N1N-C2N
4	B	703	CB3	OE1-CD-CG-CB
4	B	703	CB3	OE2-CD-CG-CB


There are no ring outliers.

7 monomers are involved in 39 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	702	NDP	5	0
4	B	703	CB3	4	0
5	B	704	CP6	15	0
5	A	704	CP6	14	0
2	B	701	UMP	1	0
2	A	701	UMP	1	0
3	A	702	NDP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand CB3 B 703



Ligand UMP B 701





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	511/566 (90%)	0.19	17 (3%)	49 30	33, 56, 105, 148	1 (0%)
1	B	511/566 (90%)	0.27	21 (4%)	41 25	34, 58, 124, 164	1 (0%)
All	All	1022/1132 (90%)	0.23	38 (3%)	45 28	33, 57, 117, 164	2 (0%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	294	LEU	3.8
1	B	76	ALA	3.7
1	B	43	PRO	3.7
1	B	289	ALA	3.2
1	B	388	GLY	3.2
1	B	286	SER	3.0
1	B	106	LEU	3.0
1	A	332	ALA	2.8
1	A	285	SER	2.8
1	B	5	VAL	2.7
1	A	43	PRO	2.7
1	A	124	VAL	2.6
1	B	508	TYR	2.6
1	B	124	VAL	2.6
1	B	112	ALA	2.5
1	A	148	ILE	2.5
1	A	410	GLU	2.5
1	B	111	ILE	2.4
1	A	397	GLU	2.4
1	A	319	PHE	2.4
1	A	375	TRP	2.3
1	B	75	ASN	2.3
1	A	299	GLU	2.3
1	A	5	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	291	ALA	2.2
1	A	145	VAL	2.2
1	B	77	VAL	2.2
1	B	109	GLU	2.2
1	A	293	VAL	2.2
1	B	134	LEU	2.1
1	B	287	ALA	2.1
1	B	558[A]	GLU	2.1
1	A	116	PRO	2.1
1	B	187	PHE	2.1
1	B	105	SER	2.1
1	A	335	ILE	2.1
1	B	98	LEU	2.0
1	B	110	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	CP6	B	704	17/17	0.82	0.21	24,25,25,26	0
3	NDP	B	702	48/48	0.83	0.13	73,89,109,112	0
4	CB3	B	703	35/35	0.85	0.28	33,34,39,40	35
4	CB3	A	703	35/35	0.86	0.28	37,40,50,51	35
2	UMP	A	701	20/20	0.88	0.11	64,69,71,72	0
5	CP6	A	704	17/17	0.90	0.25	24,24,25,26	0
3	NDP	A	702	48/48	0.91	0.10	50,59,79,81	0
2	UMP	B	701	20/20	0.92	0.09	57,60,63,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CB3 B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CB3 A 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around UMP A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NDP A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.