



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 05:54 PM UTC

PDB ID : 7AOH / pdb_00007aoh
EMDB ID : EMD-11844
Title : Atomic structure of the poxvirus late initially transcribing complex
Authors : Grimm, C.; Bartuli, J.; Fischer, U.
Deposited on : 2020-10-14
Resolution : 2.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10327 (2.20 - 3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1286	
2	B	1164	
3	C	305	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	185	
5	F	164	
6	G	161	
7	I	795	
8	J	63	
9	N	60	
10	P	10	
11	S	259	
12	T	60	
13	Y	631	

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 39496 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase 147 kDa polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1263	Total	C	N	O	S	0	0
			10145	6530	1670	1900	45		

- Molecule 2 is a protein called DNA-directed RNA polymerase.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	1134	Total	C	N	O	S	0	0
			9130	5819	1559	1704	48		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	6	ASN	ASP	conflict	UNP Q49PH2

- Molecule 3 is a protein called DNA-directed RNA polymerase 35 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	303	Total	C	N	O	S	0	0
			2475	1603	397	462	13		

- Molecule 4 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	184	Total	C	N	O	S	0	0
			1495	966	248	276	5		

- Molecule 5 is a protein called DNA-directed RNA polymerase 19 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	F	103	Total	C	N	O	S	0	0
			849	545	148	153	3		

- Molecule 6 is a protein called DNA-directed RNA polymerase 18 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	158	Total	C	N	O	S	0	0
			1233	778	204	245	6		

- Molecule 7 is a protein called Protein H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	746	Total	C	N	O	S	0	0
			6234	4075	991	1147	21		

- Molecule 8 is a protein called DNA-directed RNA polymerase 7 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	J	61	Total	C	N	O	S	0	0
			490	310	88	88	4		

- Molecule 9 is a DNA chain called Synthetic promoter DNA oligomer, non-template strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	N	28	Total	C	N	O	P	0	0
			575	274	104	169	28		

- Molecule 10 is a RNA chain called RNA (5'-R(P*AP*AP*AP*AP*UP*CP*UP*AP*UP*A)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
10	P	10	Total	C	N	O	P	0	0
			212	96	39	67	10		

- Molecule 11 is a protein called DNA-directed RNA polymerase 30 kDa polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	S	126	Total	C	N	O	S	0	0
			1036	659	169	204	4		

- Molecule 12 is a DNA chain called Synthetic promoter DNA oligomer, template strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	T	39	Total	C	N	O	P	0	0
			800	383	142	236	39		

- Molecule 13 is a protein called Nucleoside triphosphatase I.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	Y	597	Total	C	N	O	S	0	0
			4817	3088	822	882	25		

- Molecule 14 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
14	A	1	Total	Mg	0
			1	1	


- Molecule 15 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
15	A	2	Total	Zn	0
			2	2	
15	B	1	Total	Zn	0
			1	1	
15	J	1	Total	Zn	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA-directed RNA polymerase 147 kDa polypeptide



- Molecule 2: DNA-directed RNA polymerase



- Molecule 3: DNA-directed RNA polymerase 35 kDa subunit

MT1	GLN	N8	E15	P16	S17	G25	L34	I37	E50	L80	R85	S86	D105	N109	R132	I142	A143	F144	I177	V182	F187	C211	L223	N226	S243	E247	L251	F252	V253	M257	V262	E272	L285
-----	-----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

- | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--|-----|--|-----|--|-----|--|-----|--|-----|--|-----|--|--------------|--|------|--|------|--|------|--|--------------|--|------|--|-------------|
| M1 | | A10 | | V26 | | T37 | | L47 | | Y71 | | D77 | | V114
R115 | | Q129 | | L152 | | N167 | | V170
T171 | | D177 | | A184
ASP |
|----|--|-----|--|-----|--|-----|--|-----|--|-----|--|-----|--|--------------|--|------|--|------|--|------|--|--------------|--|------|--|-------------|

- | |
|-----|
| NET | ALA | ASP | THR | ASP | ILE | ILE | ASP | TYR | GLU | SER | ASP | LEU | THR | GLU | TYR | GLU | GLU | GLU | GLU | GLY | GLY | SER | LEU | LEU | THR | SER | ASP | ILE | ASP | PRO | LYS | SER | SER | TYR | LYS | ILE | VAL | GLU | SER | ALA | SER | THR | HIS | HIS | SER | ASN | LEU | LYS |
|-----|


- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|----|--|-----|-----|-----|--|------|--|------|--|------|------|------|--|------|--|------|------|--|------|------|------|------|------|--|------|------|--|------|--|------|-----|-----|
| Met | S2 | | N90 | E92 | D93 | | Q100 | | L104 | | S109 | R110 | D111 | | S118 | | C123 | F124 | | N129 | A130 | Y131 | D132 | N133 | | L141 | M142 | | E149 | | V159 | ASP | SER |
|-----|----|--|-----|-----|-----|--|------|--|------|--|------|------|------|--|------|--|------|------|--|------|------|------|------|------|--|------|------|--|------|--|------|-----|-----|

- | | | | | | | | | | | | | | | |
|-----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|--|-----|
| MET | D2 | S3 | K4 | E5 | T6 | I7 | L8 | I9 | E10 | I11 | I12 | P13 | | K16 | A17 | Y18 | L19 | L20 | D21 | A22 | N23 | I24 | S25 | P26 | K27 | S28 | Y29 | D30 | D31 | F32 | I33 | S34 | R35 | N36 | K37 | N38 | I39 | F40 | V41 | I42 | N43 | L44 | Y45 | N46 | V47 | S48 | T49 | I50 | F51 | E52 | E53 | D54 | I55 | R56 | L57 | L58 | Y59 | T60 | G61 |
|-----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|--|-----|

Q407	R408	F409	I410	I414	D418	T425	I432	L435	I436	E457	L458	L462	F463	F464	E473	SER GLN	VAL	SER	T479	E480	L481	V497	S503	A504	D505	V508	N515	V518	F534	T538	E542	S545	T548	I549	V550	L551	T555
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------------	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Residue	Number of Mutations
L564	1
D685	1
L566	1
Q569	1
T572	1
I581	1
GLN	1
ARG	1
SER	1
ALA	1
LEU	1
E587	1
D591	1
H621	4
T622	4
G623	4
V624	4
E625	4
E636	1
D651	4
E652	4
D653	4
I654	4
T663	1
L668	1
V689	1
I670	1
H674	1
I677	1
D713	1
P714	1
M715	1
E718	1
D723	1
H724	1
E725	1
V749	1
R757	1
V765	1

- | | | | | | | | | |
|-----|-----|-----|----|------|------|------|------|------|
| Met | Ser | Lys | S4 | D10 | A12 | T16 | M19 | S26 | A39 | R40 | V41 | F42 | L43 | D46 | L53 | E56 | T57 | G58 | M63 | V66 | L69 | K70 | H71 | L72 | K73 | N78 | I81 | I82 | L83 | L84 | V85 | K86 | K87 | M95 | L99 | R100 | Y101 | A102 | I105 | G120 |
|-----|-----|-----|----|------|------|------|------|------|



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	278260	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	78.90	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	12.209	Depositor
Minimum map value	-5.800	Depositor
Average map value	0.271	Depositor
Map value standard deviation	1.084	Depositor
Recommended contour level	1.35	Depositor
Map size (Å)	160.99997, 156.32484, 159.83167	wwPDB
Map dimensions	241, 232, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.67083323, 0.673814, 0.6632019	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/10351	0.35	0/13996
2	B	0.20	0/9321	0.36	0/12591
3	C	0.20	0/2531	0.32	0/3428
4	E	0.21	0/1522	0.35	0/2069
5	F	0.21	0/863	0.34	0/1158
6	G	0.17	0/1252	0.37	0/1698
7	I	0.19	0/6374	0.43	0/8622
8	J	0.22	0/494	0.33	0/663
9	N	0.33	0/643	0.54	0/988
10	P	0.17	0/237	0.49	0/366
11	S	0.14	0/1051	0.32	0/1407
12	T	0.29	0/895	0.52	0/1377
13	Y	0.19	0/4908	0.45	0/6603
All	All	0.20	0/40442	0.38	0/54966

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	458	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10145	0	10265	60	0
2	B	9130	0	9180	60	0
3	C	2475	0	2462	17	0
4	E	1495	0	1548	10	0
5	F	849	0	874	6	0
6	G	1233	0	1218	11	0
7	I	6234	0	6275	70	0
8	J	490	0	528	4	0
9	N	575	0	318	3	0
10	P	212	0	107	3	0
11	S	1036	0	1037	10	0
12	T	800	0	444	4	0
13	Y	4817	0	4863	69	0
14	A	1	0	0	0	0
15	A	2	0	0	0	0
15	B	1	0	0	0	0
15	J	1	0	0	0	0
All	All	39496	0	39119	282	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (282) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:720:ARG:NH2	2:B:729:GLU:OE1	2.18	0.77
2:B:369:LEU:HD11	2:B:410:ALA:HB1	1.68	0.76
9:N:15:DT:OP2	13:Y:157:LYS:NZ	2.20	0.74
2:B:60:LYS:O	2:B:63:THR:OG1	2.06	0.73
1:A:269:LYS:NZ	12:T:12:DT:OP1	2.21	0.73
2:B:1154:ASP:O	5:F:75:ARG:NH1	2.22	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:10:ALA:HB1	4:E:37:THR:HG21	1.73	0.71
13:Y:288:ILE:HG23	13:Y:289:LEU:HD22	1.73	0.71
7:I:436:ILE:HG13	7:I:497:VAL:HG21	1.73	0.70
2:B:890:LYS:NZ	10:P:10:A:OP1	2.24	0.70
2:B:941:LYS:O	2:B:950:ARG:NH1	2.25	0.68
1:A:98:SER:OG	1:A:100:GLU:OE1	2.11	0.68
6:G:118:SER:HG	6:G:123:CYS:HG	1.41	0.68
13:Y:81:ILE:HD12	13:Y:105:ILE:HG21	1.75	0.68
4:E:170:VAL:HG23	4:E:171:THR:HG23	1.75	0.68
1:A:822:GLN:NE2	4:E:167:ASN:OD1	2.27	0.67
4:E:129:GLN:O	5:F:70:LYS:NZ	2.27	0.67
10:P:1:A:O2'	10:P:2:A:O5'	2.11	0.67
7:I:250:GLU:OE2	7:I:280:SER:OG	2.13	0.67
2:B:1058:ARG:NH2	2:B:1059:ASP:OD1	2.27	0.67
13:Y:386:GLU:OE1	13:Y:444:SER:OG	2.04	0.67
3:C:132:ARG:NH1	7:I:591:ASP:O	2.28	0.66
7:I:414:ILE:HD11	7:I:432:ILE:HG21	1.76	0.66
2:B:110:GLU:N	2:B:110:GLU:OE1	2.28	0.66
7:I:418:ASP:OD1	7:I:425:THR:OG1	2.15	0.65
3:C:34:LEU:HD12	3:C:182:VAL:HG12	1.78	0.65
7:I:85:GLU:OE2	7:I:204:LYS:N	2.30	0.65
2:B:1088:GLU:OE2	2:B:1116:THR:OG1	2.15	0.64
7:I:346:ILE:HG21	7:I:386:ILE:HD13	1.80	0.64
7:I:388:SER:OG	7:I:391:ASN:OD1	2.10	0.64
2:B:792:ARG:O	2:B:794:ARG:NH2	2.31	0.63
13:Y:83:LEU:HD13	13:Y:139:ILE:HB	1.81	0.63
7:I:2:ASP:O	7:I:46:ASN:ND2	2.32	0.62
7:I:407:GLN:HG3	13:Y:129:THR:HG22	1.79	0.62
13:Y:69:LEU:O	13:Y:73:LYS:NZ	2.32	0.62
1:A:386:ARG:NE	1:A:448:ASP:OD2	2.31	0.62
13:Y:56:GLU:OE1	13:Y:58:GLY:N	2.32	0.62
7:I:50:ILE:HD12	7:I:55:ILE:HD11	1.82	0.62
7:I:408:ARG:HB3	13:Y:129:THR:HG21	1.82	0.62
7:I:621:HIS:ND1	7:I:622:THR:HG23	2.14	0.62
1:A:1061:GLU:OE2	1:A:1067:ARG:NH1	2.33	0.61
6:G:92:GLU:N	6:G:92:GLU:OE1	2.33	0.61
1:A:163:SER:OG	7:I:183:ARG:NH2	2.34	0.61
1:A:406:PRO:HB3	1:A:458:ILE:HD11	1.82	0.61
3:C:226:ASN:HB3	3:C:257:MET:HE1	1.82	0.61
13:Y:143:CYS:SG	13:Y:183:SER:OG	2.50	0.60
11:S:28:LEU:CD2	11:S:125:ILE:HD11	2.32	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1092:ASP:OD2	2:B:1105:ARG:NH2	2.35	0.60
7:I:106:GLU:N	7:I:106:GLU:OE1	2.35	0.60
3:C:105:ASP:O	3:C:109:ASN:N	2.35	0.59
2:B:35:TYR:OH	2:B:153:ILE:O	2.15	0.59
7:I:636:GLU:N	7:I:636:GLU:OE1	2.35	0.59
7:I:457:GLU:HB2	7:I:551:LEU:HD21	1.85	0.59
2:B:767:ARG:O	8:J:4:GLN:NE2	2.36	0.59
4:E:26:VAL:HG22	4:E:114:VAL:CG1	2.33	0.59
13:Y:427:ASN:ND2	13:Y:451:SER:O	2.36	0.59
1:A:304:PRO:HD2	1:A:307:ILE:HD12	1.83	0.59
1:A:323:ASP:OD1	7:I:317:ARG:NH1	2.36	0.59
13:Y:270:ILE:HD13	13:Y:298:PHE:H	1.67	0.58
13:Y:70:LYS:NZ	13:Y:101:TYR:O	2.36	0.58
13:Y:586:SER:O	13:Y:630:ILE:HD12	2.03	0.58
7:I:458:ILE:HD11	7:I:464:PHE:CE2	2.38	0.58
13:Y:16:THR:O	13:Y:40:ARG:NE	2.37	0.58
7:I:89:LYS:NZ	13:Y:607:ASP:OD2	2.29	0.58
1:A:340:LYS:NZ	2:B:1078:GLU:OE2	2.37	0.58
5:F:91:ASN:OD1	5:F:95:ARG:NH1	2.37	0.58
7:I:76:ILE:HD11	13:Y:625:GLY:O	2.04	0.58
2:B:309:TYR:OH	7:I:725:GLU:OE2	2.17	0.57
7:I:715:MET:O	7:I:757:ARG:NH2	2.37	0.57
1:A:1160:ARG:NH1	1:A:1183:ASP:OD1	2.37	0.57
2:B:987:ASP:OD2	2:B:1007:LYS:NZ	2.37	0.57
1:A:762:LYS:NZ	1:A:1200:LYS:O	2.37	0.57
2:B:107:MET:SD	7:I:674:HIS:ND1	2.77	0.57
2:B:719:GLU:OE2	8:J:43:LYS:NZ	2.25	0.57
3:C:251:LEU:HD21	3:C:262:VAL:HG11	1.86	0.57
1:A:99:ARG:NH2	7:I:218:ASP:O	2.37	0.57
3:C:243:SER:O	3:C:251:LEU:HD12	2.05	0.57
7:I:410:ILE:HD12	7:I:436:ILE:HD13	1.86	0.57
13:Y:243:ASP:O	13:Y:254:LYS:NZ	2.33	0.57
1:A:60:PHE:HA	1:A:201:ILE:HD12	1.87	0.56
1:A:1060:ILE:HG21	11:S:132:VAL:HG11	1.86	0.56
2:B:38:TYR:OH	2:B:131:PRO:O	2.21	0.56
13:Y:100:ARG:NH2	13:Y:101:TYR:OH	2.39	0.56
13:Y:119:PHE:CE2	13:Y:164:VAL:HG11	2.40	0.56
1:A:309:ASN:O	1:A:335:LYS:NZ	2.39	0.56
7:I:414:ILE:HD11	7:I:432:ILE:CG2	2.35	0.56
3:C:80:LEU:HD11	3:C:142:ILE:HD11	1.89	0.55
1:A:412:GLN:NE2	1:A:421:GLU:OE2	2.38	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:G:109:SER:OG	6:G:111:ASP:OD1	2.22	0.55
13:Y:56:GLU:OE1	13:Y:57:THR:N	2.39	0.55
1:A:133:SER:HA	1:A:136:MET:HE2	1.89	0.55
1:A:486:TYR:O	1:A:506:TYR:OH	2.13	0.55
1:A:460:ASP:OD1	2:B:754:GLN:NE2	2.40	0.55
4:E:26:VAL:HG22	4:E:114:VAL:HG11	1.89	0.55
13:Y:477:ALA:O	13:Y:483:HIS:NE2	2.39	0.55
2:B:388:ASN:ND2	2:B:396:ALA:O	2.40	0.54
7:I:668:LEU:HD13	7:I:677:ILE:HD13	1.89	0.54
10:P:1:A:HO2'	10:P:2:A:C5'	2.20	0.54
13:Y:291:ARG:O	13:Y:294:THR:OG1	2.25	0.54
7:I:503:SER:OG	7:I:505:ASP:OD1	2.22	0.54
11:S:141:ASP:OD1	11:S:142:VAL:N	2.41	0.54
3:C:8:ASN:HB3	3:C:305:LEU:HD11	1.89	0.54
1:A:1034:GLU:OE2	1:A:1034:GLU:N	2.40	0.54
7:I:64:GLN:OE1	13:Y:621:LYS:N	2.41	0.54
1:A:114:HIS:O	1:A:118:ARG:N	2.41	0.54
3:C:25:GLY:HA3	3:C:223:LEU:HD21	1.89	0.54
6:G:118:SER:OG	6:G:123:CYS:SG	2.59	0.54
1:A:619:VAL:O	11:S:144:TYR:OH	2.23	0.53
7:I:436:ILE:CG1	7:I:497:VAL:HG21	2.37	0.53
2:B:369:LEU:HD13	2:B:419:PHE:CE1	2.44	0.53
11:S:28:LEU:HD22	11:S:125:ILE:HD11	1.89	0.53
1:A:805:GLU:N	1:A:805:GLU:OE1	2.41	0.53
13:Y:220:GLU:OE2	13:Y:529:ARG:NH1	2.42	0.53
7:I:7:ILE:HD12	7:I:42:ILE:HD12	1.90	0.53
7:I:508:VAL:HG12	7:I:518:VAL:HG21	1.91	0.53
1:A:181:GLU:OE1	1:A:181:GLU:N	2.42	0.53
2:B:442:ARG:NH2	2:B:489:SER:O	2.41	0.52
7:I:497:VAL:HG12	7:I:564:LEU:HD21	1.91	0.52
13:Y:586:SER:OG	13:Y:587:ASN:N	2.41	0.52
2:B:556:LYS:NZ	2:B:566:VAL:O	2.38	0.52
7:I:723:ASP:OD1	7:I:723:ASP:N	2.43	0.52
13:Y:78:ASN:OD1	13:Y:133:LYS:NZ	2.43	0.52
4:E:26:VAL:HA	4:E:114:VAL:HG12	1.92	0.52
7:I:346:ILE:CG2	7:I:386:ILE:HD13	2.39	0.52
1:A:801:ILE:O	1:A:887:TYR:OH	2.10	0.52
7:I:504:ALA:O	7:I:508:VAL:HG13	2.10	0.52
9:N:17:DG:H1	13:Y:153:LYS:CE	2.23	0.52
13:Y:105:ILE:O	13:Y:109:CYS:N	2.40	0.51
1:A:156:ASP:OD1	1:A:157:ASP:N	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:247:GLU:OE1	3:C:247:GLU:N	2.43	0.51
13:Y:69:LEU:HD13	13:Y:81:ILE:HG21	1.92	0.51
1:A:337:TYR:HD1	1:A:360:LEU:HD21	1.74	0.51
2:B:881:ASP:OD2	2:B:1017:ARG:NH2	2.44	0.50
13:Y:268:GLU:HG3	13:Y:502:LEU:HD22	1.94	0.50
2:B:761:LYS:NZ	8:J:9:THR:O	2.34	0.50
7:I:33:ILE:HD12	7:I:40:PHE:HE2	1.76	0.50
13:Y:448:GLU:O	13:Y:472:GLN:NE2	2.45	0.50
13:Y:605:ASP:HB3	13:Y:611:LEU:HD21	1.94	0.50
7:I:11:ILE:HG12	7:I:39:ILE:HD12	1.93	0.50
2:B:581:ASN:ND2	2:B:633:GLU:OE1	2.45	0.49
11:S:28:LEU:CD1	11:S:41:ILE:HD11	2.42	0.49
3:C:37:ILE:HG23	3:C:177:ILE:HD13	1.94	0.49
1:A:337:TYR:CD1	1:A:360:LEU:HD21	2.47	0.49
2:B:400:HIS:O	2:B:404:THR:HG22	2.13	0.49
2:B:229:ILE:HG23	2:B:311:MET:SD	2.53	0.49
2:B:1110:ASN:ND2	7:I:110:ASN:OD1	2.41	0.49
7:I:33:ILE:HD12	7:I:40:PHE:CE2	2.48	0.49
13:Y:275:LYS:O	13:Y:279:ILE:HG23	2.13	0.48
2:B:431:HIS:HB3	2:B:701:LEU:HD21	1.95	0.48
13:Y:253:LYS:NZ	13:Y:491:ARG:O	2.44	0.48
7:I:569:GLN:O	7:I:572:THR:OG1	2.28	0.48
13:Y:568:LYS:NZ	13:Y:571:ILE:O	2.43	0.48
13:Y:53:LEU:HD12	13:Y:182:LEU:HD11	1.94	0.48
7:I:515:ASN:O	7:I:515:ASN:ND2	2.46	0.48
1:A:227:ILE:HD11	1:A:247:TYR:CB	2.44	0.48
2:B:102:ILE:HG13	2:B:397:VAL:HG11	1.95	0.48
13:Y:102:ALA:HB1	13:Y:105:ILE:HD13	1.94	0.48
13:Y:426:PHE:O	13:Y:431:ASN:ND2	2.46	0.48
1:A:306:TYR:OH	2:B:1026:ALA:HB1	2.14	0.47
1:A:322:VAL:HG23	7:I:319:VAL:HG23	1.96	0.47
2:B:679:ILE:N	2:B:956:SER:O	2.47	0.47
13:Y:46:ASP:OD1	13:Y:176:ASN:ND2	2.47	0.47
6:G:104:LEU:HD21	6:G:141:LEU:HD21	1.96	0.47
5:F:76:ARG:O	5:F:132:LYS:NZ	2.48	0.47
7:I:217:ILE:O	7:I:220:LEU:HD23	2.14	0.47
11:S:117:PHE:CE2	11:S:121:LEU:HD11	2.49	0.47
7:I:341:ASN:O	7:I:341:ASN:ND2	2.48	0.47
13:Y:12:ALA:O	13:Y:16:THR:OG1	2.18	0.47
1:A:850:THR:OG1	1:A:852:ASP:OD1	2.30	0.46
7:I:237:LEU:O	7:I:241:GLY:N	2.48	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:Y:571:ILE:O	13:Y:571:ILE:HG23	2.16	0.46
1:A:257:THR:HG22	1:A:258:THR:H	1.80	0.46
2:B:107:MET:HE2	7:I:674:HIS:HB2	1.97	0.46
7:I:7:ILE:HG23	7:I:42:ILE:HD12	1.97	0.46
7:I:21:ASP:OD1	7:I:21:ASP:N	2.48	0.46
1:A:20:THR:HG22	1:A:22:ILE:H	1.80	0.46
1:A:153:ASN:OD1	1:A:154:LYS:N	2.49	0.46
13:Y:119:PHE:CD2	13:Y:161:THR:HG22	2.51	0.46
7:I:545:SER:O	7:I:548:THR:OG1	2.30	0.46
12:T:49:DT:OP1	13:Y:446:GLY:N	2.48	0.46
2:B:256:MET:HE1	2:B:340:TYR:HB2	1.97	0.46
7:I:57:LEU:O	7:I:61:THR:HG23	2.16	0.46
9:N:16:DT:O3'	13:Y:464:THR:HG21	2.16	0.46
1:A:383:SER:OG	2:B:1057:GLU:OE2	2.21	0.46
13:Y:53:LEU:HD12	13:Y:182:LEU:CD1	2.45	0.46
1:A:517:LEU:HD13	1:A:544:LEU:HD11	1.98	0.45
2:B:720:ARG:NH1	2:B:721:PRO:O	2.49	0.45
12:T:45:DA:N3	13:Y:288:ILE:HG21	2.31	0.45
13:Y:42:PHE:CZ	13:Y:180:ILE:HD11	2.50	0.45
2:B:401:VAL:HG23	2:B:402:LEU:HD12	1.98	0.45
2:B:862:THR:HG22	2:B:863:ASP:H	1.80	0.45
2:B:350:ASP:OD1	2:B:351:ARG:N	2.49	0.45
1:A:987:LYS:NZ	1:A:1139:GLU:O	2.43	0.45
5:F:94:GLN:HA	5:F:113:MET:HE1	1.99	0.45
13:Y:252:ALA:N	13:Y:478:ILE:O	2.42	0.45
13:Y:475:GLY:HA2	13:Y:478:ILE:HG22	1.97	0.45
13:Y:515:GLU:OE1	13:Y:515:GLU:N	2.49	0.45
1:A:137:GLN:N	1:A:137:GLN:OE1	2.50	0.45
1:A:631:GLU:OE1	1:A:635:SER:OG	2.34	0.45
7:I:670:ILE:HG21	7:I:718:GLU:OE2	2.17	0.45
1:A:1167:MET:O	1:A:1170:THR:OG1	2.35	0.44
7:I:391:ASN:O	7:I:394:ILE:HG22	2.16	0.44
2:B:1100:ILE:HD11	6:G:149:GLU:HG3	1.98	0.44
7:I:542:GLU:OE1	7:I:542:GLU:N	2.40	0.44
1:A:158:ILE:HD11	7:I:173:PRO:HA	1.98	0.44
2:B:54:ARG:HD2	2:B:378:ILE:HD13	1.98	0.44
7:I:326:CYS:SG	7:I:327:GLU:N	2.90	0.44
11:S:133:GLU:OE1	11:S:134:TYR:N	2.51	0.44
1:A:1130:LEU:HD12	1:A:1153:ILE:HD11	1.99	0.44
2:B:524:PHE:CE2	7:I:749:VAL:HG21	2.53	0.44
2:B:662:ASP:OD1	2:B:663:PHE:N	2.49	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:253:VAL:O	3:C:272:GLU:N	2.51	0.44
7:I:180:ASP:OD1	7:I:181:GLN:N	2.51	0.44
4:E:115:ARG:NH1	4:E:152:LEU:O	2.49	0.44
13:Y:371:VAL:CG2	13:Y:461:LEU:HD11	2.48	0.44
1:A:1036:VAL:HG13	11:S:53:ILE:HD11	2.00	0.44
6:G:132:ASP:OD1	6:G:133:ASN:N	2.51	0.43
7:I:435:LEU:HD12	7:I:564:LEU:CD1	2.48	0.43
13:Y:502:LEU:HD12	13:Y:506:MET:CG	2.48	0.43
1:A:257:THR:O	1:A:258:THR:OG1	2.24	0.43
13:Y:384:VAL:HB	13:Y:441:VAL:HG12	2.00	0.43
7:I:69:ASP:OD1	7:I:70:ASP:N	2.52	0.43
13:Y:367:LYS:CG	13:Y:461:LEU:HD12	2.49	0.43
1:A:124:LEU:HD23	1:A:124:LEU:O	2.19	0.43
1:A:1041:ILE:HG22	1:A:1045:ILE:HD12	2.01	0.43
2:B:611:LEU:CD1	2:B:619:ILE:HD11	2.48	0.43
2:B:806:LEU:CD1	2:B:859:VAL:HG21	2.48	0.43
6:G:124:PHE:O	6:G:131:TYR:N	2.51	0.43
13:Y:27:ASP:N	13:Y:100:ARG:O	2.51	0.43
1:A:1029:ARG:NH2	11:S:144:TYR:OH	2.47	0.43
2:B:958:ASN:ND2	2:B:960:THR:O	2.48	0.43
2:B:1088:GLU:OE2	2:B:1144:ARG:NH2	2.51	0.43
7:I:534:PHE:O	7:I:538:THR:HG22	2.18	0.43
13:Y:85:VAL:HG12	13:Y:86:LYS:H	1.83	0.43
3:C:50:GLU:OE1	3:C:50:GLU:N	2.49	0.43
3:C:80:LEU:HD12	3:C:144:PHE:CE2	2.53	0.43
7:I:407:GLN:CG	13:Y:129:THR:HG22	2.49	0.43
1:A:937:LYS:HG2	1:A:1178:LEU:HD11	2.00	0.42
2:B:686:ARG:NH2	2:B:888:SER:O	2.49	0.42
8:J:30:ASP:O	8:J:33:VAL:HG12	2.19	0.42
13:Y:63:MET:HA	13:Y:66:VAL:HG22	2.02	0.42
1:A:783:TYR:OH	4:E:177:ASP:OD2	2.35	0.42
1:A:553:GLU:OE1	1:A:553:GLU:N	2.53	0.42
3:C:251:LEU:CD2	3:C:262:VAL:HG11	2.49	0.42
2:B:997:ASP:O	2:B:1001:ASP:N	2.48	0.42
6:G:129:ASN:N	6:G:129:ASN:OD1	2.52	0.42
12:T:51:DT:OP2	13:Y:87:LYS:NZ	2.53	0.42
1:A:761:LYS:NZ	2:B:1055:GLU:OE1	2.43	0.42
13:Y:256:VAL:HG13	13:Y:497:PHE:HE2	1.85	0.42
13:Y:375:ILE:HG23	13:Y:382:CYS:SG	2.59	0.42
13:Y:502:LEU:HD12	13:Y:506:MET:HG2	2.01	0.42
13:Y:39:ALA:O	13:Y:43:LEU:HD23	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:TYR:CZ	2:B:1026:ALA:HB1	2.55	0.42
2:B:398:ASN:OD1	2:B:400:HIS:ND1	2.53	0.41
2:B:807:VAL:HG21	2:B:813:LEU:HD21	2.02	0.41
4:E:71:TYR:OH	4:E:77:ASP:OD2	2.32	0.41
6:G:93:ASP:N	6:G:93:ASP:OD1	2.53	0.41
7:I:718:GLU:OE1	7:I:718:GLU:N	2.48	0.41
13:Y:208:HIS:ND1	13:Y:208:HIS:O	2.53	0.41
1:A:877:PHE:O	1:A:878:THR:OG1	2.32	0.41
1:A:1001:GLY:N	1:A:1090:PRO:O	2.53	0.41
7:I:61:THR:HG22	13:Y:621:LYS:HG2	2.01	0.41
1:A:95:LEU:HD22	7:I:222:ILE:HD13	2.02	0.41
2:B:1044:GLY:O	2:B:1049:GLY:N	2.47	0.41
6:G:142:MET:HE2	6:G:142:MET:HA	2.03	0.41
2:B:64:GLU:HB2	2:B:106:VAL:HG22	2.02	0.41
5:F:78:SER:N	5:F:81:GLU:OE1	2.47	0.41
3:C:15:GLU:OE1	3:C:17:SER:N	2.51	0.41
7:I:386:ILE:HD12	7:I:386:ILE:N	2.35	0.41
13:Y:202:ARG:NH2	13:Y:228:GLY:O	2.47	0.41
1:A:925:PRO:HB2	1:A:928:ILE:HG22	2.03	0.41
7:I:435:LEU:HD12	7:I:564:LEU:HD12	2.02	0.41
13:Y:95:MET:O	13:Y:99:LEU:HD23	2.21	0.41
7:I:457:GLU:CD	7:I:555:VAL:HG21	2.46	0.41
7:I:713:ASP:OD1	7:I:713:ASP:N	2.54	0.41
13:Y:242:PHE:HZ	13:Y:463:MET:HE1	1.86	0.41
1:A:74:VAL:HG12	1:A:190:PHE:CE2	2.55	0.40
1:A:1045:ILE:HD13	1:A:1070:VAL:HG11	2.02	0.40
2:B:671:TYR:O	2:B:674:SER:OG	2.39	0.40
3:C:85:ARG:NH1	3:C:86:SER:O	2.54	0.40
2:B:227:THR:O	2:B:227:THR:OG1	2.38	0.40
2:B:1029:ARG:NH1	2:B:1048:GLY:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1261/1286 (98%)	1231 (98%)	30 (2%)	0	100	100
2	B	1128/1164 (97%)	1099 (97%)	29 (3%)	0	100	100
3	C	301/305 (99%)	291 (97%)	10 (3%)	0	100	100
4	E	182/185 (98%)	179 (98%)	3 (2%)	0	100	100
5	F	101/164 (62%)	100 (99%)	1 (1%)	0	100	100
6	G	156/161 (97%)	146 (94%)	10 (6%)	0	100	100
7	I	734/795 (92%)	708 (96%)	26 (4%)	0	100	100
8	J	59/63 (94%)	59 (100%)	0	0	100	100
11	S	122/259 (47%)	119 (98%)	3 (2%)	0	100	100
13	Y	589/631 (93%)	558 (95%)	30 (5%)	1 (0%)	43	68
All	All	4633/5013 (92%)	4490 (97%)	142 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
13	Y	389	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1134/1157 (98%)	1119 (99%)	15 (1%)	61	83
2	B	1035/1064 (97%)	1027 (99%)	8 (1%)	73	88
3	C	285/287 (99%)	282 (99%)	3 (1%)	65	85
4	E	174/175 (99%)	173 (99%)	1 (1%)	78	91
5	F	94/151 (62%)	94 (100%)	0	100	100
6	G	141/144 (98%)	137 (97%)	4 (3%)	38	68
7	I	709/755 (94%)	692 (98%)	17 (2%)	43	72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	J	60/62 (97%)	60 (100%)	0	100	100
11	S	117/240 (49%)	116 (99%)	1 (1%)	70	87
13	Y	538/573 (94%)	519 (96%)	19 (4%)	32	61
All	All	4287/4608 (93%)	4219 (98%)	68 (2%)	54	80

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	GLU
1	A	119	LEU
1	A	149	VAL
1	A	179	LEU
1	A	257	THR
1	A	337	TYR
1	A	358	ILE
1	A	385	HIS
1	A	459	GLN
1	A	517	LEU
1	A	536	MET
1	A	597	GLU
1	A	683	TYR
1	A	1042	GLU
1	A	1127	LEU
2	B	56	LEU
2	B	64	GLU
2	B	189	THR
2	B	225	THR
2	B	676	LEU
2	B	804	ASN
2	B	1016	LEU
2	B	1061	LEU
3	C	80	LEU
3	C	187	PHE
3	C	211	CYS
4	E	47	LEU
6	G	90	ASN
6	G	93	ASP
6	G	100	GLN
6	G	129	ASN
7	I	8	LEU
7	I	10	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	I	44	LEU
7	I	71	GLN
7	I	90	GLU
7	I	220	LEU
7	I	330	ILE
7	I	357	GLU
7	I	389	THR
7	I	462	LEU
7	I	473	GLU
7	I	481	LEU
7	I	508	VAL
7	I	550	VAL
7	I	566	LEU
7	I	587	GLU
7	I	663	THR
11	S	27	LEU
13	Y	10	ASP
13	Y	19	MET
13	Y	26	SER
13	Y	72	LEU
13	Y	78	ASN
13	Y	83	LEU
13	Y	85	VAL
13	Y	152	ILE
13	Y	176	ASN
13	Y	208	HIS
13	Y	219	ASP
13	Y	245	VAL
13	Y	328	ARG
13	Y	373	LEU
13	Y	513	LEU
13	Y	515	GLU
13	Y	525	VAL
13	Y	586	SER
13	Y	622	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	256	ASN
1	A	786	ASN
1	A	1006	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	151	ASN
2	B	238	GLN
2	B	313	HIS
2	B	736	ASN
2	B	1020	HIS
3	C	126	HIS
4	E	62	GLN
5	F	112	ASN
7	I	239	ASN
7	I	661	HIS
7	I	664	ASN
7	I	728	GLN
7	I	756	ASN
8	J	16	HIS
11	S	62	ASN
13	Y	214	ASN
13	Y	542	ASN
13	Y	623	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	P	10/10 (100%)	4 (40%)	2 (20%)

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
10	P	2	A
10	P	4	A
10	P	5	U
10	P	7	U

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
10	P	1	A
10	P	4	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11844. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 120



Y Index: 116




Z Index: 120


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 154



Y Index: 71




Z Index: 115


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.35. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 329 nm³; this corresponds to an approximate mass of 298 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11844 and PDB model 7AOH. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.35 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.35).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.35) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9040	0.5430
A	0.9430	0.6190
B	0.9500	0.6220
C	0.9650	0.6320
E	0.9690	0.6280
F	0.9810	0.6450
G	0.9340	0.5880
I	0.8230	0.4810
J	0.9810	0.6490
N	0.6090	0.2200
P	0.5610	0.3700
S	0.7910	0.5510
T	0.5790	0.2700
Y	0.8880	0.2940

1.0

0.0

<0.0