



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:44 PM UTC

PDB ID : 4APQ / pdb_00004apq
Title : Crystal structure of autoreactive-Valpha14-Vbeta6 NKT TCR in complex with CD1d-sulfatide
Authors : Clarke, A.J.; Le Nours, J.; Rossjohn, J.
Deposited on : 2012-04-05
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	 73% 21% . .
2	B	99	 77% 19% .
3	C	207	 3% 78% 14% . 5%
4	D	243	 2% 73% 22% . .
5	E	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	F	4	 75% 25%
7	G	3	 67% 33%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 6533 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANTIGEN-PRESENTING GLYCOPROTEIN CD1D1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	290	2305	1471	402	418	14	0	1	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	201	HIS	ASP	variant	UNP P11609
A	280	GLY	-	expression tag	UNP P11609
A	281	SER	-	expression tag	UNP P11609
A	282	LEU	-	expression tag	UNP P11609
A	283	HIS	-	expression tag	UNP P11609
A	284	HIS	-	expression tag	UNP P11609
A	285	ILE	-	expression tag	UNP P11609
A	286	LEU	-	expression tag	UNP P11609
A	287	ASP	-	expression tag	UNP P11609
A	288	ALA	-	expression tag	UNP P11609
A	289	GLN	-	expression tag	UNP P11609
A	290	LYS	-	expression tag	UNP P11609
A	291	MET	-	expression tag	UNP P11609
A	292	VAL	-	expression tag	UNP P11609
A	293	TRP	-	expression tag	UNP P11609
A	294	ASN	-	expression tag	UNP P11609
A	295	HIS	-	expression tag	UNP P11609
A	296	ARG	-	expression tag	UNP P11609
A	297	HIS	-	expression tag	UNP P11609
A	298	HIS	-	expression tag	UNP P11609
A	299	HIS	-	expression tag	UNP P11609
A	300	HIS	-	expression tag	UNP P11609
A	301	HIS	-	expression tag	UNP P11609
A	302	HIS	-	expression tag	UNP P11609

- Molecule 2 is a protein called BETA-2-MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			806	514	136	149	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	85	ALA	ASP	variant	UNP P01887

- Molecule 3 is a protein called MOUSE NKT TCR VALPHA14, HUMAN NKT TCR VALPHA14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	196	Total	C	N	O	S	0	0	0
			1451	899	246	300	6			

- Molecule 4 is a protein called MOUSE NKT TCR AUTOREACTIVE-VBETA6, HUMAN NKT TCR AUTOREACTIVE-VBETA6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	240	Total	C	N	O	S	0	0	0
			1831	1159	317	348	7			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	2	Total	C	N	O		0	0	0
			28	16	2	10				

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	F	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	G	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 8 is (15Z)-N-((1S,2R,3E)-2-HYDROXY-1-[(3-O-SULFO-BETA-D-GALACTOPYRANOSYL)OXY]METHYL)HEPTADEC-3-ENYL)TETRACOS-15-ENAMIDE (CCD ID: CIS) (formula: C₄₈H₉₁NO₁₁S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	N	O	S	0	0
			21	9	1	10	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ANTIGEN-PRESENTING GLYCOPROTEIN CD1D1




• Molecule 2: BETA-2-MICROGLOBULIN




• Molecule 3: MOUSE NKT TCR VALPHA14, HUMAN NKT TCR VALPHA14



• Molecule 4: MOUSE NKT TCR AUTOREACTIVE-VBETA6, HUMAN NKT TCR AUTOREACTIVE-VBETA6





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 50% 50%



- Molecule 6: alpha-D-mannopyranose-(1-4)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 75% 25%



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 67% 33%



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	95.11Å 95.11Å 291.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.49 – 3.00 36.49 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (36.49-3.00) 99.5 (36.49-3.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.03 (at 3.01Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.177 , 0.232 0.196 , 0.248	Depositor DCC
R_{free} test set	1392 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	81.8	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 82.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6533	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, CIS, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	0/2379	1.28	6/3240 (0.2%)
2	B	0.88	0/832	1.16	3/1132 (0.3%)
3	C	0.94	0/1475	1.34	12/2015 (0.6%)
4	D	0.88	0/1878	1.30	11/2559 (0.4%)
All	All	0.89	0/6564	1.29	32/8946 (0.4%)

There are no bond length outliers.

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	224	ASP	CA-CB-CG	8.14	120.74	112.60
3	C	148	SER	CA-C-N	6.40	128.76	120.44
3	C	148	SER	C-N-CA	6.40	128.76	120.44
2	B	24	ASN	CA-CB-CG	6.33	118.93	112.60
1	A	217	PRO	CA-C-N	6.16	131.43	122.69
1	A	217	PRO	C-N-CA	6.16	131.43	122.69
4	D	201	ALA	CA-C-N	6.13	128.78	120.38
4	D	201	ALA	C-N-CA	6.13	128.78	120.38
3	C	158	SER	CA-C-N	6.12	128.48	120.28
3	C	158	SER	C-N-CA	6.12	128.48	120.28
4	D	222	GLU	N-CA-C	-6.12	104.53	111.14
3	C	132	ASP	CA-CB-CG	6.05	118.65	112.60
4	D	122	ASN	CA-CB-CG	5.96	118.56	112.60
2	B	21	ASN	CA-CB-CG	5.82	118.42	112.60
4	D	135	GLU	CA-C-N	5.81	128.53	120.29
4	D	135	GLU	C-N-CA	5.81	128.53	120.29
1	A	34	ASP	CA-CB-CG	5.73	118.33	112.60
4	D	223	ASN	CA-CB-CG	5.54	118.14	112.60
3	C	25	SER	CA-C-N	5.47	127.91	120.63
3	C	25	SER	C-N-CA	5.47	127.91	120.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	103	GLY	N-CA-C	5.46	118.22	110.74
4	D	223	ASN	N-CA-C	-5.44	101.80	109.96
1	A	71	GLN	CA-C-N	5.30	127.24	120.56
1	A	71	GLN	C-N-CA	5.30	127.24	120.56
3	C	169	ASP	CA-CB-CG	5.27	117.87	112.60
4	D	73	SER	N-CA-C	5.22	117.90	109.40
2	B	28	THR	N-CA-C	5.17	116.15	108.86
3	C	94	ASP	CA-CB-CG	5.12	117.72	112.60
3	C	156	LYS	CA-C-N	5.12	128.12	120.90
3	C	156	LYS	C-N-CA	5.12	128.12	120.90
3	C	54	ASP	CA-CB-CG	5.07	117.67	112.60
4	D	128	VAL	N-CA-C	5.02	115.32	107.99

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2305	0	2179	31	0
2	B	806	0	766	10	0
3	C	1451	0	1340	8	0
4	D	1831	0	1697	18	0
5	E	28	0	25	0	0
6	F	50	0	43	1	0
7	G	39	0	34	0	0
8	A	21	0	13	1	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
All	All	6533	0	6097	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:148:CYS:HG	4:D:213:CYS:HG	1.36	0.72
4:D:20:THR:HG22	4:D:77:THR:HB	1.73	0.71
1:A:219:TRP:HB3	1:A:266:LYS:HB2	1.74	0.70
1:A:168:CYS:O	1:A:172:VAL:HG12	1.91	0.69
3:C:166:CYS:HB3	4:D:174:CYS:SG	2.40	0.61
1:A:221:MET:HE3	1:A:228:GLU:HB3	1.85	0.59
4:D:68:ARG:HD2	4:D:73:SER:O	2.04	0.58
1:A:6:LYS:HA	1:A:107:TYR:HD1	1.68	0.57
1:A:100:LEU:HG	1:A:118:VAL:HG22	1.87	0.57
1:A:172:VAL:HA	1:A:175:LEU:HB2	1.86	0.57
6:F:2:NAG:H61	6:F:3:BMA:H2	1.88	0.56
1:A:189:PRO:HB3	1:A:213:PHE:HB3	1.88	0.56
1:A:89:SER:HB2	1:A:90:PRO:HD3	1.87	0.56
1:A:14:GLN:HB3	1:A:100:LEU:HB2	1.88	0.56
1:A:291:MET:HB3	2:B:15:PRO:O	2.06	0.55
1:A:89:SER:CB	1:A:90:PRO:HD3	2.37	0.55
1:A:224:ARG:NH2	1:A:259:ALA:O	2.40	0.55
4:D:159:GLU:HB2	4:D:216:GLN:HB3	1.90	0.54
4:D:31:THR:HA	4:D:49:SER:O	2.08	0.53
4:D:130:VAL:HG12	4:D:240:ALA:HB1	1.90	0.52
1:A:30:VAL:HB	1:A:38:HIS:HB2	1.92	0.52
1:A:163:LEU:HA	1:A:167:THR:HB	1.92	0.51
1:A:216:LYS:HD2	1:A:245:TRP:CZ2	2.46	0.51
4:D:36:ARG:HB2	4:D:46:ILE:HD11	1.93	0.51
1:A:224:ARG:HB3	1:A:229:GLN:NE2	2.26	0.50
8:A:1296:CIS:O6	8:A:1296:CIS:C1	2.59	0.50
4:D:131:PHE:HB2	4:D:147:VAL:HG12	1.94	0.49
3:C:201:PRO:HG2	3:C:204:THR:HG23	1.95	0.48
4:D:115:THR:HG21	4:D:155:PRO:HB3	1.95	0.48
1:A:107:TYR:HB2	1:A:111:ALA:HB3	1.95	0.48
2:B:54:MET:HE2	2:B:54:MET:HB2	1.73	0.48
1:A:92:GLU:HG2	1:A:120:PHE:HZ	1.80	0.47
1:A:124:TYR:CZ	1:A:136:VAL:HG11	2.49	0.47
1:A:127:ARG:NH1	1:A:134:GLN:OE1	2.47	0.47
1:A:191:ALA:HA	1:A:209:HIS:O	2.14	0.47
2:B:84:HIS:HB3	2:B:87:MET:HE2	1.96	0.47
3:C:5:GLN:HG2	3:C:22:CYS:HB2	1.97	0.46
3:C:153:SER:H	3:C:198:SER:HB3	1.81	0.46
4:D:13:GLY:O	4:D:116:VAL:HA	2.16	0.45
3:C:22:CYS:CB	3:C:90:CYS:HG	2.27	0.45
1:A:67:GLN:O	1:A:71:GLN:HG3	2.17	0.45
2:B:21:ASN:HB3	2:B:70:PHE:CE1	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:63:SER:O	3:C:75:LEU:HD12	2.18	0.44
2:B:40:LEU:HD23	2:B:45:LYS:HA	2.00	0.44
3:C:13:ARG:O	3:C:16:GLU:HB2	2.18	0.44
4:D:133:PRO:HG3	4:D:144:ALA:HB1	2.00	0.43
1:A:99:GLN:HB2	1:A:119:ALA:HB3	2.01	0.43
4:D:44:ARG:HB3	4:D:60:LEU:HD13	2.01	0.43
1:A:188:LYS:HA	1:A:269:SER:OG	2.19	0.43
1:A:124:TYR:HB2	2:B:60:TRP:NE1	2.34	0.42
4:D:4:ILE:HG22	4:D:27:PHE:HE2	1.85	0.42
1:A:107:TYR:HB2	1:A:111:ALA:CB	2.48	0.42
4:D:160:LEU:HG	4:D:215:VAL:HG22	2.01	0.42
2:B:87:MET:HE3	2:B:87:MET:HB2	1.99	0.42
1:A:66:LEU:HD22	1:A:70:PHE:CE2	2.55	0.41
1:A:206:LEU:O	1:A:250:THR:HA	2.20	0.41
4:D:214:GLN:HA	4:D:239:SER:HB3	2.03	0.41
4:D:223:ASN:O	4:D:224:ASP:HB2	2.20	0.41
1:A:293:TRP:CZ3	1:A:295:HIS:HA	2.56	0.41
3:C:85:THR:HG23	3:C:115:ILE:HA	2.03	0.41
1:A:284:HIS:CD2	1:A:284:HIS:C	2.99	0.40
2:B:3:LYS:HB3	2:B:29:GLN:O	2.21	0.40
4:D:63:GLY:O	4:D:79:THR:HB	2.21	0.40
1:A:145:LEU:HB3	1:A:146:PRO:HD3	2.03	0.40
2:B:7:ILE:HB	2:B:93:VAL:HG21	2.03	0.40
2:B:24:ASN:HB3	2:B:65:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	289/302 (96%)	278 (96%)	10 (4%)	1 (0%)	36 70

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	97/99 (98%)	93 (96%)	3 (3%)	1 (1%)	12	45
3	C	192/207 (93%)	177 (92%)	14 (7%)	1 (0%)	24	60
4	D	238/243 (98%)	220 (92%)	16 (7%)	2 (1%)	16	50
All	All	816/851 (96%)	768 (94%)	43 (5%)	5 (1%)	21	56

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	89	SER
4	D	83	LYS
4	D	224	ASP
2	B	47	PRO
3	C	39	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/264 (93%)	222 (91%)	23 (9%)	8	32
2	B	90/93 (97%)	82 (91%)	8 (9%)	9	34
3	C	158/186 (85%)	139 (88%)	19 (12%)	5	22
4	D	187/209 (90%)	158 (84%)	29 (16%)	2	13
All	All	680/752 (90%)	601 (88%)	79 (12%)	5	23

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	16	SER
1	A	24	SER
1	A	36	GLN
1	A	41	SER
1	A	75	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	89	SER
1	A	96	ILE
1	A	100	LEU
1	A	127	ARG
1	A	172	VAL
1	A	175	LEU
1	A	190	VAL
1	A	196	VAL
1	A	203	HIS
1	A	204	ARG
1	A	216	LYS
1	A	238	LEU
1	A	243	GLU
1	A	252	ASP
1	A	277	LEU
1	A	289	GLN
1	A	294	ASN
2	B	8	GLN
2	B	36	GLU
2	B	40	LEU
2	B	54	MET
2	B	64	ILE
2	B	68	THR
2	B	69	GLU
2	B	89	GLU
3	C	11	VAL
3	C	20	LEU
3	C	21	GLN
3	C	22	CYS
3	C	39	THR
3	C	63	SER
3	C	68	LYS
3	C	115	ILE
3	C	116	VAL
3	C	127	VAL
3	C	133	SER
3	C	148	SER
3	C	163	THR
3	C	166	CYS
3	C	167	VAL
3	C	168	LEU
3	C	181	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	200	ILE
3	C	204	THR
4	D	3	ILE
4	D	4	ILE
4	D	5	THR
4	D	7	THR
4	D	19	LEU
4	D	21	LEU
4	D	25	GLN
4	D	31	THR
4	D	38	ASP
4	D	39	SER
4	D	59	ASP
4	D	61	SER
4	D	72	SER
4	D	77	THR
4	D	79	THR
4	D	84	ASN
4	D	86	MET
4	D	90	LEU
4	D	146	LEU
4	D	147	VAL
4	D	151	THR
4	D	160	LEU
4	D	168	GLU
4	D	180	LEU
4	D	182	GLU
4	D	214	GLN
4	D	221	SER
4	D	238	VAL
4	D	243	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	186	GLN
1	A	229	GLN
1	A	230	GLN
1	A	248	GLN
2	B	2	GLN
2	B	29	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	193	ASN
3	C	197	ASN
4	D	14	GLN
4	D	209	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	E	1	1,5	14,14,15	0.25	0	17,19,21	0.82	1 (5%)
5	NAG	E	2	5	14,14,15	0.29	0	17,19,21	0.65	0
6	NAG	F	1	1,6	14,14,15	0.29	0	17,19,21	1.38	1 (5%)
6	NAG	F	2	6	14,14,15	0.35	0	17,19,21	1.15	2 (11%)
6	BMA	F	3	6	11,11,12	0.30	0	15,15,17	0.61	0
6	MAN	F	4	6	11,11,12	0.45	0	15,15,17	1.02	2 (13%)
7	NAG	G	1	7,1	14,14,15	0.31	0	17,19,21	0.56	0
7	NAG	G	2	7	14,14,15	0.34	0	17,19,21	1.32	2 (11%)
7	BMA	G	3	7	11,11,12	0.41	0	15,15,17	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	E	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	E	2	5	-	0/6/23/26	0/1/1/1
6	NAG	F	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	F	2	6	-	0/6/23/26	0/1/1/1
6	BMA	F	3	6	-	0/2/19/22	0/1/1/1
6	MAN	F	4	6	-	0/2/19/22	0/1/1/1
7	NAG	G	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	G	2	7	-	0/6/23/26	0/1/1/1
7	BMA	G	3	7	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	1	NAG	C1-O5-C5	5.11	119.03	112.19
7	G	2	NAG	O4-C4-C3	3.84	119.42	110.38
6	F	4	MAN	C1-O5-C5	2.84	116.00	112.19
6	F	2	NAG	C1-C2-N2	-2.81	106.01	110.43
6	F	2	NAG	O4-C4-C3	-2.52	104.45	110.38
5	E	1	NAG	C1-O5-C5	2.46	115.48	112.19
7	G	2	NAG	C1-O5-C5	2.25	115.19	112.19
6	F	4	MAN	C1-C2-C3	2.11	112.71	109.64

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	F	1	NAG	O5-C5-C6-O6
6	F	1	NAG	C4-C5-C6-O6
7	G	1	NAG	C4-C5-C6-O6
7	G	1	NAG	O5-C5-C6-O6
5	E	1	NAG	C4-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	2	NAG	1	0
6	F	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	CIS	A	1296	-	21,21,61	1.12	1 (4%)	26,29,72	1.47	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	CIS	A	1296	-	-	9/13/33/78	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1296	CIS	O-C43	3.34	1.45	1.40

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1296	CIS	O10-S-O9	4.36	123.80	108.56
8	A	1296	CIS	O2-C18-N	-3.24	121.09	125.03
8	A	1296	CIS	C45-O4-S	-3.01	111.82	119.04

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	1296	CIS	C1-C-O-C43
8	A	1296	CIS	C46-C45-O4-S
8	A	1296	CIS	C45-O4-S-O10
8	A	1296	CIS	C45-O4-S-O8
8	A	1296	CIS	C46-C47-C48-O7
8	A	1296	CIS	O6-C47-C48-O7
8	A	1296	CIS	C45-O4-S-O9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	A	1296	CIS	C44-C45-O4-S
8	A	1296	CIS	O-C-C1-N

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1296	CIS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	290/302 (96%)	-0.38	1 (0%) 90 79	45, 79, 113, 136	2 (0%)
2	B	99/99 (100%)	-0.47	0 100 100	54, 76, 103, 112	0
3	C	196/207 (94%)	-0.02	7 (3%) 46 26	60, 98, 176, 185	0
4	D	240/243 (98%)	-0.07	4 (1%) 69 45	62, 105, 153, 164	0
All	All	825/851 (96%)	-0.22	12 (1%) 72 49	45, 87, 155, 185	2 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	136	SER	3.5
4	D	229	ASP	3.1
4	D	135	GLU	3.0
3	C	190	ALA	3.0
3	C	180	ALA	2.8
3	C	139	SER	2.7
4	D	133	PRO	2.2
3	C	195	PHE	2.2
1	A	110	ASN	2.1
3	C	147	ASP	2.1
4	D	183	GLN	2.1
3	C	141	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	BMA	G	3	11/12	0.31	0.12	167,172,178,181	0
6	MAN	F	4	11/12	0.41	0.11	184,188,194,194	0
6	BMA	F	3	11/12	0.57	0.13	162,171,175,179	0
5	NAG	E	2	14/15	0.82	0.10	117,129,136,138	0
7	NAG	G	2	14/15	0.83	0.10	133,141,155,159	0
6	NAG	F	2	14/15	0.86	0.13	123,132,143,153	0
7	NAG	G	1	14/15	0.89	0.09	103,108,113,121	0
5	NAG	E	1	14/15	0.91	0.08	94,109,116,116	0
6	NAG	F	1	14/15	0.92	0.09	93,100,110,117	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	CIS	A	1296	21/61	0.77	0.22	130,165,175,177	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.