



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 09:51 PM UTC

PDB ID : 8APH / pdb_00008aph
EMDB ID : EMD-15571
Title : rotational state 2c of the Trypanosoma brucei mitochondrial ATP synthase dimer
Authors : Muehleip, A.; Gahura, O.; Zikova, A.; Amunts, A.
Deposited on : 2022-08-09
Resolution : 3.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10198 (3.30 - 4.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	92	16% (red), 64% (green), 7% (yellow), 29% (grey)
1	l	92	25% (red), 65% (green), 5% (yellow), 29% (grey)
2	M	144	29% (red), 83% (green), 6% (yellow), 10% (grey)
2	m	144	22% (red), 81% (green), 8% (yellow), 10% (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	a	231	
4	c	114	
5	d	370	
6	e	396	
7	f	145	
8	g	269	
9	h	157	
10	i	104	
11	j	169	
12	k	124	
13	n	156	
14	o	101	
15	p	105	
16	q	98	
17	r	62	
18	H1	182	
19	I1	75	
20	J1	188	
20	K1	188	
20	L1	188	
21	M1	255	
22	O1	118	
22	P1	118	
22	Q1	118	
22	R1	118	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
22	S1	118	47% 58% 8% 34%
22	T1	118	44% 59% 6% 34%
22	U1	118	45% 64% 34%
22	V1	118	46% 63% 34%
22	W1	118	50% 60% 6% 34%
22	X1	118	49% 60% 6% 34%
23	G1	305	54% 95% 34%
24	A1	584	64% 84% 5% 10%
24	B1	584	61% 83% 7% 9%
24	C1	584	35% 85% 10%
25	D1	519	54% 87% 7% 6%
25	E1	519	63% 87% 7% 6%
25	F1	519	55% 87% 8% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
29	Q7G	e	407	X	-	-	-
29	Q7G	n	201	X	-	-	-

2 Entry composition [i](#)

There are 34 unique types of molecules in this entry. The entry contains 129563 atoms, of which 65460 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called subunit-e.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	L	65	1082	340	545	104	92	1	0	0
1	l	65	1082	340	545	104	92	1	0	0

- Molecule 2 is a protein called subunit-g.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	M	129	2069	662	1042	177	186	2	0	0
2	m	129	2069	662	1042	177	186	2	0	0

- Molecule 3 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
3	a	231	4076	1459	2044	261	284	28	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	23	TRP	-	insertion	UNP P24499
a	180	TRP	-	insertion	UNP P24499

- Molecule 4 is a protein called subunit-8.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
4	c	86	1460	494	715	116	130	5	0	0

- Molecule 5 is a protein called subunit-d.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	d	332	5499	1710	2762	505	514	8	0	0

- Molecule 6 is a protein called ATPTB1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
6	e	383	6270	2060	3050	558	585	17	0	0

- Molecule 7 is a protein called subunit-f.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
7	f	135	2256	744	1111	201	195	5	0	0

- Molecule 8 is a protein called ATPTB3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
8	g	268	3953	1211	2020	343	378	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
g	176	ALA	VAL	conflict	UNP A0A3L6KRX7

- Molecule 9 is a protein called ATPTB4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
9	h	137	2158	680	1088	184	203	3	0	0

- Molecule 10 is a protein called subunit-i/j.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
10	i	103	1740	574	857	152	151	6	0	0

- Molecule 11 is a protein called ATPTB6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
11	j	168	2835	919	1411	249	249	7	0	0

- Molecule 12 is a protein called subunit-k.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	k	105	1749	577	876	149	141	6	0	0

- Molecule 13 is a protein called ATPTB11.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	n	139	2210	730	1082	183	208	7	0	0

- Molecule 14 is a protein called ATPTB12.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	o	96	1556	506	767	140	140	3	0	0

- Molecule 15 is a protein called subunit-b.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
15	p	80	1335	448	651	108	125	3	0	0

- Molecule 16 is a protein called ATPEG3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
16	q	85	1486	499	720	142	125	0	0

- Molecule 17 is a protein called ATPEG4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
17	r	62	1040	358	498	94	85	5	0	0

- Molecule 18 is a protein called ATP synthase, epsilon chain, putative.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	H1	161	Total	C	H	N	O	S	0	0
			2483	788	1232	211	248	4		

- Molecule 19 is a protein called ATP synthase subunit epsilon, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	I1	65	Total	C	H	N	O	S	0	0
			1046	332	513	97	102	2		

- Molecule 20 is a protein called ATP synthase subunit p18, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	J1	166	Total	C	H	N	O	S	0	0
			2591	822	1276	221	258	14		
20	K1	166	Total	C	H	N	O	S	0	0
			2591	822	1276	221	258	14		
20	L1	165	Total	C	H	N	O	S	0	0
			2581	819	1271	220	257	14		

- Molecule 21 is a protein called OSCP.

Mol	Chain	Residues	Atoms						AltConf	Trace
21	M1	234	Total	C	H	N	O	S	0	0
			3750	1212	1873	302	360	3		

- Molecule 22 is a protein called ATPase subunit 9, putative.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	O1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		
22	P1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		
22	Q1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		
22	R1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		
22	S1	78	Total	C	H	N	O	S	0	0
			1166	376	601	89	96	4		
22	T1	78	Total	C	H	N	O	S	0	0
			1166	376	601	89	96	4		
22	U1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace	
22	V1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		
22	W1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		
22	X1	78	Total	C	H	N	O	S	0	0
			1165	376	600	89	96	4		

- Molecule 23 is a protein called ATP synthase gamma subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace	
23	G1	300	Total	C	H	N	O	S	0	0
			4774	1507	2387	423	448	9		


- Molecule 24 is a protein called ATP synthase subunit alpha, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace	
24	A1	523	Total	C	H	N	O	S	0	0
			8193	2587	4154	701	731	20		
24	B1	529	Total	C	H	N	O	S	0	0
			8260	2603	4187	709	741	20		
24	C1	524	Total	C	H	N	O	S	0	0
			8219	2594	4170	703	732	20		

- Molecule 25 is a protein called ATP synthase subunit beta, mitochondrial.


Mol	Chain	Residues	Atoms					AltConf	Trace	
25	D1	488	Total	C	H	N	O	S	0	0
			7446	2334	3750	632	711	19		
25	E1	486	Total	C	H	N	O	S	0	0
			7414	2324	3732	630	709	19		
25	F1	488	Total	C	H	N	O	S	0	0
			7446	2334	3750	632	711	19		

- Molecule 26 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	H	O	P	
26	L	1	256	81	156	17	2	0
26	M	1	256	81	156	17	2	0
26	c	1	256	81	156	17	2	0
26	e	1	256	81	156	17	2	0
26	e	1	256	81	156	17	2	0
26	e	1	256	81	156	17	2	0
26	e	1	256	81	156	17	2	0
26	e	1	256	81	156	17	2	0
26	f	1	256	81	156	17	2	0
26	j	1	256	81	156	17	2	0
26	j	1	256	81	156	17	2	0
26	l	1	256	81	156	17	2	0
26	m	1	256	81	156	17	2	0
26	q	1	256	81	156	17	2	0

- Molecule 27 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (CCD ID: PEE) (formula: $C_{41}H_{78}NO_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
27	M	1	Total 133	C 41	H 82	N 1	O 8	P 1	0
27	f	1	Total 133	C 41	H 82	N 1	O 8	P 1	0
27	m	1	Total 133	C 41	H 82	N 1	O 8	P 1	0

- Molecule 28 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms				AltConf
28	e	1	Total	C	H	O	0
			74	24	39	11	
28	j	1	Total	C	H	O	0
			74	24	39	11	

- Molecule 29 is 2-[[[4-O-alpha-D-glucopyranosyl-alpha-D-glucopyranosyl)oxy]methyl]-4-[[[(3 beta,9beta,14beta,17beta,25R)-spirost-5-en-3-yl]oxy]butyl 4-O-alpha-D-glucopyranosyl-alpha-D-glucopyranoside (CCD ID: Q7G) (formula: C₅₆H₉₂O₂₅).




Mol	Chain	Residues	Atoms				AltConf
29	e	1	Total	C	H	O	0
			108	38	60	10	
29	n	1	Total	C	H	O	0
			129	44	70	15	

- Molecule 30 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: C₄₄H₈₈NO₈P).

Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
31	H1	1	40	9	11	2	15	3	0

- Molecule 32 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
32	A1	1	43	10	12	5	13	3	0
32	B1	1	43	10	12	5	13	3	0
32	C1	1	43	10	12	5	13	3	0
32	D1	1	43	10	12	5	13	3	0

- Molecule 33 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
33	A1	1	1	1	0
33	B1	1	1	1	0
33	C1	1	1	1	0
33	D1	1	1	1	0

Continued on next page...


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.




- Molecule 1: subunit-e





- Molecule 1: subunit-e




- Molecule 2: subunit-g




- Molecule 2: subunit-g




• Molecule 3: ATP synthase subunit a




• Molecule 4: subunit-8




• Molecule 5: subunit-d




• Molecule 6: ATPTB1




• Molecule 7: subunit-f








• Molecule 8: ATPTB3



• Molecule 9: ATPTB4




• Molecule 10: subunit-i/j





• Molecule 11: ATPTB6

Chain j:  94% 5%





• Molecule 12: subunit-k

Chain k:  9% 80% 5% 15%





• Molecule 13: ATPTB11

Chain n:  87% 11%




• Molecule 14: ATPTB12

Chain o:  91% 5%





• Molecule 15: subunit-b

Chain p:  70% 7% 24%




• Molecule 16: ATPEG3

Chain q:  78% 9% 13%




• Molecule 17: ATPEG4

Chain r:  94% 6%




- Molecule 18: ATP synthase, epsilon chain, putative

Chain H1:



- Molecule 19: ATP synthase subunit epsilon, mitochondrial

Chain I1:




- Molecule 20: ATP synthase subunit p18, mitochondrial


Chain J1:





- Molecule 20: ATP synthase subunit p18, mitochondrial

Chain K1:









- Molecule 20: ATP synthase subunit p18, mitochondrial




- Molecule 21: OSCP




- Molecule 22: ATPase subunit 9, putative




- Molecule 22: ATPase subunit 9, putative




• Molecule 22: ATPase subunit 9, putative




• Molecule 22: ATPase subunit 9, putative




• Molecule 22: ATPase subunit 9, putative





• Molecule 22: ATPase subunit 9, putative









• Molecule 22: ATPase subunit 9, putative





• Molecule 22: ATPase subunit 9, putative




• Molecule 22: ATPase subunit 9, putative




• Molecule 22: ATPase subunit 9, putative




• Molecule 23: ATP synthase gamma subunit





• Molecule 24: ATP synthase subunit alpha, mitochondrial







• Molecule 24: ATP synthase subunit alpha, mitochondrial






• Molecule 24: ATP synthase subunit alpha, mitochondrial







• Molecule 25: ATP synthase subunit beta, mitochondrial







ALA
GLN
ALA
SER
SER

• Molecule 25: ATP synthase subunit beta, mitochondrial



• Molecule 25: ATP synthase subunit beta, mitochondrial



K495	K496	K497	K498	M499	A500	E501	A503	A504	E505	L506	E507	K508	M509	R510	R511	A512	R513	VAL	ALA	GLN	ALA	SER	SER																																
R432	A433	R434	K435	L436	L440	S441	Q442	P443	F444	Q445	V446	A447	E448	V449	F450	T451	M452	M453	T454	G455	H456	V457	V458	Q459	L460	D461	D462	T463	I464	D465	S466	F467	S468	G469	L470	L471	M472	G473	T474	Q477	V478	P479	E480	M481	A482	F483	Y484	M485	V486	G487	G488	I489	M490	L493	E494
L355	D356	T359	V360	L361	D362	R363	A364	V365	A366	E367	S368	G369	I370	Y371	P372	A373	V374	N375	P376	L377	R382	I383	M384	D385	P386	D387	V388	I389	S390	V391	D392	H393	Y394	Q398	D399	Y407	R408	Q411	D412	I413	I414	A415	G418	I419	D420	F421	L422	S423	E424	E425	L428	I429			
A266	E267	R270	D271	V272	E273	G274	Q275	D276	V277	L278	L279	F280	I281	D282	N283	I284	F285	R286	F287	T288	Q289	A290	N291	L297	A303	D314	L315	G316	Q317	E320	R321	S324	T325	T326	K327	S332	V333	Q334	A335	V336	D341	D342	I343	T344	D345	P346	A347	P348	S353	H354					
A201	K202	G203	H204	G205	G206	F207	S208	V209	F210	A211	G212	V213	G214	E215	R216	T217	R218	E219	G220	T221	D222	L223	Y224	M227	S230	K231	D234	L235	K236	G237	E238	S239	K240	C241	V242	L243	V244	Y245	G246	N249	E250	P251	P252	G253	A254	R255	A256	R257	V258	A259	Q260	L263	T264	M265	
G133	P134	V135	G136	E137	K138	L139	R140	M141	P142	V146	K149	L150	A151	D152	Q153	A154	A155	E156	D157	A158	V159	L160	T161	T162	G163	I164	K165	V166	I167	D168	L169	I170	L171	P172	Y173	C174	K175	G176	L181	F182	G183	G184	A185	G186	V187	G188	K189	T190	V191	I192	I193	L196	N199	V200	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	11035	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	33	Depositor
Minimum defocus (nm)	1600	Depositor
Maximum defocus (nm)	3200	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.144	Depositor
Minimum map value	-0.081	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	464.8, 464.8, 464.8	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Q7G, PEE, MG, UTP, AME, ADP, ATP, CDL, PC1, LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	0.09	0/547	0.16	0/735
1	l	0.09	0/547	0.16	0/735
2	M	0.09	0/1049	0.18	0/1423
2	m	0.09	0/1049	0.19	0/1423
3	a	0.24	0/2111	0.27	0/2861
4	c	0.21	0/772	0.28	0/1054
5	d	0.13	0/2786	0.24	0/3760
6	e	0.17	0/3305	0.22	0/4482
7	f	0.19	0/1183	0.27	0/1601
8	g	0.07	0/1953	0.18	0/2650
9	h	0.06	0/1088	0.17	0/1466
10	i	0.20	0/913	0.23	0/1240
11	j	0.14	0/1462	0.20	0/1973
12	k	0.14	0/904	0.22	0/1228
13	n	0.19	0/1166	0.24	0/1581
14	o	0.13	0/814	0.20	0/1100
15	p	0.14	0/707	0.22	0/957
16	q	0.18	0/799	0.24	0/1091
17	r	0.17	0/567	0.23	0/767
18	H1	0.18	0/1274	0.30	0/1728
19	I1	0.12	0/547	0.30	0/738
20	J1	0.08	0/1342	0.22	0/1810
20	K1	0.08	0/1342	0.20	0/1810
20	L1	0.08	0/1337	0.20	0/1803
21	M1	0.08	0/1916	0.22	0/2591
22	O1	0.09	0/574	0.21	0/777
22	P1	0.09	0/574	0.20	0/777
22	Q1	0.09	0/574	0.17	0/777
22	R1	0.10	0/574	0.18	0/777
22	S1	0.13	0/574	0.27	0/777
22	T1	0.14	0/574	0.23	0/777
22	U1	0.12	0/574	0.23	0/777

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
22	V1	0.11	0/574	0.18	0/777
22	W1	0.10	0/574	0.19	0/777
22	X1	0.09	0/574	0.17	0/777
23	G1	0.13	0/2427	0.29	0/3268
24	A1	0.14	0/4113	0.22	0/5569
24	B1	0.13	0/4147	0.24	0/5616
24	C1	0.14	0/4123	0.24	0/5582
25	D1	0.14	0/3752	0.24	0/5087
25	E1	0.13	0/3738	0.23	0/5067
25	F1	0.12	0/3753	0.24	0/5088
All	All	0.14	0/63273	0.23	0/85654

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	537	545	545	4	0
1	l	537	545	545	3	0
2	M	1027	1042	1042	6	0
2	m	1027	1042	1042	10	0
3	a	2032	2044	2044	18	0
4	c	745	715	715	9	0
5	d	2737	2762	2763	20	0
6	e	3220	3050	3061	18	0
7	f	1145	1111	1111	14	0
8	g	1933	2020	2020	17	0
9	h	1070	1088	1088	4	0
10	i	883	857	857	8	0
11	j	1424	1411	1411	7	0
12	k	873	876	876	6	0
13	n	1128	1082	1082	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	o	789	767	767	3	0
15	p	684	651	651	8	0
16	q	766	720	720	8	0
17	r	542	498	498	5	0
18	H1	1251	1232	1231	8	0
19	I1	533	513	513	5	0
20	J1	1315	1276	1276	6	0
20	K1	1315	1276	1276	8	0
20	L1	1310	1271	1271	2	0
21	M1	1877	1873	1873	6	0
22	O1	565	600	599	5	0
22	P1	565	600	599	3	0
22	Q1	565	600	599	3	0
22	R1	565	600	599	4	0
22	S1	565	601	599	11	0
22	T1	565	601	599	8	0
22	U1	565	600	599	2	0
22	V1	565	600	599	3	0
22	W1	565	600	599	3	0
22	X1	565	600	599	5	0
23	G1	2387	2387	2387	5	0
24	A1	4039	4154	4154	22	0
24	B1	4073	4187	4187	27	0
24	C1	4049	4170	4169	22	0
25	D1	3696	3750	3750	22	0
25	E1	3682	3732	3732	20	0
25	F1	3696	3750	3750	24	0
26	L	100	156	156	0	0
26	M	100	156	156	1	0
26	c	100	156	156	1	0
26	e	500	780	780	2	0
26	f	100	156	156	0	0
26	j	200	312	312	1	0
26	l	100	156	156	0	0
26	m	100	156	156	0	0
26	q	100	156	156	1	0
27	M	51	82	82	1	0
27	f	51	82	82	0	0
27	m	51	82	82	0	0
28	e	35	39	46	0	0
28	j	35	39	46	0	0
29	e	48	60	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
29	n	59	70	0	0	0
30	f	54	88	88	2	0
30	i	54	88	88	0	0
30	j	54	88	88	1	0
30	p	54	88	88	0	0
31	H1	29	11	11	0	0
32	A1	31	12	12	0	0
32	B1	31	12	12	1	0
32	C1	31	12	12	1	0
32	D1	31	12	12	0	0
33	A1	1	0	0	0	0
33	B1	1	0	0	0	0
33	C1	1	0	0	0	0
33	D1	1	0	0	0	0
33	E1	1	0	0	0	0
34	E1	27	12	12	0	0
All	All	64103	65460	65342	322	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 322 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:j:19:ARG:NH2	16:q:77:GLU:O	2.15	0.79
25:E1:184:GLY:O	25:E1:189:LYS:NZ	2.19	0.75
7:f:64:ARG:NH2	17:r:33:GLU:OE2	2.20	0.74
6:e:250:ASP:OD1	6:e:270:TYR:OH	2.04	0.74
22:S1:46:SER:OG	22:T1:48:GLN:OE1	2.07	0.71

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	63/92 (68%)	63 (100%)	0	0	100	100
1	l	63/92 (68%)	63 (100%)	0	0	100	100
2	M	127/144 (88%)	127 (100%)	0	0	100	100
2	m	127/144 (88%)	127 (100%)	0	0	100	100
3	a	229/231 (99%)	227 (99%)	2 (1%)	0	100	100
4	c	84/114 (74%)	83 (99%)	1 (1%)	0	100	100
5	d	328/370 (89%)	317 (97%)	10 (3%)	1 (0%)	36	67
6	e	381/396 (96%)	376 (99%)	5 (1%)	0	100	100
7	f	133/145 (92%)	130 (98%)	3 (2%)	0	100	100
8	g	266/269 (99%)	264 (99%)	2 (1%)	0	100	100
9	h	135/157 (86%)	134 (99%)	1 (1%)	0	100	100
10	i	101/104 (97%)	100 (99%)	1 (1%)	0	100	100
11	j	166/169 (98%)	163 (98%)	3 (2%)	0	100	100
12	k	103/124 (83%)	100 (97%)	3 (3%)	0	100	100
13	n	137/156 (88%)	129 (94%)	8 (6%)	0	100	100
14	o	94/101 (93%)	93 (99%)	1 (1%)	0	100	100
15	p	78/105 (74%)	76 (97%)	2 (3%)	0	100	100
16	q	83/98 (85%)	82 (99%)	1 (1%)	0	100	100
17	r	60/62 (97%)	59 (98%)	1 (2%)	0	100	100
18	H1	159/182 (87%)	155 (98%)	3 (2%)	1 (1%)	21	54
19	I1	63/75 (84%)	59 (94%)	4 (6%)	0	100	100
20	J1	164/188 (87%)	160 (98%)	4 (2%)	0	100	100
20	K1	164/188 (87%)	163 (99%)	1 (1%)	0	100	100
20	L1	163/188 (87%)	163 (100%)	0	0	100	100
21	M1	230/255 (90%)	221 (96%)	9 (4%)	0	100	100
22	O1	76/118 (64%)	75 (99%)	1 (1%)	0	100	100
22	P1	76/118 (64%)	76 (100%)	0	0	100	100
22	Q1	76/118 (64%)	76 (100%)	0	0	100	100
22	R1	76/118 (64%)	76 (100%)	0	0	100	100
22	S1	76/118 (64%)	76 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	T1	76/118 (64%)	76 (100%)	0	0	100	100
22	U1	76/118 (64%)	76 (100%)	0	0	100	100
22	V1	76/118 (64%)	76 (100%)	0	0	100	100
22	W1	76/118 (64%)	76 (100%)	0	0	100	100
22	X1	76/118 (64%)	76 (100%)	0	0	100	100
23	G1	298/305 (98%)	290 (97%)	8 (3%)	0	100	100
24	A1	517/584 (88%)	513 (99%)	4 (1%)	0	100	100
24	B1	525/584 (90%)	515 (98%)	10 (2%)	0	100	100
24	C1	518/584 (89%)	511 (99%)	6 (1%)	1 (0%)	43	73
25	D1	486/519 (94%)	478 (98%)	8 (2%)	0	100	100
25	E1	484/519 (93%)	471 (97%)	13 (3%)	0	100	100
25	F1	486/519 (94%)	473 (97%)	13 (3%)	0	100	100
All	All	7775/8943 (87%)	7644 (98%)	128 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
18	H1	158	ASP
5	d	34	THR
24	C1	532	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	55/75 (73%)	55 (100%)	0	100	100
1	l	55/75 (73%)	55 (100%)	0	100	100
2	M	111/124 (90%)	111 (100%)	0	100	100
2	m	111/124 (90%)	111 (100%)	0	100	100
3	a	225/225 (100%)	223 (99%)	2 (1%)	70	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	c	80/104 (77%)	80 (100%)	0	100	100
5	d	297/334 (89%)	294 (99%)	3 (1%)	68	74
6	e	334/341 (98%)	333 (100%)	1 (0%)	86	84
7	f	119/124 (96%)	118 (99%)	1 (1%)	73	76
8	g	205/206 (100%)	205 (100%)	0	100	100
9	h	110/123 (89%)	110 (100%)	0	100	100
10	i	95/96 (99%)	95 (100%)	0	100	100
11	j	149/150 (99%)	149 (100%)	0	100	100
12	k	91/107 (85%)	91 (100%)	0	100	100
13	n	123/137 (90%)	122 (99%)	1 (1%)	73	76
14	o	82/86 (95%)	82 (100%)	0	100	100
15	p	75/94 (80%)	75 (100%)	0	100	100
16	q	80/92 (87%)	80 (100%)	0	100	100
17	r	56/56 (100%)	56 (100%)	0	100	100
18	H1	137/156 (88%)	136 (99%)	1 (1%)	76	77
19	I1	58/67 (87%)	58 (100%)	0	100	100
20	J1	145/162 (90%)	145 (100%)	0	100	100
20	K1	145/162 (90%)	145 (100%)	0	100	100
20	L1	145/162 (90%)	145 (100%)	0	100	100
21	M1	200/215 (93%)	200 (100%)	0	100	100
22	O1	56/89 (63%)	55 (98%)	1 (2%)	51	67
22	P1	56/89 (63%)	55 (98%)	1 (2%)	51	67
22	Q1	56/89 (63%)	55 (98%)	1 (2%)	51	67
22	R1	56/89 (63%)	55 (98%)	1 (2%)	51	67
22	S1	56/89 (63%)	54 (96%)	2 (4%)	31	54
22	T1	56/89 (63%)	54 (96%)	2 (4%)	31	54
22	U1	56/89 (63%)	54 (96%)	2 (4%)	31	54
22	V1	56/89 (63%)	55 (98%)	1 (2%)	51	67
22	W1	56/89 (63%)	55 (98%)	1 (2%)	51	67
22	X1	56/89 (63%)	55 (98%)	1 (2%)	51	67
23	G1	253/257 (98%)	251 (99%)	2 (1%)	73	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	A1	434/479 (91%)	434 (100%)	0	100	100
24	B1	438/479 (91%)	436 (100%)	2 (0%)	81	81
24	C1	436/479 (91%)	436 (100%)	0	100	100
25	D1	399/420 (95%)	397 (100%)	2 (0%)	81	81
25	E1	397/420 (94%)	397 (100%)	0	100	100
25	F1	399/420 (95%)	399 (100%)	0	100	100
All	All	6599/7441 (89%)	6571 (100%)	28 (0%)	81	83

5 of 28 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
22	S1	114	LEU
25	D1	116	GLU
22	U1	42	THR
24	B1	74	VAL
22	T1	98	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 52 such sidechains are listed below:

Mol	Chain	Res	Type
24	A1	369	ASN
24	B1	398	GLN
25	F1	30	HIS
24	A1	502	HIS
24	A1	558	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	AME	e	1	6	9,10,11	0.29	0	9,11,13	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AME	e	1	6	-	3/9/10/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	e	1	AME	N-CA-CB-CG
6	e	1	AME	C-CA-N-CT1
6	e	1	AME	CB-CA-N-CT1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	e	1	AME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 5 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
30	PC1	j	203	-	53,53,53	0.28	0	59,61,61	0.27	0
26	CDL	j	202	-	99,99,99	0.29	0	105,111,111	0.26	0
31	UTP	H1	201	-	29,30,30	0.31	0	43,47,47	0.39	0
26	CDL	e	403	-	99,99,99	0.28	0	105,111,111	0.26	0
27	PEE	f	202	-	50,50,50	0.78	2 (4%)	53,55,55	0.49	0
26	CDL	f	201	-	99,99,99	0.29	0	105,111,111	0.28	0
29	Q7G	n	201	-	66,66,90	0.13	0	98,102,138	0.30	0
30	PC1	i	201	-	53,53,53	0.28	0	59,61,61	0.28	0
30	PC1	f	203	-	53,53,53	0.27	0	59,61,61	0.28	0
28	LMT	j	204	-	36,36,36	0.10	0	47,47,47	0.18	0
32	ATP	D1	601	33	32,33,33	0.28	0	48,52,52	0.29	0
26	CDL	j	201	-	99,99,99	0.29	0	105,111,111	0.26	0
29	Q7G	e	407	-	54,54,90	0.13	0	80,84,138	0.25	0
34	ADP	E1	601	33	28,29,29	0.40	0	43,45,45	0.48	0
32	ATP	C1	601	33	32,33,33	0.29	0	48,52,52	0.28	0
26	CDL	e	405	-	99,99,99	0.28	0	105,111,111	0.26	0
26	CDL	M	201	-	99,99,99	0.29	0	105,111,111	0.34	1 (0%)
26	CDL	m	201	-	99,99,99	0.29	0	105,111,111	0.25	0
27	PEE	m	202	-	50,50,50	0.77	2 (4%)	53,55,55	0.48	0
32	ATP	B1	601	33	32,33,33	0.28	0	48,52,52	0.28	0
28	LMT	e	406	-	36,36,36	0.10	0	47,47,47	0.16	0
26	CDL	e	404	-	99,99,99	0.29	0	105,111,111	0.26	0
26	CDL	L	101	-	99,99,99	0.29	0	105,111,111	0.25	0
26	CDL	e	401	-	99,99,99	0.28	0	105,111,111	0.25	0
27	PEE	M	202	-	50,50,50	0.76	2 (4%)	53,55,55	0.49	0
30	PC1	p	201	-	53,53,53	0.28	0	59,61,61	0.28	0
32	ATP	A1	601	33	32,33,33	0.29	0	48,52,52	0.29	0
26	CDL	l	101	-	99,99,99	0.29	0	105,111,111	0.26	0
26	CDL	c	201	-	99,99,99	0.29	0	105,111,111	0.27	0
26	CDL	e	402	-	99,99,99	0.29	0	105,111,111	0.26	0
26	CDL	q	101	-	99,99,99	0.29	0	105,111,111	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	PC1	j	203	-	-	15/57/57/57	-
26	CDL	j	202	-	-	29/110/110/110	-
31	UTP	H1	201	-	-	5/22/38/38	0/2/2/2
26	CDL	e	403	-	-	24/110/110/110	-
27	PEE	f	202	-	-	17/54/54/54	-
26	CDL	f	201	-	-	19/110/110/110	-
29	Q7G	n	201	-	2/2/24/34	6/20/148/200	0/8/8/10
30	PC1	i	201	-	-	9/57/57/57	-
30	PC1	f	203	-	-	11/57/57/57	-
28	LMT	j	204	-	-	5/21/61/61	0/2/2/2
32	ATP	D1	601	33	-	5/22/38/38	0/3/3/3
26	CDL	j	201	-	-	23/110/110/110	-
29	Q7G	e	407	-	1/1/19/34	5/15/123/200	0/7/7/10
34	ADP	E1	601	33	-	2/16/32/32	0/3/3/3
32	ATP	C1	601	33	-	8/22/38/38	0/3/3/3
26	CDL	e	405	-	-	30/110/110/110	-
26	CDL	M	201	-	-	28/110/110/110	-
26	CDL	m	201	-	-	28/110/110/110	-
27	PEE	m	202	-	-	22/54/54/54	-
32	ATP	B1	601	33	-	6/22/38/38	0/3/3/3
28	LMT	e	406	-	-	1/21/61/61	0/2/2/2
26	CDL	e	404	-	-	20/110/110/110	-
26	CDL	L	101	-	-	17/110/110/110	-
26	CDL	e	401	-	-	23/110/110/110	-
27	PEE	M	202	-	-	21/54/54/54	-
30	PC1	p	201	-	-	10/57/57/57	-
32	ATP	A1	601	33	-	5/22/38/38	0/3/3/3
26	CDL	l	101	-	-	19/110/110/110	-
26	CDL	c	201	-	-	23/110/110/110	-
26	CDL	e	402	-	-	24/110/110/110	-
26	CDL	q	101	-	-	24/110/110/110	-

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	m	202	PEE	C18-C19	3.66	1.52	1.31
27	f	202	PEE	C39-C38	3.65	1.52	1.31
27	M	202	PEE	C18-C19	3.63	1.52	1.31
27	f	202	PEE	C18-C19	3.62	1.52	1.31
27	m	202	PEE	C39-C38	3.59	1.52	1.31

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	M	201	CDL	C27-C26-C25	2.39	129.52	113.36

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
29	e	407	Q7G	C1B
29	n	201	Q7G	C1C
29	n	201	Q7G	C1B

5 of 484 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
26	L	101	CDL	CA2-OA2-PA1-OA4
26	L	101	CDL	CA2-OA2-PA1-OA5
26	L	101	CDL	CA3-OA5-PA1-OA2
26	M	201	CDL	CA2-C1-CB2-OB2
26	M	201	CDL	CA3-OA5-PA1-OA2


There are no ring outliers.



11 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	j	203	PC1	1	0
26	j	202	CDL	1	0
26	e	403	CDL	1	0
30	f	203	PC1	2	0
32	C1	601	ATP	1	0
26	M	201	CDL	1	0
32	B1	601	ATP	1	0
27	M	202	PEE	1	0
26	c	201	CDL	1	0
26	e	402	CDL	1	0
26	q	101	CDL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-15571. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 280




Y Index: 280




Z Index: 280


6.2.2 Raw map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 377




Y Index: 305




Z Index: 343


6.3.2 Raw map



X Index: 360



Y Index: 280




Z Index: 271


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_15571_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 440 nm^3 ; this corresponds to an approximate mass of 398 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.81	5.70	3.99
Unmasked-calculated*	7.33	10.65	7.66

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.33 differs from the reported value 3.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-15571 and PDB model 8APH. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)

This section was not generated.






































































9.4 Atom inclusion [i](#)



At the recommended contour level, 45% of all backbone atoms, 46% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4550	 0.1580
A1	 0.2770	 -0.0300
B1	 0.3090	 -0.0170
C1	 0.4850	 0.1240
D1	 0.3710	 0.0200
E1	 0.3060	 -0.0060
F1	 0.3650	 0.0180
G1	 0.3890	 0.0650
H1	 0.3630	 0.0830
I1	 0.2670	 0.0240
J1	 0.2760	 0.0100
K1	 0.3670	 0.0320
L	 0.4660	 0.2880
L1	 0.3080	 -0.0020
M	 0.4560	 0.2780
M1	 0.4250	 0.1120
O1	 0.2980	 0.0550
P1	 0.2640	 0.0470
Q1	 0.2620	 0.0260
R1	 0.2460	 0.0040
S1	 0.2990	 0.0460
T1	 0.3440	 0.0720
U1	 0.3420	 0.0640
V1	 0.3070	 0.0470
W1	 0.2410	 0.0520
X1	 0.2390	 0.0500
a	 0.8220	 0.4960
c	 0.7230	 0.4140
d	 0.5750	 0.2770
e	 0.7660	 0.4340
f	 0.7800	 0.4560
g	 0.1490	 0.0320
h	 0.1870	 0.0520
i	 0.8240	 0.4750
j	 0.7230	 0.3930



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.7200	 0.4080
l	 0.4370	 0.2920
m	 0.5260	 0.2980
n	 0.8580	 0.4910
o	 0.7640	 0.3950
p	 0.7300	 0.4300
q	 0.8040	 0.4640
r	 0.8230	 0.4730