



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 01:02 AM UTC

PDB ID : 1AQU / pdb_00001aqu
Title : ESTROGEN SULFOTRANSFERASE WITH BOUND INACTIVE COFACT-
TOR PAP AND 17-BETA ESTRADIOL
Authors : Kakuta, Y.; Negishi, M.; Pedersen, L.C.
Deposited on : 1997-08-01
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	30% 79% 15% • 5%
1	B	297	40% 78% 14% • 6%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5143 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ESTROGEN SULFOTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	0	0	0
			2389	1549	393	427	20			
1	B	280	Total	C	N	O	S	0	0	0
			2381	1545	392	424	20			

- Molecule 2 is ADENOSINE-3'-5'-DIPHOSPHATE (CCD ID: A3P) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is ESTRADIOL (CCD ID: EST) (formula: $C_{18}H_{24}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			20	18	2		
3	B	1	Total	C	O	0	0
			20	18	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	154	Total	O	0	0
			154	154		
4	B	125	Total	O	0	0
			125	125		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ESTROGEN SULFOTRANSFERASE



• Molecule 1: ESTROGEN SULFOTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	97.38Å 80.39Å 80.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.60 50.00 – 1.60	Depositor EDS
% Data completeness (in resolution range)	81.7 (50.00-1.60) 81.8 (50.00-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.17 (at 1.58Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.218 , 0.251 0.282 , 0.290	Depositor DCC
R_{free} test set	7229 reflections (10.12%)	wwPDB-VP
Wilson B-factor (Å ²)	14.6	Xtriage
Anisotropy	0.410	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.024 for -h,l,k	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	5143	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A3P, EST

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/2456	0.92	10/3306 (0.3%)
1	B	0.58	0/2448	0.92	8/3296 (0.2%)
All	All	0.59	0/4904	0.92	18/6602 (0.3%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	TYR	N-CA-C	-8.41	98.68	110.29
1	A	46	TYR	N-CA-C	-8.22	98.95	110.29
1	A	10	GLU	N-CA-C	-7.55	103.00	112.90
1	B	10	GLU	N-CA-C	-7.20	103.47	112.90
1	B	251	LYS	N-CA-C	-6.55	103.98	112.23
1	B	132	ALA	N-CA-C	6.44	119.12	111.33
1	A	109	LEU	N-CA-C	6.38	117.83	109.93
1	B	109	LEU	N-CA-C	6.32	117.76	109.93
1	A	132	ALA	N-CA-C	6.27	118.92	111.33
1	A	251	LYS	N-CA-C	-6.26	104.35	112.23
1	B	200	ILE	N-CA-C	6.10	116.84	110.62
1	A	184	LYS	N-CA-C	-5.75	105.15	111.82
1	A	200	ILE	N-CA-C	5.69	116.42	110.62
1	B	184	LYS	N-CA-C	-5.53	105.40	111.82
1	B	170	GLY	N-CA-C	5.33	121.93	112.02
1	A	105	VAL	N-CA-C	5.33	115.52	107.80
1	A	170	GLY	N-CA-C	5.28	121.84	112.02
1	A	110	PRO	N-CA-C	-5.15	104.42	110.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2389	0	2348	26	0
1	B	2381	0	2341	28	1
2	A	27	0	11	3	0
2	B	27	0	11	0	0
3	A	20	0	24	0	0
3	B	20	0	24	0	0
4	A	154	0	0	1	0
4	B	125	0	0	2	0
All	All	5143	0	4759	52	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:CYS:SG	1:B:289:VAL:HG23	2.19	0.83
1:A:202:ARG:HG3	1:A:202:ARG:HH11	1.47	0.80
1:A:287:CYS:SG	1:A:289:VAL:HG23	2.22	0.79
1:B:202:ARG:HH11	1:B:202:ARG:HG3	1.47	0.79
1:A:256:MET:HE1	2:A:301:A3P:H8	1.69	0.73
1:B:233:LYS:HA	1:B:256:MET:HG3	1.76	0.67
1:B:151:ASN:ND2	4:B:371:HOH:O	2.30	0.64
1:A:151:ASN:ND2	4:A:328:HOH:O	2.32	0.61
1:B:239:ASN:C	1:B:239:ASN:HD22	2.11	0.59
1:A:29:GLU:H	1:A:29:GLU:CD	2.11	0.58
1:A:91:ASN:HD22	1:A:91:ASN:C	2.12	0.57
1:A:239:ASN:C	1:A:239:ASN:HD22	2.13	0.57
1:A:235:ASN:C	1:A:235:ASN:HD22	2.12	0.57
1:B:202:ARG:HG3	1:B:202:ARG:NH1	2.14	0.57
1:B:235:ASN:HD22	1:B:235:ASN:C	2.13	0.57
1:B:91:ASN:HD22	1:B:91:ASN:C	2.14	0.55
1:A:202:ARG:HG3	1:A:202:ARG:NH1	2.14	0.55
1:A:235:ASN:ND2	1:A:237:SER:H	2.05	0.54
1:A:256:MET:HE1	2:A:301:A3P:C8	2.36	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:235:ASN:ND2	1:B:237:SER:H	2.06	0.54
1:A:89:LEU:HD23	1:B:244:PRO:HG2	1.89	0.54
1:A:243:MET:HG2	1:A:248:MET:SD	2.49	0.53
1:B:242:MET:HA	1:B:242:MET:HE2	1.90	0.53
1:A:242:MET:HA	1:A:242:MET:HE2	1.91	0.52
1:B:180:TRP:CD2	1:B:289:VAL:HG22	2.46	0.51
1:B:243:MET:HG2	1:B:248:MET:SD	2.51	0.51
1:A:12:PHE:CE1	1:A:168:PRO:HG3	2.46	0.51
1:B:282:GLN:HE22	1:B:285:LYS:NZ	2.09	0.50
1:B:180:TRP:CG	1:B:289:VAL:HG22	2.46	0.49
1:B:249:ASN:OD1	1:B:251:LYS:HB2	2.13	0.49
1:B:12:PHE:CE1	1:B:168:PRO:HG3	2.47	0.49
1:B:201:ARG:NH2	1:B:221:ASP:OD1	2.45	0.48
1:A:249:ASN:OD1	1:A:251:LYS:HB2	2.13	0.48
1:B:282:GLN:OE1	1:B:285:LYS:HE3	2.14	0.47
1:B:281:LYS:O	1:B:285:LYS:HG3	2.14	0.46
1:A:180:TRP:CD2	1:A:289:VAL:HG22	2.50	0.46
1:A:256:MET:CE	2:A:301:A3P:H8	2.42	0.45
1:A:8:TYR:CZ	1:A:161:LYS:HE2	2.51	0.45
1:A:88:ASP:HB2	1:B:242:MET:HB3	1.99	0.45
1:B:29:GLU:H	1:B:29:GLU:CD	2.19	0.45
1:A:111:PRO:HD3	1:A:179:TRP:CD1	2.52	0.44
1:B:168:PRO:O	1:B:169:TYR:HB2	2.18	0.44
1:A:168:PRO:O	1:A:169:TYR:HB2	2.16	0.44
1:A:235:ASN:HD22	1:A:236:PRO:N	2.16	0.43
1:B:235:ASN:HD22	1:B:236:PRO:N	2.16	0.43
1:B:281:LYS:HE3	1:B:285:LYS:HG2	2.00	0.43
1:A:292:ARG:O	1:A:294:GLU:HG2	2.20	0.42
1:A:235:ASN:C	1:A:235:ASN:ND2	2.77	0.42
1:B:8:TYR:CZ	1:B:161:LYS:HE2	2.55	0.41
1:A:285:LYS:H	1:A:285:LYS:HG3	1.50	0.40
1:B:235:ASN:C	1:B:235:ASN:ND2	2.78	0.40
1:B:182:LYS:HE2	4:B:407:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:270:GLU:CG	1:B:270:GLU:CG[2_565]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	277/297 (93%)	267 (96%)	10 (4%)	0	100	100
1	B	276/297 (93%)	262 (95%)	14 (5%)	0	100	100
All	All	553/594 (93%)	529 (96%)	24 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/278 (95%)	251 (95%)	12 (5%)	24	6
1	B	262/278 (94%)	248 (95%)	14 (5%)	20	4
All	All	525/556 (94%)	499 (95%)	26 (5%)	22	5

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	63	LYS
1	A	94	LYS
1	A	100	GLU
1	A	198	GLU
1	A	213	ARG
1	A	239	ASN
1	A	246	GLU
1	A	251	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	273	ARG
1	A	278	GLU
1	A	281	LYS
1	A	285	LYS
1	B	29	GLU
1	B	94	LYS
1	B	100	GLU
1	B	198	GLU
1	B	213	ARG
1	B	222	ARG
1	B	230	GLN
1	B	235	ASN
1	B	239	ASN
1	B	246	GLU
1	B	251	LYS
1	B	273	ARG
1	B	278	GLU
1	B	281	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	ASN
1	A	95	GLN
1	A	122	ASN
1	A	151	ASN
1	A	234	ASN
1	A	235	ASN
1	A	239	ASN
1	B	86	ASN
1	B	91	ASN
1	B	122	ASN
1	B	151	ASN
1	B	226	HIS
1	B	234	ASN
1	B	235	ASN
1	B	239	ASN
1	B	282	GLN
1	B	283	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	A3P	A	301	-	29,29,29	1.06	3 (10%)	44,45,45	0.64	1 (2%)
3	EST	A	304	-	23,23,23	2.01	8 (34%)	36,36,36	1.08	4 (11%)
3	EST	B	303	-	23,23,23	2.13	10 (43%)	36,36,36	1.07	4 (11%)
2	A3P	B	302	-	29,29,29	1.01	0	44,45,45	0.70	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A3P	A	301	-	-	0/15/31/31	0/3/3/3
3	EST	A	304	-	-	-	0/4/4/4
3	EST	B	303	-	-	-	0/4/4/4
2	A3P	B	302	-	-	0/15/31/31	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	303	EST	C5-C10	3.80	1.46	1.40
3	B	303	EST	C1-C10	3.71	1.44	1.39
3	A	304	EST	C5-C10	3.52	1.45	1.40
3	A	304	EST	C1-C10	3.48	1.44	1.39
3	B	303	EST	C9-C8	3.47	1.58	1.54
3	A	304	EST	C9-C8	3.08	1.57	1.54
3	B	303	EST	C8-C14	3.03	1.59	1.53
3	A	304	EST	C8-C14	2.90	1.59	1.53
3	B	303	EST	C4-C5	2.87	1.44	1.39
3	A	304	EST	C4-C3	2.69	1.43	1.39
3	A	304	EST	C4-C5	2.66	1.43	1.39
3	A	304	EST	C18-C13	2.53	1.58	1.54
3	B	303	EST	C13-C14	2.46	1.59	1.55
3	B	303	EST	C18-C13	2.27	1.58	1.54
3	B	303	EST	C4-C3	2.24	1.42	1.39
2	A	301	A3P	P1-O2P	-2.11	1.47	1.54
2	A	301	A3P	P2-O5P	-2.11	1.47	1.54
3	A	304	EST	C10-C9	2.08	1.55	1.52
2	A	301	A3P	C4-N3	2.03	1.38	1.34
3	B	303	EST	C10-C9	2.02	1.55	1.52
3	B	303	EST	C7-C6	2.00	1.56	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	304	EST	C15-C14-C8	2.59	123.24	119.10
3	A	304	EST	C16-C17-C13	2.45	106.46	104.52
3	B	303	EST	C15-C14-C8	2.45	123.00	119.10
3	B	303	EST	C16-C17-C13	2.29	106.33	104.52
3	B	303	EST	C13-C14-C8	-2.18	111.32	114.41
3	B	303	EST	C11-C9-C8	-2.16	108.62	111.45
2	B	302	A3P	O2'-C2'-C3'	2.15	117.20	111.19
3	A	304	EST	C13-C14-C8	-2.14	111.37	114.41
2	A	301	A3P	O2'-C2'-C3'	2.01	116.80	111.19
3	A	304	EST	C11-C9-C8	-2.00	108.83	111.45

There are no chirality outliers.


There are no torsion outliers.



There are no ring outliers.


1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	A3P	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	281/297 (94%)	1.63	88 (31%) 1 1	9, 17, 35, 53	0
1	B	280/297 (94%)	1.95	119 (42%) 0 0	11, 19, 37, 52	0
All	All	561/594 (94%)	1.79	207 (36%) 1 0	9, 18, 36, 53	0

All (207) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	220	VAL	5.3
1	A	287	CYS	5.1
1	B	287	CYS	4.9
1	A	65	GLY	4.9
1	B	185	ASN	4.7
1	B	64	GLU	4.6
1	B	289	VAL	4.6
1	B	213	ARG	4.4
1	B	200	ILE	4.4
1	B	205	VAL	4.3
1	B	208	ILE	4.1
1	A	64	GLU	4.1
1	B	269	PRO	4.1
1	B	211	LEU	4.0
1	B	280	TYR	4.0
1	B	268	PHE	4.0
1	A	217	ALA	4.0
1	A	269	PRO	3.9
1	B	228	SER	3.9
1	B	223	ILE	3.9
1	A	294	GLU	3.9
1	B	204	VAL	3.8
1	B	224	ILE	3.8
1	A	256	MET	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	199	ASP	3.7
1	B	286	ASP	3.7
1	A	225	GLN	3.7
1	A	281	LYS	3.7
1	A	215	PRO	3.7
1	B	189	LEU	3.7
1	B	229	PHE	3.6
1	A	282	GLN	3.6
1	A	216	SER	3.6
1	B	119	TRP	3.6
1	B	225	GLN	3.6
1	B	180	TRP	3.5
1	A	289	VAL	3.5
1	A	214	LYS	3.5
1	B	282	GLN	3.5
1	B	214	LYS	3.4
1	B	220	VAL	3.4
1	A	286	ASP	3.4
1	A	200	ILE	3.4
1	B	15	PHE	3.4
1	B	135	VAL	3.4
1	B	278	GLU	3.4
1	B	43	ILE	3.4
1	B	276	PHE	3.4
1	B	184	LYS	3.3
1	A	219	LEU	3.3
1	A	230	GLN	3.3
1	B	217	ALA	3.3
1	A	15	PHE	3.3
1	B	272	LEU	3.2
1	A	285	LYS	3.2
1	B	262	GLY	3.2
1	A	223	ILE	3.1
1	A	221	ASP	3.1
1	B	283	GLN	3.1
1	B	234	ASN	3.1
1	B	285	LYS	3.1
1	A	53	TRP	3.1
1	B	72	GLU	3.1
1	B	226	HIS	3.1
1	A	293	MET	3.1
1	A	284	MET	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	275	ARG	3.0
1	A	264	TRP	3.0
1	A	212	GLU	3.0
1	B	191	MET	3.0
1	A	62	TYR	3.0
1	B	42	VAL	2.9
1	B	53	TRP	2.9
1	A	291	PHE	2.9
1	B	190	PHE	2.9
1	A	241	THR	2.9
1	B	105	VAL	2.9
1	A	271	ALA	2.9
1	B	219	LEU	2.9
1	B	271	ALA	2.8
1	B	201	ARG	2.8
1	A	288	THR	2.8
1	B	212	GLU	2.8
1	A	192	PHE	2.8
1	A	276	PHE	2.8
1	B	50	GLY	2.8
1	B	123	CYS	2.8
1	B	261	ILE	2.8
1	A	245	GLU	2.8
1	B	210	PHE	2.8
1	B	288	THR	2.8
1	B	183	SER	2.7
1	A	252	VAL	2.7
1	B	46	TYR	2.7
1	B	206	LYS	2.7
1	A	251	LYS	2.7
1	B	270	GLU	2.6
1	B	196	MET	2.6
1	B	227	THR	2.6
1	B	137	VAL	2.6
1	B	173	TYR	2.6
1	B	216	SER	2.6
1	A	17	GLY	2.6
1	A	100	GLU	2.6
1	B	192	PHE	2.6
1	B	291	PHE	2.6
1	A	129	CYS	2.6
1	B	207	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	188	VAL	2.6
1	B	178	ALA	2.6
1	A	199	ASP	2.5
1	A	190	PHE	2.5
1	A	193	TYR	2.5
1	A	188	VAL	2.5
1	A	204	VAL	2.5
1	B	222	ARG	2.5
1	B	252	VAL	2.5
1	A	244	PRO	2.5
1	B	215	PRO	2.5
1	B	264	TRP	2.5
1	B	33	MET	2.5
1	A	131	ASN	2.5
1	A	218	GLU	2.5
1	B	89	LEU	2.5
1	A	137	VAL	2.5
1	A	157	GLU	2.5
1	A	270	GLU	2.5
1	B	101	SER	2.5
1	A	59	TYR	2.5
1	B	115	PRO	2.5
1	A	184	LYS	2.5
1	A	279	HIS	2.4
1	B	293	MET	2.4
1	B	127	TYR	2.4
1	A	262	GLY	2.4
1	B	259	GLY	2.4
1	B	230	GLN	2.4
1	A	280	TYR	2.4
1	B	150	PRO	2.4
1	A	135	VAL	2.4
1	B	284	MET	2.4
1	B	122	ASN	2.3
1	A	213	ARG	2.3
1	B	281	LYS	2.3
1	A	222	ARG	2.3
1	A	292	ARG	2.3
1	A	277	ASP	2.3
1	A	153	LYS	2.3
1	B	155	PHE	2.3
1	A	260	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	116	ALA	2.3
1	A	181	GLU	2.3
1	A	278	GLU	2.3
1	B	266	ASN	2.3
1	A	229	PHE	2.3
1	B	59	TYR	2.3
1	A	208	ILE	2.3
1	B	179	TRP	2.2
1	B	246	GLU	2.2
1	B	256	MET	2.2
1	B	193	TYR	2.2
1	A	283	GLN	2.2
1	B	238	THR	2.2
1	B	124	LYS	2.2
1	A	128	LEU	2.2
1	B	218	GLU	2.2
1	B	158	PHE	2.2
1	B	45	THR	2.2
1	B	186	SER	2.2
1	B	116	ALA	2.2
1	B	267	HIS	2.2
1	A	27	TYR	2.2
1	A	240	TYR	2.2
1	A	126	ILE	2.2
1	A	224	ILE	2.2
1	A	186	SER	2.2
1	A	196	MET	2.1
1	A	32	GLU	2.1
1	B	274	GLU	2.1
1	A	179	TRP	2.1
1	B	128	LEU	2.1
1	B	134	ASP	2.1
1	B	142	PHE	2.1
1	B	221	ASP	2.1
1	B	58	VAL	2.1
1	B	279	HIS	2.1
1	B	132	ALA	2.1
1	A	242	MET	2.1
1	A	164	GLN	2.1
1	A	156	SER	2.1
1	B	16	ARG	2.1
1	B	102	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	254	PRO	2.1
1	A	210	PHE	2.1
1	A	255	PHE	2.1
1	B	62	TYR	2.1
1	B	139	TYR	2.1
1	B	136	ALA	2.0
1	B	235	ASN	2.0
1	B	60	MET	2.0
1	A	89	LEU	2.0
1	B	38	PRO	2.0
1	A	155	PHE	2.0
1	A	202	ARG	2.0
1	B	292	ARG	2.0
1	B	55	SER	2.0
1	A	159	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EST	B	303	20/20	0.83	0.14	23,26,31,31	0
3	EST	A	304	20/20	0.89	0.12	17,20,25,29	0
2	A3P	B	302	27/27	0.89	0.12	12,17,20,23	0
2	A3P	A	301	27/27	0.91	0.11	9,12,16,17	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around EST B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around EST A 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A3P B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A3P A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.