



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 03:35 PM UTC

PDB ID : 7AQ9 / pdb_00007aq9
Title : Pseudomonas stutzeri nitrous oxide reductase mutant, H583W
Authors : Zhang, L.; Bill, E.; Kroneck, P.M.H.; Einsle, O.
Deposited on : 2020-10-20
Resolution : 1.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1094 (1.58-1.58)
Clashscore	190562	1105 (1.58-1.58)
Ramachandran outliers	187476	1082 (1.58-1.58)
Sidechain outliers	187428	1081 (1.58-1.58)
RSRZ outliers	180081	1094 (1.58-1.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	646	3% 79% 9% 11%
1	B	646	3% 79% 11% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	FMT	A	704	-	-	X	-
4	FMT	B	707	-	-	X	-

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 10276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitrous-oxide reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	574	Total	C	N	O	S	0	4	0
			4542	2877	780	855	30			
1	B	581	Total	C	N	O	S	0	1	0
			4581	2900	786	864	31			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	583	TRP	HIS	conflict	UNP P19573
A	639	TRP	-	expression tag	UNP P19573
A	640	SER	-	expression tag	UNP P19573
A	641	HIS	-	expression tag	UNP P19573
A	642	PRO	-	expression tag	UNP P19573
A	643	GLN	-	expression tag	UNP P19573
A	644	PHE	-	expression tag	UNP P19573
A	645	GLU	-	expression tag	UNP P19573
A	646	LYS	-	expression tag	UNP P19573
B	583	TRP	HIS	conflict	UNP P19573
B	639	TRP	-	expression tag	UNP P19573
B	640	SER	-	expression tag	UNP P19573
B	641	HIS	-	expression tag	UNP P19573
B	642	PRO	-	expression tag	UNP P19573
B	643	GLN	-	expression tag	UNP P19573
B	644	PHE	-	expression tag	UNP P19573
B	645	GLU	-	expression tag	UNP P19573
B	646	LYS	-	expression tag	UNP P19573

- Molecule 2 is 2-[3-(2-HYDROXY-1,1-DIHYDROXYMETHYL-ETHYLAMINO)-PROPYLAMINO]-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: B3P) (formula: C₁₁H₂₆N₂O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	11	2	6		
2	B	1	Total	C	N	O	0	0
			19	11	2	6		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 3 1 2	0	0
4	A	1	Total C O 3 1 2	0	0
4	A	1	Total C O 3 1 2	0	0
4	A	1	Total C O 3 1 2	0	0
4	A	1	Total C O 3 1 2	0	0
4	A	1	Total C O 3 1 2	0	0
4	A	1	Total C O 3 1 2	0	0
4	B	1	Total C O 3 1 2	0	0
4	B	1	Total C O 3 1 2	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Cl 2 2	0	0
5	B	1	Total Cl 1 1	0	0

- Molecule 6 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂) (labeled as

"Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Cu	0	0
			2	2		

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Zn	0	0
			2	2		

- Molecule 8 is PHENYLALANINE (CCD ID: PHE) (formula: C₉H₁₁NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			11	9	1	1		


- Molecule 9 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	Ca	0	0
			1	1		

- Molecule 10 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	K	0	0
			1	1		

- Molecule 11 is (MU-4-SULFIDO)-TETRA-NUCLEAR COPPER ION (CCD ID: CUZ) (formula: Cu₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	Cu	S	0	0
			5	4	1		

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	603	Total	O	0	0
			603	603		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	458	Total 458	O 458	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nitrous-oxide reductase



• Molecule 1: Nitrous-oxide reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.39Å 76.38Å 108.56Å 90.00° 93.37° 90.00°	Depositor
Resolution (Å)	51.31 – 1.58 51.31 – 1.58	Depositor EDS
% Data completeness (in resolution range)	70.9 (51.31-1.58) 71.1 (51.31-1.58)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 1.58Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.156 , 0.199 0.158 , 0.201	Depositor DCC
R_{free} test set	5464 reflections (3.56%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtriage
Anisotropy	0.037	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10276	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CA, NA, FMT, B3P, CL, CUZ, K, CUA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/4663	0.63	0/6316
1	B	0.38	0/4698	0.61	0/6365
All	All	0.40	0/9361	0.62	0/12681

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	336	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4542	0	4422	55	0
1	B	4581	0	4441	60	2
2	A	19	0	26	0	0
2	B	19	0	26	3	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	21	0	7	4	0
4	B	6	0	2	2	0
5	A	2	0	0	1	0
5	B	1	0	0	0	0
6	A	2	0	0	0	0
7	A	2	0	0	0	0
8	B	11	0	8	2	0
9	B	1	0	0	0	0
10	B	1	0	0	0	0
11	B	5	0	0	0	0
12	A	603	0	0	9	0
12	B	458	0	0	9	2
All	All	10276	0	8932	109	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:508:LYS:C	1:B:509:ILE:HD12	1.86	1.00
1:A:454:LYS:HE3	1:B:621:PHE:HA	1.51	0.90
1:A:382[B]:HIS:ND1	12:A:801:HOH:O	2.09	0.84
1:B:508:LYS:O	1:B:509:ILE:HD12	1.79	0.82
1:B:469:GLU:HG3	1:B:492:GLU:HA	1.64	0.80
5:A:708:CL:CL	12:A:1271:HOH:O	2.40	0.76
2:B:702:B3P:HN2	4:B:707:FMT:H	1.51	0.73
1:A:238:ASN:OD1	1:A:257:ASN:ND2	2.23	0.71
1:B:536:LYS:NZ	12:B:801:HOH:O	2.21	0.71
1:A:275:VAL:HG21	1:A:350:ILE:CD1	2.23	0.68
1:A:283:VAL:HG13	1:A:303:LEU:HD13	1.77	0.67
4:A:703:FMT:O2	12:A:802:HOH:O	2.13	0.66
1:B:308:LYS:HG3	1:B:308:LYS:O	1.94	0.66
1:B:288:LYS:NZ	12:B:803:HOH:O	2.28	0.66
1:A:552:ALA:HB3	1:A:553:PRO:HD3	1.79	0.64
1:A:137:ASP:HB3	12:A:1251:HOH:O	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:583:TRP:CH2	1:A:629:MET:HE3	2.34	0.63
1:A:284:GLU:O	1:A:288:LYS:HG3	1.98	0.63
1:A:352:ILE:HA	1:A:355:LEU:HD22	1.79	0.63
1:B:283:VAL:HG13	1:B:303:LEU:HD13	1.81	0.62
1:B:508:LYS:C	1:B:509:ILE:CD1	2.70	0.61
1:B:129:HIS:HD2	1:B:148:ASN:HD21	1.49	0.60
1:A:632:ARG:HD3	12:A:984:HOH:O	2.01	0.60
8:B:701:PHE:N	12:B:805:HOH:O	2.34	0.59
1:B:559:GLU:OE2	1:B:632:ARG:NH1	2.26	0.59
1:B:128:CYS:HB3	1:B:148:ASN:O	2.05	0.56
1:A:238:ASN:OD1	1:A:257:ASN:HB2	2.04	0.56
1:B:308:LYS:HG3	1:B:311:LYS:HB3	1.86	0.56
1:A:613:LEU:HD11	1:A:632:ARG:HB3	1.89	0.55
1:A:621:PHE:HB2	1:B:492:GLU:OE2	2.07	0.55
1:B:70:TYR:HB2	1:B:87:VAL:HB	1.87	0.55
1:B:529:ILE:HD13	1:B:536:LYS:HE3	1.89	0.54
1:A:59:LYS:O	12:A:803:HOH:O	2.19	0.53
1:A:553:PRO:HB2	1:B:264:LEU:HD22	1.91	0.53
1:B:129:HIS:CD2	1:B:148:ASN:HD21	2.27	0.52
1:A:70:TYR:HB2	1:A:87:VAL:HB	1.92	0.52
1:A:271:GLU:O	1:A:323:LYS:HD3	2.09	0.52
1:A:382[A]:HIS:CE1	1:A:433:HIS:CE1	2.98	0.52
1:A:382[B]:HIS:CE1	1:A:433:HIS:HD1	2.27	0.52
1:B:382:HIS:CE1	1:B:433:HIS:CE1	2.98	0.51
1:A:101:VAL:HG21	1:A:124:LEU:HD22	1.93	0.51
1:A:255:CYS:HB2	1:A:274:TRP:CD1	2.46	0.51
1:B:285:ALA:HA	1:B:288:LYS:HE3	1.93	0.50
1:A:275:VAL:HG21	1:A:350:ILE:HD11	1.91	0.50
1:B:595:GLU:HG2	1:B:596:ILE:N	2.26	0.50
1:A:619:SER:O	1:B:78:HIS:CE1	2.65	0.49
1:A:553:PRO:O	1:A:629:MET:HG2	2.12	0.49
1:B:509:ILE:HD11	1:B:579:GLU:HB3	1.92	0.49
1:A:493:PRO:O	1:A:494:HIS:HB3	2.12	0.49
1:A:591:GLY:HA2	1:B:125:ASN:OD1	2.12	0.49
1:B:347:CYS:O	1:B:373:GLU:HA	2.13	0.49
1:B:264:LEU:HG	1:B:268:MET:HE2	1.94	0.48
1:A:125:ASN:OD1	1:B:591:GLY:HA2	2.14	0.48
1:A:178:HIS:HB3	12:A:949:HOH:O	2.13	0.48
1:B:128:CYS:SG	12:B:871:HOH:O	2.61	0.47
1:A:61:HIS:HE1	12:B:1012:HOH:O	1.97	0.47
1:B:348:SER:HB3	1:B:370:ILE:HD12	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:431:PRO:HA	1:B:453:SER:HA	1.96	0.47
2:B:702:B3P:N2	4:B:707:FMT:H	2.26	0.47
1:A:433:HIS:HB2	1:A:494:HIS:O	2.15	0.47
1:B:438:LEU:HB2	1:B:444:ALA:HA	1.98	0.46
1:A:187:HIS:HB2	4:A:704:FMT:H	1.96	0.46
1:A:491:ALA:HA	1:B:620:TRP:CH2	2.51	0.46
1:B:412:ALA:HA	1:B:416:GLU:O	2.15	0.46
1:A:285:ALA:HA	1:A:288:LYS:HE2	1.96	0.46
1:A:275:VAL:HG21	1:A:350:ILE:HD13	1.97	0.46
1:A:454:LYS:CE	1:B:621:PHE:HA	2.34	0.46
1:A:417:LYS:N	1:A:417:LYS:HD3	2.31	0.46
1:B:407:GLU:HG2	12:B:933:HOH:O	2.17	0.45
1:B:101:VAL:HG21	1:B:124:LEU:HD22	1.99	0.45
1:B:380:PRO:HA	1:B:394:THR:O	2.17	0.45
1:B:379:GLY:N	1:B:380:PRO:HD3	2.32	0.45
1:A:552:ALA:CB	1:A:553:PRO:HD3	2.45	0.45
1:B:582:SER:HB2	1:B:621:PHE:CD2	2.52	0.44
1:A:536:LYS:NZ	12:A:827:HOH:O	2.51	0.44
1:B:382:HIS:CD2	1:B:433:HIS:HA	2.53	0.43
1:B:382:HIS:O	1:B:393:THR:HA	2.19	0.43
1:A:457:LYS:NZ	12:A:822:HOH:O	2.50	0.43
1:B:59:LYS:HG3	12:B:955:HOH:O	2.18	0.43
1:B:508:LYS:HB2	1:B:509:ILE:HD13	2.00	0.43
2:B:702:B3P:HN2	2:B:702:B3P:HN1	1.66	0.43
1:B:428:HIS:HA	1:B:429:TYR:CG	2.54	0.43
1:A:347:CYS:O	1:A:373:GLU:HA	2.18	0.43
1:B:582:SER:HB2	1:B:621:PHE:CE2	2.53	0.43
1:A:508:LYS:HG2	4:A:713:FMT:H	2.00	0.42
1:B:324:ASN:O	1:B:342:LYS:HE2	2.18	0.42
1:B:469:GLU:O	1:B:488:PRO:HA	2.18	0.42
1:A:187:HIS:CD2	4:A:704:FMT:H	2.54	0.42
1:B:277:VAL:O	1:B:316:THR:HA	2.19	0.42
1:B:80:GLY:HA2	12:B:871:HOH:O	2.19	0.42
1:A:620:TRP:CH2	1:B:466:LEU:HD11	2.54	0.42
1:A:637:PRO:HG3	1:B:206:LYS:HE2	2.00	0.42
1:A:275:VAL:O	1:A:275:VAL:HG23	2.19	0.42
1:B:578:ILE:HD12	1:B:578:ILE:H	1.84	0.41
1:B:509:ILE:HD12	1:B:509:ILE:N	2.29	0.41
1:A:554:ALA:HB1	1:A:558:GLN:OE1	2.21	0.41
1:B:260:LYS:NZ	12:B:821:HOH:O	2.51	0.41
1:A:580:ASP:OD1	1:B:467:HIS:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:347:CYS:O	1:B:374:PRO:HD2	2.20	0.41
1:B:509:ILE:CD1	1:B:509:ILE:N	2.82	0.41
1:A:379:GLY:N	1:A:380:PRO:HD3	2.36	0.40
1:A:438:LEU:HB2	1:A:444:ALA:HA	2.03	0.40
1:B:429:TYR:CD2	1:B:457:LYS:HD2	2.57	0.40
1:A:380:PRO:HA	1:A:394:THR:O	2.21	0.40
1:A:429:TYR:CD2	1:A:457:LYS:HD2	2.56	0.40
1:B:643:GLN:C	8:B:701:PHE:N	2.80	0.40
1:A:428:HIS:HA	1:A:429:TYR:CG	2.57	0.40
1:A:467:HIS:HB2	1:B:580:ASP:OD1	2.20	0.40
1:A:271:GLU:C	1:A:323:LYS:HD3	2.47	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:416:GLU:OE1	12:B:1179:HOH:O[2_555]	2.05	0.15
1:B:511:ASP:OD2	12:B:803:HOH:O[2_645]	2.17	0.03

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	574/646 (89%)	549 (96%)	22 (4%)	3 (0%)	24	9
1	B	578/646 (90%)	554 (96%)	23 (4%)	1 (0%)	43	26
All	All	1152/1292 (89%)	1103 (96%)	45 (4%)	4 (0%)	36	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	552	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	342	LYS
1	B	342	LYS
1	A	176	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	496/545 (91%)	494 (100%)	2 (0%)	84	75
1	B	498/545 (91%)	496 (100%)	2 (0%)	84	75
All	All	994/1090 (91%)	990 (100%)	4 (0%)	84	75

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	355	LEU
1	A	607	VAL
1	B	275	VAL
1	B	483	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	HIS
1	A	111	ASN
1	A	324	ASN
1	A	467	HIS
1	B	111	ASN
1	B	129	HIS
1	B	232	GLN
1	B	390	ASN
1	B	467	HIS
1	B	558	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 23 ligands modelled in this entry, 9 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	FMT	A	714	-	2,2,2	0.72	0	1,1,1	0.19	0
4	FMT	A	703	-	2,2,2	0.58	0	1,1,1	0.06	0
2	B3P	A	701	-	18,18,18	0.81	1 (5%)	23,23,23	1.02	0
6	CUA	A	709	1	0,1,1	-	-	-		
11	CUZ	B	709	12,1	0,9,9	-	-	-		
4	FMT	A	712	-	2,2,2	0.70	0	1,1,1	0.10	0
4	FMT	A	704	-	2,2,2	0.63	0	1,1,1	0.08	0
4	FMT	A	706	-	2,2,2	0.69	0	1,1,1	0.18	0
4	FMT	A	713	-	2,2,2	0.70	0	1,1,1	0.22	0
4	FMT	A	705	-	2,2,2	0.73	0	1,1,1	0.28	0
4	FMT	B	707	-	2,2,2	0.69	0	1,1,1	0.17	0
8	PHE	B	701	-	10,11,12	0.81	0	8,13,15	0.22	0
2	B3P	B	702	-	18,18,18	0.82	0	23,23,23	1.17	2 (8%)
4	FMT	B	706	-	2,2,2	0.63	0	1,1,1	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B3P	B	702	-	-	3/28/28/28	-
8	PHE	B	701	-	-	0/5/6/8	0/1/1/1
2	B3P	A	701	-	-	0/28/28/28	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	B3P	C3-N1	2.19	1.49	1.46

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	B3P	O2-C10-C8	-2.69	106.22	111.68
2	B	702	B3P	C11-C8-N2	2.19	115.55	109.02

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	702	B3P	C11-C8-N2-C2
2	B	702	B3P	C10-C8-N2-C2
2	B	702	B3P	C9-C8-N2-C2


There are no ring outliers.


6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	703	FMT	1	0
4	A	704	FMT	2	0
4	A	713	FMT	1	0
4	B	707	FMT	2	0
8	B	701	PHE	2	0
2	B	702	B3P	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	574/646 (88%)	-0.22	19 (3%)	49 62	10, 22, 47, 98	4 (0%)
1	B	581/646 (89%)	0.02	21 (3%)	46 57	13, 27, 54, 97	1 (0%)
All	All	1155/1292 (89%)	-0.10	40 (3%)	47 59	10, 25, 51, 98	5 (0%)

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	578	ILE	6.7
1	B	553	PRO	6.2
1	A	552	ALA	6.0
1	A	53	VAL	5.6
1	B	552	ALA	4.5
1	A	638	ALA	4.4
1	B	580	ASP	4.4
1	B	621	PHE	4.4
1	A	258	SER	4.1
1	B	622	CYS	4.0
1	A	274	TRP	3.6
1	A	257	ASN	3.6
1	A	624	ALA	3.4
1	A	256	TYR	3.2
1	B	494	HIS	3.2
1	B	60	ILE	3.2
1	B	581	VAL	3.1
1	A	60	ILE	2.9
1	B	576	ASP	2.8
1	B	261	ALA	2.8
1	A	620	TRP	2.8
1	A	553	PRO	2.8
1	B	288	LYS	2.7
1	B	264	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	583	TRP	2.7
1	A	255	CYS	2.4
1	A	323	LYS	2.4
1	B	308	LYS	2.4
1	A	272	ARG	2.4
1	B	577	GLN	2.3
1	A	56	SER	2.3
1	B	551	MET	2.2
1	B	620	TRP	2.2
1	A	55	GLU	2.1
1	A	621	PHE	2.1
1	B	554	ALA	2.1
1	B	629	MET	2.0
1	B	628	GLU	2.0
1	A	364	ALA	2.0
1	A	551	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FMT	A	714	3/3	0.71	0.16	77,77,78,78	0
4	FMT	A	713	3/3	0.74	0.24	69,69,71,72	0
8	PHE	B	701	11/12	0.75	0.17	44,55,58,63	0
4	FMT	A	705	3/3	0.80	0.16	62,62,67,71	0
4	FMT	A	706	3/3	0.82	0.12	63,63,66,67	0
4	FMT	A	712	3/3	0.83	0.14	70,70,70,72	0
4	FMT	B	706	3/3	0.89	0.14	48,48,54,60	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FMT	A	703	3/3	0.90	0.13	34,34,46,46	0
6	CUA	A	709	2/2	0.93	0.11	35,35,35,35	2
4	FMT	A	704	3/3	0.93	0.12	27,27,48,61	0
2	B3P	A	701	19/19	0.95	0.06	16,22,29,34	0
11	CUZ	B	709	5/5	0.95	0.10	24,29,43,49	5
2	B3P	B	702	19/19	0.96	0.06	18,21,26,29	0
4	FMT	B	707	3/3	0.96	0.14	23,23,28,41	0
5	CL	A	708	1/1	0.96	0.06	29,29,29,29	1
5	CL	B	708	1/1	0.99	0.03	27,27,27,27	1
3	NA	A	702	1/1	0.99	0.02	16,16,16,16	1
7	ZN	A	710	1/1	0.99	0.04	28,28,28,28	1
7	ZN	A	711	1/1	0.99	0.04	21,21,21,21	1
5	CL	A	707	1/1	0.99	0.03	17,17,17,17	1
9	CA	B	704	1/1	0.99	0.03	20,20,20,20	1
10	K	B	705	1/1	0.99	0.03	15,15,15,15	1
3	NA	B	703	1/1	0.99	0.04	20,20,20,20	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CUA A 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B3P A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CUZ B 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around B3P B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.