



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 05:03 PM UTC

PDB ID : 8AQY / pdb_00008aqy
Title : streptavidin mutant S112A with an iridium catalyst for CH activation
Authors : Igareta, N.V.; Ward, T.R.
Deposited on : 2022-08-15
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.66-1.66)
Clashscore	190562	2662 (1.66-1.66)
Ramachandran outliers	187476	2621 (1.66-1.66)
Sidechain outliers	187428	2621 (1.66-1.66)
RSRZ outliers	180081	2564 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	
1	B	158	
1	C	158	
1	D	158	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NOF	C	201	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4386 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Streptavidin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	123	Total	C	N	O	0	6	0
			946	591	163	192			
1	B	123	Total	C	N	O	0	4	0
			933	582	161	190			
1	C	123	Total	C	N	O	0	5	0
			938	585	162	191			
1	D	122	Total	C	N	O	0	5	0
			931	580	161	190			

There are 52 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	-	expression tag	UNP P22629
A	3	SER	-	expression tag	UNP P22629
A	4	MET	-	expression tag	UNP P22629
A	5	THR	-	expression tag	UNP P22629
A	6	GLY	-	expression tag	UNP P22629
A	7	GLY	-	expression tag	UNP P22629
A	8	GLN	-	expression tag	UNP P22629
A	9	GLN	-	expression tag	UNP P22629
A	10	MET	-	expression tag	UNP P22629
A	11	GLY	-	expression tag	UNP P22629
A	12	ARG	-	expression tag	UNP P22629
A	13	ASP	-	expression tag	UNP P22629
A	112	ALA	SER	engineered mutation	UNP P22629
B	2	ALA	-	expression tag	UNP P22629
B	3	SER	-	expression tag	UNP P22629
B	4	MET	-	expression tag	UNP P22629
B	5	THR	-	expression tag	UNP P22629
B	6	GLY	-	expression tag	UNP P22629
B	7	GLY	-	expression tag	UNP P22629
B	8	GLN	-	expression tag	UNP P22629
B	9	GLN	-	expression tag	UNP P22629

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	MET	-	expression tag	UNP P22629
B	11	GLY	-	expression tag	UNP P22629
B	12	ARG	-	expression tag	UNP P22629
B	13	ASP	-	expression tag	UNP P22629
B	112	ALA	SER	engineered mutation	UNP P22629
C	2	ALA	-	expression tag	UNP P22629
C	3	SER	-	expression tag	UNP P22629
C	4	MET	-	expression tag	UNP P22629
C	5	THR	-	expression tag	UNP P22629
C	6	GLY	-	expression tag	UNP P22629
C	7	GLY	-	expression tag	UNP P22629
C	8	GLN	-	expression tag	UNP P22629
C	9	GLN	-	expression tag	UNP P22629
C	10	MET	-	expression tag	UNP P22629
C	11	GLY	-	expression tag	UNP P22629
C	12	ARG	-	expression tag	UNP P22629
C	13	ASP	-	expression tag	UNP P22629
C	112	ALA	SER	engineered mutation	UNP P22629
D	2	ALA	-	expression tag	UNP P22629
D	3	SER	-	expression tag	UNP P22629
D	4	MET	-	expression tag	UNP P22629
D	5	THR	-	expression tag	UNP P22629
D	6	GLY	-	expression tag	UNP P22629
D	7	GLY	-	expression tag	UNP P22629
D	8	GLN	-	expression tag	UNP P22629
D	9	GLN	-	expression tag	UNP P22629
D	10	MET	-	expression tag	UNP P22629
D	11	GLY	-	expression tag	UNP P22629
D	12	ARG	-	expression tag	UNP P22629
D	13	ASP	-	expression tag	UNP P22629
D	112	ALA	SER	engineered mutation	UNP P22629

- Molecule 2 is tert-butyl 7'-[5-[(3aS,4S,6aR)-2-oxidanylidene-1,3,3a,4,6,6a-hexahydrothieno[3,4-d]imidazol-4-yl]pentanoylamino]-1-chloranyl-2,3,4,5,6-pentamethyl-spiro[1 $\{8\}$ -iridape ntacyclo[2.2.0.0 $\{1,3\}$.0 $\{1,5\}$.0 $\{2,6\}$]hexane-1,2'-3-aza-1-azonia-2 $\{8\}$ -iridatricyclo[6.3.1.0 $\{4,12\}$]dodeca-1(11),4,6,8(12),9-pentaene]-3'-carboxylate (CCD ID: NOF) (formula: C₃₄H₄₅ClIrN₅O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	C	Cl	Ir	N	O	S	0	0
			46	34	1	1	5	4	1		
2	B	1	Total	C	Cl	Ir	N	O	S	0	0
			46	34	1	1	5	4	1		
2	C	1	Total	C	Cl	Ir	N	O	S	0	0
			46	34	1	1	5	4	1		
2	D	1	Total	C	Cl	Ir	N	O	S	0	0
			46	34	1	1	5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	113	Total	O	0	0
			113	113		
3	B	108	Total	O	0	0
			108	108		
3	C	114	Total	O	0	0
			114	114		
3	D	119	Total	O	0	0
			119	119		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Streptavidin




• Molecule 1: Streptavidin



• Molecule 1: Streptavidin



• Molecule 1: Streptavidin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	192.91Å 57.85Å 57.85Å 90.00° 107.45° 90.00°	Depositor
Resolution (Å)	46.01 – 1.65 46.01 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.01-1.65) 99.8 (46.01-1.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 1.65Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.169 , 0.201 0.182 , 0.209	Depositor DCC
R_{free} test set	3822 reflections (5.21%)	wwPDB-VP
Wilson B-factor (Å ²)	17.5	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 29.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.487 for -h+k-l,-l,-k 0.487 for -h-k-l,l,k 0.486 for -h-2*l,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4386	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NOF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	1/973 (0.1%)	1.00	1/1333 (0.1%)
1	B	0.71	0/956	1.02	1/1310 (0.1%)
1	C	0.71	0/965	1.03	1/1322 (0.1%)
1	D	0.71	1/957 (0.1%)	1.02	1/1310 (0.1%)
All	All	0.70	2/3851 (0.1%)	1.01	4/5275 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	87	HIS	CE1-NE2	5.09	1.37	1.32
1	D	127	HIS	CE1-NE2	5.04	1.37	1.32

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	128	ASP	CA-CB-CG	7.54	120.14	112.60
1	B	128	ASP	CA-CB-CG	6.74	119.34	112.60
1	D	128	ASP	CA-CB-CG	6.44	119.04	112.60
1	A	128	ASP	CA-CB-CG	6.44	119.04	112.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	53	ARG	Sidechain
1	D	53	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	946	0	881	20	0
1	B	933	0	867	12	0
1	C	938	0	871	19	0
1	D	931	0	864	19	0
2	A	46	0	0	8	0
2	B	46	0	0	8	0
2	C	46	0	0	9	0
2	D	46	0	0	6	0
3	A	113	0	0	7	0
3	B	108	0	0	0	0
3	C	114	0	0	4	0
3	D	119	0	0	5	0
All	All	4386	0	3483	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:201:NOF:C8	2:C:201:NOF:C8	1.98	1.41
2:A:201:NOF:O3	2:C:201:NOF:C6	1.74	1.32
2:B:201:NOF:C8	2:D:201:NOF:C10	2.43	0.96
2:B:201:NOF:C30	2:D:201:NOF:C8	2.44	0.95
2:D:201:NOF:C2	3:D:370:HOH:O	2.21	0.88
2:A:201:NOF:C30	2:C:201:NOF:C6	2.52	0.87
3:A:390:HOH:O	2:C:201:NOF:C33	2.22	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:116:GLU:CD	1:D:103:ARG:HH11	1.84	0.85
1:A:57[B]:THR:HG22	1:B:57[B]:THR:OG1	1.75	0.85
2:A:201:NOF:C10	3:A:374:HOH:O	2.28	0.81
1:C:116:GLU:CD	1:D:103:ARG:NH1	2.43	0.77
1:A:40[B]:THR:HG22	3:A:340:HOH:O	1.85	0.76
2:C:201:NOF:C2	2:C:201:NOF:C18	2.64	0.76
2:B:201:NOF:C8	2:D:201:NOF:C8	2.65	0.74
1:A:116:GLU:CD	1:B:103:ARG:HH12	2.01	0.68
2:B:201:NOF:O4	2:D:201:NOF:C8	2.41	0.67
1:A:103:ARG:HD2	3:A:401:HOH:O	1.95	0.67
2:B:201:NOF:O3	1:D:121:LYS:HD2	1.97	0.64
2:A:201:NOF:C6	2:C:201:NOF:C30	2.76	0.63
1:A:121:LYS:HD2	2:C:201:NOF:O3	1.99	0.62
1:A:73[A]:LEU:C	1:A:73[A]:LEU:HD22	2.24	0.62
1:D:40[A]:THR:HG22	3:D:317:HOH:O	2.01	0.60
1:A:57[B]:THR:CG2	1:B:57[B]:THR:OG1	2.51	0.58
1:C:40[B]:THR:HG22	3:C:313:HOH:O	2.03	0.57
1:D:40[A]:THR:CG2	3:D:317:HOH:O	2.54	0.56
1:D:57[B]:THR:CG2	3:D:367:HOH:O	2.54	0.56
1:B:103:ARG:HE	1:B:105:ASN:HD21	1.55	0.55
1:C:103:ARG:NH1	3:C:303:HOH:O	2.38	0.55
1:C:116:GLU:OE1	1:D:103:ARG:NH1	2.36	0.55
1:A:103:ARG:HH21	1:A:105:ASN:HD21	1.56	0.54
2:A:201:NOF:C6	2:C:201:NOF:O4	2.55	0.53
1:D:103:ARG:NE	1:D:105:ASN:HD21	2.07	0.52
1:C:51:GLU:HB3	1:C:84:ARG:HD2	1.91	0.52
2:A:201:NOF:C34	3:A:397:HOH:O	2.57	0.52
1:D:103:ARG:HE	1:D:105:ASN:HD21	1.56	0.52
1:C:21:TRP:CZ2	1:C:132:LYS:HE2	2.46	0.51
1:B:103:ARG:NE	1:B:105:ASN:HD21	2.09	0.51
1:C:40[B]:THR:CG2	3:C:313:HOH:O	2.58	0.50
1:C:103:ARG:CZ	1:C:105:ASN:HD21	2.25	0.49
1:C:57[B]:THR:CG2	1:D:57[B]:THR:HB	2.42	0.49
1:D:57[B]:THR:HG23	3:D:367:HOH:O	2.13	0.49
2:B:201:NOF:C34	1:D:121:LYS:HZ1	2.27	0.48
1:A:23:ASN:HB3	1:A:130:PHE:CE2	2.49	0.48
1:C:23:ASN:HB3	1:C:130:PHE:CE2	2.49	0.47
1:A:105:ASN:OD1	1:A:129:THR:HG23	2.14	0.47
1:B:23:ASN:HB3	1:B:130:PHE:CE2	2.50	0.46
1:D:23:ASN:HB3	1:D:130:PHE:CE2	2.50	0.46
1:A:57[B]:THR:HG21	1:B:57[B]:THR:HB	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:105:ASN:OD1	1:C:129:THR:HG23	2.15	0.46
1:A:57[B]:THR:CG2	1:B:57[B]:THR:CB	2.93	0.46
2:B:201:NOF:C32	2:B:201:NOF:CL46	3.00	0.46
1:C:73:LEU:HD12	1:C:73:LEU:C	2.40	0.46
2:C:201:NOF:CL46	2:C:201:NOF:C32	3.00	0.46
2:D:201:NOF:C18	2:D:201:NOF:C4	2.94	0.46
1:A:107[A]:GLN:HE22	1:D:125:VAL:HG22	1.79	0.46
1:C:57[B]:THR:HG23	3:C:313:HOH:O	2.16	0.45
1:D:105:ASN:OD1	1:D:129:THR:HG23	2.15	0.45
1:C:57[B]:THR:HG21	1:D:57[B]:THR:HB	1.99	0.45
1:A:73[A]:LEU:C	1:A:73[A]:LEU:CD2	2.89	0.45
2:B:201:NOF:C15	2:B:201:NOF:O1	2.65	0.45
1:B:105:ASN:OD1	1:B:129:THR:HG23	2.16	0.44
1:B:110:LEU:C	1:B:110:LEU:HD23	2.42	0.44
1:A:14:GLU:HG3	1:A:33:ALA:O	2.17	0.44
1:C:110:LEU:C	1:C:110:LEU:HD23	2.43	0.43
1:A:57[B]:THR:HG22	1:B:57[B]:THR:CB	2.48	0.42
1:A:57[B]:THR:HG23	3:A:310:HOH:O	2.18	0.42
1:A:90:THR:OG1	1:A:110:LEU:HD13	2.20	0.42
1:A:91:THR:HB	1:B:91:THR:HB	2.01	0.42
1:C:57[B]:THR:HG22	1:D:57[B]:THR:OG1	2.20	0.41
2:A:201:NOF:C15	2:A:201:NOF:O1	2.68	0.41
1:C:116:GLU:HG3	1:D:103:ARG:HH12	1.85	0.41
1:C:91:THR:HB	1:D:91:THR:HB	2.03	0.40
1:A:103:ARG:HG2	3:A:401:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	125/158 (79%)	123 (98%)	2 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	123/158 (78%)	120 (98%)	3 (2%)	0	100	100
1	C	124/158 (78%)	123 (99%)	1 (1%)	0	100	100
1	D	123/158 (78%)	121 (98%)	2 (2%)	0	100	100
All	All	495/632 (78%)	487 (98%)	8 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	94/113 (83%)	90 (96%)	4 (4%)	26	6
1	B	92/113 (81%)	92 (100%)	0	100	100
1	C	93/113 (82%)	89 (96%)	4 (4%)	26	6
1	D	92/113 (81%)	91 (99%)	1 (1%)	65	48
All	All	371/452 (82%)	362 (98%)	9 (2%)	53	20

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73[A]	LEU
1	A	73[B]	LEU
1	A	107[A]	GLN
1	A	107[B]	GLN
1	C	51	GLU
1	C	107[A]	GLN
1	C	107[B]	GLN
1	C	133	VAL
1	D	133	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	118	ASN
1	B	105	ASN
1	B	127	HIS
1	C	82	ASN
1	C	105	ASN
1	C	118	ASN
1	D	118	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NOF	A	201	-	38,55,55	5.35	23 (60%)	61,115,115	3.07	28 (45%)
2	NOF	B	201	-	38,55,55	5.25	22 (57%)	61,115,115	3.21	33 (54%)
2	NOF	D	201	-	38,55,55	5.09	21 (55%)	61,115,115	3.19	30 (49%)
2	NOF	C	201	-	38,55,55	5.15	22 (57%)	61,115,115	3.54	36 (59%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NOF	A	201	-	-	2/18/208/208	0/11/10/10
2	NOF	B	201	-	-	7/18/208/208	0/11/10/10
2	NOF	D	201	-	-	2/18/208/208	0/11/10/10
2	NOF	C	201	-	1/1/14/17	11/18/208/208	0/11/10/10

All (88) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	NOF	CL46-IR1	22.39	2.76	2.41
2	C	201	NOF	CL46-IR1	22.13	2.76	2.41
2	B	201	NOF	CL46-IR1	21.88	2.75	2.41
2	D	201	NOF	CL46-IR1	21.74	2.75	2.41
2	A	201	NOF	O1-C20	9.75	1.42	1.23
2	B	201	NOF	O1-C20	9.35	1.41	1.23
2	D	201	NOF	O1-C20	9.13	1.41	1.23
2	C	201	NOF	O1-C20	8.55	1.40	1.23
2	B	201	NOF	O4-C30	7.50	1.47	1.33
2	A	201	NOF	O4-C30	7.47	1.47	1.33
2	C	201	NOF	O4-C30	7.42	1.47	1.33
2	D	201	NOF	O4-C30	7.23	1.46	1.33
2	A	201	NOF	C11-C12	6.57	1.54	1.43
2	A	201	NOF	C13-C11	6.43	1.50	1.38
2	B	201	NOF	C11-C12	6.34	1.53	1.43
2	D	201	NOF	C15-C16	6.11	1.51	1.38
2	A	201	NOF	C12-N1	6.10	1.48	1.37
2	B	201	NOF	C12-N1	6.07	1.47	1.37
2	B	201	NOF	C13-C11	6.03	1.49	1.38
2	D	201	NOF	C13-C11	5.95	1.49	1.38
2	C	201	NOF	C13-C11	5.93	1.49	1.38
2	B	201	NOF	C20-N2	5.81	1.48	1.35
2	B	201	NOF	C19-C17	5.78	1.48	1.36
2	B	201	NOF	C15-C16	5.75	1.50	1.38
2	A	201	NOF	C20-N2	5.75	1.47	1.35
2	D	201	NOF	C11-C12	5.73	1.52	1.43
2	C	201	NOF	C11-C12	5.72	1.52	1.43
2	C	201	NOF	C15-C16	5.71	1.50	1.38
2	A	201	NOF	C19-C17	5.59	1.48	1.36
2	C	201	NOF	C19-C17	5.51	1.48	1.36
2	C	201	NOF	C20-N2	5.49	1.47	1.35
2	D	201	NOF	C20-N2	5.49	1.47	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	NOF	C15-C16	5.45	1.49	1.38
2	D	201	NOF	C19-C17	5.42	1.48	1.36
2	A	201	NOF	O2-C29	5.30	1.34	1.23
2	B	201	NOF	O2-C29	5.25	1.34	1.23
2	D	201	NOF	C15-C13	5.08	1.47	1.38
2	B	201	NOF	C15-C13	5.05	1.47	1.38
2	A	201	NOF	C15-C13	4.81	1.46	1.38
2	C	201	NOF	C29-N4	-4.81	1.26	1.35
2	C	201	NOF	O2-C29	4.60	1.33	1.23
2	C	201	NOF	C12-N1	4.54	1.45	1.37
2	C	201	NOF	C27-S1	-4.46	1.68	1.81
2	C	201	NOF	C15-C13	4.41	1.45	1.38
2	C	201	NOF	C27-C28	4.37	1.62	1.53
2	A	201	NOF	C27-C28	4.37	1.62	1.53
2	A	201	NOF	C27-S1	-4.36	1.69	1.81
2	C	201	NOF	C28-C26	4.35	1.68	1.55
2	B	201	NOF	C27-S1	-4.33	1.69	1.81
2	C	201	NOF	C18-C19	4.31	1.47	1.38
2	A	201	NOF	C29-N4	-4.30	1.27	1.35
2	D	201	NOF	C27-C28	4.27	1.62	1.53
2	D	201	NOF	O2-C29	4.27	1.32	1.23
2	B	201	NOF	C18-C19	4.25	1.47	1.38
2	B	201	NOF	C27-C28	4.20	1.61	1.53
2	B	201	NOF	C28-C26	4.17	1.67	1.55
2	A	201	NOF	C18-C19	4.16	1.47	1.38
2	D	201	NOF	C12-N1	4.15	1.44	1.37
2	D	201	NOF	C18-C19	4.01	1.46	1.38
2	D	201	NOF	C28-C26	3.84	1.66	1.55
2	A	201	NOF	C14-C12	3.75	1.49	1.42
2	D	201	NOF	C29-N4	-3.68	1.28	1.35
2	B	201	NOF	C29-N3	3.60	1.41	1.35
2	B	201	NOF	C14-C12	3.57	1.48	1.42
2	A	201	NOF	C28-C26	3.55	1.65	1.55
2	C	201	NOF	C14-C12	3.54	1.48	1.42
2	D	201	NOF	C14-C12	3.52	1.48	1.42
2	C	201	NOF	C29-N3	3.49	1.41	1.35
2	D	201	NOF	C29-N3	3.49	1.41	1.35
2	D	201	NOF	C27-S1	-3.45	1.71	1.81
2	B	201	NOF	C29-N4	-3.37	1.29	1.35
2	D	201	NOF	C17-C14	3.24	1.48	1.42
2	B	201	NOF	C11-N5	3.19	1.47	1.40
2	A	201	NOF	C11-N5	3.11	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	201	NOF	C26-N3	-3.10	1.40	1.45
2	B	201	NOF	C17-C14	2.99	1.48	1.42
2	A	201	NOF	C29-N3	2.97	1.40	1.35
2	A	201	NOF	C17-C14	2.96	1.48	1.42
2	D	201	NOF	C26-N3	-2.90	1.40	1.45
2	C	201	NOF	C17-C14	2.88	1.48	1.42
2	D	201	NOF	C11-N5	2.73	1.46	1.40
2	C	201	NOF	C11-N5	2.69	1.45	1.40
2	A	201	NOF	O3-C30	2.65	1.25	1.21
2	A	201	NOF	C26-N3	-2.53	1.41	1.45
2	B	201	NOF	C26-N3	-2.48	1.41	1.45
2	B	201	NOF	C16-N2	2.45	1.47	1.41
2	A	201	NOF	C16-N2	2.21	1.47	1.41
2	C	201	NOF	C16-N2	2.07	1.46	1.41

All (127) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	NOF	C16-N2-C20	-10.40	112.51	128.23
2	C	201	NOF	C16-N2-C20	-10.36	112.56	128.23
2	C	201	NOF	C25-C26-N3	-10.05	102.70	113.34
2	A	201	NOF	C16-N2-C20	-9.94	113.20	128.23
2	D	201	NOF	C16-N2-C20	-9.66	113.63	128.23
2	D	201	NOF	C14-C12-N1	-7.80	116.82	122.88
2	C	201	NOF	C14-C12-N1	-7.23	117.25	122.88
2	A	201	NOF	O4-C30-O3	-6.94	115.26	126.43
2	B	201	NOF	O4-C30-N5	6.86	120.33	109.95
2	D	201	NOF	O4-C30-N5	6.81	120.26	109.95
2	C	201	NOF	O4-C30-N5	6.61	119.95	109.95
2	A	201	NOF	C26-C28-N4	-6.59	95.10	102.43
2	B	201	NOF	C26-C28-N4	-6.29	95.45	102.43
2	A	201	NOF	O4-C30-N5	6.20	119.33	109.95
2	B	201	NOF	C14-C12-N1	-5.99	118.22	122.88
2	D	201	NOF	O4-C30-O3	-5.93	116.88	126.43
2	A	201	NOF	C14-C12-N1	-5.86	118.32	122.88
2	B	201	NOF	C27-C28-C26	-5.73	99.99	109.06
2	B	201	NOF	C26-C25-S1	-5.57	98.71	105.03
2	D	201	NOF	C11-N5-C30	-5.45	110.23	124.78
2	C	201	NOF	C26-C28-N4	-5.43	96.40	102.43
2	D	201	NOF	C26-C28-N4	-5.28	96.57	102.43
2	B	201	NOF	C6-C5-C3	-5.19	118.38	125.60
2	C	201	NOF	C27-C28-C26	-5.17	100.88	109.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	NOF	C25-C26-C28	5.15	115.20	108.89
2	C	201	NOF	C11-N5-C30	-5.15	111.05	124.78
2	D	201	NOF	C8-C7-C9	4.98	132.53	125.60
2	A	201	NOF	C27-C28-C26	-4.95	101.22	109.06
2	C	201	NOF	C6-C5-C3	-4.91	118.77	125.60
2	B	201	NOF	C18-N1-C12	4.89	124.60	119.25
2	D	201	NOF	C18-N1-C12	4.86	124.56	119.25
2	A	201	NOF	C11-N5-C30	-4.73	112.17	124.78
2	D	201	NOF	C27-C28-C26	-4.63	101.74	109.06
2	A	201	NOF	C18-N1-C12	4.58	124.25	119.25
2	A	201	NOF	C26-C25-S1	-4.57	99.84	105.03
2	C	201	NOF	C24-C25-C26	4.49	127.20	114.51
2	A	201	NOF	C13-C11-N5	-4.45	117.65	130.24
2	B	201	NOF	C13-C11-N5	-4.35	117.92	130.24
2	D	201	NOF	C2-C1-C9	-4.31	119.60	125.60
2	C	201	NOF	C13-C11-N5	-4.30	118.08	130.24
2	B	201	NOF	C11-N5-C30	-4.29	113.34	124.78
2	D	201	NOF	C26-C25-S1	-4.25	100.21	105.03
2	C	201	NOF	C6-C5-C7	4.25	131.51	125.60
2	B	201	NOF	C6-C5-C7	4.23	131.49	125.60
2	A	201	NOF	C28-N4-C29	4.21	118.57	112.38
2	B	201	NOF	C28-C26-N3	4.15	107.37	102.68
2	D	201	NOF	C26-N3-C29	-4.11	107.46	112.56
2	D	201	NOF	C13-C11-N5	-4.08	118.69	130.24
2	C	201	NOF	C24-C25-S1	4.02	124.38	112.78
2	A	201	NOF	C6-C5-C3	-3.97	120.08	125.60
2	B	201	NOF	C26-N3-C29	-3.91	107.70	112.56
2	D	201	NOF	C28-C26-N3	3.88	107.06	102.68
2	C	201	NOF	C23-C24-C25	3.85	122.88	114.04
2	C	201	NOF	C21-C20-N2	3.84	121.28	114.59
2	A	201	NOF	C28-C26-N3	3.83	107.01	102.68
2	C	201	NOF	C28-C27-S1	3.76	111.24	106.06
2	B	201	NOF	C28-N4-C29	3.66	117.77	112.38
2	B	201	NOF	C31-O4-C30	-3.66	116.89	120.92
2	B	201	NOF	C21-C20-N2	3.65	120.94	114.59
2	A	201	NOF	C12-C11-N5	3.64	122.17	115.17
2	C	201	NOF	C18-N1-C12	3.61	123.20	119.25
2	D	201	NOF	C6-C5-C3	-3.55	120.67	125.60
2	D	201	NOF	N4-C29-N3	3.47	112.86	108.85
2	B	201	NOF	O2-C29-N3	-3.46	120.91	125.89
2	C	201	NOF	O2-C29-N3	-3.46	120.92	125.89
2	C	201	NOF	C15-C13-C11	-3.44	115.89	120.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	NOF	C27-S1-C25	3.40	97.05	89.98
2	C	201	NOF	C12-C11-N5	3.38	121.68	115.17
2	D	201	NOF	C12-C11-N5	3.38	121.67	115.17
2	B	201	NOF	C12-C11-N5	3.30	121.51	115.17
2	A	201	NOF	C26-N3-C29	-3.29	108.47	112.56
2	C	201	NOF	C28-N4-C29	3.27	117.20	112.38
2	B	201	NOF	O1-C20-N2	-3.17	117.96	123.64
2	D	201	NOF	C10-C9-C7	3.17	130.02	125.60
2	A	201	NOF	C6-C5-C7	3.17	130.01	125.60
2	C	201	NOF	C10-C9-C1	3.16	130.01	125.60
2	B	201	NOF	C28-C27-S1	3.14	110.39	106.06
2	D	201	NOF	O2-C29-N3	-3.04	121.51	125.89
2	C	201	NOF	C17-C14-C12	3.03	121.42	117.06
2	D	201	NOF	O1-C20-N2	-2.99	118.28	123.64
2	A	201	NOF	C28-C27-S1	2.98	110.17	106.06
2	D	201	NOF	C21-C20-N2	2.92	119.67	114.59
2	B	201	NOF	C8-C7-C5	2.91	129.65	125.60
2	A	201	NOF	C8-C7-C5	2.86	129.58	125.60
2	B	201	NOF	C4-C3-C5	-2.82	121.67	125.60
2	C	201	NOF	O4-C30-O3	-2.78	121.95	126.43
2	D	201	NOF	C15-C13-C11	-2.76	116.87	120.86
2	D	201	NOF	C17-C14-C12	2.76	121.03	117.06
2	C	201	NOF	C26-N3-C29	-2.75	109.14	112.56
2	C	201	NOF	C13-C15-C16	2.73	123.93	120.50
2	C	201	NOF	O1-C20-N2	-2.68	118.84	123.64
2	C	201	NOF	C8-C7-C5	2.67	129.32	125.60
2	A	201	NOF	C15-C16-N2	-2.67	116.05	123.50
2	A	201	NOF	C14-C16-N2	2.64	122.75	118.35
2	B	201	NOF	C15-C13-C11	-2.60	117.10	120.86
2	D	201	NOF	C22-C21-C20	-2.60	105.98	113.19
2	A	201	NOF	O2-C29-N3	-2.58	122.18	125.89
2	C	201	NOF	N4-C29-N3	2.57	111.82	108.85
2	C	201	NOF	C2-C1-C9	2.55	129.15	125.60
2	B	201	NOF	O3-C30-N5	-2.52	117.08	122.72
2	B	201	NOF	O4-C30-O3	-2.52	122.38	126.43
2	B	201	NOF	C14-C16-N2	2.49	122.50	118.35
2	A	201	NOF	C22-C21-C20	-2.48	106.31	113.19
2	A	201	NOF	C34-C31-C33	-2.46	105.00	111.13
2	B	201	NOF	C15-C16-N2	-2.46	116.64	123.50
2	D	201	NOF	C28-N4-C29	2.44	115.97	112.38
2	C	201	NOF	C23-C22-C21	2.44	122.09	113.13
2	C	201	NOF	C28-C26-N3	2.41	105.40	102.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	NOF	N4-C29-N3	2.41	111.63	108.85
2	A	201	NOF	C21-C20-N2	2.38	118.73	114.59
2	A	201	NOF	C18-C19-C17	2.35	122.55	119.38
2	A	201	NOF	C4-C3-C5	-2.32	122.38	125.60
2	A	201	NOF	C25-C26-C28	2.32	111.73	108.89
2	B	201	NOF	C22-C21-C20	-2.31	106.78	113.19
2	B	201	NOF	C18-C19-C17	2.31	122.49	119.38
2	A	201	NOF	O1-C20-N2	-2.30	119.52	123.64
2	C	201	NOF	C4-C3-C5	-2.30	122.41	125.60
2	D	201	NOF	C15-C16-N2	-2.27	117.15	123.50
2	D	201	NOF	C2-C1-C3	2.26	128.75	125.60
2	B	201	NOF	C34-C31-C32	-2.25	105.51	111.13
2	D	201	NOF	C28-C27-S1	2.25	109.16	106.06
2	B	201	NOF	C13-C11-C12	2.20	120.56	117.50
2	B	201	NOF	C25-C26-C28	2.19	111.57	108.89
2	C	201	NOF	C16-C14-C12	-2.14	116.85	118.20
2	D	201	NOF	C8-C7-C5	-2.13	122.64	125.60
2	C	201	NOF	O3-C30-N5	-2.08	118.08	122.72
2	D	201	NOF	C16-C14-C12	-2.07	116.90	118.20

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	201	NOF	C25

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	NOF	N5-C30-O4-C31
2	B	201	NOF	O3-C30-N5-C11
2	B	201	NOF	O4-C30-N5-C11
2	B	201	NOF	N5-C30-O4-C31
2	C	201	NOF	C23-C24-C25-C26
2	C	201	NOF	C23-C24-C25-S1
2	C	201	NOF	O3-C30-N5-C11
2	C	201	NOF	O4-C30-N5-C11
2	C	201	NOF	N5-C30-O4-C31
2	C	201	NOF	O3-C30-O4-C31
2	D	201	NOF	N5-C30-O4-C31
2	D	201	NOF	O3-C30-O4-C31
2	B	201	NOF	C33-C31-O4-C30
2	B	201	NOF	C32-C31-O4-C30

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	201	NOF	C34-C31-O4-C30
2	C	201	NOF	C33-C31-O4-C30
2	C	201	NOF	C34-C31-O4-C30
2	A	201	NOF	O3-C30-O4-C31
2	B	201	NOF	O3-C30-O4-C31
2	C	201	NOF	C32-C31-O4-C30
2	C	201	NOF	C22-C23-C24-C25
2	C	201	NOF	C21-C22-C23-C24


There are no ring outliers.


4 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	NOF	8	0
2	B	201	NOF	8	0
2	D	201	NOF	6	0
2	C	201	NOF	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	123/158 (77%)	-0.96	0 100 100	6, 17, 31, 83	15 (12%)
1	B	123/158 (77%)	-0.93	1 (0%) 82 87	7, 18, 35, 86	7 (5%)
1	C	123/158 (77%)	-0.92	0 100 100	7, 17, 30, 88	15 (12%)
1	D	122/158 (77%)	-1.03	0 100 100	6, 18, 34, 44	6 (4%)
All	All	491/632 (77%)	-0.96	1 (0%) 91 93	6, 18, 34, 88	43 (8%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	135	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NOF	B	201	46/46	0.95	0.14	14,36,49,53	19

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NOF	C	201	46/46	0.98	0.12	14,37,51,54	19
2	NOF	A	201	46/46	0.99	0.09	13,34,54,54	17
2	NOF	D	201	46/46	0.99	0.08	13,35,53,55	19

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NOF C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NOF A 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.