



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 16, 2026 – 10:30 AM UTC

PDB ID : 4ARY / pdb_00004ary
Title : Lepidopteran-specific toxin Cry1Ac in complex with receptor specificity determinant GalNAc
Authors : Derbyshire, D.J.; Carroll, J.; Ellar, D.J.; Li, J.
Deposited on : 2012-04-27
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	581	
1	B	581	
1	C	581	
1	D	581	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 18492 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PESTICIDAL CRYSTAL PROTEIN CRY1AC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	579	Total	C	N	O	S	0	0	1
			4594	2924	804	859	7			
1	B	580	Total	C	N	O	S	0	0	0
			4606	2931	805	863	7			
1	C	578	Total	C	N	O	S	0	0	1
			4587	2920	803	857	7			
1	D	578	Total	C	N	O	S	0	0	1
			4587	2920	803	857	7			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-galactopyranose (CCD ID: NGA) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			15	8	1	6		
2	B	1	Total	C	N	O	0	0
			15	8	1	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			15	8	1	6		
2	D	1	Total	C	N	O	0	0
			15	8	1	6		

- Molecule 3 is 1,3-DIAMINOPROPANE (CCD ID: 13D) (formula: $C_3H_{10}N_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			5	3	2		
3	B	1	Total	C	N	0	0
			5	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	20	Total	O	0	0
			20	20		
4	B	10	Total	O	0	0
			10	10		
4	C	9	Total	O	0	0
			9	9		
4	D	9	Total	O	0	0
			9	9		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PESTICIDAL CRYSTAL PROTEIN CRY1AC




- Molecule 1: PESTICIDAL CRYSTAL PROTEIN CRY1AC




- Molecule 1: PESTICIDAL CRYSTAL PROTEIN CRY1AC



- Molecule 1: PESTICIDAL CRYSTAL PROTEIN CRY1AC





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	121.36Å 51.19Å 210.65Å 90.00° 105.75° 90.00°	Depositor
Resolution (Å)	223.61 – 2.95 202.74 – 2.95	Depositor EDS
% Data completeness (in resolution range)	87.1 (223.61-2.95) 87.1 (202.74-2.95)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.96Å)	Xtriage
Refinement program	REFMAC 5.7.0002	Depositor
R, R_{free}	0.215 , 0.244 0.216 , 0.244	Depositor DCC
R_{free} test set	2354 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	49.0	Xtriage
Anisotropy	1.117	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.042 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	18492	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NGA, 13D

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.97	1/4714 (0.0%)	0.93	1/6425 (0.0%)
1	B	0.95	1/4726 (0.0%)	0.90	2/6440 (0.0%)
1	C	0.96	1/4707 (0.0%)	0.93	1/6415 (0.0%)
1	D	0.96	1/4707 (0.0%)	0.91	1/6415 (0.0%)
All	All	0.96	4/18854 (0.0%)	0.92	5/25695 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	608	VAL	C-N	-6.80	1.23	1.33
1	A	608	VAL	C-N	-6.68	1.24	1.33
1	B	421	PRO	CA-C	6.40	1.55	1.51
1	C	608	VAL	C-N	-6.18	1.24	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	64	ILE	N-CA-C	6.61	116.84	111.62
1	B	64	ILE	N-CA-C	5.83	116.22	111.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	71	SER	N-CA-C	5.80	118.07	111.11
1	A	64	ILE	N-CA-C	5.23	115.75	111.62
1	D	64	ILE	N-CA-C	5.09	115.64	111.62

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	173	ARG	Sidechain
1	B	173	ARG	Sidechain
1	D	173	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4594	0	4448	26	0
1	B	4606	0	4460	25	0
1	C	4587	0	4441	42	0
1	D	4587	0	4441	38	0
2	A	15	0	15	0	0
2	B	15	0	15	0	0
2	C	15	0	15	1	0
2	D	15	0	15	0	0
3	A	5	0	10	0	0
3	B	5	0	10	0	0
4	A	20	0	0	1	0
4	B	10	0	0	0	0
4	C	9	0	0	0	0
4	D	9	0	0	1	0
All	All	18492	0	17870	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:68:PHE:HB2	1:D:443:SER:O	1.54	1.04
1:C:68:PHE:CD2	1:D:375:ILE:CG1	2.51	0.93
1:C:68:PHE:CZ	1:D:445:VAL:HG13	2.06	0.90
1:C:68:PHE:CD2	1:D:375:ILE:HG13	2.10	0.87
1:C:112:GLU:HG2	1:D:437:ARG:NH2	1.89	0.86
1:C:68:PHE:HD2	1:D:375:ILE:CG1	1.89	0.86
1:C:162:VAL:HG21	1:C:240:VAL:HG13	1.58	0.85
1:C:68:PHE:HD2	1:D:375:ILE:HD11	1.42	0.84
1:C:68:PHE:HD2	1:D:375:ILE:CD1	1.90	0.83
1:A:162:VAL:HG21	1:A:240:VAL:HG13	1.65	0.79
1:D:162:VAL:HG21	1:D:240:VAL:HG13	1.67	0.76
1:C:112:GLU:HG2	1:D:437:ARG:HH22	1.49	0.76
1:B:506:ASN:HB2	1:D:254:ARG:NH2	2.02	0.74
1:C:68:PHE:HB2	1:D:443:SER:C	2.14	0.73
1:C:123:ASN:C	1:C:123:ASN:OD1	2.32	0.72
1:C:68:PHE:CD2	1:D:375:ILE:HD11	2.26	0.70
1:D:530:ARG:HD3	1:D:572:TYR:CD2	2.28	0.69
1:A:530:ARG:HD3	1:A:572:TYR:CD2	2.29	0.68
1:C:530:ARG:HD3	1:C:572:TYR:CD2	2.28	0.68
1:B:162:VAL:HG21	1:B:240:VAL:HG13	1.73	0.68
1:C:65:TRP:NE1	1:C:167:LEU:HD13	2.09	0.67
1:B:530:ARG:HD3	1:B:572:TYR:CD2	2.30	0.67
1:C:123:ASN:OD1	1:C:125:ALA:N	2.27	0.67
1:B:173:ARG:HH11	1:B:173:ARG:HB3	1.63	0.63
1:C:65:TRP:CE2	1:C:167:LEU:HD22	2.36	0.61
1:A:429:ARG:HD3	4:A:2011:HOH:O	2.02	0.59
1:C:123:ASN:OD1	1:C:124:PRO:N	2.36	0.58
1:C:65:TRP:CZ2	1:C:167:LEU:HD22	2.37	0.58
1:C:68:PHE:CZ	1:D:445:VAL:CG1	2.83	0.58
1:D:383:LEU:HD12	1:D:451:PRO:HG2	1.86	0.57
1:A:507:ASN:HB3	1:A:510:ASN:HB3	1.87	0.56
1:C:68:PHE:CD2	1:D:375:ILE:HG12	2.40	0.56
1:D:303:ILE:HG23	1:D:350:ILE:HB	1.88	0.55
1:A:91:PHE:HE1	1:B:341:MET:HE3	1.72	0.55
1:B:303:ILE:HG23	1:B:350:ILE:HB	1.90	0.54
1:D:141:LEU:HD13	1:D:168:HIS:HA	1.90	0.53
1:B:383:LEU:HD12	1:B:451:PRO:HG2	1.89	0.53
1:A:141:LEU:HD13	1:A:168:HIS:HA	1.90	0.52
1:D:40:LEU:HD21	1:D:238:LEU:HD22	1.92	0.52
1:A:58:LEU:HD11	1:A:115:ARG:HD2	1.92	0.52
1:C:303:ILE:HG23	1:C:350:ILE:HB	1.92	0.52
1:A:383:LEU:HD12	1:A:451:PRO:HG2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:LEU:HD13	1:B:168:HIS:HA	1.92	0.51
1:C:511:ARG:HB2	2:C:1609:NGA:O3	2.10	0.51
1:D:218:VAL:HG12	1:D:218:VAL:O	2.11	0.51
1:C:112:GLU:HG2	1:D:437:ARG:CZ	2.41	0.50
1:D:67:ILE:HG12	1:D:68:PHE:N	2.25	0.50
1:C:372:ASN:O	1:C:372:ASN:OD1	2.30	0.50
1:C:383:LEU:HD12	1:C:451:PRO:HG2	1.94	0.50
1:B:506:ASN:HB2	1:D:254:ARG:HH22	1.72	0.50
1:C:141:LEU:HD13	1:C:168:HIS:HA	1.93	0.49
1:B:530:ARG:HD3	1:B:572:TYR:HD2	1.76	0.49
1:A:530:ARG:HD3	1:A:572:TYR:HD2	1.76	0.49
1:A:539:ILE:HD13	1:A:598:VAL:HB	1.94	0.49
1:C:530:ARG:HD3	1:C:572:TYR:HD2	1.75	0.49
1:B:608:VAL:O	1:B:608:VAL:HG23	2.13	0.49
1:B:540:HIS:HB2	1:D:194:ASN:ND2	2.28	0.49
1:A:303:ILE:HG23	1:A:350:ILE:HB	1.95	0.48
1:C:34:THR:HB	1:C:35:PRO:HD2	1.95	0.48
1:A:367:TYR:HA	1:A:380:LEU:O	2.14	0.47
1:C:68:PHE:HB3	1:D:375:ILE:HG12	1.95	0.47
1:A:539:ILE:HG13	1:A:593:SER:HB2	1.96	0.47
1:B:367:TYR:HA	1:B:380:LEU:O	2.15	0.46
1:A:117:TRP:HA	1:A:126:LEU:HD13	1.97	0.46
1:D:367:TYR:HA	1:D:380:LEU:O	2.16	0.46
1:A:120:ASP:HB3	1:A:126:LEU:CD1	2.45	0.46
1:B:67:ILE:HG12	1:B:68:PHE:N	2.31	0.46
1:A:526:ARG:HB2	1:A:608:VAL:HG22	1.98	0.46
1:A:91:PHE:CE1	1:B:341:MET:CE	3.00	0.45
1:B:539:ILE:HD13	1:B:598:VAL:HB	1.98	0.45
1:C:66:GLY:O	1:D:443:SER:HB3	2.17	0.45
1:A:123:ASN:HB3	1:A:126:LEU:HD12	1.99	0.44
1:A:509:GLN:OE1	1:A:509:GLN:HA	2.17	0.44
1:D:530:ARG:HD3	1:D:572:TYR:HD2	1.75	0.44
1:A:173:ARG:NH1	1:A:174:ASP:OD1	2.51	0.44
1:A:91:PHE:CE1	1:B:341:MET:HE3	2.52	0.44
1:B:539:ILE:HG13	1:B:593:SER:HB2	2.00	0.44
1:C:367:TYR:HA	1:C:380:LEU:O	2.18	0.44
1:D:308:ASP:HB2	1:D:317:SER:HB3	1.99	0.44
1:B:382:VAL:HG12	1:B:449:ARG:HB2	1.99	0.43
1:B:543:VAL:HG22	1:B:589:VAL:HG22	2.00	0.43
1:C:543:VAL:HG22	1:C:589:VAL:HG22	2.00	0.43
1:D:382:VAL:HG12	1:D:449:ARG:HB2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:218:VAL:HG12	1:C:218:VAL:O	2.18	0.43
1:C:308:ASP:HB2	1:C:317:SER:HB3	2.00	0.43
1:A:218:VAL:O	1:A:218:VAL:HG12	2.19	0.43
1:A:392:THR:HG21	1:A:395:ASN:HA	2.00	0.42
1:C:382:VAL:HG12	1:C:449:ARG:HB2	2.01	0.42
1:A:67:ILE:HG12	1:A:68:PHE:N	2.35	0.42
1:B:215:LEU:HG	1:B:229:TYR:CE1	2.54	0.42
1:D:543:VAL:HG22	1:D:589:VAL:HG22	2.00	0.42
1:B:289:ARG:HD3	1:B:289:ARG:HA	1.87	0.42
1:C:215:LEU:HG	1:C:229:TYR:CE1	2.55	0.41
1:D:218:VAL:O	1:D:218:VAL:CG1	2.68	0.41
1:D:158:LEU:HD11	1:D:207:ALA:HA	2.02	0.41
1:C:68:PHE:CB	1:D:443:SER:O	2.44	0.41
1:D:539:ILE:HG13	1:D:593:SER:HB2	2.02	0.41
1:C:65:TRP:HE1	1:C:167:LEU:HD13	1.82	0.41
1:D:539:ILE:HD13	1:D:598:VAL:HB	2.03	0.41
1:A:526:ARG:HB2	1:A:608:VAL:CG2	2.50	0.41
1:D:477:VAL:HG13	4:D:2008:HOH:O	2.21	0.41
1:C:539:ILE:HG13	1:C:593:SER:HB2	2.04	0.40
1:B:293:SER:HB2	1:B:294:PRO:HD2	2.03	0.40
1:B:40:LEU:HD21	1:B:238:LEU:HD22	2.03	0.40
1:C:158:LEU:HD11	1:C:207:ALA:HA	2.04	0.40
1:A:308:ASP:HB2	1:A:317:SER:HB3	2.03	0.40
1:B:438:SER:HB3	1:B:448:ILE:HB	2.04	0.40
1:C:420:VAL:HB	1:C:421:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	577/581 (99%)	566 (98%)	11 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	578/581 (100%)	565 (98%)	13 (2%)	0	100	100
1	C	576/581 (99%)	566 (98%)	10 (2%)	0	100	100
1	D	576/581 (99%)	564 (98%)	12 (2%)	0	100	100
All	All	2307/2324 (99%)	2261 (98%)	46 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	501/503 (100%)	498 (99%)	3 (1%)	78	89
1	B	502/503 (100%)	499 (99%)	3 (1%)	78	89
1	C	500/503 (99%)	497 (99%)	3 (1%)	78	89
1	D	500/503 (99%)	498 (100%)	2 (0%)	84	92
All	All	2003/2012 (100%)	1992 (100%)	11 (0%)	81	90

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	THR
1	A	173	ARG
1	A	236	LEU
1	B	173	ARG
1	B	236	LEU
1	B	590	ARG
1	C	173	ARG
1	C	236	LEU
1	C	509	GLN
1	D	173	ARG
1	D	236	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	GLN
1	A	151	GLN
1	A	163	GLN
1	A	356	GLN
1	A	424	GLN
1	A	542	ASN
1	A	566	GLN
1	B	163	GLN
1	B	424	GLN
1	B	507	ASN
1	B	542	ASN
1	C	95	GLN
1	C	108	GLN
1	C	163	GLN
1	C	320	GLN
1	C	424	GLN
1	C	542	ASN
1	D	95	GLN
1	D	163	GLN
1	D	424	GLN
1	D	542	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	13D	B	1613	-	4,4,4	0.10	0	3,3,3	0.41	0
2	NGA	B	1612	-	15,15,15	0.39	0	21,21,21	0.44	0
2	NGA	C	1609	-	15,15,15	0.33	0	21,21,21	0.91	0
3	13D	A	1610	-	4,4,4	0.16	0	3,3,3	0.43	0
2	NGA	A	1609	-	15,15,15	0.48	0	21,21,21	0.59	0
2	NGA	D	1609	-	15,15,15	0.43	0	21,21,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	13D	B	1613	-	-	0/2/2/2	-
2	NGA	B	1612	-	-	0/6/26/26	0/1/1/1
2	NGA	C	1609	-	-	2/6/26/26	0/1/1/1
3	13D	A	1610	-	-	0/2/2/2	-
2	NGA	A	1609	-	-	0/6/26/26	0/1/1/1
2	NGA	D	1609	-	-	2/6/26/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1609	NGA	C1-C2-N2-C7
2	D	1609	NGA	O5-C5-C6-O6
2	D	1609	NGA	C4-C5-C6-O6
2	C	1609	NGA	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1609	NGA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	579/581 (99%)	-0.11	1 (0%) 91 90	21, 37, 68, 85	0
1	B	580/581 (99%)	-0.03	4 (0%) 84 80	30, 47, 69, 83	0
1	C	578/581 (99%)	0.20	12 (2%) 63 55	32, 49, 82, 98	0
1	D	578/581 (99%)	0.20	9 (1%) 70 63	27, 52, 83, 102	0
All	All	2315/2324 (99%)	0.06	26 (1%) 78 73	21, 46, 78, 102	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	505	GLY	3.6
1	C	136	ASP	3.1
1	C	371	PHE	3.0
1	C	67	ILE	2.9
1	C	110	TYR	2.7
1	C	70	PRO	2.6
1	D	122	THR	2.6
1	C	147	LEU	2.6
1	D	91	PHE	2.6
1	B	91	PHE	2.5
1	D	512	GLY	2.5
1	A	68	PHE	2.5
1	C	91	PHE	2.5
1	D	442	ASN	2.4
1	C	68	PHE	2.4
1	C	132	ILE	2.3
1	C	98	SER	2.2
1	C	121	PRO	2.2
1	B	395	ASN	2.2
1	B	508	ILE	2.2
1	B	418	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	605	PHE	2.1
1	D	176	SER	2.0
1	C	114	PHE	2.0
1	D	119	ALA	2.0
1	D	536	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NGA	D	1609	15/15	0.79	0.15	74,84,91,95	0
3	13D	B	1613	5/5	0.79	0.27	45,46,50,56	0
2	NGA	B	1612	15/15	0.83	0.11	54,62,67,68	0
2	NGA	A	1609	15/15	0.90	0.09	35,43,49,51	0
2	NGA	C	1609	15/15	0.90	0.10	42,45,48,49	0
3	13D	A	1610	5/5	0.92	0.14	29,30,30,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.