



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:11 PM UTC

PDB ID : 6ARR / pdb_00006arr
Title : Aspergillus fumigatus Cytosolic Thiolase: Apo enzyme in complex with cesium ions
Authors : Marshall, A.C.; Bond, C.S.; Bruning, J.B.
Deposited on : 2017-08-23
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1112 (1.82-1.82)
Clashscore	190562	1148 (1.82-1.82)
Ramachandran outliers	187476	1140 (1.82-1.82)
Sidechain outliers	187428	1140 (1.82-1.82)
RSRZ outliers	180081	1112 (1.82-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	12% 88% 11% ..
1	B	399	3% 91% 8% .
1	C	399	% 94% 5% ..
1	D	399	2% 94% . ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12895 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	395	Total	C	N	O	S	0	6	0
			2853	1800	490	552	11			
1	B	396	Total	C	N	O	S	0	2	0
			2851	1793	494	552	12			
1	C	396	Total	C	N	O	S	0	9	0
			2883	1822	494	555	12			
1	D	395	Total	C	N	O	S	0	4	0
			2841	1790	488	551	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q4WCL5
B	0	GLY	-	expression tag	UNP Q4WCL5
C	0	GLY	-	expression tag	UNP Q4WCL5
D	0	GLY	-	expression tag	UNP Q4WCL5

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		
2	C	2	Total	Cl	0	0
			2	2		

- Molecule 3 is CESIUM ION (CCD ID: CS) (formula: Cs) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Cs 3 3	0	0
3	B	3	Total Cs 3 3	0	0
3	C	4	Total Cs 4 4	0	0
3	D	5	Total Cs 5 5	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	156	Total O 156 156	0	0
5	B	190	Total O 190 190	0	0
5	C	540	Total O 540 540	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	544	Total	O	0	0
			544	544		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.41Å 105.27Å 110.45Å 90.00° 108.61° 90.00°	Depositor
Resolution (Å)	56.93 – 1.82 56.93 – 1.82	Depositor EDS
% Data completeness (in resolution range)	100.0 (56.93-1.82) 100.0 (56.93-1.82)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 1.82Å)	Xtriage
Refinement program	PHENIX dev_2747	Depositor
R, R_{free}	0.177 , 0.209 0.177 , 0.208	Depositor DCC
R_{free} test set	6801 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	18.1	Xtriage
Anisotropy	0.272	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12895	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CS, CL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/2916	0.40	0/3960
1	B	0.21	0/2900	0.41	0/3932
1	C	0.41	0/2953	0.55	0/4006
1	D	0.40	0/2896	0.55	0/3932
All	All	0.32	0/11665	0.48	0/15830

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2853	0	2904	31	0
1	B	2851	0	2913	21	0
1	C	2883	0	2966	14	0
1	D	2841	0	2891	11	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	2	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	4	0	0	0	0
3	D	5	0	0	0	0
4	C	6	0	8	0	0
4	D	12	0	16	1	0
5	A	156	0	0	6	1
5	B	190	0	0	2	1
5	C	540	0	0	3	0
5	D	544	0	0	3	0
All	All	12895	0	11698	70	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:112:ASP:HB3	1:B:269:LYS:HG3	1.62	0.79
1:C:4:LEU:HB3	1:C:107:MET:HE3	1.66	0.76
1:A:299:ALA:HA	1:A:336:LEU:HD21	1.68	0.75
1:C:1:MET:HA	1:C:4:LEU:HD12	1.72	0.71
1:D:188:GLU:OE1	5:D:501:HOH:O	2.10	0.70
1:B:290[A]:GLN:HB2	1:B:293:LYS:HG3	1.74	0.69
1:C:195[B]:LYS:NZ	5:C:501:HOH:O	2.25	0.69
1:C:4:LEU:HD13	1:C:107:MET:HE1	1.76	0.67
1:A:345:LEU:HD13	1:A:374:LYS:HE3	1.76	0.66
1:B:290[B]:GLN:HB3	1:B:293:LYS:HG3	1.78	0.64
1:B:166:GLU:HG2	1:B:241:ILE:HD12	1.82	0.62
1:A:270:LEU:HD12	1:A:275:LEU:HB2	1.83	0.60
1:D:362:ARG:O	1:D:365[B]:THR:HG22	2.03	0.58
1:A:253[B]:SER:OG	1:A:323:GLU:O	2.21	0.58
1:A:90:LYS:NZ	5:A:508:HOH:O	2.36	0.57
1:D:195:LYS:HE3	5:D:793:HOH:O	2.04	0.57
1:A:184:ILE:O	1:A:188:GLU:HG2	2.05	0.57
1:A:284:TRP:HB3	1:A:393:LEU:HD12	1.86	0.56
1:B:320:GLU:HG3	1:B:367:LEU:HB2	1.88	0.55
1:C:1:MET:N	5:C:507:HOH:O	2.40	0.55
1:A:45:ASP:OD1	1:A:45:ASP:N	2.40	0.55
1:A:187:TYR:HB3	1:A:228:LEU:HD22	1.87	0.55
1:C:362:ARG:O	1:C:365[B]:THR:HG22	2.07	0.54
1:A:189:LYS:O	5:A:501:HOH:O	2.19	0.54
1:A:161:MET:HE3	1:B:67:GLN:HE22	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:GLN:NE2	5:B:507:HOH:O	2.40	0.53
1:A:177:GLU:O	1:A:181:GLU:HG2	2.08	0.53
1:A:282:LEU:HB3	1:A:309:ALA:HB1	1.89	0.53
1:B:269:LYS:HD3	1:B:273:LEU:HD23	1.91	0.52
1:A:161:MET:HE3	1:B:67:GLN:NE2	2.25	0.52
1:C:201:GLU:OE1	1:C:372:LYS:NZ	2.31	0.52
1:B:157[B]:LYS:NZ	5:B:508:HOH:O	2.43	0.51
1:A:349:ALA:N	5:A:511:HOH:O	2.42	0.48
1:A:322:ASN:ND2	5:A:504:HOH:O	2.30	0.47
1:A:168:CYS:HA	5:A:549:HOH:O	2.14	0.47
1:B:132:LEU:HD21	1:D:141:GLN:HG3	1.96	0.47
1:C:84[A]:ILE:HD13	1:D:286:ASP:HB2	1.96	0.47
1:A:167:GLU:OE2	1:A:293:LYS:NZ	2.46	0.47
1:A:288:ALA:O	1:B:82:SER:HA	2.15	0.46
1:A:346:HIS:ND1	1:A:370:VAL:HG22	2.30	0.46
1:A:82:SER:HA	1:B:288:ALA:O	2.16	0.46
1:B:238:PRO:HA	1:B:248:THR:HG22	1.98	0.46
1:B:377:LYS:HD2	1:B:377:LYS:HA	1.69	0.46
1:B:11:SER:OG	1:B:40:ALA:O	2.23	0.46
1:A:132:LEU:HD21	1:C:141:GLN:HG3	1.97	0.45
1:A:187:TYR:CD1	1:A:228:LEU:HB2	2.52	0.45
1:A:278:VAL:O	1:A:397:LEU:HD12	2.17	0.45
1:C:4:LEU:HD13	1:C:107:MET:CE	2.45	0.45
1:D:131:ASN:N	1:D:131:ASN:OD1	2.51	0.44
1:C:323:GLU:HB3	1:C:350:VAL:HG23	1.98	0.44
1:A:238:PRO:HA	1:A:248:THR:HG22	2.00	0.44
1:B:162:GLY:HA3	1:B:240:PHE:CZ	2.53	0.44
1:A:374:LYS:HG2	5:A:506:HOH:O	2.18	0.43
1:D:8:TYR:OH	1:D:267:GLU:OE2	2.29	0.43
1:C:38:LYS:NZ	5:C:528:HOH:O	2.51	0.42
1:B:276:LYS:H	1:B:276:LYS:HG2	1.65	0.42
1:B:141:GLN:HG3	1:D:132:LEU:HD21	2.02	0.41
1:C:320:GLU:HG3	1:C:367:LEU:HB2	2.01	0.41
1:A:154:ASP:OD2	1:A:157:LYS:HB2	2.21	0.41
1:A:181:GLU:OE2	1:A:234:ARG:NH1	2.53	0.41
1:A:248:THR:O	1:A:252:SER:OG	2.32	0.41
1:C:249:ALA:HB3	1:C:250:PRO:HD3	2.01	0.41
1:D:320:GLU:HG3	1:D:367:LEU:HB2	2.02	0.41
1:B:229:ASN:ND2	1:B:232:LYS:HD2	2.36	0.41
4:D:402:GOL:O3	5:D:503:HOH:O	2.22	0.41
1:A:323:GLU:HB3	1:A:350:VAL:HG23	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:ASP:OD2	1:A:293:LYS:HE3	2.21	0.40
1:B:381:ALA:O	1:B:392:ALA:HA	2.21	0.40
1:D:162:GLY:HA3	1:D:240:PHE:CZ	2.56	0.40
1:D:92:CYS:SG	1:D:161:MET:HE1	2.61	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:634:HOH:O	5:B:675:HOH:O[1_455]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/399 (100%)	391 (98%)	7 (2%)	1 (0%)	36	26
1	B	394/399 (99%)	385 (98%)	8 (2%)	1 (0%)	36	26
1	C	401/399 (100%)	394 (98%)	6 (2%)	1 (0%)	43	33
1	D	395/399 (99%)	389 (98%)	5 (1%)	1 (0%)	36	26
All	All	1589/1596 (100%)	1559 (98%)	26 (2%)	4 (0%)	36	26

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	VAL
1	B	91	VAL
1	C	91	VAL
1	D	91	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	294/298 (99%)	290 (99%)	4 (1%)	59	49
1	B	295/298 (99%)	292 (99%)	3 (1%)	68	60
1	C	300/298 (101%)	293 (98%)	7 (2%)	44	28
1	D	293/298 (98%)	289 (99%)	4 (1%)	59	49
All	All	1182/1192 (99%)	1164 (98%)	18 (2%)	57	46

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	PHE
1	A	91	VAL
1	A	157	LYS
1	A	186	THR
1	B	57	PHE
1	B	91	VAL
1	B	272	GLU
1	C	1	MET
1	C	57	PHE
1	C	91	VAL
1	C	92	CYS
1	C	231[A]	GLU
1	C	231[B]	GLU
1	C	393	LEU
1	D	57	PHE
1	D	91	VAL
1	D	92	CYS
1	D	377	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	332	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	385	ASN
1	B	67	GLN
1	B	104	GLN
1	B	110	ASN
1	B	221	GLN
1	B	313	GLN
1	B	322	ASN
1	B	332	ASN
1	C	104	GLN
1	C	158	GLN
1	C	221	GLN
1	C	322	ASN
1	D	104	GLN
1	D	322	ASN
1	D	332	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 22 ligands modelled in this entry, 19 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	D	401	-	5,5,5	1.00	0	5,5,5	1.14	1 (20%)
4	GOL	C	403	-	5,5,5	0.60	0	5,5,5	1.11	1 (20%)
4	GOL	D	402	-	5,5,5	0.52	0	5,5,5	1.41	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	401	-	-	2/4/4/4	-
4	GOL	C	403	-	-	0/4/4/4	-
4	GOL	D	402	-	-	0/4/4/4	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	402	GOL	C3-C2-C1	-2.83	101.43	111.80
4	D	401	GOL	C3-C2-C1	-2.23	103.62	111.80
4	C	403	GOL	C3-C2-C1	-2.18	103.82	111.80

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	401	GOL	C1-C2-C3-O3
4	D	401	GOL	O2-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	402	GOL	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	395/399 (98%)	0.87	46 (11%) 9 10	17, 50, 75, 111	6 (1%)
1	B	396/399 (99%)	0.50	12 (3%) 52 59	22, 43, 65, 106	2 (0%)
1	C	396/399 (99%)	-0.47	4 (1%) 79 84	7, 16, 34, 76	9 (2%)
1	D	395/399 (98%)	-0.55	6 (1%) 72 78	5, 15, 31, 79	4 (1%)
All	All	1582/1596 (99%)	0.08	68 (4%) 40 46	5, 27, 67, 111	21 (1%)

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	215	PRO	4.3
1	B	210	GLY	3.6
1	A	235	ALA	3.6
1	A	370	VAL	3.6
1	A	211	PHE	3.5
1	B	398	LEU	3.5
1	C	2	SER	3.5
1	B	0	GLY	3.4
1	A	212	ARG	3.3
1	D	1	MET	3.3
1	B	214	LYS	3.3
1	D	2	SER	3.3
1	A	373	ALA	3.2
1	A	314	ASP	3.1
1	C	211	PHE	3.1
1	C	1	MET	3.1
1	A	215	PRO	3.1
1	D	215	PRO	3.1
1	A	245	GLY	3.1
1	A	165	ALA	3.0
1	A	210	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	184	ILE	2.9
1	A	398	LEU	2.9
1	B	209	PRO	2.9
1	D	209	PRO	2.9
1	D	210	GLY	2.9
1	A	209	PRO	2.8
1	A	318	ALA	2.8
1	A	196	ALA	2.7
1	A	315	ALA	2.7
1	A	169	ALA	2.6
1	C	4	LEU	2.6
1	B	159	GLU	2.6
1	B	335	LEU	2.5
1	A	306	LEU	2.5
1	A	397	LEU	2.5
1	D	3	SER	2.5
1	A	214	LYS	2.5
1	A	236	ILE	2.4
1	A	343	VAL	2.4
1	A	174	PHE	2.4
1	B	241	ILE	2.3
1	A	216	ASP	2.3
1	A	312	GLY	2.3
1	A	219	VAL	2.3
1	A	4	LEU	2.3
1	A	296	THR	2.3
1	B	242	PRO	2.2
1	A	241	ILE	2.2
1	A	311	VAL	2.2
1	A	342	LYS	2.2
1	A	228	LEU	2.2
1	B	239	ALA	2.2
1	A	240	PHE	2.2
1	A	44	VAL	2.2
1	A	213	GLY	2.2
1	B	273	LEU	2.2
1	A	246	THR	2.1
1	A	317	ASP	2.1
1	A	271	LYS	2.1
1	A	249	ALA	2.1
1	A	290[A]	GLN	2.1
1	A	162	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	327	VAL	2.1
1	A	168	CYS	2.1
1	A	378	LEU	2.1
1	A	181	GLU	2.0
1	A	8	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	C	403	6/6	0.90	0.10	20,20,20,20	0
4	GOL	D	402	6/6	0.91	0.20	20,20,20,20	0
4	GOL	D	401	6/6	0.94	0.09	21,30,43,48	0
2	CL	B	401	1/1	0.96	0.06	27,27,27,27	1
2	CL	A	401	1/1	0.96	0.07	27,27,27,27	1
3	CS	D	407	1/1	0.97	0.09	70,70,70,70	1
2	CL	C	401	1/1	0.98	0.04	19,19,19,19	0
2	CL	C	402	1/1	0.98	0.06	22,22,22,22	1
3	CS	A	403	1/1	0.98	0.05	73,73,73,73	1
3	CS	B	404	1/1	0.98	0.06	89,89,89,89	1
3	CS	B	403	1/1	0.99	0.03	65,65,65,65	0
3	CS	A	402	1/1	0.99	0.03	54,54,54,54	0
3	CS	A	404	1/1	0.99	0.04	72,72,72,72	0
3	CS	C	407	1/1	1.00	0.02	41,41,41,41	1
3	CS	D	403	1/1	1.00	0.01	14,14,14,14	0
3	CS	D	404	1/1	1.00	0.01	20,20,20,20	1
3	CS	D	405	1/1	1.00	0.01	25,25,25,25	1
3	CS	D	406	1/1	1.00	0.01	26,26,26,26	1

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CS	B	402	1/1	1.00	0.01	45,45,45,45	0
3	CS	C	404	1/1	1.00	0.00	16,16,16,16	0
3	CS	C	405	1/1	1.00	0.01	25,25,25,25	1
3	CS	C	406	1/1	1.00	0.01	25,25,25,25	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CL A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around CS D 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS C 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS D 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS D 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS D 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS C 404:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CS C 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.