



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:05 PM UTC

PDB ID : 1ASE / pdb_00001ase
Title : THE STRUCTURE OF WILD TYPE E. COLI ASPARTATE AMINO-TRANSFERASE RECONSTITUTED WITH PLP-N-OXIDE
Authors : Schumacher, C.; Ringe, D.
Deposited on : 1993-08-27
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	396	 61% 30% 7% •

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ASPARTATE AMINOTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	396	3069	1936	536	584	13	0	0	0

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE-N-OXIDE (CCD ID: NOP) (formula: C₈H₁₀NO₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	16	8	1	6	1	0	0

- Molecule 3 is MALEIC ACID (CCD ID: MAE) (formula: C₄H₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	4	4		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	23	Total	O	0	0
			23	23		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ASPARTATE AMINOTRANSFERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	157.50Å 84.80Å 78.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.207 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3116	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAE, NOP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	13/3130 (0.4%)	1.95	84/4240 (2.0%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	190	HIS	CD2-NE2	-8.12	1.28	1.37
1	A	301	HIS	CD2-NE2	-7.25	1.29	1.37
1	A	145	HIS	CD2-NE2	-6.25	1.30	1.37
1	A	167	HIS	CD2-NE2	-6.12	1.31	1.37
1	A	247	HIS	CD2-NE2	-5.95	1.31	1.37
1	A	379	VAL	CA-CB	5.92	1.61	1.54
1	A	194	HIS	CD2-NE2	-5.86	1.31	1.37
1	A	167	HIS	CG-ND1	-5.75	1.31	1.38
1	A	247	HIS	CG-ND1	-5.72	1.31	1.38
1	A	251	ILE	CA-CB	5.55	1.62	1.54
1	A	273	VAL	CA-CB	5.49	1.61	1.54
1	A	206	TRP	CG-CD2	-5.40	1.34	1.43
1	A	190	HIS	CG-ND1	-5.37	1.32	1.38

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	ASN	CA-C-O	-10.05	108.40	120.56
1	A	45	ILE	N-CA-C	9.99	123.54	111.05
1	A	71	ASN	N-CA-C	9.70	124.42	112.59
1	A	111	GLN	OE1-CD-NE2	-8.93	113.67	122.60
1	A	286	GLN	OE1-CD-NE2	-8.70	113.90	122.60
1	A	281	ASP	CA-CB-CG	8.59	121.19	112.60
1	A	211	GLN	CA-CB-CG	8.44	130.98	114.10
1	A	206	TRP	CE2-CD2-CE3	8.31	127.11	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	407	VAL	N-CA-CB	-8.10	101.17	112.35
1	A	396	ASN	CA-CB-CG	8.00	120.60	112.60
1	A	295	TYR	O-C-N	-7.94	111.87	122.59
1	A	179	ASN	CA-CB-CG	7.89	120.49	112.60
1	A	197	THR	N-CA-C	7.75	119.81	111.36
1	A	211	GLN	N-CA-CB	-7.45	99.10	110.20
1	A	369	GLN	N-CA-C	-7.41	103.14	111.14
1	A	81	ASP	CA-CB-CG	7.25	119.85	112.60
1	A	407	VAL	CB-CA-C	7.24	118.77	110.88
1	A	287	MET	CG-SD-CE	-7.20	85.07	100.90
1	A	301	HIS	N-CA-C	7.20	119.75	111.11
1	A	242	ALA	N-CA-C	-7.17	103.54	111.36
1	A	297	ASN	O-C-N	-6.99	115.35	121.71
1	A	363	SER	CA-CB-OG	-6.96	97.18	111.10
1	A	332	ARG	CB-CG-CD	6.92	127.23	111.30
1	A	180	GLU	CA-CB-CG	6.86	127.82	114.10
1	A	180	GLU	N-CA-CB	-6.86	100.25	110.61
1	A	45	ILE	O-C-N	-6.83	114.97	121.87
1	A	182	GLN	OE1-CD-NE2	-6.57	116.03	122.60
1	A	301	HIS	CB-CG-CD2	-6.55	122.69	131.20
1	A	172	ASP	N-CA-C	6.54	118.07	111.07
1	A	286	GLN	CG-CD-NE2	6.51	126.16	116.40
1	A	251	ILE	CB-CG1-CD1	-6.40	100.36	113.80
1	A	83	ILE	CA-C-N	6.39	126.14	119.05
1	A	83	ILE	C-N-CA	6.39	126.14	119.05
1	A	50	ASP	CA-CB-CG	6.32	118.92	112.60
1	A	40	LYS	CA-CB-CG	6.25	126.59	114.10
1	A	144	ASN	OD1-CG-ND2	-6.08	116.52	122.60
1	A	32	PHE	O-C-N	6.06	128.31	122.07
1	A	70	GLU	CB-CG-CD	6.02	122.83	112.60
1	A	212	LEU	CA-C-O	-6.01	114.05	120.42
1	A	238	GLU	N-CA-C	5.97	118.58	111.71
1	A	147	SER	N-CA-CB	-5.96	101.34	110.16
1	A	76	ASN	CB-CG-ND2	-5.94	107.48	116.40
1	A	271	THR	CA-C-O	5.94	126.66	120.30
1	A	395	ASP	N-CA-C	5.94	119.72	112.23
1	A	300	ALA	N-CA-C	5.87	118.91	111.69
1	A	337	PHE	CA-CB-CG	5.83	119.64	113.80
1	A	214	VAL	CA-C-O	-5.82	114.59	121.05
1	A	37	ARG	N-CA-C	-5.81	102.33	109.65
1	A	375	GLU	N-CA-C	5.79	121.36	113.37
1	A	298	PRO	CB-CA-C	5.78	117.97	110.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	LEU	CA-C-N	5.72	125.90	119.90
1	A	219	LEU	C-N-CA	5.72	125.90	119.90
1	A	97	LYS	CA-CB-CG	5.71	125.53	114.10
1	A	195	ASN	CB-CG-ND2	5.71	124.96	116.40
1	A	132	VAL	N-CA-CB	-5.66	102.50	110.26
1	A	335	GLN	OE1-CD-NE2	-5.61	116.99	122.60
1	A	331	GLN	OE1-CD-NE2	-5.59	117.01	122.60
1	A	393	THR	O-C-N	-5.58	118.14	121.71
1	A	266	ARG	NE-CZ-NH2	-5.57	114.19	119.20
1	A	43	LEU	N-CA-C	5.53	122.58	110.80
1	A	194	HIS	CB-CG-CD2	-5.46	124.10	131.20
1	A	235	GLU	CB-CG-CD	5.46	121.88	112.60
1	A	250	LEU	CB-CA-C	-5.45	98.72	111.09
1	A	45	ILE	N-CA-CB	-5.43	101.36	110.65
1	A	119	LEU	N-CA-CB	-5.41	102.15	110.16
1	A	183	ALA	N-CA-C	-5.38	101.89	109.96
1	A	211	GLN	CB-CG-CD	-5.37	103.47	112.60
1	A	16	ASN	CA-CB-CG	5.36	117.96	112.60
1	A	264	ASN	CA-CB-CG	5.36	117.96	112.60
1	A	111	GLN	CG-CD-NE2	5.35	124.42	116.40
1	A	136	TRP	CE2-CD2-CG	-5.29	100.86	107.20
1	A	270	CYS	CA-CB-SG	-5.29	102.24	114.40
1	A	297	ASN	CB-CG-ND2	5.28	124.32	116.40
1	A	373	LEU	CA-C-O	-5.27	114.94	120.63
1	A	163	ASP	CA-CB-CG	5.25	117.86	112.60
1	A	149	PHE	O-C-N	-5.25	116.16	122.15
1	A	318	ILE	CA-C-O	-5.24	115.30	120.85
1	A	280	VAL	CA-CB-CG2	-5.22	101.52	110.40
1	A	328	GLN	OE1-CD-NE2	-5.22	117.38	122.60
1	A	379	VAL	N-CA-C	-5.13	100.92	108.11
1	A	42	ASN	N-CA-CB	5.13	118.14	110.14
1	A	254	SER	CA-CB-OG	5.11	121.33	111.10
1	A	144	ASN	CB-CG-ND2	5.11	124.06	116.40
1	A	14	PHE	CA-CB-CG	5.08	118.88	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3069	0	3016	58	0
2	A	16	0	6	2	0
3	A	8	0	2	0	0
4	A	23	0	0	0	0
All	All	3116	0	3024	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:THR:HB	1:A:271:THR:HB	1.44	0.96
1:A:130:THR:HG22	1:A:132:VAL:H	1.49	0.78
1:A:134:ARG:HG3	1:A:155:GLU:HG2	1.68	0.75
1:A:58:LEU:HB2	1:A:61:VAL:HG13	1.71	0.71
1:A:132:VAL:HG21	1:A:186:VAL:HG23	1.72	0.70
1:A:397:MET:HE2	1:A:401:CYS:SG	2.33	0.69
1:A:195:ASN:HD21	1:A:386:ARG:HH11	1.41	0.69
1:A:405:VAL:HA	1:A:408:LEU:HD22	1.75	0.68
1:A:41:ILE:HG22	1:A:43:LEU:HD13	1.78	0.65
1:A:266:ARG:HH22	2:A:409:NOP:P	2.20	0.64
1:A:126:LEU:O	1:A:130:THR:HB	2.01	0.61
1:A:169:LEU:HD11	1:A:174:LEU:HD23	1.84	0.60
1:A:66:GLN:O	1:A:70:GLU:HG2	2.04	0.58
1:A:256:TYR:O	1:A:260:PHE:HB2	2.04	0.58
1:A:132:VAL:HG23	1:A:184:GLY:O	2.05	0.56
1:A:130:THR:HG22	1:A:132:VAL:HB	1.88	0.56
1:A:213:SER:HB3	1:A:218:TRP:CE3	2.41	0.56
1:A:91:GLN:OE1	1:A:109:THR:HG22	2.07	0.55
1:A:310:LEU:HA	1:A:316:ARG:HG3	1.89	0.54
1:A:128:LYS:NZ	1:A:129:ASN:HD21	2.07	0.53
1:A:130:THR:CG2	1:A:132:VAL:HB	2.37	0.52
1:A:213:SER:HB3	1:A:218:TRP:HE3	1.74	0.52
1:A:226:TYR:CZ	1:A:258:LYS:HD3	2.47	0.50
1:A:139:ASN:O	1:A:161:TYR:HB3	2.12	0.49
1:A:106:ARG:NH2	1:A:248:LYS:HA	2.27	0.49
1:A:341:LEU:O	1:A:346:ALA:HB2	2.12	0.49
1:A:32:PHE:CZ	1:A:40:LYS:HD3	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:VAL:HG23	1:A:61:VAL:HG22	1.94	0.48
1:A:88:ARG:HE	1:A:102:ILE:HG23	1.77	0.48
1:A:370:VAL:HG11	1:A:383:ALA:HA	1.95	0.48
1:A:111:GLN:NE2	1:A:298:PRO:HB2	2.29	0.48
1:A:37:ARG:O	1:A:40:LYS:HG3	2.13	0.48
1:A:223:ASP:OD2	2:A:409:NOP:O1	2.31	0.48
1:A:361:SER:HB3	1:A:387:VAL:HG23	1.96	0.48
1:A:226:TYR:CE1	1:A:258:LYS:HG2	2.52	0.45
1:A:277:SER:HA	1:A:280:VAL:HG12	1.99	0.45
1:A:128:LYS:HZ2	1:A:129:ASN:HD21	1.63	0.45
1:A:226:TYR:CE1	1:A:258:LYS:HD3	2.51	0.45
1:A:335:GLN:HA	1:A:354:ILE:HD11	1.99	0.45
1:A:341:LEU:C	1:A:346:ALA:HB2	2.41	0.45
1:A:195:ASN:ND2	1:A:386:ARG:HH11	2.11	0.44
1:A:139:ASN:HA	1:A:140:PRO:HA	1.86	0.43
1:A:57:VAL:HG23	1:A:61:VAL:CG2	2.48	0.43
1:A:334:ARG:HG2	1:A:353:ILE:HD12	2.00	0.43
1:A:337:PHE:HD1	1:A:397:MET:HE1	1.83	0.43
1:A:361:SER:HB3	1:A:387:VAL:CG2	2.49	0.43
1:A:345:GLY:O	1:A:346:ALA:C	2.62	0.42
1:A:335:GLN:NE2	1:A:354:ILE:HD12	2.35	0.42
1:A:318:ILE:O	1:A:322:GLU:HG3	2.18	0.42
1:A:195:ASN:HD21	1:A:386:ARG:NH1	2.13	0.41
1:A:108:ARG:HG2	1:A:280:VAL:HG13	2.02	0.41
1:A:45:ILE:HD13	1:A:45:ILE:O	2.20	0.41
1:A:250:LEU:H	1:A:273:VAL:HG22	1.86	0.41
1:A:64:ALA:O	1:A:67:TYR:HB3	2.20	0.41
1:A:63:LYS:HB2	1:A:315:LEU:HD11	2.02	0.41
1:A:178:LEU:HD12	1:A:178:LEU:HA	1.88	0.41
1:A:201:PRO:HD2	1:A:206:TRP:CH2	2.57	0.40
1:A:54:LYS:HB2	1:A:54:LYS:HE2	1.91	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/396 (100%)	377 (96%)	15 (4%)	2 (0%)	24	43

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	LEU
1	A	376	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/320 (100%)	273 (85%)	47 (15%)	3	6

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	33	ARG
1	A	36	GLU
1	A	40	LYS
1	A	45	ILE
1	A	54	LYS
1	A	57	VAL
1	A	59	THR
1	A	61	VAL
1	A	68	LEU
1	A	70	GLU
1	A	73	THR
1	A	78	LEU
1	A	109	THR
1	A	130	THR
1	A	132	VAL
1	A	134	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	155	GLU
1	A	166	ASN
1	A	168	THR
1	A	174	LEU
1	A	177	SER
1	A	178	LEU
1	A	203	LEU
1	A	206	TRP
1	A	209	LEU
1	A	213	SER
1	A	234	GLU
1	A	240	LEU
1	A	251	ILE
1	A	252	VAL
1	A	258	LYS
1	A	267	VAL
1	A	271	THR
1	A	273	VAL
1	A	296	SER
1	A	304	SER
1	A	310	LEU
1	A	312	ASN
1	A	335	GLN
1	A	342	GLN
1	A	348	ARG
1	A	353	ILE
1	A	365	LEU
1	A	374	ARG
1	A	379	VAL
1	A	408	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	76	ASN
1	A	129	ASN
1	A	176	ASN
1	A	195	ASN
1	A	227	GLN
1	A	264	ASN
1	A	286	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	312	ASN
1	A	335	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MAE	A	410	-	7,7,7	1.63	2 (28%)	8,8,8	1.38	2 (25%)
2	NOP	A	409	1	16,16,17	2.56	5 (31%)	19,24,25	1.87	5 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAE	A	410	-	-	2/5/5/5	-
2	NOP	A	409	1	-	0/6/6/8	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	409	NOP	O1-N1	-8.68	1.19	1.37
3	A	410	MAE	O4-C4	-2.91	1.23	1.30
3	A	410	MAE	O2-C1	-2.51	1.24	1.30
2	A	409	NOP	C5-C4	2.42	1.43	1.40
2	A	409	NOP	P-O3P	-2.31	1.46	1.54
2	A	409	NOP	P-O4P	-2.28	1.53	1.60
2	A	409	NOP	P-O2P	-2.01	1.47	1.54

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	409	NOP	O3-C3-C2	3.90	120.87	116.62
2	A	409	NOP	O3P-P-O4P	-3.70	97.03	106.67
2	A	409	NOP	O4P-C5A-C5	3.43	115.78	109.36
3	A	410	MAE	O2-C1-O1	-3.12	116.34	122.70
2	A	409	NOP	C4A-C4-C5	2.56	123.58	120.94
2	A	409	NOP	C3-C2-N1	2.13	119.76	118.26
3	A	410	MAE	O1-C1-C2	2.03	127.30	121.06

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	410	MAE	C2-C3-C4-O3
3	A	410	MAE	C2-C3-C4-O4


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	409	NOP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.