



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 01:53 AM UTC

PDB ID : 2ATK / pdb_00002atk
Title : Structure of a mutant KcsA K⁺ channel
Authors : Cordero-Morales, J.F.; Cuello, L.G.; Zhao, Y.; Jogini, V.; Chakrapani, S.; Roux, B.; Perozo, E.
Deposited on : 2005-08-25
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	16% 58% 38% .
2	B	212	9% 53% 44% .
3	C	124	6% 64% 15% . 17%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4140 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANTIBODY FAB FRAGMENT HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1648	1042	275	325	6			

- Molecule 2 is a protein called ANTIBODY FAB FRAGMENT LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	212	Total	C	N	O	S	0	0	0
			1649	1023	283	338	5			

- Molecule 3 is a protein called Voltage-gated potassium channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	103	Total	C	N	O	S	0	1	0
			783	514	136	131	2			


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	2	ALA	PRO	engineered mutation	UNP P0A334
C	71	ALA	GLU	engineered mutation	UNP P0A334
C	90	CYS	LEU	engineered mutation	UNP P0A334

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	7	Total	K	0	0
			7	7		

- Molecule 5 is NONAN-1-OL (CCD ID: F09) (formula: C₉H₂₀O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			10	9	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	10	Total	O	0	0
			10	10		
6	B	24	Total	O	0	0
			24	24		
6	C	9	Total	O	0	0
			9	9		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ANTIBODY FAB FRAGMENT HEAVY CHAIN



• Molecule 2: ANTIBODY FAB FRAGMENT LIGHT CHAIN



• Molecule 3: Voltage-gated potassium channel



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	155.16Å 155.16Å 75.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 50.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.50) 89.3 (50.00-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.238 , 0.261 0.252 , 0.276	Depositor DCC
R_{free} test set	3070 reflections (8.26%)	wwPDB-VP
Wilson B-factor (Å ²)	47.9	Xtriage
Anisotropy	0.396	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 40.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.036 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4140	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: K, F09

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/1692	0.98	8/2312 (0.3%)
2	B	0.46	0/1686	0.93	4/2287 (0.2%)
3	C	0.76	1/809 (0.1%)	1.17	6/1111 (0.5%)
All	All	0.52	1/4187 (0.0%)	1.00	18/5710 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	64	ARG	CZ-NH2	5.03	1.40	1.33

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	106	VAL	N-CA-C	-9.15	101.93	110.53
1	A	103	GLY	N-CA-C	8.26	125.65	114.92
1	A	96	CYS	N-CA-C	-6.65	98.99	109.50
3	C	67[A]	TRP	CB-CA-C	6.63	122.83	110.70
3	C	67[B]	TRP	CB-CA-C	6.63	122.83	110.70
3	C	60	ILE	N-CA-C	6.58	123.02	109.34
2	B	138	ASN	N-CA-C	6.12	119.86	111.54
1	A	30	THR	N-CA-C	-5.58	106.43	113.18
3	C	80	ASP	N-CA-C	-5.53	103.93	111.56
3	C	81	LEU	N-CA-C	-5.41	101.50	109.62
1	A	87	THR	N-CA-C	-5.36	101.97	109.69
1	A	204	HIS	CA-C-N	5.29	126.46	119.84
1	A	204	HIS	C-N-CA	5.29	126.46	119.84
1	A	146	LEU	N-CA-C	5.26	117.19	108.20
1	A	148	LYS	N-CA-C	5.24	116.81	108.79
2	B	80	SER	N-CA-C	5.14	117.55	111.33
2	B	114	THR	N-CA-C	-5.13	100.94	109.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	165	ASP	N-CA-C	-5.09	104.14	110.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1648	0	1616	76	0
2	B	1649	0	1576	85	0
3	C	783	0	795	21	0
4	C	7	0	0	0	0
5	C	10	0	19	2	0
6	A	10	0	0	3	0
6	B	24	0	0	6	0
6	C	9	0	0	1	0
All	All	4140	0	4006	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:35:LEU:HA	3:C:38:ILE:HD12	1.53	0.90
1:A:65:GLN:HE21	1:A:65:GLN:HA	1.38	0.87
2:B:113:PRO:HB3	2:B:139:PHE:HB3	1.59	0.85
2:B:90:GLN:O	6:B:228:HOH:O	1.96	0.83
1:A:65:GLN:HA	1:A:65:GLN:NE2	1.95	0.82
2:B:149:LYS:HB2	2:B:193:THR:OG1	1.81	0.81
1:A:55:TYR:CE1	3:C:45:TYR:OH	2.36	0.79
2:B:16:GLY:O	2:B:77:SER:HA	1.86	0.75
3:C:58:GLN:NE2	6:C:204:HOH:O	2.19	0.74
2:B:195:GLU:HG2	2:B:206:VAL:HG12	1.69	0.73
2:B:155:ARG:HD2	2:B:156:GLN:H	1.54	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:GLN:HE21	1:A:109:GLY:HA3	1.52	0.73
2:B:3:LEU:HB3	2:B:26:SER:HB3	1.72	0.72
2:B:159:VAL:HG22	2:B:179:LEU:HB2	1.72	0.71
2:B:90:GLN:NE2	6:B:225:HOH:O	2.15	0.71
2:B:136:LEU:HD11	2:B:196:ALA:HB2	1.74	0.70
1:A:140:MET:HE3	1:A:187:THR:HG22	1.73	0.69
1:A:204:HIS:CE1	1:A:206:ALA:HB3	2.28	0.69
1:A:136:GLN:NE2	1:A:136:GLN:H	1.91	0.69
3:C:26:TRP:HA	3:C:26:TRP:CE3	2.28	0.69
2:B:97:THR:OG1	6:B:225:HOH:O	2.09	0.68
1:A:3:GLN:HB2	1:A:107:VAL:HG21	1.75	0.68
1:A:129:LEU:HB2	1:A:144:GLY:O	1.94	0.68
2:B:19:VAL:HG12	2:B:75:ILE:HB	1.75	0.67
1:A:4:LEU:HD23	1:A:96:CYS:SG	2.35	0.66
2:B:175:MET:HG2	2:B:176:SER:N	2.11	0.66
1:A:157:VAL:HG22	1:A:202:VAL:HG22	1.78	0.65
1:A:6:GLN:NE2	1:A:111:GLY:H	1.95	0.64
1:A:102:ASP:O	2:B:50:TYR:OH	2.11	0.64
1:A:152:PRO:HD2	1:A:206:ALA:CB	2.27	0.64
2:B:193:THR:HG22	2:B:208:SER:OG	1.98	0.63
2:B:183:LYS:O	2:B:187:GLU:HG2	2.00	0.62
2:B:32:ASP:OD1	3:C:64:ARG:NH1	2.24	0.62
2:B:61:ARG:NH1	2:B:82:ASP:OD2	2.25	0.62
2:B:108:ARG:HB2	6:B:231:HOH:O	1.99	0.62
1:A:127:TYR:HB3	2:B:121:SER:OG	2.00	0.61
1:A:67:LYS:O	1:A:83:LEU:HA	2.01	0.61
2:B:85:ASN:ND2	2:B:103:LYS:HD3	2.16	0.61
2:B:2:ILE:HB	6:B:225:HOH:O	2.00	0.60
1:A:74:LYS:HA	1:A:74:LYS:HZ3	1.66	0.59
2:B:23:CYS:SG	2:B:33:ILE:HD11	2.44	0.58
1:A:39:GLN:O	1:A:92:ALA:HB1	2.04	0.58
2:B:115:VAL:HG22	2:B:136:LEU:CD1	2.34	0.57
1:A:182:LEU:C	1:A:182:LEU:HD12	2.30	0.57
2:B:32:ASP:OD2	3:C:64:ARG:NH2	2.25	0.57
2:B:192:TYR:HB2	2:B:209:PHE:CE2	2.40	0.57
1:A:54:SER:HA	1:A:74:LYS:HD2	1.87	0.56
2:B:85:ASN:HD21	2:B:103:LYS:HD3	1.70	0.56
1:A:101:GLY:HA3	3:C:62:TYR:CE1	2.40	0.56
2:B:147:LYS:HB3	2:B:195:GLU:HB2	1.87	0.55
2:B:32:ASP:CG	3:C:64:ARG:HH22	2.13	0.55
1:A:178:ASP:O	1:A:179:LEU:HD23	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:GLN:HE21	1:A:65:GLN:CA	2.13	0.54
1:A:98:ARG:HD3	1:A:100:ARG:NH1	2.22	0.54
2:B:61:ARG:HH12	2:B:82:ASP:CG	2.14	0.54
1:A:148:LYS:CB	1:A:181:THR:HG23	2.38	0.54
1:A:63:LYS:HD2	2:B:1:ASP:OD2	2.08	0.54
1:A:153:GLU:OE1	1:A:154:PRO:HA	2.08	0.54
2:B:90:GLN:OE1	2:B:92:ASN:N	2.40	0.53
2:B:115:VAL:HG22	2:B:136:LEU:HD13	1.89	0.53
1:A:148:LYS:HB3	1:A:181:THR:HG23	1.89	0.53
2:B:24:ARG:HA	2:B:69:THR:O	2.08	0.53
2:B:76:ASN:ND2	6:B:226:HOH:O	2.41	0.53
3:C:68:TRP:HD1	3:C:81:LEU:HD13	1.73	0.52
1:A:6:GLN:HE21	1:A:109:GLY:CA	2.23	0.52
3:C:26:TRP:HA	3:C:26:TRP:HE3	1.70	0.52
1:A:52:ILE:O	1:A:52:ILE:HG23	2.08	0.52
1:A:194:PRO:C	1:A:196:GLU:H	2.18	0.51
3:C:82:TYR:H	3:C:82:TYR:HD1	1.59	0.51
1:A:128:PRO:HG3	1:A:213:LYS:CG	2.39	0.51
2:B:184:ASP:O	2:B:188:ARG:HG2	2.11	0.51
1:A:54:SER:O	1:A:55:TYR:CD1	2.64	0.51
1:A:28:THR:HB	6:A:222:HOH:O	2.11	0.51
2:B:115:VAL:HA	2:B:135:PHE:O	2.11	0.50
1:A:128:PRO:HG3	1:A:213:LYS:HG3	1.93	0.50
2:B:212:ASN:C	2:B:212:ASN:HD22	2.19	0.50
2:B:149:LYS:HB2	2:B:193:THR:HG1	1.72	0.50
1:A:20:LEU:HD12	1:A:81:MET:HE2	1.94	0.50
2:B:140:TYR:HA	2:B:141:PRO:C	2.37	0.49
2:B:170:ASP:O	2:B:171:SER:HB2	2.11	0.49
1:A:86:LEU:HA	1:A:90:ASP:OD2	2.11	0.49
3:C:99:GLY:O	3:C:103:PHE:HD1	1.95	0.49
1:A:54:SER:C	1:A:55:TYR:CD1	2.91	0.49
1:A:6:GLN:NE2	1:A:109:GLY:HA3	2.24	0.49
1:A:33:TRP:CE3	1:A:50:GLU:HG3	2.47	0.49
2:B:89:GLN:HB2	2:B:98:PHE:CD1	2.48	0.48
3:C:118:GLU:OE1	3:C:121:ARG:HD3	2.12	0.48
2:B:156:GLN:O	2:B:157:ASN:C	2.57	0.48
2:B:136:LEU:HD22	2:B:136:LEU:N	2.29	0.48
2:B:92:ASN:ND2	2:B:93:ARG:HG3	2.29	0.48
1:A:152:PRO:HD2	1:A:206:ALA:HB1	1.95	0.47
1:A:121:THR:CG2	1:A:207:SER:HB3	2.44	0.47
2:B:183:LYS:C	2:B:187:GLU:HG2	2.40	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:TRP:CE2	2:B:44:PRO:HB2	2.50	0.47
2:B:187:GLU:HA	2:B:187:GLU:OE2	2.15	0.47
2:B:181:LEU:HD22	2:B:185:GLU:HG2	1.97	0.46
2:B:38:GLN:O	2:B:84:ALA:HB1	2.16	0.46
1:A:171:PHE:CG	2:B:176:SER:HB3	2.50	0.46
2:B:2:ILE:HD11	2:B:93:ARG:HD2	1.97	0.46
2:B:29:ILE:HB	2:B:92:ASN:HB2	1.98	0.46
2:B:156:GLN:O	2:B:159:VAL:HG23	2.16	0.46
1:A:102:ASP:OD1	1:A:102:ASP:N	2.43	0.46
2:B:12:SER:HB3	2:B:107:LYS:HE2	1.97	0.46
3:C:82:TYR:CD1	3:C:82:TYR:N	2.84	0.46
3:C:80:ASP:HB2	3:C:82:TYR:CE1	2.51	0.45
1:A:199:THR:HG23	1:A:213:LYS:C	2.41	0.45
1:A:36:TRP:CZ3	1:A:96:CYS:HB3	2.52	0.45
1:A:144:GLY:HA2	1:A:159:TRP:CH2	2.51	0.45
1:A:83:LEU:HB3	1:A:86:LEU:HD21	1.99	0.45
2:B:108:ARG:NH1	2:B:172:THR:HG23	2.31	0.45
1:A:140:MET:SD	1:A:189:PRO:HA	2.57	0.45
1:A:192:SER:O	1:A:196:GLU:HB2	2.16	0.44
1:A:137:THR:OG1	1:A:138:ASN:N	2.50	0.44
2:B:108:ARG:NH1	2:B:172:THR:CG2	2.80	0.44
1:A:185:SER:HB3	2:B:135:PHE:CE2	2.52	0.44
2:B:16:GLY:C	2:B:77:SER:HA	2.41	0.44
1:A:176:GLN:O	1:A:177:SER:HB2	2.17	0.44
2:B:14:SER:O	2:B:17:GLU:HB2	2.18	0.44
2:B:15:PRO:HD3	2:B:107:LYS:O	2.18	0.44
3:C:44:SER:OG	3:C:66:LEU:HA	2.17	0.44
3:C:46:LEU:HD13	5:C:202:F09:H51	2.00	0.44
3:C:94:VAL:HG21	5:C:202:F09:C1	2.48	0.44
1:A:193:TRP:CD1	1:A:194:PRO:HA	2.54	0.43
1:A:1:GLN:CG	6:A:229:HOH:O	2.66	0.43
1:A:35:HIS:CD2	1:A:105:PHE:HE2	2.36	0.43
2:B:151:ASP:OD1	2:B:190:ASN:HB3	2.18	0.43
1:A:218:ARG:O	1:A:219:ASP:C	2.61	0.43
1:A:119:ALA:HB3	1:A:151:PHE:CE2	2.53	0.43
1:A:53:PRO:C	1:A:55:TYR:H	2.27	0.43
1:A:104:TYR:HE2	2:B:50:TYR:HE1	1.66	0.43
2:B:165:ASP:O	2:B:166:GLN:C	2.62	0.43
1:A:1:GLN:HG3	6:A:229:HOH:O	2.18	0.43
3:C:68:TRP:CD1	3:C:81:LEU:HD13	2.53	0.43
1:A:91:SER:O	1:A:92:ALA:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:94:TRP:HB2	3:C:60:ILE:HD13	2.01	0.42
2:B:61:ARG:O	2:B:75:ILE:HA	2.19	0.42
2:B:137:ASN:HB3	2:B:138:ASN:HD22	1.83	0.42
2:B:55:ILE:HG22	2:B:56:SER:N	2.34	0.42
2:B:179:LEU:HD11	2:B:181:LEU:HD21	2.00	0.42
1:A:140:MET:HE3	1:A:187:THR:CG2	2.45	0.42
2:B:155:ARG:CD	2:B:156:GLN:H	2.26	0.42
2:B:111:ALA:O	2:B:139:PHE:HA	2.19	0.42
1:A:38:LYS:HB2	1:A:48:ILE:HD11	2.00	0.42
1:A:195:SER:O	1:A:196:GLU:HG3	2.20	0.42
2:B:124:GLN:HG2	2:B:129:GLY:O	2.20	0.42
1:A:191:SER:OG	1:A:192:SER:N	2.52	0.41
2:B:118:PHE:HA	2:B:119:PRO:HD3	1.76	0.41
2:B:155:ARG:HD2	2:B:156:GLN:N	2.29	0.41
1:A:121:THR:HG21	1:A:207:SER:HB3	2.02	0.41
2:B:15:PRO:HG3	2:B:106:ILE:CG2	2.51	0.41
2:B:45:ARG:HH11	2:B:45:ARG:HG2	1.84	0.41
2:B:191:SER:HB3	2:B:210:ASN:CG	2.44	0.41
1:A:69:THR:HB	1:A:82:GLN:HB3	2.01	0.41
2:B:142:LYS:HB3	2:B:173:TYR:CD2	2.56	0.41
2:B:142:LYS:HB3	2:B:173:TYR:CG	2.56	0.41
1:A:12:VAL:O	1:A:116:VAL:HA	2.21	0.41
1:A:129:LEU:HB3	2:B:118:PHE:CD2	2.55	0.41
1:A:136:GLN:H	1:A:136:GLN:CD	2.28	0.41
2:B:23:CYS:HB2	2:B:35:TRP:CH2	2.56	0.41
3:C:62:TYR:HB2	3:C:63:PRO:HD3	2.02	0.41
1:A:173:ALA:HA	1:A:182:LEU:HB3	2.03	0.41
2:B:33:ILE:HG21	2:B:71:PHE:CD2	2.56	0.41
1:A:1:GLN:N	1:A:1:GLN:CD	2.79	0.40
2:B:12:SER:HA	2:B:105:GLU:O	2.22	0.40
2:B:108:ARG:HH11	2:B:172:THR:HG23	1.85	0.40
1:A:104:TYR:CE2	2:B:49:LYS:HD2	2.56	0.40
1:A:81:MET:HE3	1:A:83:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/219 (99%)	187 (86%)	25 (12%)	5 (2%)	5	8
2	B	210/212 (99%)	188 (90%)	19 (9%)	3 (1%)	9	17
3	C	102/124 (82%)	102 (100%)	0	0	100	100
All	All	529/555 (95%)	477 (90%)	44 (8%)	8 (2%)	8	16

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	192	SER
1	A	197	THR
1	A	54	SER
1	A	136	GLN
1	A	178	ASP
2	B	199	LYS
2	B	51	ALA
2	B	67	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/185 (100%)	178 (96%)	7 (4%)	29	56
2	B	190/190 (100%)	185 (97%)	5 (3%)	40	68
3	C	75/90 (83%)	71 (95%)	4 (5%)	20	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	450/465 (97%)	434 (96%)	16 (4%)	31 58

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	LYS
1	A	120	LYS
1	A	136	GLN
1	A	154	PRO
1	A	174	VAL
1	A	201	ASN
1	A	211	VAL
2	B	4	LEU
2	B	175	MET
2	B	176	SER
2	B	179	LEU
2	B	212	ASN
3	C	26	TRP
3	C	69	SER
3	C	81	LEU
3	C	82	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	6	GLN
1	A	65	GLN
1	A	136	GLN
1	A	176	GLN
2	B	37	GLN
2	B	85	ASN
2	B	92	ASN
2	B	137	ASN
2	B	138	ASN
2	B	190	ASN
2	B	210	ASN
2	B	212	ASN
3	C	119	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 7 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	F09	C	202	-	9,9,9	1.24	1 (11%)	8,8,8	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	F09	C	202	-	-	4/7/7/7	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	202	F09	OXT-C9	-3.59	1.23	1.42

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	C	202	F09	C7-C8-C9-OXT
5	C	202	F09	C2-C3-C4-C5
5	C	202	F09	C1-C2-C3-C4
5	C	202	F09	C3-C4-C5-C6

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	202	F09	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/219 (100%)	1.15	36 (16%) 4 3	38, 73, 90, 111	0
2	B	212/212 (100%)	0.77	20 (9%) 14 12	23, 65, 96, 109	0
3	C	103/124 (83%)	0.50	7 (6%) 23 20	17, 42, 73, 78	1 (0%)
All	All	534/555 (96%)	0.87	63 (11%) 9 7	17, 67, 94, 111	1 (0%)

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	55	TYR	5.8
1	A	216	VAL	4.4
1	A	196	GLU	4.3
1	A	217	PRO	4.0
1	A	133	SER	3.8
2	B	118	PHE	3.7
3	C	23	ALA	3.5
2	B	128	GLY	3.4
1	A	219	ASP	3.3
2	B	180	THR	3.1
1	A	192	SER	3.1
3	C	67[A]	TRP	3.1
2	B	125	LEU	3.0
1	A	147	VAL	3.0
1	A	218	ARG	3.0
3	C	119	GLN	3.0
3	C	79	GLY	3.0
3	C	45	TYR	2.9
2	B	133	VAL	2.8
1	A	82	GLN	2.8
2	B	143	ASP	2.8
1	A	124	PRO	2.7
2	B	148	TRP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	195	SER	2.7
1	A	211	VAL	2.6
1	A	29	PHE	2.6
3	C	123	GLY	2.6
1	A	117	SER	2.6
1	A	143	LEU	2.5
2	B	206	VAL	2.5
1	A	197	THR	2.5
2	B	183	LYS	2.5
1	A	136	GLN	2.5
1	A	183	SER	2.4
2	B	121	SER	2.4
1	A	28	THR	2.4
1	A	17	SER	2.4
1	A	132	GLY	2.4
1	A	26	GLY	2.3
1	A	83	LEU	2.3
2	B	117	ILE	2.3
2	B	145	ASN	2.3
1	A	146	LEU	2.3
2	B	154	GLU	2.3
3	C	124	HIS	2.3
1	A	134	ALA	2.2
1	A	206	ALA	2.2
2	B	147	LYS	2.2
1	A	126	VAL	2.2
2	B	132	VAL	2.2
1	A	64	ILE	2.2
1	A	194	PRO	2.2
1	A	30	THR	2.1
2	B	129	GLY	2.1
2	B	119	PRO	2.1
1	A	25	SER	2.1
2	B	209	PHE	2.0
1	A	62	GLU	2.0
1	A	131	PRO	2.0
2	B	186	TYR	2.0
2	B	208	SER	2.0
1	A	213	LYS	2.0
1	A	193	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	K	C	128	1/1	0.66	0.20	88,88,88,88	1
5	F09	C	202	10/10	0.89	0.31	90,94,99,100	0
4	K	C	130	1/1	0.90	0.19	71,71,71,71	1
4	K	C	129	1/1	0.92	0.23	107,107,107,107	1
4	K	C	131	1/1	0.93	0.18	55,55,55,55	1
4	K	C	125	1/1	0.94	0.11	56,56,56,56	1
4	K	C	126	1/1	0.97	0.07	57,57,57,57	1
4	K	C	127	1/1	0.98	0.08	68,68,68,68	1

6.5 Other polymers [i](#)

There are no such residues in this entry.