



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:51 AM UTC

PDB ID : 4ATF / pdb_00004atf
Title : Crystal structure of inactivated mutant beta-agarase B in complex with agaro-octaose
Authors : Bernard, T.; Hehemann, J.H.; Correc, G.; Jam, M.; Michel, G.; Czjzek, M.
Deposited on : 2012-05-06
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	 80% 14% ..
1	B	308	 84% 9% .
1	C	308	 83% 11% ..
1	D	308	 83% 12% .
2	E	8	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	8	 62% 38%
2	G	8	 62% 38%
2	H	8	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GAL	E	1	-	-	X	X
2	AAL	F	4	X	-	-	-
2	AAL	G	2	X	-	-	-
2	GAL	G	3	X	-	-	-
2	AAL	G	4	-	-	X	-
2	GAL	H	1	-	-	X	X
2	AAL	H	4	X	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-AGARASE B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	S	0	9	0
			2482	1575	413	488	6			
1	B	296	Total	C	N	O	S	0	4	0
			2454	1557	407	484	6			
1	C	297	Total	C	N	O	S	0	2	0
			2443	1553	406	478	6			
1	D	297	Total	C	N	O	S	0	4	0
			2461	1561	412	482	6			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	47	HIS	-	expression tag	UNP Q9RGX8
A	48	HIS	-	expression tag	UNP Q9RGX8
A	49	HIS	-	expression tag	UNP Q9RGX8
A	50	HIS	-	expression tag	UNP Q9RGX8
A	51	HIS	-	expression tag	UNP Q9RGX8
A	52	HIS	-	expression tag	UNP Q9RGX8
A	189	ASP	GLU	engineered mutation	UNP Q9RGX8
A	354	LEU	-	expression tag	UNP Q9RGX8
B	47	HIS	-	expression tag	UNP Q9RGX8
B	48	HIS	-	expression tag	UNP Q9RGX8
B	49	HIS	-	expression tag	UNP Q9RGX8
B	50	HIS	-	expression tag	UNP Q9RGX8
B	51	HIS	-	expression tag	UNP Q9RGX8
B	52	HIS	-	expression tag	UNP Q9RGX8
B	189	ASP	GLU	engineered mutation	UNP Q9RGX8
B	354	LEU	-	expression tag	UNP Q9RGX8
C	47	HIS	-	expression tag	UNP Q9RGX8
C	48	HIS	-	expression tag	UNP Q9RGX8
C	49	HIS	-	expression tag	UNP Q9RGX8
C	50	HIS	-	expression tag	UNP Q9RGX8
C	51	HIS	-	expression tag	UNP Q9RGX8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	52	HIS	-	expression tag	UNP Q9RGX8
C	189	ASP	GLU	engineered mutation	UNP Q9RGX8
C	354	LEU	-	expression tag	UNP Q9RGX8
D	47	HIS	-	expression tag	UNP Q9RGX8
D	48	HIS	-	expression tag	UNP Q9RGX8
D	49	HIS	-	expression tag	UNP Q9RGX8
D	50	HIS	-	expression tag	UNP Q9RGX8
D	51	HIS	-	expression tag	UNP Q9RGX8
D	52	HIS	-	expression tag	UNP Q9RGX8
D	189	ASP	GLU	engineered mutation	UNP Q9RGX8
D	354	LEU	-	expression tag	UNP Q9RGX8

- Molecule 2 is an oligosaccharide called 3,6-anhydro- α -L-galactopyranose-(1-3)- β -D-galactopyranose-(1-4)-3,6-anhydro- α -L-galactopyranose-(1-3)- β -D-galactopyranose-(1-4)-3,6-anhydro- α -L-galactopyranose-(1-3)- β -D-galactopyranose-(1-4)-3,6-anhydro- α -L-galactopyranose-(1-3)- β -D-galactopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	E	8	Total	C	O	0	0	0
			85	48	37			
2	F	8	Total	C	O	0	0	0
			85	48	37			
2	G	8	Total	C	O	0	0	0
			85	48	37			
2	H	8	Total	C	O	0	0	0
			85	48	37			

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		
3	D	1	Total	Na	0	0
			1	1		


- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	243	Total 243	O 243	0	0
4	B	250	Total 250	O 250	0	0
4	C	225	Total 225	O 225	0	0
4	D	227	Total 227	O 227	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BETA-AGARASE B

Chain A:  80% 14% ...




- Molecule 1: BETA-AGARASE B

Chain B: 84% 9% . .




- Molecule 1: BETA-AGARASE B

Chain C:  83% 11% .. .



- Molecule 1: BETA-AGARASE B

Chain D:  83% 12% •





• Molecule 2: 3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose

Chain E: 50% 50%



• Molecule 2: 3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose

Chain F: 62% 38%



• Molecule 2: 3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose

Chain G: 62% 38%



• Molecule 2: 3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose-(1-4)-3,6-anhydro-alpha-L-galactopyranose-(1-3)-beta-D-galactopyranose

Chain H: 50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.19Å 106.23Å 96.98Å 90.00° 93.22° 90.00°	Depositor
Resolution (Å)	65.35 – 1.90 65.35 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.3 (65.35-1.90) 97.2 (65.35-1.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.11 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.134 , 0.190 (Not available) , 0.183	Depositor DCC
R_{free} test set	5816 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	14.2	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11129	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 72.88 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0333e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, NA, AAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.37	5/2557 (0.2%)	1.18	13/3484 (0.4%)
1	B	1.42	7/2528 (0.3%)	1.17	10/3442 (0.3%)
1	C	1.39	6/2517 (0.2%)	1.17	11/3428 (0.3%)
1	D	1.40	5/2537 (0.2%)	1.21	11/3454 (0.3%)
All	All	1.40	23/10139 (0.2%)	1.18	45/13808 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	131	MET	CB-CG	-9.03	1.25	1.52
1	C	313	ARG	CD-NE	-7.73	1.35	1.46
1	A	313	ARG	CD-NE	-7.69	1.35	1.46
1	B	131	MET	CB-CG	-7.48	1.30	1.52
1	B	313	ARG	CD-NE	-6.91	1.36	1.46
1	C	246	ARG	CD-NE	-6.89	1.36	1.46
1	C	131	MET	CB-CG	-6.68	1.32	1.52
1	A	246	ARG	CD-NE	-6.57	1.37	1.46
1	D	313	ARG	CD-NE	-6.54	1.37	1.46
1	C	285	ASP	CA-CB	6.53	1.57	1.52
1	D	145	GLY	N-CA	6.50	1.51	1.44
1	C	216	VAL	CA-CB	6.28	1.63	1.54
1	B	226	GLN	N-CA	6.24	1.51	1.45
1	B	135	ARG	CD-NE	-6.21	1.37	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	209	LYS	N-CA	6.00	1.53	1.46
1	D	236	ASP	N-CA	5.81	1.52	1.46
1	B	179	ALA	CA-CB	5.57	1.62	1.53
1	B	187	ILE	CA-CB	-5.55	1.49	1.55
1	C	264	VAL	N-CA	5.40	1.52	1.46
1	A	135	ARG	CD-NE	-5.36	1.38	1.46
1	D	246	ARG	CD-NE	-5.36	1.38	1.46
1	B	246	ARG	CD-NE	-5.26	1.38	1.46
1	A	187	ILE	C-O	5.10	1.28	1.23

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	313	ARG	NE-CZ-NH1	-18.63	102.87	121.50
1	D	313	ARG	NE-CZ-NH1	-16.74	104.76	121.50
1	A	313	ARG	NE-CZ-NH1	-15.54	105.96	121.50
1	A	313	ARG	NE-CZ-NH2	13.22	131.09	119.20
1	C	313	ARG	CD-NE-CZ	12.95	142.52	124.40
1	D	313	ARG	NE-CZ-NH2	12.67	130.60	119.20
1	C	313	ARG	NE-CZ-NH2	12.03	130.02	119.20
1	B	313	ARG	NE-CZ-NH2	-11.92	108.47	119.20
1	D	246	ARG	NE-CZ-NH2	-11.36	108.98	119.20
1	A	246	ARG	NE-CZ-NH2	-10.24	109.98	119.20
1	B	135	ARG	NE-CZ-NH2	-9.69	110.48	119.20
1	D	135	ARG	NE-CZ-NH2	-9.45	110.69	119.20
1	D	313	ARG	CG-CD-NE	-9.06	92.06	112.00
1	A	313	ARG	CG-CD-NE	-8.79	92.65	112.00
1	D	246	ARG	NE-CZ-NH1	8.71	130.21	121.50
1	D	313	ARG	CD-NE-CZ	8.56	136.38	124.40
1	A	313	ARG	CD-NE-CZ	8.32	136.05	124.40
1	A	187	ILE	N-CA-C	-8.13	105.31	111.90
1	A	135	ARG	NE-CZ-NH2	-7.86	112.13	119.20
1	C	246	ARG	NE-CZ-NH2	-7.84	112.14	119.20
1	B	313	ARG	CG-CD-NE	-7.61	95.26	112.00
1	B	313	ARG	NE-CZ-NH1	7.52	129.02	121.50
1	B	246	ARG	NE-CZ-NH2	-7.51	112.44	119.20
1	B	65	VAL	CB-CA-C	7.47	117.89	110.94
1	C	135	ARG	NE-CZ-NH1	7.32	128.82	121.50
1	C	135	ARG	NE-CZ-NH2	-7.16	112.76	119.20
1	D	135	ARG	NE-CZ-NH1	6.75	128.25	121.50
1	A	135	ARG	NE-CZ-NH1	6.54	128.04	121.50
1	B	313	ARG	CD-NE-CZ	6.54	133.56	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246	ARG	NE-CZ-NH1	6.38	127.88	121.50
1	C	313	ARG	CG-CD-NE	-6.25	98.25	112.00
1	A	124	VAL	CB-CA-C	6.20	119.38	110.33
1	D	65	VAL	CB-CA-C	6.14	116.65	110.94
1	A	186	ASP	CA-C-N	-5.95	116.89	122.66
1	A	186	ASP	C-N-CA	-5.95	116.89	122.66
1	B	135	ARG	NE-CZ-NH1	5.92	127.42	121.50
1	C	246	ARG	NE-CZ-NH1	5.86	127.36	121.50
1	B	246	ARG	NE-CZ-NH1	5.54	127.04	121.50
1	C	135	ARG	CD-NE-CZ	5.48	132.07	124.40
1	D	187	ILE	N-CA-C	-5.39	106.92	111.56
1	C	131	MET	CG-SD-CE	-5.25	89.35	100.90
1	C	201	LYS	N-CA-C	5.18	116.16	108.60
1	D	65	VAL	CG1-CB-CG2	5.07	121.96	110.80
1	B	95	SER	CA-CB-OG	-5.05	101.00	111.10
1	A	192	GLY	N-CA-C	5.04	121.93	115.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	313	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2482	0	2303	54	0
1	B	2454	0	2276	30	0
1	C	2443	0	2281	40	0
1	D	2461	0	2284	42	0
2	E	85	0	66	21	0
2	F	85	0	67	7	0
2	G	85	0	67	20	0
2	H	85	0	66	29	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	243	0	0	8	0
4	B	250	0	0	5	0
4	C	225	0	0	6	0
4	D	227	0	0	6	0
All	All	11129	0	9410	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:HIS:NE2	2:G:4:AAL:H4	1.50	1.24
1:A:205:TYR:CE2	2:E:1:GAL:H3	1.75	1.20
1:D:189:ASP:OD2	2:H:4:AAL:H3	1.45	1.17
4:C:2123:HOH:O	2:G:4:AAL:H62	0.96	1.12
2:H:4:AAL:H5	2:H:5:GAL:H2	1.37	1.05
1:A:284:THR:HG23	4:A:2205:HOH:O	1.58	1.03
4:B:2122:HOH:O	2:F:4:AAL:H4	1.58	1.02
1:B:323:ASN:HB2	4:B:2235:HOH:O	1.60	0.99
1:C:211:HIS:HE1	2:G:4:AAL:O2	1.46	0.98
1:D:205:TYR:CE2	2:H:1:GAL:H3	2.01	0.95
1:D:87:GLU:OE2	4:D:2032:HOH:O	1.83	0.94
1:C:211:HIS:CE1	2:G:4:AAL:O2	2.21	0.93
1:C:65[A]:VAL:HG21	1:C:75:TRP:CD1	2.02	0.92
1:C:226:GLN:NE2	2:G:4:AAL:O2	2.02	0.91
1:A:205:TYR:CZ	2:E:1:GAL:H3	2.05	0.90
2:H:4:AAL:C5	2:H:5:GAL:H2	2.02	0.90
4:C:2123:HOH:O	2:G:4:AAL:C6	1.66	0.90
1:A:205:TYR:CE1	2:E:1:GAL:H1	2.07	0.88
1:C:211:HIS:CE1	2:G:4:AAL:C2	2.58	0.86
1:A:205:TYR:CE2	2:E:1:GAL:C3	2.58	0.85
1:D:205:TYR:CG	2:H:1:GAL:H5	2.11	0.85
1:A:205:TYR:CG	2:E:1:GAL:H5	2.10	0.85
1:A:211:HIS:CE1	2:E:4:AAL:O2	2.30	0.84
1:D:211:HIS:CE1	2:H:4:AAL:H2	2.12	0.84
1:A:205:TYR:CZ	2:E:1:GAL:H1	2.12	0.84
1:C:215:HIS:NE2	2:G:4:AAL:C4	2.39	0.83
1:C:58:VAL:N	4:C:2001:HOH:O	2.15	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:2204:HOH:O	2:H:4:AAL:H61	1.81	0.78
1:D:104:PHE:O	1:D:148[B]:THR:HG22	1.83	0.78
1:B:323:ASN:CB	4:B:2235:HOH:O	2.25	0.78
1:A:210[B]:VAL:HG12	4:A:2121:HOH:O	1.83	0.77
1:D:349:LYS:HE2	4:D:2103:HOH:O	1.83	0.77
1:A:135:ARG:HD2	1:A:329:ASP:OD1	1.85	0.77
1:B:184[A]:GLU:OE2	2:F:5:GAL:C1	2.33	0.77
1:C:211:HIS:CE1	2:G:4:AAL:H2	2.19	0.75
1:A:241:ASN:HD22	1:A:241:ASN:C	1.95	0.75
1:C:211:HIS:HE1	2:G:4:AAL:C2	1.98	0.75
1:A:85:GLU:OE2	4:A:2024:HOH:O	2.05	0.75
2:H:4:AAL:H5	2:H:5:GAL:C2	2.17	0.74
4:C:2122:HOH:O	2:G:4:AAL:H2	1.88	0.74
1:A:184[B]:GLU:OE2	1:A:186:ASP:OD1	2.06	0.74
1:D:211:HIS:ND1	2:H:4:AAL:H2	2.03	0.74
1:C:183:GLN:HE22	1:C:299:LYS:H	1.34	0.74
1:A:159[B]:ILE:HD11	1:A:345:ILE:HD11	1.70	0.73
1:D:205:TYR:CD2	2:H:1:GAL:H4	2.23	0.73
1:D:205:TYR:CD2	2:H:1:GAL:H5	2.24	0.72
1:D:215:HIS:HD2	1:D:224:ASP:OD1	1.72	0.72
1:D:205:TYR:CE2	2:H:1:GAL:C3	2.73	0.71
1:B:135:ARG:HD2	1:B:329:ASP:OD1	1.90	0.71
1:C:65[A]:VAL:CG2	1:C:75:TRP:CD1	2.74	0.71
1:D:189:ASP:OD2	2:H:4:AAL:C3	2.32	0.71
1:A:205:TYR:CD1	2:E:1:GAL:H5	2.27	0.70
1:D:205:TYR:CZ	2:H:1:GAL:H1	2.28	0.68
1:D:205:TYR:CE1	2:H:1:GAL:H1	2.27	0.68
1:D:88:ALA:HB3	1:D:124:VAL:HG13	1.73	0.68
4:A:2120:HOH:O	2:E:4:AAL:C4	2.40	0.68
1:D:241:ASN:C	1:D:241:ASN:HD22	2.02	0.68
1:D:205:TYR:CZ	2:H:1:GAL:H3	2.29	0.67
2:H:4:AAL:C5	2:H:5:GAL:C2	2.73	0.66
2:G:4:AAL:H5	2:G:5:GAL:H2	1.77	0.66
1:A:205:TYR:CD2	2:E:1:GAL:H4	2.30	0.66
1:A:183:GLN:HE22	1:A:299:LYS:H	1.44	0.65
1:B:205:TYR:CZ	2:F:1:GAL:H1	2.31	0.65
1:A:211:HIS:CE1	1:A:226:GLN:HE22	2.15	0.65
1:B:184[B]:GLU:OE2	1:B:186:ASP:OD1	2.15	0.64
1:C:226:GLN:CD	2:G:4:AAL:HO2	2.04	0.64
1:A:210[B]:VAL:CG1	4:A:2121:HOH:O	2.44	0.63
1:B:160:GLU:OE1	1:B:246:ARG:HD2	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:ASN:CG	4:B:2235:HOH:O	2.42	0.63
1:A:211:HIS:HE1	2:E:4:AAL:O2	1.82	0.62
1:C:256:HIS:HE1	1:C:258:GLU:OE2	1.84	0.61
1:C:211:HIS:ND1	2:G:4:AAL:H2	2.16	0.61
1:A:205:TYR:CD2	2:E:1:GAL:H5	2.36	0.61
1:A:203:HIS:CE1	1:A:313:ARG:HH22	2.19	0.61
1:B:189:ASP:OD2	2:F:4:AAL:H3	2.01	0.61
1:B:135:ARG:CD	1:B:329:ASP:OD1	2.48	0.61
1:D:256:HIS:HE1	1:D:258:GLU:OE2	1.85	0.60
1:D:183:GLN:HE22	1:D:299:LYS:H	1.47	0.60
1:C:215:HIS:CD2	2:G:4:AAL:H4	2.33	0.60
1:C:65[A]:VAL:HG21	1:C:75:TRP:CG	2.35	0.60
1:D:205:TYR:CE2	2:H:1:GAL:H4	2.36	0.60
1:A:256:HIS:HE1	1:A:258:GLU:OE2	1.85	0.60
1:C:226:GLN:CD	2:G:4:AAL:O2	2.44	0.59
1:C:159[B]:ILE:HD11	1:C:345:ILE:HD11	1.83	0.59
1:A:211:HIS:HE1	1:A:226:GLN:HE22	1.48	0.59
1:A:205:TYR:CE2	2:E:1:GAL:C4	2.86	0.59
1:D:135:ARG:HD2	1:D:329:ASP:OD1	2.03	0.59
1:C:241:ASN:C	1:C:241:ASN:HD22	2.11	0.58
1:A:131:MET:HG2	1:A:145:GLY:HA3	1.84	0.58
1:D:205:TYR:CE2	2:H:1:GAL:C4	2.86	0.58
1:D:211:HIS:CE1	1:D:226:GLN:HE22	2.22	0.57
1:A:203:HIS:HE1	1:A:313:ARG:HH22	1.52	0.57
1:B:241:ASN:C	1:B:241:ASN:HD22	2.13	0.57
1:A:160:GLU:OE1	1:A:246:ARG:HD2	2.05	0.56
1:B:203:HIS:HE1	1:B:313:ARG:HH12	1.52	0.56
1:D:205:TYR:CD1	2:H:1:GAL:H5	2.40	0.56
1:B:159[A]:ILE:HD11	1:B:345:ILE:HD11	1.86	0.56
2:F:4:AAL:C5	2:F:5:GAL:H2	2.36	0.56
1:A:156:PRO:O	1:A:349:LYS:HE3	2.06	0.55
1:D:215:HIS:HE1	2:H:4:AAL:O2	1.89	0.55
1:B:203:HIS:CE1	1:B:313:ARG:HH12	2.23	0.55
1:B:211:HIS:CE1	1:B:226:GLN:HE22	2.24	0.55
4:D:2128:HOH:O	2:H:4:AAL:C2	2.55	0.55
1:A:184[A]:GLU:OE2	2:E:5:GAL:C1	2.55	0.54
1:A:205:TYR:CZ	2:E:1:GAL:C3	2.86	0.54
1:D:256:HIS:HD2	1:D:270:SER:OG	1.90	0.54
4:D:2128:HOH:O	2:H:4:AAL:C3	2.56	0.54
2:G:4:AAL:C5	2:G:5:GAL:H2	2.38	0.54
1:A:191:TYR:CE2	1:A:313:ARG:HD2	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:TRP:CZ2	2:E:2:AAL:H5	2.43	0.54
1:B:246:ARG:HD3	1:B:344:TRP:HH2	1.72	0.53
1:B:193:ALA:O	1:B:203:HIS:HD2	1.91	0.53
1:A:88:ALA:HB3	1:A:124:VAL:HG13	1.90	0.53
1:B:211:HIS:HE1	1:B:226:GLN:HE22	1.55	0.53
1:A:135:ARG:CD	1:A:329:ASP:OD1	2.55	0.53
1:A:61:LYS:HE3	4:A:2003:HOH:O	2.10	0.52
1:B:223:GLN:NE2	1:C:337:ASN:HD21	2.09	0.51
4:A:2098:HOH:O	1:D:272:LYS:HD2	2.09	0.51
1:A:95[B]:SER:OG	1:C:76:GLU:CG	2.58	0.51
1:D:205:TYR:CD2	2:H:1:GAL:C4	2.92	0.51
1:A:284:THR:CG2	4:A:2205:HOH:O	2.33	0.51
1:D:246:ARG:HD3	1:D:344:TRP:CH2	2.46	0.50
1:C:246:ARG:HD3	1:C:344:TRP:CH2	2.46	0.50
1:B:191:TYR:CE2	1:B:313:ARG:HD2	2.46	0.50
1:B:246:ARG:HD3	1:B:344:TRP:CH2	2.47	0.50
1:C:313:ARG:HD3	4:C:2111:HOH:O	2.11	0.49
1:B:256:HIS:HE1	1:B:258:GLU:OE2	1.94	0.49
1:D:205:TYR:CD2	2:H:1:GAL:C5	2.95	0.49
1:D:205:TYR:CB	2:H:1:GAL:O6	2.61	0.48
1:D:168:SER:C	1:D:193:ALA:HB2	2.39	0.48
1:B:85:GLU:OE2	4:B:2025:HOH:O	2.20	0.48
1:A:95[B]:SER:OG	1:C:76:GLU:HG3	2.13	0.48
2:F:4:AAL:H5	2:F:5:GAL:H2	1.94	0.48
1:A:205:TYR:CD2	2:E:1:GAL:C4	2.95	0.47
1:C:160:GLU:OE1	1:C:246:ARG:HD2	2.14	0.47
1:D:233:TRP:CZ2	2:H:2:AAL:H5	2.49	0.47
1:A:205:TYR:CE2	2:E:1:GAL:H4	2.47	0.47
1:A:104:PHE:O	1:A:148[B]:THR:HG23	2.15	0.47
1:C:135:ARG:HD2	1:C:329:ASP:OD1	2.13	0.47
1:C:168:SER:C	1:C:193:ALA:HB2	2.39	0.47
1:A:183:GLN:NE2	1:A:299:LYS:H	2.11	0.47
1:C:256:HIS:HD2	1:C:270:SER:OG	1.97	0.47
1:D:106[B]:HIS:HD2	1:D:302:ASP:OD2	1.97	0.47
1:A:193:ALA:O	1:A:203:HIS:HD2	1.98	0.47
1:B:206:PHE:CZ	2:F:1:GAL:H4	2.51	0.47
1:C:282:ASN:HB3	1:C:284:THR:O	2.15	0.46
1:B:256:HIS:HD2	1:B:270:SER:OG	1.99	0.46
1:D:135:ARG:CD	1:D:329:ASP:OD1	2.64	0.46
4:D:2128:HOH:O	2:H:4:AAL:H2	2.15	0.46
1:D:310:GLN:NE2	1:D:312:TRP:HE1	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:246:ARG:HD3	1:C:344:TRP:HH2	1.81	0.46
1:C:131:MET:HG2	1:C:145:GLY:HA3	1.98	0.45
1:B:131:MET:HG2	1:B:145:GLY:HA3	1.97	0.45
1:C:205:TYR:CZ	2:G:1:GAL:H5	2.52	0.45
1:A:205:TYR:HE2	2:E:1:GAL:H3	1.62	0.44
1:B:253:ASP:HB2	1:B:254:PRO:CD	2.48	0.44
1:A:95[B]:SER:OG	1:C:76:GLU:HG2	2.17	0.44
1:C:183:GLN:NE2	1:C:299:LYS:H	2.07	0.44
1:D:86:TYR:O	1:D:124:VAL:HG22	2.18	0.44
1:A:86:TYR:O	1:A:124:VAL:HG22	2.18	0.44
1:A:241:ASN:C	1:A:241:ASN:ND2	2.66	0.44
2:G:4:AAL:H5	2:G:5:GAL:C2	2.47	0.43
1:D:183:GLN:NE2	1:D:299:LYS:H	2.14	0.43
1:B:191:TYR:CD2	1:B:313:ARG:HD2	2.53	0.43
1:A:116:GLU:O	1:A:143:ASN:HA	2.19	0.43
1:A:253:ASP:HB2	1:A:254:PRO:CD	2.48	0.43
1:D:211:HIS:CE1	2:H:4:AAL:C2	2.93	0.42
1:B:187:ILE:HG12	1:B:249:VAL:CG2	2.49	0.42
1:D:310:GLN:HE21	1:D:312:TRP:HE1	1.66	0.42
1:A:205:TYR:CZ	2:E:1:GAL:C1	2.95	0.42
1:C:61:LYS:HE2	1:C:77:PHE:CZ	2.55	0.42
1:A:168:SER:C	1:A:193:ALA:HB2	2.45	0.41
1:A:205:TYR:CD2	2:E:1:GAL:C5	3.03	0.41
1:C:241:ASN:C	1:C:241:ASN:ND2	2.76	0.41
1:D:184:GLU:OE2	1:D:186:ASP:OD1	2.38	0.41
1:C:65[A]:VAL:HG22	4:C:2008:HOH:O	2.20	0.41
1:A:83:ASN:HA	1:A:344:TRP:HB3	2.03	0.40
1:C:205:TYR:CE1	2:G:1:GAL:H1	2.55	0.40
1:B:116:GLU:O	1:B:143:ASN:HA	2.22	0.40
1:C:220:ASP:HA	1:C:221:PRO:HA	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/308 (98%)	298 (99%)	4 (1%)	0	100	100
1	B	298/308 (97%)	293 (98%)	5 (2%)	0	100	100
1	C	297/308 (96%)	294 (99%)	3 (1%)	0	100	100
1	D	299/308 (97%)	293 (98%)	6 (2%)	0	100	100
All	All	1196/1232 (97%)	1178 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/273 (98%)	263 (98%)	6 (2%)	45	42
1	B	265/273 (97%)	260 (98%)	5 (2%)	50	47
1	C	264/273 (97%)	258 (98%)	6 (2%)	44	40
1	D	266/273 (97%)	257 (97%)	9 (3%)	32	25
All	All	1064/1092 (97%)	1038 (98%)	26 (2%)	43	38

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	124	VAL
1	A	135	ARG
1	A	220	ASP
1	A	241	ASN
1	A	265	LEU
1	A	291	ILE
1	B	65	VAL
1	B	135	ARG
1	B	241	ASN
1	B	284	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	323	ASN
1	C	131	MET
1	C	201	LYS
1	C	241	ASN
1	C	265	LEU
1	C	275	ILE
1	C	354	LEU
1	D	65	VAL
1	D	106[A]	HIS
1	D	106[B]	HIS
1	D	124	VAL
1	D	135	ARG
1	D	201	LYS
1	D	241	ASN
1	D	265	LEU
1	D	275	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	ASN
1	A	183	GLN
1	A	203	HIS
1	A	211	HIS
1	A	226	GLN
1	A	241	ASN
1	A	256	HIS
1	A	310	GLN
1	A	321	GLN
1	B	203	HIS
1	B	223	GLN
1	B	226	GLN
1	B	241	ASN
1	B	256	HIS
1	B	310	GLN
1	B	323	ASN
1	C	183	GLN
1	C	211	HIS
1	C	226	GLN
1	C	241	ASN
1	C	256	HIS
1	C	310	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	92	ASN
1	D	183	GLN
1	D	215	HIS
1	D	223	GLN
1	D	226	GLN
1	D	241	ASN
1	D	256	HIS
1	D	310	GLN
1	D	323	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

32 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GAL	E	1	2	12,12,12	0.66	0	17,17,17	1.34	2 (11%)
2	AAL	E	2	2	11,11,12	0.90	0	13,16,18	3.08	6 (46%)
2	GAL	E	3	2	11,11,12	1.10	1 (9%)	15,15,17	2.08	4 (26%)
2	AAL	E	4	2	11,11,12	0.97	0	13,16,18	2.88	5 (38%)
2	GAL	E	5	2	11,11,12	0.86	0	15,15,17	1.93	5 (33%)
2	AAL	E	6	2	11,11,12	1.80	2 (18%)	13,16,18	1.30	1 (7%)
2	GAL	E	7	2	11,11,12	1.02	0	15,15,17	1.81	4 (26%)
2	AAL	E	8	2	11,11,12	1.54	2 (18%)	13,16,18	1.51	2 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	F	1	2	12,12,12	0.56	0	17,17,17	2.48	8 (47%)
2	AAL	F	2	2	11,11,12	0.88	0	13,16,18	2.75	7 (53%)
2	GAL	F	3	2	11,11,12	0.99	1 (9%)	15,15,17	2.01	5 (33%)
2	AAL	F	4	2	11,11,12	1.15	1 (9%)	13,16,18	2.63	6 (46%)
2	GAL	F	5	2	11,11,12	1.18	1 (9%)	15,15,17	1.35	2 (13%)
2	AAL	F	6	2	11,11,12	1.73	3 (27%)	13,16,18	1.61	4 (30%)
2	GAL	F	7	2	11,11,12	1.17	2 (18%)	15,15,17	1.56	4 (26%)
2	AAL	F	8	2	11,11,12	1.30	2 (18%)	13,16,18	2.01	4 (30%)
2	GAL	G	1	2	12,12,12	0.56	0	17,17,17	1.32	1 (5%)
2	AAL	G	2	2	11,11,12	1.18	1 (9%)	13,16,18	2.26	4 (30%)
2	GAL	G	3	2	11,11,12	0.94	1 (9%)	15,15,17	2.71	6 (40%)
2	AAL	G	4	2	11,11,12	1.43	2 (18%)	13,16,18	3.57	7 (53%)
2	GAL	G	5	2	11,11,12	0.58	0	15,15,17	1.80	3 (20%)
2	AAL	G	6	2	11,11,12	1.56	2 (18%)	13,16,18	1.22	1 (7%)
2	GAL	G	7	2	11,11,12	1.26	1 (9%)	15,15,17	1.24	1 (6%)
2	AAL	G	8	2	11,11,12	1.42	2 (18%)	13,16,18	1.15	2 (15%)
2	GAL	H	1	2	12,12,12	0.79	0	17,17,17	1.62	3 (17%)
2	AAL	H	2	2	11,11,12	0.77	0	13,16,18	3.07	6 (46%)
2	GAL	H	3	2	11,11,12	0.62	0	15,15,17	3.67	4 (26%)
2	AAL	H	4	2	11,11,12	1.89	3 (27%)	13,16,18	4.25	9 (69%)
2	GAL	H	5	2	11,11,12	0.79	0	15,15,17	1.37	2 (13%)
2	AAL	H	6	2	11,11,12	1.40	1 (9%)	13,16,18	1.19	0
2	GAL	H	7	2	11,11,12	1.30	3 (27%)	15,15,17	1.41	1 (6%)
2	AAL	H	8	2	11,11,12	1.42	2 (18%)	13,16,18	1.30	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	E	1	2	-	0/2/22/22	0/1/1/1
2	AAL	E	2	2	-	-	0/3/2/2
2	GAL	E	3	2	-	2/2/19/22	0/1/1/1
2	AAL	E	4	2	-	-	0/3/2/2
2	GAL	E	5	2	-	0/2/19/22	0/1/1/1
2	AAL	E	6	2	-	-	0/3/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	E	7	2	-	0/2/19/22	0/1/1/1
2	AAL	E	8	2	-	-	0/3/2/2
2	GAL	F	1	2	-	2/2/22/22	0/1/1/1
2	AAL	F	2	2	-	-	0/3/2/2
2	GAL	F	3	2	-	1/2/19/22	0/1/1/1
2	AAL	F	4	2	1/1/4/5	-	0/3/2/2
2	GAL	F	5	2	-	0/2/19/22	0/1/1/1
2	AAL	F	6	2	-	-	0/3/2/2
2	GAL	F	7	2	-	0/2/19/22	0/1/1/1
2	AAL	F	8	2	-	-	0/3/2/2
2	GAL	G	1	2	-	2/2/22/22	0/1/1/1
2	AAL	G	2	2	1/1/4/5	-	0/3/2/2
2	GAL	G	3	2	1/1/4/5	1/2/19/22	0/1/1/1
2	AAL	G	4	2	-	-	0/3/2/2
2	GAL	G	5	2	-	0/2/19/22	0/1/1/1
2	AAL	G	6	2	-	-	0/3/2/2
2	GAL	G	7	2	-	0/2/19/22	0/1/1/1
2	AAL	G	8	2	-	-	0/3/2/2
2	GAL	H	1	2	-	2/2/22/22	0/1/1/1
2	AAL	H	2	2	-	-	0/3/2/2
2	GAL	H	3	2	-	1/2/19/22	0/1/1/1
2	AAL	H	4	2	1/1/4/5	-	0/3/2/2
2	GAL	H	5	2	-	0/2/19/22	0/1/1/1
2	AAL	H	6	2	-	-	0/3/2/2
2	GAL	H	7	2	-	0/2/19/22	0/1/1/1
2	AAL	H	8	2	-	-	0/3/2/2

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	4	AAL	C4-C3	-3.83	1.44	1.53
2	E	6	AAL	O5-C1	3.52	1.49	1.43
2	E	8	AAL	O5-C1	3.39	1.49	1.43
2	F	6	AAL	O5-C1	3.22	1.49	1.43
2	H	4	AAL	C1-C2	3.17	1.59	1.52
2	H	8	AAL	C1-C2	2.97	1.59	1.52
2	G	8	AAL	O3-C6	2.84	1.50	1.43
2	G	6	AAL	C6-C5	2.78	1.57	1.52
2	E	3	GAL	C4-C5	2.74	1.58	1.53
2	G	4	AAL	O3-C3	-2.72	1.38	1.43
2	G	4	AAL	C4-C3	-2.58	1.47	1.53
2	G	6	AAL	C1-C2	2.55	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	2	AAL	C1-C2	2.55	1.58	1.52
2	F	7	GAL	O5-C1	2.47	1.47	1.43
2	G	3	GAL	C4-C5	2.44	1.58	1.53
2	H	8	AAL	O5-C1	2.37	1.47	1.43
2	F	3	GAL	C4-C5	2.35	1.58	1.53
2	H	4	AAL	O2-C2	2.34	1.48	1.43
2	G	8	AAL	C1-C2	2.34	1.57	1.52
2	F	6	AAL	O5-C5	2.29	1.47	1.43
2	E	8	AAL	C1-C2	2.25	1.57	1.52
2	F	8	AAL	C4-C5	-2.24	1.47	1.53
2	F	5	GAL	C4-C5	2.23	1.57	1.53
2	H	6	AAL	C1-C2	2.21	1.57	1.52
2	F	7	GAL	C2-C3	2.14	1.55	1.52
2	F	4	AAL	C1-C2	2.13	1.57	1.52
2	E	6	AAL	C2-C3	2.13	1.56	1.52
2	F	6	AAL	C1-C2	2.12	1.57	1.52
2	H	7	GAL	O5-C5	2.11	1.47	1.43
2	H	7	GAL	C4-C5	2.11	1.57	1.53
2	H	7	GAL	C2-C3	2.06	1.55	1.52
2	F	8	AAL	O5-C1	2.05	1.47	1.43
2	G	7	GAL	O5-C5	2.04	1.47	1.43

All (121) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	3	GAL	C2-C3-C4	-12.30	89.22	110.86
2	H	4	AAL	C2-C3-C4	-7.77	94.60	113.85
2	G	4	AAL	O4-C4-C5	7.39	132.31	111.08
2	H	4	AAL	O4-C4-C5	7.35	132.19	111.08
2	G	3	GAL	C2-C3-C4	-7.28	98.06	110.86
2	H	4	AAL	O2-C2-C1	7.03	125.31	109.22
2	G	4	AAL	C1-C2-C3	6.92	118.76	109.29
2	E	2	AAL	O5-C5-C6	-6.80	103.39	113.33
2	E	4	AAL	O4-C4-C3	6.39	129.06	111.19
2	H	2	AAL	O5-C5-C6	-6.19	104.28	113.33
2	G	2	AAL	O4-C4-C3	6.09	128.23	111.19
2	H	2	AAL	O4-C4-C3	6.07	128.18	111.19
2	F	4	AAL	O4-C4-C3	5.82	127.48	111.19
2	F	2	AAL	O5-C5-C6	-5.17	105.78	113.33
2	F	2	AAL	O4-C4-C3	5.08	125.40	111.19
2	G	3	GAL	O3-C3-C2	-4.89	100.08	110.05
2	H	2	AAL	O3-C3-C2	-4.88	97.19	108.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	2	AAL	O4-C4-C3	4.86	124.80	111.19
2	E	4	AAL	O4-C4-C5	4.83	124.95	111.08
2	G	4	AAL	O5-C1-C2	-4.81	99.31	110.79
2	H	4	AAL	O3-C3-C2	4.62	118.49	108.12
2	F	3	GAL	O5-C5-C4	4.61	122.04	110.83
2	F	1	GAL	O5-C5-C4	4.60	117.99	109.70
2	E	5	GAL	C1-C2-C3	4.51	116.20	109.64
2	H	1	GAL	C3-C4-C5	4.48	118.35	110.23
2	F	8	AAL	O5-C5-C6	4.40	119.77	113.33
2	E	2	AAL	C1-O5-C5	-4.40	106.29	112.19
2	E	4	AAL	O5-C5-C6	-4.34	106.99	113.33
2	F	4	AAL	O4-C4-C5	4.26	123.31	111.08
2	F	1	GAL	C6-C5-C4	-4.22	102.66	113.02
2	H	4	AAL	O4-C4-C3	3.95	122.25	111.19
2	E	3	GAL	O5-C5-C4	3.93	120.40	110.83
2	G	5	GAL	C1-O5-C5	3.92	117.44	112.19
2	F	3	GAL	C2-C3-C4	-3.91	103.99	110.86
2	F	5	GAL	C1-C2-C3	3.86	115.27	109.64
2	F	1	GAL	C1-C2-C3	-3.86	102.48	110.36
2	G	4	AAL	O5-C5-C6	-3.84	107.72	113.33
2	E	3	GAL	C2-C3-C4	-3.84	104.11	110.86
2	H	7	GAL	O3-C3-C2	-3.79	102.32	110.05
2	H	3	GAL	O3-C3-C2	-3.67	102.57	110.05
2	E	7	GAL	O5-C5-C6	3.66	114.79	107.66
2	G	5	GAL	O6-C6-C5	-3.63	98.96	111.33
2	H	4	AAL	O3-C6-C5	-3.63	98.13	104.42
2	H	3	GAL	O4-C4-C5	-3.62	100.41	109.32
2	F	1	GAL	C3-C4-C5	3.54	116.64	110.23
2	E	4	AAL	O2-C2-C1	-3.51	101.19	109.22
2	F	4	AAL	O5-C5-C6	-3.42	108.33	113.33
2	E	2	AAL	O4-C4-C5	3.42	120.91	111.08
2	F	2	AAL	O4-C4-C5	3.39	120.83	111.08
2	E	7	GAL	O6-C6-C5	-3.37	99.85	111.33
2	G	2	AAL	O5-C1-C2	3.34	118.75	110.79
2	H	5	GAL	O6-C6-C5	-3.32	100.02	111.33
2	E	1	GAL	C3-C4-C5	3.32	116.25	110.23
2	E	3	GAL	C3-C4-C5	3.27	116.16	110.23
2	F	1	GAL	O6-C6-C5	-3.26	100.23	111.33
2	G	6	AAL	O4-C4-C3	3.23	120.24	111.19
2	E	8	AAL	O5-C5-C6	3.22	118.04	113.33
2	G	3	GAL	O3-C3-C4	3.19	117.90	110.38
2	E	6	AAL	O4-C4-C3	3.17	120.06	111.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	7	GAL	C6-C5-C4	-3.16	105.27	113.02
2	F	4	AAL	O3-C3-C2	-3.13	101.11	108.12
2	G	1	GAL	C4-C3-C2	-3.08	105.42	110.83
2	F	8	AAL	O4-C4-C3	3.00	119.57	111.19
2	G	4	AAL	C2-C3-C4	2.99	121.26	113.85
2	F	1	GAL	O3-C3-C4	-2.98	103.36	110.38
2	F	7	GAL	O3-C3-C2	-2.97	103.99	110.05
2	E	2	AAL	O3-C3-C2	-2.86	101.70	108.12
2	G	7	GAL	O3-C3-C4	-2.80	103.78	110.38
2	F	7	GAL	O6-C6-C5	-2.79	101.85	111.33
2	E	3	GAL	C1-C2-C3	-2.78	105.59	109.64
2	F	7	GAL	O4-C4-C3	2.78	116.93	110.38
2	E	8	AAL	O4-C4-C3	2.78	118.97	111.19
2	F	7	GAL	O4-C4-C5	-2.76	102.52	109.32
2	E	1	GAL	O5-C5-C6	2.76	113.28	106.44
2	F	6	AAL	O3-C6-C5	-2.72	99.72	104.42
2	E	5	GAL	O3-C3-C2	-2.71	104.53	110.05
2	F	2	AAL	C1-C2-C3	-2.71	105.59	109.29
2	G	4	AAL	C3-C4-C5	-2.64	96.31	101.99
2	F	2	AAL	O3-C3-C2	-2.64	102.20	108.12
2	E	5	GAL	C2-C3-C4	-2.63	106.24	110.86
2	G	8	AAL	O5-C5-C6	-2.61	109.52	113.33
2	H	4	AAL	O5-C5-C6	2.50	116.99	113.33
2	H	3	GAL	O4-C4-C3	-2.50	104.48	110.38
2	F	6	AAL	O4-C4-C3	2.48	118.12	111.19
2	F	1	GAL	O5-C1-C2	-2.46	105.97	110.30
2	F	8	AAL	C1-O5-C5	-2.46	108.89	112.19
2	E	4	AAL	C1-C2-C3	2.45	112.64	109.29
2	F	2	AAL	C1-O5-C5	-2.43	108.93	112.19
2	G	5	GAL	O3-C3-C2	-2.40	105.15	110.05
2	H	4	AAL	O2-C2-C3	-2.40	104.37	109.99
2	H	2	AAL	C3-C4-C5	-2.38	96.87	101.99
2	G	3	GAL	O2-C2-C1	2.37	114.64	109.22
2	F	1	GAL	O3-C3-C2	2.36	115.93	110.38
2	F	2	AAL	C6-O3-C3	2.35	112.54	107.84
2	F	4	AAL	O2-C2-C1	2.33	114.56	109.22
2	F	3	GAL	C3-C4-C5	2.30	114.41	110.23
2	F	8	AAL	O5-C1-C2	2.30	116.27	110.79
2	H	8	AAL	O5-C5-C6	2.29	116.68	113.33
2	G	2	AAL	C1-C2-C3	2.27	112.39	109.29
2	F	3	GAL	C1-O5-C5	2.24	115.19	112.19
2	E	5	GAL	O2-C2-C1	-2.24	104.09	109.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	7	GAL	O4-C4-C5	-2.23	103.82	109.32
2	H	1	GAL	C4-C3-C2	-2.23	106.91	110.83
2	H	5	GAL	O2-C2-C3	2.22	114.75	110.15
2	G	2	AAL	O3-C3-C2	-2.22	103.15	108.12
2	F	5	GAL	O3-C3-C2	-2.21	105.55	110.05
2	F	4	AAL	O5-C1-C2	2.21	116.06	110.79
2	H	2	AAL	O2-C2-C3	2.20	115.13	109.99
2	G	3	GAL	O5-C5-C4	2.19	116.16	110.83
2	H	1	GAL	O3-C3-C2	2.13	115.40	110.38
2	E	2	AAL	O2-C2-C3	2.13	114.97	109.99
2	F	6	AAL	C6-O3-C3	2.13	112.08	107.84
2	F	3	GAL	O6-C6-C5	-2.10	104.19	111.33
2	F	6	AAL	O2-C2-C3	-2.06	105.18	109.99
2	H	2	AAL	O4-C4-C5	2.06	116.98	111.08
2	G	3	GAL	O5-C1-C2	-2.04	105.92	110.79
2	H	8	AAL	C1-C2-C3	-2.04	106.50	109.29
2	G	8	AAL	O4-C4-C3	2.02	116.84	111.19
2	H	4	AAL	C6-O3-C3	2.02	111.86	107.84
2	G	4	AAL	O4-C4-C3	2.01	116.81	111.19
2	E	5	GAL	O6-C6-C5	-2.00	104.52	111.33

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	F	4	AAL	C1
2	G	2	AAL	C1
2	G	3	GAL	C1
2	H	4	AAL	C1

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	1	GAL	O5-C5-C6-O6
2	H	1	GAL	C4-C5-C6-O6
2	H	1	GAL	O5-C5-C6-O6
2	E	3	GAL	O5-C5-C6-O6
2	F	1	GAL	C4-C5-C6-O6
2	E	3	GAL	C4-C5-C6-O6
2	G	1	GAL	C4-C5-C6-O6
2	G	1	GAL	O5-C5-C6-O6
2	F	3	GAL	C4-C5-C6-O6
2	G	3	GAL	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	H	3	GAL	O5-C5-C6-O6




There are no ring outliers.

14 monomers are involved in 77 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	2	AAL	1	0
2	F	1	GAL	2	0
2	H	1	GAL	14	0
2	G	4	AAL	18	0
2	E	5	GAL	1	0
2	H	5	GAL	4	0
2	E	4	AAL	3	0
2	G	1	GAL	2	0
2	E	1	GAL	16	0
2	E	2	AAL	1	0
2	F	4	AAL	4	0
2	H	4	AAL	14	0
2	F	5	GAL	3	0
2	G	5	GAL	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/308 (95%)	-0.82	0 100 100	5, 15, 24, 30	35 (11%)
1	B	296/308 (96%)	-0.81	1 (0%) 90 91	5, 16, 28, 41	20 (6%)
1	C	297/308 (96%)	-0.84	1 (0%) 90 91	5, 16, 27, 34	26 (8%)
1	D	297/308 (96%)	-0.85	1 (0%) 90 91	5, 16, 26, 32	24 (8%)
All	All	1185/1232 (96%)	-0.83	3 (0%) 90 91	5, 16, 27, 41	105 (8%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	354	LEU	2.6
1	B	58	VAL	2.2
1	C	354	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GAL	E	1	12/12	0.20	0.56	37,39,40,41	12
2	GAL	G	1	12/12	0.37	0.31	33,36,37,37	12
2	GAL	H	1	12/12	0.43	0.56	36,38,40,40	12
2	AAL	G	2	10/11	0.44	0.30	29,30,31,31	10

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AAL	E	2	10/11	0.56	0.38	23,29,30,34	10
2	AAL	E	4	10/11	0.56	0.34	30,32,34,36	10
2	AAL	F	2	10/11	0.56	0.34	25,28,30,32	10
2	AAL	H	2	10/11	0.56	0.37	33,33,34,34	10
2	GAL	F	1	12/12	0.57	0.34	30,32,33,33	12
2	GAL	H	3	11/12	0.63	0.37	18,27,29,30	11
2	AAL	F	4	10/11	0.67	0.32	20,30,30,31	10
2	GAL	E	3	11/12	0.67	0.34	33,34,35,38	11
2	GAL	F	3	11/12	0.72	0.36	24,29,30,34	11
2	GAL	G	3	11/12	0.73	0.28	16,24,26,26	11
2	AAL	H	4	10/11	0.75	0.28	2,13,15,16	10
2	AAL	G	4	10/11	0.81	0.33	6,13,17,19	10
2	GAL	E	5	11/12	0.93	0.10	22,27,31,40	0
2	AAL	E	8	10/11	0.93	0.08	22,26,28,29	0
2	GAL	F	5	11/12	0.95	0.07	19,23,29,31	0
2	AAL	F	8	10/11	0.95	0.09	19,22,24,31	0
2	GAL	E	7	11/12	0.96	0.07	19,22,25,34	0
2	GAL	H	7	11/12	0.96	0.06	12,13,18,24	0
2	AAL	E	6	10/11	0.97	0.07	15,18,21,23	0
2	GAL	G	5	11/12	0.97	0.06	16,17,21,26	0
2	GAL	G	7	11/12	0.97	0.06	14,15,20,25	0
2	GAL	H	5	11/12	0.97	0.06	12,15,20,23	0
2	GAL	F	7	11/12	0.97	0.06	14,16,20,30	0
2	AAL	G	6	10/11	0.98	0.05	13,15,18,19	0
2	AAL	F	6	10/11	0.98	0.05	12,16,18,20	0
2	AAL	H	6	10/11	0.98	0.04	9,12,14,17	0
2	AAL	G	8	10/11	0.98	0.06	15,16,18,18	0
2	AAL	H	8	10/11	0.98	0.05	13,16,19,21	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NA	A	500	1/1	0.99	0.03	14,14,14,14	0
3	NA	B	500	1/1	0.99	0.02	14,14,14,14	0
3	NA	C	500	1/1	0.99	0.02	22,22,22,22	0
3	NA	D	500	1/1	0.99	0.04	13,13,13,13	0

6.5 Other polymers [i](#)

There are no such residues in this entry.