



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:51 AM UTC

PDB ID : 8AUD / pdb_00008aud
Title : Structure of peptidoglycan hydrolase Cg1735 from *Corynebacterium glutamicum*, orthorhombic crystal form
Authors : Gaday, Q.; Wehenkel, A.M.; Alzari, P.M.
Deposited on : 2022-08-25
Resolution : 4.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1127 (5.10-3.90)
Clashscore	190562	1002 (5.06-3.94)
Ramachandran outliers	187476	1060 (5.10-3.90)
Sidechain outliers	187428	1043 (5.10-3.90)
RSRZ outliers	180081	1122 (5.10-3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	619	8% 43% 13% . 43%
1	B	619	7% 40% 16% 44%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 5142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cell wall-associated hydrolases (Invasion-associated proteins).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	350	Total	C	N	O	S	0	0	0
			2582	1574	470	532	6			
1	B	346	Total	C	N	O	S	0	0	0
			2560	1561	466	527	6			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cell wall-associated hydrolases (Invasion-associated proteins)



- Molecule 1: Cell wall-associated hydrolases (Invasion-associated proteins)





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.57Å 123.08Å 209.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	61.54 – 4.50 61.54 – 4.50	Depositor EDS
% Data completeness (in resolution range)	74.8 (61.54-4.50) 74.8 (61.54-4.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.89 (at 4.46Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.278 , 0.307 0.280 , 0.311	Depositor DCC
R_{free} test set	586 reflections (3.80%)	wwPDB-VP
Wilson B-factor (Å ²)	94.3	Xtriage
Anisotropy	0.123	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 137.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.81	EDS
Total number of atoms	5142	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/2512	0.69	5/3401 (0.1%)
1	B	0.25	0/2505	0.66	0/3391
All	All	0.25	0/5017	0.67	5/6792 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	88	ALA	N-CA-C	7.52	119.48	111.28
1	A	90	GLN	N-CA-C	-7.01	103.69	111.82
1	A	90	GLN	N-CA-CB	6.60	120.51	110.28
1	A	154	GLU	CA-CB-CG	-5.24	103.62	114.10
1	A	89	ARG	N-CA-C	5.17	119.30	112.89

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2582	0	2444	67	0
1	B	2560	0	2434	76	0
All	All	5142	0	4878	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ARG:NH2	1:A:397:PRO:HB2	1.89	0.88
1:A:383:ALA:HB2	1:A:487:ALA:HB3	1.54	0.86
1:A:89:ARG:HD2	1:A:400:GLU:HA	1.55	0.86
1:A:66:ALA:HB2	1:A:561:GLN:HG2	1.64	0.77
1:B:60:VAL:HG13	1:B:212:LEU:HD12	1.68	0.76
1:A:89:ARG:HH11	1:A:400:GLU:HA	1.51	0.75
1:A:588:ARG:HH21	1:A:590:SER:HB2	1.57	0.69
1:B:175:SER:HA	1:B:178:ARG:HD2	1.75	0.69
1:A:60:VAL:HG13	1:A:212:LEU:HD12	1.74	0.68
1:B:387:SER:H	1:B:407:ILE:HD13	1.59	0.67
1:A:556:GLY:O	1:A:593:THR:HG22	1.96	0.65
1:B:383:ALA:HB2	1:B:487:ALA:HB3	1.77	0.65
1:B:211:VAL:O	1:B:215:ASN:ND2	2.26	0.64
1:A:102:SER:HB2	1:A:173:LYS:HD2	1.79	0.64
1:A:162:GLU:O	1:A:166:LEU:HG	1.99	0.62
1:B:102:SER:HB2	1:B:173:LYS:HD2	1.81	0.61
1:A:194:LYS:O	1:A:198:THR:HG23	2.00	0.61
1:A:175:SER:HA	1:A:178:ARG:HD2	1.83	0.60
1:A:542:VAL:HG21	1:A:598:ARG:NH1	2.17	0.59
1:B:73:LYS:HB2	1:B:531:TYR:CD1	2.37	0.59
1:B:99:LEU:HG	1:B:177:LEU:HD12	1.85	0.59
1:B:407:ILE:HD12	1:B:408:ALA:O	2.03	0.59
1:A:79:HIS:HD2	1:A:389:HIS:HD2	1.49	0.58
1:B:68:ARG:HH21	1:B:480:TYR:HE1	1.52	0.58
1:A:69:GLU:HG3	1:A:531:TYR:CD1	2.39	0.57
1:A:89:ARG:HD2	1:A:400:GLU:CA	2.32	0.57
1:B:548:GLN:HG2	1:B:598:ARG:HH21	1.69	0.56
1:B:549:ARG:NH1	1:B:567:LEU:O	2.36	0.56
1:A:105:GLN:HB3	1:A:166:LEU:HD13	1.87	0.56
1:A:179:GLN:HA	1:A:182:ILE:HG12	1.88	0.55
1:A:214:ASN:O	1:A:218:THR:HG23	2.06	0.55
1:B:214:ASN:O	1:B:218:THR:HG23	2.07	0.55
1:B:473:MET:HE2	1:B:567:LEU:HD11	1.89	0.54
1:A:407:ILE:HD12	1:A:408:ALA:O	2.07	0.54
1:B:194:LYS:O	1:B:198:THR:HG23	2.08	0.54
1:B:536:TYR:CZ	1:B:541:LYS:HE2	2.43	0.54
1:B:86:GLU:O	1:B:90:GLN:HG3	2.09	0.53
1:B:379:ALA:HA	1:B:522:ALA:HB1	1.92	0.52
1:B:50:LEU:HD13	1:B:227:GLU:HG3	1.92	0.51
1:A:68:ARG:HH21	1:A:480:TYR:HE1	1.58	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:ARG:HE	1:A:166:LEU:CD2	2.23	0.51
1:A:220:VAL:HG23	1:A:223:ARG:HH21	1.76	0.51
1:B:546:GLU:N	1:B:546:GLU:OE1	2.44	0.51
1:A:165:ARG:HE	1:A:166:LEU:HD21	1.77	0.50
1:A:546:GLU:N	1:A:546:GLU:OE1	2.44	0.50
1:A:548:GLN:HG2	1:A:598:ARG:NH2	2.27	0.50
1:B:376:ILE:HA	1:B:471:ARG:HH12	1.77	0.50
1:A:551:ASP:OD1	1:A:598:ARG:NE	2.43	0.49
1:A:86:GLU:O	1:A:90:GLN:HG3	2.13	0.49
1:B:159:ALA:O	1:B:162:GLU:HG3	2.13	0.49
1:A:96:LYS:HA	1:A:177:LEU:HD11	1.95	0.49
1:A:68:ARG:HG3	1:A:209:LEU:HD21	1.95	0.48
1:A:59:ARG:HA	1:A:59:ARG:HD2	1.53	0.48
1:A:521:PHE:HE2	1:A:552:LEU:HD21	1.78	0.48
1:B:69:GLU:HG3	1:B:531:TYR:CD1	2.48	0.48
1:B:84:ILE:CG2	1:B:187:ARG:HD2	2.43	0.48
1:A:99:LEU:HD22	1:A:177:LEU:HD12	1.95	0.48
1:B:79:HIS:CD2	1:B:389:HIS:HD2	2.31	0.48
1:A:96:LYS:HG3	1:A:177:LEU:HD21	1.96	0.48
1:B:90:GLN:HA	1:B:93:LEU:HD23	1.94	0.48
1:B:79:HIS:HD2	1:B:389:HIS:HD2	1.62	0.48
1:B:90:GLN:NE2	1:B:404:PRO:HD2	2.29	0.48
1:A:73:LYS:HB2	1:A:531:TYR:CE1	2.49	0.47
1:B:375:SER:O	1:B:523:GLY:HA2	2.13	0.47
1:B:382:ILE:HD11	1:B:525:GLY:C	2.39	0.47
1:A:68:ARG:HH11	1:A:209:LEU:HD22	1.80	0.47
1:A:217:SER:HA	1:A:220:VAL:HG12	1.97	0.47
1:B:69:GLU:HG3	1:B:531:TYR:HD1	1.80	0.47
1:B:545:SER:OG	1:B:546:GLU:OE1	2.28	0.47
1:A:548:GLN:HG2	1:A:598:ARG:HH21	1.80	0.47
1:B:88:ALA:HB1	1:B:184:ALA:HA	1.96	0.47
1:B:68:ARG:NH2	1:B:578:SER:HB2	2.29	0.47
1:A:476:LEU:HD21	1:A:584:ILE:HG13	1.96	0.46
1:A:69:GLU:HG2	1:A:532:THR:OG1	2.14	0.46
1:B:96:LYS:HG3	1:B:177:LEU:HD21	1.97	0.46
1:B:556:GLY:O	1:B:593:THR:HG22	2.15	0.46
1:B:111:GLU:O	1:B:114:ASP:HB2	2.16	0.46
1:B:229:ASN:HA	1:B:232:ILE:HD12	1.97	0.46
1:A:145:ARG:HA	1:A:148:TYR:CD2	2.51	0.46
1:B:68:ARG:HA	1:B:482:TRP:CZ2	2.52	0.45
1:A:545:SER:OG	1:A:546:GLU:OE1	2.30	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:541:LYS:HA	1:B:596:VAL:O	2.16	0.45
1:B:179:GLN:OE1	1:B:182:ILE:HD11	2.16	0.45
1:B:544:PRO:HD3	1:B:594:GLU:O	2.17	0.45
1:B:95:ALA:HB1	1:B:177:LEU:HA	1.98	0.45
1:B:567:LEU:HD22	1:B:571:GLN:OE1	2.17	0.45
1:A:59:ARG:HD3	1:B:589:TRP:O	2.16	0.45
1:A:555:TYR:HB2	1:A:562:HIS:HB3	1.99	0.45
1:A:492:LEU:HD12	1:A:492:LEU:H	1.82	0.45
1:B:84:ILE:HG23	1:B:187:ARG:HD2	1.98	0.45
1:B:379:ALA:HB1	1:B:487:ALA:O	2.17	0.44
1:A:79:HIS:CD2	1:A:389:HIS:HD2	2.30	0.44
1:B:69:GLU:HG2	1:B:532:THR:OG1	2.16	0.44
1:A:63:GLU:O	1:A:67:LEU:HG	2.17	0.44
1:B:228:ARG:O	1:B:232:ILE:HG13	2.17	0.44
1:B:375:SER:HA	1:B:523:GLY:O	2.17	0.44
1:B:230:LEU:HD23	1:B:230:LEU:HA	1.90	0.44
1:A:69:GLU:HG3	1:A:531:TYR:HD1	1.81	0.44
1:A:376:ILE:HA	1:A:471:ARG:HH12	1.82	0.44
1:B:574:GLU:OE2	1:B:588:ARG:NH1	2.39	0.44
1:B:165:ARG:HE	1:B:166:LEU:HD23	1.83	0.44
1:A:73:LYS:HB2	1:A:531:TYR:CD1	2.53	0.43
1:A:379:ALA:HA	1:A:522:ALA:HB1	1.99	0.43
1:A:576:PRO:HG3	1:A:583:LYS:NZ	2.33	0.43
1:B:220:VAL:HG23	1:B:223:ARG:HH21	1.83	0.43
1:A:79:HIS:HD2	1:A:389:HIS:CD2	2.34	0.43
1:B:542:VAL:HG21	1:B:598:ARG:NH1	2.33	0.43
1:A:174:GLU:O	1:A:178:ARG:HG3	2.18	0.43
1:B:75:LEU:HD11	1:B:494:ILE:CD1	2.49	0.43
1:B:109:ALA:HB1	1:B:163:LEU:HG	2.01	0.43
1:B:73:LYS:HB2	1:B:531:TYR:CG	2.53	0.43
1:A:73:LYS:HB2	1:A:531:TYR:CZ	2.53	0.43
1:B:194:LYS:HA	1:B:197:GLN:HB2	2.01	0.43
1:A:382:ILE:HD11	1:A:525:GLY:C	2.44	0.42
1:A:55:ALA:HB1	1:B:589:TRP:CG	2.54	0.42
1:B:92:ALA:HA	1:B:180:ALA:HB1	2.00	0.42
1:B:480:TYR:CE2	1:B:512:ASP:HA	2.55	0.42
1:B:542:VAL:HG21	1:B:598:ARG:HH12	1.84	0.42
1:A:89:ARG:HH22	1:A:397:PRO:HB2	1.76	0.42
1:B:180:ALA:O	1:B:183:VAL:HG12	2.20	0.42
1:B:492:LEU:H	1:B:492:LEU:HD12	1.84	0.42
1:B:68:ARG:HH22	1:B:578:SER:HB2	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:539:GLY:HA3	1:A:599:LEU:HD23	2.02	0.42
1:A:382:ILE:HD11	1:A:525:GLY:HA2	2.00	0.42
1:A:89:ARG:NH2	1:A:397:PRO:CB	2.73	0.42
1:B:62:LEU:HB3	1:B:561:GLN:CD	2.45	0.41
1:B:387:SER:N	1:B:407:ILE:HD13	2.32	0.41
1:A:375:SER:O	1:A:523:GLY:HA2	2.20	0.41
1:B:177:LEU:HD22	1:B:181:ARG:HD2	2.03	0.41
1:B:217:SER:HA	1:B:220:VAL:HG12	2.00	0.41
1:A:68:ARG:HA	1:A:482:TRP:CZ2	2.56	0.41
1:A:372:THR:O	1:A:376:ILE:HG12	2.21	0.41
1:B:90:GLN:HA	1:B:93:LEU:CD2	2.51	0.41
1:A:400:GLU:H	1:A:400:GLU:CD	2.29	0.40
1:B:68:ARG:HA	1:B:482:TRP:CE2	2.56	0.40
1:B:90:GLN:O	1:B:93:LEU:HG	2.22	0.40
1:B:162:GLU:O	1:B:166:LEU:HG	2.21	0.40
1:B:209:LEU:HD23	1:B:209:LEU:HA	1.90	0.40
1:A:68:ARG:NE	1:A:480:TYR:OH	2.54	0.40
1:A:410:ILE:HG22	1:A:529:PRO:HB3	2.01	0.40
1:B:175:SER:HA	1:B:178:ARG:CD	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/619 (52%)	314 (98%)	6 (2%)	1 (0%)	36	71
1	B	320/619 (52%)	313 (98%)	6 (2%)	1 (0%)	36	71
All	All	641/1238 (52%)	627 (98%)	12 (2%)	2 (0%)	36	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	576	PRO
1	B	576	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/359 (71%)	255 (100%)	1 (0%)	84	82
1	B	255/359 (71%)	252 (99%)	3 (1%)	63	73
All	All	511/718 (71%)	507 (99%)	4 (1%)	73	77

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	212	LEU
1	B	98	ASP
1	B	212	LEU
1	B	410	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	157	GLN
1	A	195	GLN
1	A	386	GLN
1	A	389	HIS
1	A	464	GLN
1	A	577	ASN
1	B	58	ASN
1	B	79	HIS
1	B	110	GLN
1	B	172	ASN
1	B	195	GLN
1	B	389	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	331/619 (53%)	1.04	48 (14%)	6 11	40, 81, 134, 242	0
1	B	330/619 (53%)	1.04	46 (13%)	6 11	43, 86, 145, 246	0
All	All	661/1238 (53%)	1.04	94 (14%)	6 11	40, 84, 138, 246	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	235	ALA	6.2
1	A	578	SER	6.0
1	A	238	ASP	5.4
1	B	412	GLY	5.4
1	A	150	ARG	5.3
1	B	233	ALA	5.3
1	A	579	GLY	5.2
1	B	145	ARG	4.9
1	A	569	ASP	4.7
1	B	154	GLU	4.7
1	A	154	GLU	4.5
1	A	114	ASP	4.4
1	A	412	GLY	4.3
1	B	579	GLY	4.3
1	B	234	ARG	4.2
1	B	231	ALA	4.2
1	B	150	ARG	4.1
1	B	146	GLN	4.0
1	B	238	ASP	3.8
1	A	571	GLN	3.8
1	B	571	GLN	3.7
1	A	398	THR	3.5
1	A	553	ILE	3.4
1	B	594	GLU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	488	ASN	3.4
1	B	161	GLU	3.3
1	B	399	ASP	3.3
1	B	237	ALA	3.2
1	B	236	GLN	3.1
1	B	584	ILE	3.1
1	B	227	GLU	3.1
1	A	212	LEU	3.1
1	B	222	GLN	3.1
1	B	212	LEU	3.0
1	A	409	ASP	3.0
1	B	373	ALA	3.0
1	A	113	LEU	2.9
1	B	148	TYR	2.9
1	B	114	ASP	2.9
1	B	567	LEU	2.9
1	B	380	ALA	2.8
1	A	411	GLN	2.8
1	B	185	GLU	2.8
1	A	145	ARG	2.7
1	B	404	PRO	2.7
1	B	578	SER	2.7
1	A	600	ILE	2.7
1	A	526	ILE	2.6
1	A	170	ASN	2.6
1	A	148	TYR	2.6
1	A	110	GLN	2.5
1	A	537	GLN	2.5
1	A	393	GLN	2.5
1	B	410	ILE	2.4
1	A	179	GLN	2.4
1	A	576	PRO	2.4
1	A	460	ASP	2.4
1	A	63	GLU	2.4
1	A	545	SER	2.4
1	A	56	GLU	2.4
1	B	162	GLU	2.4
1	B	513	CYS	2.4
1	A	406	ASP	2.3
1	A	208	GLN	2.3
1	A	107	GLU	2.3
1	A	561	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	595	SER	2.3
1	A	399	ASP	2.3
1	A	146	GLN	2.3
1	B	474	SER	2.2
1	B	401	ASP	2.2
1	B	89	ARG	2.2
1	A	597	VAL	2.2
1	B	223	ARG	2.2
1	A	46	LEU	2.2
1	B	569	ASP	2.1
1	A	477	GLY	2.1
1	B	47	ALA	2.1
1	B	484	GLY	2.1
1	B	389	HIS	2.1
1	B	411	GLN	2.1
1	B	537	GLN	2.1
1	A	109	ALA	2.1
1	B	577	ASN	2.1
1	A	97	LYS	2.1
1	A	577	ASN	2.1
1	A	400	GLU	2.1
1	B	111	GLU	2.1
1	A	513	CYS	2.1
1	B	393	GLN	2.1
1	A	178	ARG	2.0
1	A	185	GLU	2.0
1	A	492	LEU	2.0
1	B	232	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.