



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 30, 2026 – 12:08 AM UTC

PDB ID : 7AV5 / pdb_00007av5
Title : Structure of EstD11 in complex with Fluorescein
Authors : Miguel-Ruano, V.; Rivera, I.; Hermoso, J.A.
Deposited on : 2020-11-04
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	296	4% 92% 6%
1	BBB	296	4% 92% 7%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5032 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EstD11.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	291	Total	C	N	O	S	0	4	0
			2249	1414	405	416	14			
1	BBB	295	Total	C	N	O	S	0	1	0
			2254	1417	406	418	13			

- Molecule 2 is FORMIC ACID (CCD ID: FMT) (formula: CH_2O_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	AAA	1	Total	C	O	0	0
			3	1	2		
2	AAA	1	Total	C	O	0	0
			3	1	2		
2	BBB	1	Total	C	O	0	0
			3	1	2		

- Molecule 3 is FLUORESCIN (CCD ID: FDS) (formula: $\text{C}_{20}\text{H}_{14}\text{O}_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	AAA	1	Total	C	O	0	0
			25	20	5		
3	AAA	1	Total	C	O	0	0
			25	20	5		
3	BBB	1	Total	C	O	0	0
			25	20	5		
3	BBB	1	Total	C	O	0	0
			25	20	5		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	AAA	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	AAA	231	Total	O	0	0
			231	231		
5	BBB	185	Total	O	0	0
			185	185		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: EstD11



• Molecule 1: EstD11



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	48.28Å 80.56Å 145.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.87 – 1.97 45.87 – 1.97	Depositor EDS
% Data completeness (in resolution range)	100.0 (45.87-1.97) 100.0 (45.87-1.97)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 1.97Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.170 , 0.214 0.181 , 0.222	Depositor DCC
R_{free} test set	2100 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	21.0	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5032	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, FMT, FDS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	1.03	0/2295	1.27	0/3128
1	BBB	1.03	1/2302 (0.0%)	1.28	0/3141
All	All	1.03	1/4597 (0.0%)	1.27	0/6269

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	BBB	17	ARG	N-CA	5.07	1.50	1.46

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2249	0	2260	19	0
1	BBB	2254	0	2267	22	0
2	AAA	6	0	2	0	0
2	BBB	3	0	1	0	0
3	AAA	50	0	21	7	0
3	BBB	50	0	21	2	0
4	AAA	4	0	3	0	0
5	AAA	231	0	0	3	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	BBB	185	0	0	5	0
All	All	5032	0	4575	43	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BBB:266:MET:HE1	1:BBB:277:LEU:HD21	1.44	0.97
1:AAA:46:LEU:HD11	1:AAA:87:ARG:HD2	1.61	0.82
1:BBB:38:SER:HB2	5:BBB:533:HOH:O	1.84	0.78
1:BBB:266:MET:CE	1:BBB:277:LEU:HD21	2.16	0.76
1:BBB:9:ILE:HD11	1:BBB:276:MET:HG3	1.70	0.74
1:BBB:266:MET:HE2	1:BBB:270:TRP:CG	2.24	0.72
1:BBB:266:MET:HE2	1:BBB:270:TRP:CD1	2.24	0.71
1:BBB:47:THR:HG23	5:BBB:527:HOH:O	1.94	0.67
1:BBB:222:ALA:O	1:BBB:250:ARG:NH2	2.31	0.64
1:BBB:266:MET:HE2	1:BBB:270:TRP:HB2	1.78	0.64
1:BBB:266:MET:HE2	1:BBB:270:TRP:CB	2.30	0.62
3:BBB:301:FDS:C10	3:BBB:301:FDS:O5	2.48	0.61
1:BBB:205:MET:HE2	3:BBB:301:FDS:C2	2.31	0.60
1:AAA:201:ARG:CD	3:AAA:303:FDS:H8	2.32	0.59
1:AAA:201:ARG:HD2	3:AAA:303:FDS:H8	1.86	0.58
1:BBB:38:SER:CB	5:BBB:533:HOH:O	2.48	0.55
1:AAA:22:PRO:O	1:AAA:201:ARG:NH2	2.34	0.54
1:BBB:266:MET:CE	1:BBB:270:TRP:HB2	2.37	0.54
1:AAA:21:GLU:N	1:AAA:22:PRO:HD3	2.22	0.54
1:AAA:40:LEU:HD13	1:AAA:87:ARG:HG2	1.90	0.53
1:AAA:257[B]:GLN:NE2	5:AAA:406:HOH:O	2.41	0.53
1:BBB:220:LEU:HD12	1:BBB:250:ARG:HG3	1.91	0.52
1:AAA:197:GLU:HG3	5:AAA:517:HOH:O	2.10	0.51
1:AAA:197:GLU:HB3	3:AAA:303:FDS:O4	2.11	0.51
1:BBB:201:ARG:HG2	1:BBB:205:MET:HE3	1.96	0.48
3:AAA:303:FDS:O4	3:AAA:303:FDS:C10	2.63	0.46
1:BBB:46:LEU:CD2	1:BBB:57:ALA:HB1	2.45	0.46
1:AAA:126[A]:ARG:NH1	5:AAA:407:HOH:O	2.43	0.46
1:AAA:141:ALA:HA	1:AAA:169:VAL:O	2.16	0.45
1:AAA:201:ARG:HD2	3:AAA:303:FDS:C8	2.47	0.45
1:BBB:63:GLU:OE1	1:BBB:63:GLU:N	2.35	0.45
1:BBB:88:ASP:O	1:BBB:91:GLN:HG3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:109:ALA:HB1	1:AAA:110:PRO:HA	1.99	0.45
1:AAA:197:GLU:CB	3:AAA:303:FDS:O4	2.65	0.44
1:BBB:189:ALA:HB2	5:BBB:510:HOH:O	2.18	0.43
1:BBB:266:MET:CE	1:BBB:270:TRP:CB	2.97	0.42
1:AAA:84:ARG:HD3	3:AAA:305:FDS:C1	2.50	0.42
1:BBB:20:GLN:O	5:BBB:401:HOH:O	2.22	0.42
1:BBB:109:ALA:HB1	1:BBB:110:PRO:HA	2.01	0.42
1:AAA:88:ASP:O	1:AAA:91:GLN:HG3	2.20	0.41
1:AAA:34:MET:HE3	1:AAA:34:MET:HB2	1.99	0.41
1:AAA:77:GLY:O	1:AAA:78:TYR:HB2	2.21	0.40
1:AAA:286:ARG:HA	1:AAA:286:ARG:HD2	1.88	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:AAA:407:HOH:O	5:AAA:527:HOH:O[4_545]	2.09	0.11

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	291/296 (98%)	283 (97%)	8 (3%)	0	100	100
1	BBB	294/296 (99%)	287 (98%)	7 (2%)	0	100	100
All	All	585/592 (99%)	570 (97%)	15 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	232/233 (100%)	231 (100%)	1 (0%)	84	82
1	BBB	233/233 (100%)	231 (99%)	2 (1%)	70	67
All	All	465/466 (100%)	462 (99%)	3 (1%)	76	76

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	286	ARG
1	BBB	46	LEU
1	BBB	243	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMT	AAA	302	-	2,2,2	0.31	0	1,1,1	0.15	0
2	FMT	BBB	303	-	2,2,2	0.53	0	1,1,1	0.02	0
3	FDS	AAA	305	-	28,28,28	2.15	6 (21%)	41,41,41	1.85	8 (19%)
3	FDS	BBB	301	-	28,28,28	2.09	5 (17%)	41,41,41	2.14	9 (21%)
2	FMT	AAA	301	-	2,2,2	0.24	0	1,1,1	0.22	0
3	FDS	BBB	302	-	28,28,28	2.41	5 (17%)	41,41,41	1.98	7 (17%)
3	FDS	AAA	303	-	28,28,28	2.27	7 (25%)	41,41,41	1.97	8 (19%)
4	ACT	AAA	304	-	3,3,3	0.72	0	3,3,3	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FDS	AAA	305	-	-	4/6/20/20	0/4/4/4
3	FDS	BBB	301	-	-	1/6/20/20	0/4/4/4
3	FDS	AAA	303	-	-	1/6/20/20	0/4/4/4
3	FDS	BBB	302	-	-	1/6/20/20	0/4/4/4

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	BBB	301	FDS	C9-C10	-6.62	1.41	1.52
3	BBB	302	FDS	C9-C10	-6.32	1.41	1.52
3	AAA	303	FDS	O3-C6	-6.12	1.23	1.37
3	AAA	305	FDS	C9-C10	-5.82	1.42	1.52
3	BBB	302	FDS	O3-C6	-5.57	1.24	1.37
3	BBB	302	FDS	C11-C10	-5.41	1.43	1.52
3	AAA	303	FDS	C9-C10	-5.19	1.43	1.52
3	BBB	301	FDS	O3-C6	-5.16	1.25	1.37
3	AAA	305	FDS	O3-C6	-4.78	1.26	1.37
3	AAA	303	FDS	C11-C10	-4.72	1.44	1.52
3	BBB	302	FDS	C4-C9	4.69	1.48	1.39
3	AAA	305	FDS	C4-C9	4.69	1.48	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AAA	305	FDS	C11-C10	-4.18	1.45	1.52
3	BBB	302	FDS	C19-C14	4.15	1.45	1.40
3	BBB	301	FDS	C11-C10	-4.03	1.45	1.52
3	AAA	303	FDS	C4-C9	3.98	1.47	1.39
3	BBB	301	FDS	C4-C9	3.76	1.46	1.39
3	AAA	303	FDS	O2-C4	-2.89	1.34	1.38
3	AAA	305	FDS	C19-C14	2.63	1.43	1.40
3	AAA	303	FDS	C19-C14	2.62	1.43	1.40
3	AAA	303	FDS	C2-C1	-2.30	1.35	1.39
3	BBB	301	FDS	C15-C14	2.29	1.42	1.39
3	AAA	305	FDS	C15-C14	2.03	1.42	1.39

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BBB	301	FDS	C11-C10-C9	9.71	120.45	105.86
3	BBB	302	FDS	C11-C10-C9	9.38	119.96	105.86
3	AAA	305	FDS	C11-C10-C9	8.27	118.29	105.86
3	AAA	303	FDS	C11-C10-C9	7.45	117.05	105.86
3	AAA	303	FDS	C8-C9-C4	-4.48	112.83	117.74
3	BBB	301	FDS	C14-C19-C20	-4.24	116.66	122.72
3	AAA	303	FDS	C14-C10-C9	4.15	127.63	114.30
3	BBB	301	FDS	O2-C4-C5	3.72	121.39	115.43
3	BBB	301	FDS	C3-C11-C10	-3.32	118.25	121.53
3	AAA	305	FDS	C19-C14-C10	3.22	126.51	122.01
3	AAA	305	FDS	C4-C9-C10	-3.11	118.46	121.53
3	BBB	302	FDS	C4-C9-C10	-3.05	118.51	121.53
3	BBB	302	FDS	O5-C20-C19	3.00	123.82	115.28
3	BBB	301	FDS	C4-C9-C10	-2.87	118.69	121.53
3	BBB	302	FDS	O2-C4-C5	2.80	119.93	115.43
3	AAA	303	FDS	O5-C20-C19	2.80	123.25	115.28
3	BBB	302	FDS	O5-C20-O4	-2.76	117.42	123.35
3	AAA	305	FDS	C15-C14-C10	-2.66	115.63	121.45
3	AAA	303	FDS	C3-C11-C10	-2.66	118.90	121.53
3	AAA	305	FDS	C8-C7-C6	2.50	122.52	119.88
3	BBB	302	FDS	C3-C11-C10	-2.44	119.12	121.53
3	AAA	303	FDS	C19-C14-C10	2.39	125.35	122.01
3	BBB	301	FDS	O4-C20-C19	-2.30	116.48	121.97
3	BBB	301	FDS	C14-C10-C11	2.21	121.38	114.30
3	AAA	303	FDS	C15-C14-C19	-2.16	116.24	118.78
3	BBB	302	FDS	C14-C10-C11	2.16	121.22	114.30
3	AAA	303	FDS	C4-C9-C10	-2.14	119.42	121.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BBB	301	FDS	O5-C20-C19	2.14	121.35	115.28
3	AAA	305	FDS	C14-C10-C9	2.08	120.97	114.30
3	AAA	305	FDS	C3-C11-C10	-2.07	119.49	121.53
3	AAA	305	FDS	C12-C11-C3	-2.04	115.50	117.74
3	BBB	301	FDS	C18-C19-C20	2.01	123.25	118.64

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	BBB	301	FDS	C11-C10-C14-C19
3	AAA	303	FDS	C11-C10-C14-C19
3	AAA	305	FDS	C11-C10-C14-C19
3	BBB	302	FDS	C11-C10-C14-C19
3	AAA	305	FDS	C18-C19-C20-O5
3	AAA	305	FDS	C18-C19-C20-O4
3	AAA	305	FDS	C14-C19-C20-O4


There are no ring outliers.

3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	AAA	305	FDS	1	0
3	BBB	301	FDS	2	0
3	AAA	303	FDS	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FDS AAA 305




Ligand FDS BBB 301




Ligand FDS BBB 302




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	AAA	291/296 (98%)	-0.07	13 (4%)	38 47	6, 17, 43, 77	4 (1%)
1	BBB	295/296 (99%)	0.17	13 (4%)	39 49	11, 23, 43, 71	1 (0%)
All	All	586/592 (98%)	0.05	26 (4%)	39 49	6, 21, 43, 77	5 (0%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	189	ALA	5.6
1	AAA	276	MET	3.6
1	BBB	188	ALA	3.5
1	AAA	39	PRO	3.4
1	BBB	276	MET	3.3
1	BBB	39	PRO	3.3
1	AAA	8	MET	3.2
1	AAA	12	LEU	3.0
1	AAA	13	LEU	2.9
1	BBB	38	SER	2.7
1	AAA	10	VAL	2.7
1	AAA	25	GLU	2.7
1	AAA	2	ALA	2.6
1	BBB	36	GLN	2.6
1	AAA	197	GLU	2.5
1	AAA	37	MET	2.5
1	BBB	2	ALA	2.4
1	BBB	12	LEU	2.4
1	AAA	9	ILE	2.4
1	BBB	46	LEU	2.4
1	BBB	34	MET	2.3
1	BBB	190	VAL	2.3
1	AAA	21	GLU	2.2
1	BBB	37	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	AAA	190	VAL	2.1
1	BBB	35	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACT	AAA	304	4/4	0.63	0.18	39,41,42,43	0
3	FDS	AAA	303	25/25	0.68	0.19	58,71,79,87	0
2	FMT	AAA	302	3/3	0.71	0.17	49,49,50,50	0
3	FDS	BBB	301	25/25	0.80	0.13	41,46,48,51	0
3	FDS	AAA	305	25/25	0.81	0.12	35,41,57,57	0
3	FDS	BBB	302	25/25	0.83	0.12	34,41,48,52	0
2	FMT	BBB	303	3/3	0.91	0.10	28,28,35,37	0
2	FMT	AAA	301	3/3	0.95	0.07	22,22,26,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FDS AAA 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FDS BBB 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FDS AAA 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FDS BBB 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.