



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:13 AM UTC

PDB ID : 7AVN / pdb_00007avn
Title : Crystal structure of marine actinobacteria clade rhodopsin (MAR) in the M-like state
Authors : Gushchin, I.; Polovinkin, V.; Kovalev, K.; Shevchenko, V.; Gordeliy, V.
Deposited on : 2020-11-05
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	9% 76% 22% ..
1	B	220	8% 83% 15% ..

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 4017 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacteriorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	217	Total	C	N	O	S	0	17	0
			1752	1154	276	309	13			
1	B	217	Total	C	N	O	S	0	14	0
			1732	1140	276	302	14			

- Molecule 2 is EICOSANE (CCD ID: LFA) (formula: C₂₀H₄₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C	0	0
			10	10		
2	A	1	Total	C	0	0
			16	16		
2	A	1	Total	C	0	0
			10	10		
2	A	1	Total	C	0	0
			6	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 8 8	0	0
2	A	1	Total C 12 12	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 18 18	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 13 13	0	0
2	A	1	Total C 6 6	0	0
2	B	1	Total C 8 8	0	0
2	B	1	Total C 8 8	0	0
2	B	1	Total C 10 10	0	0
2	B	1	Total C 16 16	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 16 16	0	0
2	B	1	Total C 12 12	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 8 8	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 10 10	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 6 6	0	0

- Molecule 3 is (2S)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLB) (formula: $C_{21}H_{40}O_4$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 9 5 4	0	0
3	B	1	Total C O 14 10 4	0	0

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: $C_{21}H_{40}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	9	4		
4	A	1	Total	C	O	0	0
			16	12	4		
4	B	1	Total	C	O	0	0
			16	12	4		
4	B	1	Total	C	O	0	0
			16	12	4		

- Molecule 5 is RETINAL (CCD ID: RET) (formula: C₂₀H₂₈O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C	0	0
			20	20		
5	B	1	Total	C	0	0
			20	20		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	84	Total	O	0	1
			84	84		
6	B	74	Total	O	0	1
			74	74		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Bacteriorhodopsin



• Molecule 1: Bacteriorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	40.69Å 56.63Å 57.39Å 63.66° 78.98° 80.33°	Depositor
Resolution (Å)	50.57 – 1.60 50.57 – 1.60	Depositor EDS
% Data completeness (in resolution range)	99.7 (50.57-1.60) 99.7 (50.57-1.60)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.96 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.175 , 0.204 0.186 , 0.216	Depositor DCC
R_{free} test set	3019 reflections (2.11%)	wwPDB-VP
Wilson B-factor (Å ²)	21.0	Xtriage
Anisotropy	0.257	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 56.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.009 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4017	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OLB, OLC, RET, LFA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	0/1832	1.26	0/2491
1	B	0.93	0/1810	1.22	0/2463
All	All	0.94	0/3642	1.24	0/4954

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1752	0	1775	52	0
1	B	1732	0	1748	36	0
2	A	131	0	243	5	0
2	B	120	0	227	7	0
3	A	9	0	7	4	0
3	B	14	0	17	3	0
4	A	29	0	36	4	0
4	B	32	0	42	2	0
5	A	20	0	27	6	0
5	B	20	0	27	5	0
6	A	84	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	74	0	0	9	0
All	All	4017	0	4149	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:315:OLC:C24	6:B:405:HOH:O	2.13	0.97
1:B:144:GLN:HG3	6:B:423[B]:HOH:O	1.63	0.96
1:A:144:GLN:HG3	6:A:417[B]:HOH:O	1.62	0.96
1:B:140[B]:MET:HA	1:B:140[B]:MET:HE2	1.48	0.94
4:A:315:OLC:H24A	6:B:405:HOH:O	1.69	0.92
1:B:6:TYR:CE1	1:B:60:GLU:HG3	2.05	0.91
1:A:65:ASP:HB3	1:A:68:LEU:HD11	1.59	0.83
1:A:54[B]:LYS:CD	6:A:477:HOH:O	2.26	0.82
1:A:65:ASP:HB3	1:A:68:LEU:CD1	2.09	0.82
2:A:312:LFA:C4	2:A:313:LFA:C2	2.58	0.82
1:B:67:GLY:HA3	3:B:314:OLB:H24A	1.63	0.80
1:B:24:LEU:O	1:B:27:SER:OG	2.01	0.79
1:A:65:ASP:CG	1:A:68:LEU:HD12	2.09	0.77
1:A:65:ASP:O	1:A:68:LEU:HD13	1.87	0.74
1:A:24:LEU:O	1:A:27:SER:OG	2.04	0.74
1:A:6:TYR:CE1	1:A:60[A]:GLU:HG3	2.22	0.73
1:A:65:ASP:CB	1:A:68:LEU:CD1	2.68	0.71
1:A:170:ILE:HG22	1:A:174[A]:LEU:HD12	1.71	0.71
1:A:51:HIS:NE2	3:A:314:OLB:C24	2.54	0.70
1:A:65:ASP:CG	1:A:68:LEU:CD1	2.65	0.70
1:A:52:TYR:OH	1:A:69[B]:ARG:NH2	2.25	0.69
1:A:10[B]:MET:HG2	2:A:310:LFA:H12	1.79	0.65
1:A:39:TYR:HB3	2:A:309:LFA:H141	1.79	0.65
2:B:302:LFA:H11	4:B:315:OLC:C9	2.27	0.64
1:A:69[B]:ARG:NH1	1:A:189[B]:GLU:OE1	2.33	0.62
1:A:30:VAL:HG21	1:A:211:ALA:HB1	1.83	0.59
1:B:140[B]:MET:HE2	1:B:140[B]:MET:CA	2.29	0.59
1:B:33:GLU:O	1:B:33:GLU:HG3	2.02	0.59
1:B:140[B]:MET:CE	1:B:143[B]:LEU:HD12	2.33	0.59
1:B:67:GLY:CA	3:B:314:OLB:H24A	2.31	0.58
5:B:317:RET:H161	5:B:317:RET:H8	1.85	0.58
1:B:6:TYR:CZ	1:B:60:GLU:OE2	2.57	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:ALA:HB3	1:B:210[B]:MET:HE3	1.86	0.57
1:A:6:TYR:CD1	1:A:60[A]:GLU:HG3	2.40	0.57
1:B:188:ARG:HD3	6:B:407:HOH:O	2.03	0.57
1:A:65:ASP:O	1:A:68:LEU:CD1	2.52	0.57
1:B:132:ALA:HB3	5:B:317:RET:H41	1.87	0.57
1:A:51:HIS:NE2	3:A:314:OLB:H24A	2.20	0.57
5:A:317:RET:H161	5:A:317:RET:H8	1.85	0.56
2:B:302:LFA:C1	4:B:315:OLC:C9	2.83	0.56
1:A:132:ALA:HB3	5:A:317:RET:H41	1.86	0.56
1:B:6:TYR:CE1	1:B:60:GLU:CG	2.87	0.55
1:A:57:ALA:O	1:A:60[B]:GLU:HG2	2.09	0.52
2:B:307:LFA:H12	2:B:308:LFA:H12	1.92	0.52
1:B:1[A]:MET:SD	1:B:4:LEU:N	2.79	0.51
1:A:50:TYR:CD2	3:A:314:OLB:H24	2.45	0.51
1:B:87:VAL:HB	1:B:210[B]:MET:HG2	1.93	0.51
1:B:140[B]:MET:HE2	1:B:143[B]:LEU:HD12	1.91	0.51
1:B:33:GLU:HB3	6:B:439:HOH:O	2.10	0.51
2:B:307:LFA:H12	2:B:308:LFA:C1	2.41	0.50
1:A:8:LEU:CD1	1:A:190:VAL:HG13	2.41	0.50
1:A:65:ASP:CB	1:A:68:LEU:HD11	2.33	0.50
1:A:67:GLY:HA3	4:A:315:OLC:H22	1.94	0.49
1:A:133:MET:HE3	1:A:133:MET:HA	1.94	0.49
1:B:154[B]:GLN:NE2	1:B:214:GLN:HG2	2.27	0.49
1:A:40:ILE:HD13	1:A:82:VAL:HG12	1.95	0.49
2:B:306:LFA:H152	2:B:313:LFA:C1	2.42	0.49
1:A:10[B]:MET:CG	2:A:310:LFA:H12	2.43	0.48
1:A:142[B]:ASN:ND2	6:A:404:HOH:O	2.45	0.48
1:B:101:TRP:CZ2	1:B:142[B]:ASN:HB3	2.48	0.48
1:A:189[B]:GLU:OE2	6:A:401:HOH:O	2.16	0.48
1:B:25:ALA:HB2	2:B:312:LFA:H72	1.95	0.48
1:A:130:VAL:HG22	4:A:316:OLC:H24	1.96	0.48
1:B:101:TRP:CZ2	1:B:142[A]:ASN:HB3	2.48	0.48
1:A:30:VAL:CG2	1:A:215:SER:OG	2.62	0.47
1:A:31:LYS:HG3	1:A:215:SER:HB3	1.97	0.47
1:A:1[A]:MET:SD	1:A:3:GLU:HB3	2.54	0.47
1:B:140[B]:MET:HE1	1:B:143[B]:LEU:HD12	1.96	0.47
5:B:317:RET:H161	5:B:317:RET:C8	2.44	0.47
1:B:67:GLY:C	3:B:314:OLB:H24A	2.40	0.47
5:A:317:RET:H161	5:A:317:RET:C8	2.45	0.46
1:A:186:ALA:HA	6:A:421:HOH:O	2.14	0.46
1:B:132:ALA:CB	5:B:317:RET:H41	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:317:RET:H7	5:B:317:RET:H181	1.63	0.46
1:A:50:TYR:CE2	3:A:314:OLB:H24	2.51	0.46
1:A:132:ALA:CB	5:A:317:RET:H41	2.46	0.46
1:B:188:ARG:NH2	6:B:408:HOH:O	2.48	0.46
1:B:40:ILE:HD13	1:B:82:VAL:HG12	1.98	0.46
1:A:13:THR:HG23	1:A:53:GLN:HG3	1.98	0.45
1:A:80:MET:O	1:A:83:GLU:HG2	2.18	0.44
5:A:317:RET:H7	5:A:317:RET:H181	1.67	0.44
1:A:104:ALA:O	1:A:135[A]:THR:HG21	2.18	0.43
5:A:317:RET:H8	5:A:317:RET:H171	2.00	0.43
1:A:69[A]:ARG:HH11	1:A:69[A]:ARG:HG3	1.81	0.43
1:B:1[A]:MET:CE	1:B:4:LEU:HB2	2.48	0.43
1:A:17:LEU:HB2	1:A:49:TRP:CD1	2.53	0.43
1:A:136:TYR:O	1:A:140:MET:HG2	2.19	0.43
1:B:144:GLN:CG	6:B:423[B]:HOH:O	2.42	0.43
1:A:31:LYS:HG3	1:A:215:SER:CB	2.49	0.43
1:B:7:ARG:O	1:B:10[B]:MET:HG2	2.18	0.42
1:B:178:ALA:N	1:B:179:PRO:CD	2.83	0.42
1:B:8:LEU:CD2	1:B:190:VAL:HG13	2.50	0.41
1:A:30:VAL:HG23	1:A:215:SER:OG	2.21	0.41
1:B:17:LEU:HB2	1:B:49:TRP:CD1	2.55	0.41
1:B:35:ARG:HB2	2:B:313:LFA:H52	2.03	0.41
1:A:30:VAL:HG22	1:A:215:SER:OG	2.20	0.41
1:A:101:TRP:CZ2	1:A:142[A]:ASN:HB3	2.56	0.41
1:B:209:GLN:CD	6:B:447:HOH:O	2.64	0.41
1:A:133:MET:HE3	1:A:133:MET:CA	2.51	0.41
1:A:178:ALA:N	1:A:179:PRO:CD	2.84	0.40
2:A:312:LFA:H122	2:A:312:LFA:H152	1.85	0.40
1:B:189:GLU:HG2	6:B:433:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/220 (104%)	228 (99%)	2 (1%)	0	100	100
1	B	228/220 (104%)	227 (100%)	1 (0%)	0	100	100
All	All	458/440 (104%)	455 (99%)	3 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/173 (102%)	172 (97%)	5 (3%)	38	15
1	B	173/173 (100%)	169 (98%)	4 (2%)	44	20
All	All	350/346 (101%)	341 (97%)	9 (3%)	45	17

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1[A]	MET
1	A	1[B]	MET
1	A	66	THR
1	A	177[A]	ILE
1	A	177[B]	ILE
1	B	28	ARG
1	B	33	GLU
1	B	60	GLU
1	B	188	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	214	GLN
1	B	214	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

34 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LFA	B	301	-	7,7,19	0.13	0	6,6,18	0.14	0
2	LFA	B	309	-	7,7,19	0.13	0	6,6,18	0.14	0
2	LFA	B	310	-	6,6,19	0.11	0	5,5,18	0.10	0
3	OLB	A	314	-	8,8,24	1.05	1 (12%)	9,9,25	1.36	1 (11%)
2	LFA	B	303	-	9,9,19	0.13	0	8,8,18	0.12	0
3	OLB	B	314	-	13,13,24	1.21	1 (7%)	14,14,25	1.21	1 (7%)
2	LFA	A	312	-	12,12,19	0.07	0	11,11,18	0.11	0
2	LFA	A	304	-	5,5,19	0.10	0	4,4,18	0.15	0
2	LFA	A	310	-	5,5,19	0.12	0	4,4,18	0.09	0
4	OLC	B	316	-	15,15,24	1.22	1 (6%)	16,16,25	1.12	1 (6%)
2	LFA	B	304	-	15,15,19	0.21	0	14,14,18	0.10	0
2	LFA	B	302	-	7,7,19	0.13	0	6,6,18	0.10	0
4	OLC	B	315	-	15,15,24	1.16	1 (6%)	16,16,25	1.24	1 (6%)
2	LFA	A	313	-	5,5,19	0.16	0	4,4,18	0.12	0
2	LFA	B	305	-	5,5,19	0.09	0	4,4,18	0.13	0
5	RET	A	317	1	20,20,21	2.54	3 (15%)	27,27,28	1.70	8 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LFA	A	307	-	9,9,19	0.13	0	8,8,18	0.13	0
2	LFA	A	303	-	9,9,19	0.16	0	8,8,18	0.15	0
2	LFA	B	308	-	5,5,19	0.08	0	4,4,18	0.15	0
2	LFA	B	313	-	5,5,19	0.10	0	4,4,18	0.14	0
4	OLC	A	315	-	12,12,24	1.29	1 (8%)	13,13,25	0.96	1 (7%)
4	OLC	A	316	-	15,15,24	1.10	1 (6%)	16,16,25	1.14	2 (12%)
2	LFA	B	312	-	9,9,19	0.14	0	8,8,18	0.11	0
5	RET	B	317	1	20,20,21	3.05	3 (15%)	27,27,28	1.92	8 (29%)
2	LFA	A	311	-	5,5,19	0.10	0	4,4,18	0.15	0
2	LFA	A	305	-	7,7,19	0.10	0	6,6,18	0.10	0
2	LFA	A	302	-	15,15,19	0.15	0	14,14,18	0.15	0
2	LFA	B	311	-	6,6,19	0.15	0	5,5,18	0.13	0
2	LFA	B	307	-	11,11,19	0.12	0	10,10,18	0.10	0
2	LFA	A	306	-	11,11,19	0.15	0	10,10,18	0.07	0
2	LFA	B	306	-	15,15,19	0.15	0	14,14,18	0.17	0
2	LFA	A	301	-	9,9,19	0.15	0	8,8,18	0.11	0
2	LFA	A	308	-	9,9,19	0.15	0	8,8,18	0.11	0
2	LFA	A	309	-	17,17,19	0.13	0	16,16,18	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	B	301	-	-	4/5/5/17	-
2	LFA	B	309	-	-	3/5/5/17	-
2	LFA	B	310	-	-	1/4/4/17	-
3	OLB	A	314	-	-	2/7/7/24	-
2	LFA	B	303	-	-	2/7/7/17	-
3	OLB	B	314	-	-	5/13/13/24	-
2	LFA	A	312	-	-	3/10/10/17	-
2	LFA	A	304	-	-	2/3/3/17	-
2	LFA	A	310	-	-	2/3/3/17	-
4	OLC	B	316	-	-	7/15/15/24	-
2	LFA	B	304	-	-	5/13/13/17	-
2	LFA	B	302	-	-	2/5/5/17	-
4	OLC	B	315	-	-	4/15/15/24	-
2	LFA	A	313	-	-	1/3/3/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	B	305	-	-	2/3/3/17	-
5	RET	A	317	1	-	0/13/30/31	0/1/1/1
2	LFA	A	307	-	-	3/7/7/17	-
2	LFA	A	303	-	-	7/7/7/17	-
2	LFA	B	308	-	-	1/3/3/17	-
2	LFA	B	313	-	-	0/3/3/17	-
4	OLC	A	315	-	-	6/12/12/24	-
4	OLC	A	316	-	-	4/15/15/24	-
2	LFA	B	312	-	-	1/7/7/17	-
5	RET	B	317	1	-	0/13/30/31	0/1/1/1
2	LFA	A	311	-	-	2/3/3/17	-
2	LFA	A	305	-	-	3/5/5/17	-
2	LFA	A	302	-	-	8/13/13/17	-
2	LFA	B	311	-	-	0/4/4/17	-
2	LFA	B	307	-	-	6/9/9/17	-
2	LFA	A	306	-	-	5/9/9/17	-
2	LFA	B	306	-	-	5/13/13/17	-
2	LFA	A	301	-	-	5/7/7/17	-
2	LFA	A	308	-	-	5/7/7/17	-
2	LFA	A	309	-	-	7/15/15/17	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	317	RET	C14-C13	12.42	1.42	1.33
5	A	317	RET	C14-C13	10.13	1.40	1.33
4	B	316	OLC	O20-C1	4.60	1.46	1.33
4	B	315	OLC	O20-C1	4.30	1.45	1.33
4	A	315	OLC	O20-C1	4.26	1.45	1.33
3	B	314	OLB	O20-C1	4.23	1.45	1.33
4	A	316	OLC	O20-C1	4.05	1.45	1.33
5	A	317	RET	C15-C14	-3.23	1.37	1.49
5	B	317	RET	C15-C14	-3.09	1.38	1.49
3	A	314	OLB	O20-C1	2.65	1.46	1.33
5	A	317	RET	C10-C9	2.30	1.41	1.35
5	B	317	RET	C17-C1	-2.06	1.49	1.53

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	317	RET	C7-C8-C9	-3.57	120.95	126.23
4	B	315	OLC	O20-C1-C2	3.45	122.37	111.83
3	B	314	OLB	O20-C1-C2	3.29	121.88	111.83
5	B	317	RET	C18-C5-C6	-3.28	120.90	124.48
5	B	317	RET	C3-C4-C5	-3.22	108.31	114.06
5	B	317	RET	C10-C11-C12	-3.21	113.91	123.20
4	B	316	OLC	O20-C1-C2	3.18	121.54	111.83
5	A	317	RET	C18-C5-C6	-3.15	121.05	124.48
4	A	316	OLC	O20-C1-C2	3.12	121.35	111.83
5	B	317	RET	C16-C1-C6	-3.09	105.40	110.24
5	A	317	RET	C10-C11-C12	-3.08	114.28	123.20
5	B	317	RET	C2-C3-C4	-2.90	104.89	111.28
5	B	317	RET	C7-C8-C9	-2.88	121.98	126.23
5	A	317	RET	C2-C3-C4	-2.66	105.42	111.28
5	A	317	RET	C3-C4-C5	-2.57	109.48	114.06
5	B	317	RET	C17-C1-C6	2.51	114.18	110.24
4	A	315	OLC	O20-C1-C2	2.45	119.29	111.83
5	B	317	RET	C1-C6-C7	2.42	122.21	115.65
3	A	314	OLB	O20-C1-C2	2.33	122.27	112.38
5	A	317	RET	C1-C6-C7	2.32	121.95	115.65
4	A	316	OLC	O20-C1-O19	-2.22	118.08	123.63
5	A	317	RET	C11-C10-C9	-2.02	124.45	127.28
5	A	317	RET	C4-C5-C6	2.01	125.42	122.70

There are no chirality outliers.

All (113) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	314	OLB	C21-C22-C24-O25
4	A	315	OLC	C21-C22-C24-O25
4	A	315	OLC	O20-C21-C22-C24
4	A	316	OLC	C21-C22-C24-O25
4	B	315	OLC	O20-C21-C22-O23
4	B	316	OLC	O20-C21-C22-O23
3	B	314	OLB	O20-C21-C22-O23
2	B	306	LFA	C4-C5-C6-C7
2	A	312	LFA	C12-C13-C14-C15
3	B	314	OLB	O20-C21-C22-C24
4	A	315	OLC	O20-C21-C22-O23
4	B	315	OLC	O20-C21-C22-C24
4	B	316	OLC	C1-C2-C3-C4
3	A	314	OLB	C21-C22-C24-O25
4	A	315	OLC	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	301	LFA	C2-C3-C4-C5
2	B	303	LFA	C5-C6-C7-C8
2	A	301	LFA	C5-C6-C7-C8
3	A	314	OLB	O23-C22-C24-O25
4	A	316	OLC	O23-C22-C24-O25
2	A	302	LFA	C10-C11-C12-C13
2	B	307	LFA	C7-C8-C9-C10
2	B	301	LFA	C4-C5-C6-C7
2	A	306	LFA	C2-C3-C4-C5
2	A	309	LFA	C14-C15-C16-C17
2	A	302	LFA	C4-C5-C6-C7
2	A	303	LFA	C5-C6-C7-C8
2	B	307	LFA	C6-C7-C8-C9
2	A	309	LFA	C11-C12-C13-C14
2	A	302	LFA	C5-C6-C7-C8
2	A	306	LFA	C3-C4-C5-C6
2	A	301	LFA	C3-C4-C5-C6
2	A	310	LFA	C2-C3-C4-C5
2	B	306	LFA	C6-C7-C8-C9
2	A	306	LFA	C5-C6-C7-C8
2	A	309	LFA	C7-C8-C9-C10
2	A	306	LFA	C7-C8-C9-C10
2	A	303	LFA	C2-C3-C4-C5
2	B	310	LFA	C3-C4-C5-C6
2	A	302	LFA	C7-C8-C9-C10
2	B	309	LFA	C3-C4-C5-C6
2	A	303	LFA	C3-C4-C5-C6
2	A	305	LFA	C5-C6-C7-C8
2	B	307	LFA	C2-C3-C4-C5
4	B	315	OLC	O20-C1-C2-C3
2	A	301	LFA	C6-C7-C8-C9
2	A	312	LFA	C4-C5-C6-C7
4	A	316	OLC	C6-C7-C8-C9
2	A	302	LFA	C1-C2-C3-C4
2	A	312	LFA	C13-C14-C15-C16
3	B	314	OLB	O23-C22-C24-O25
4	A	315	OLC	O23-C22-C24-O25
2	B	305	LFA	C1-C2-C3-C4
4	B	316	OLC	C4-C5-C6-C7
2	A	309	LFA	C10-C11-C12-C13
2	A	309	LFA	C1-C2-C3-C4
2	A	301	LFA	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	306	LFA	C10-C11-C12-C13
2	B	306	LFA	C11-C12-C13-C14
2	A	303	LFA	C1-C2-C3-C4
4	B	316	OLC	C3-C4-C5-C6
2	A	308	LFA	C6-C7-C8-C9
2	A	302	LFA	C6-C7-C8-C9
2	A	304	LFA	C2-C3-C4-C5
2	A	308	LFA	C4-C5-C6-C7
2	B	307	LFA	C3-C4-C5-C6
2	B	306	LFA	C11-C10-C9-C8
4	B	316	OLC	O20-C21-C22-C24
2	A	311	LFA	C2-C3-C4-C5
2	A	313	LFA	C3-C4-C5-C6
2	A	305	LFA	C4-C5-C6-C7
2	B	304	LFA	C11-C12-C13-C14
2	A	305	LFA	C2-C3-C4-C5
2	B	302	LFA	C5-C6-C7-C8
2	B	309	LFA	C5-C6-C7-C8
2	B	304	LFA	C9-C10-C11-C12
2	A	303	LFA	C6-C7-C8-C9
2	B	305	LFA	C3-C4-C5-C6
2	B	303	LFA	C4-C5-C6-C7
2	A	304	LFA	C1-C2-C3-C4
2	A	310	LFA	C1-C2-C3-C4
2	B	302	LFA	C1-C2-C3-C4
2	B	301	LFA	C3-C4-C5-C6
2	A	308	LFA	C7-C8-C9-C10
4	A	316	OLC	C2-C3-C4-C5
2	A	308	LFA	C2-C3-C4-C5
2	A	307	LFA	C3-C4-C5-C6
2	A	306	LFA	C9-C10-C11-C12
4	A	315	OLC	C3-C4-C5-C6
2	B	307	LFA	C11-C10-C9-C8
2	A	303	LFA	C4-C5-C6-C7
4	B	315	OLC	O19-C1-C2-C3
2	A	309	LFA	C15-C16-C17-C18
2	A	308	LFA	C3-C4-C5-C6
2	B	308	LFA	C3-C4-C5-C6
4	B	316	OLC	O19-C1-O20-C21
2	A	307	LFA	C6-C7-C8-C9
2	A	309	LFA	C6-C7-C8-C9
2	B	304	LFA	C12-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	304	LFA	C3-C4-C5-C6
2	A	311	LFA	C3-C4-C5-C6
2	B	312	LFA	C7-C8-C9-C10
2	A	301	LFA	C7-C8-C9-C10
2	A	302	LFA	C9-C10-C11-C12
2	B	307	LFA	C1-C2-C3-C4
2	B	301	LFA	C5-C6-C7-C8
2	A	307	LFA	C7-C8-C9-C10
4	B	316	OLC	C2-C1-O20-C21
2	A	302	LFA	C11-C10-C9-C8
2	A	303	LFA	C7-C8-C9-C10
2	B	304	LFA	C7-C8-C9-C10
2	B	309	LFA	C2-C3-C4-C5
3	B	314	OLB	C3-C4-C5-C6


There are no ring outliers.




17 monomers are involved in 34 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	314	OLB	4	0
3	B	314	OLB	3	0
2	A	312	LFA	2	0
2	A	310	LFA	2	0
2	B	302	LFA	2	0
4	B	315	OLC	2	0
2	A	313	LFA	1	0
5	A	317	RET	6	0
2	B	308	LFA	2	0
2	B	313	LFA	2	0
4	A	315	OLC	3	0
4	A	316	OLC	1	0
2	B	312	LFA	1	0
5	B	317	RET	5	0
2	B	307	LFA	2	0
2	B	306	LFA	1	0
2	A	309	LFA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	217/220 (98%)	0.51	19 (8%) 15 15	11, 24, 49, 68	23 (10%)
1	B	217/220 (98%)	0.46	18 (8%) 17 17	11, 24, 52, 74	19 (8%)
All	All	434/440 (98%)	0.49	37 (8%) 16 16	11, 24, 51, 74	42 (9%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1[A]	MET	5.9
1	A	217[A]	GLU	4.8
1	A	32	PRO	3.9
1	A	181	VAL	3.8
1	B	30	VAL	3.4
1	A	184	PHE	3.3
1	B	62	GLY	3.2
1	B	1[A]	MET	3.1
1	A	180	VAL	3.1
1	B	61	SER	3.0
1	A	30	VAL	2.9
1	B	63	SER	2.9
1	A	63	SER	2.8
1	B	64	TYR	2.8
1	A	59	TRP	2.8
1	A	25	ALA	2.8
1	B	181	VAL	2.7
1	A	64	TYR	2.7
1	B	184	PHE	2.7
1	A	4	LEU	2.6
1	B	59	TRP	2.6
1	B	28	ARG	2.5
1	A	120	ALA	2.5
1	B	101	TRP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2	GLU	2.5
1	B	120	ALA	2.4
1	B	179	PRO	2.3
1	A	66	THR	2.3
1	B	178	ALA	2.3
1	B	217	GLU	2.3
1	B	25	ALA	2.2
1	A	179	PRO	2.2
1	B	32	PRO	2.1
1	A	6	TYR	2.1
1	A	117	THR	2.1
1	B	60	GLU	2.0
1	A	31	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LFA	A	312	13/20	0.62	0.18	42,51,61,61	0
2	LFA	A	307	10/20	0.69	0.18	33,52,56,57	0
2	LFA	B	308	6/20	0.69	0.16	41,45,50,53	0
4	OLC	B	315	16/25	0.73	0.17	53,60,76,76	0
2	LFA	A	311	6/20	0.74	0.14	39,47,50,52	0
2	LFA	B	313	6/20	0.74	0.14	39,44,56,58	0
2	LFA	A	301	10/20	0.74	0.18	34,47,57,60	0
2	LFA	A	310	6/20	0.75	0.17	38,43,46,50	0
2	LFA	B	309	8/20	0.75	0.15	44,46,52,53	0
2	LFA	A	306	12/20	0.76	0.18	40,44,55,58	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	LFA	A	313	6/20	0.76	0.15	39,47,50,53	0
2	LFA	A	308	10/20	0.78	0.19	38,47,55,58	0
2	LFA	B	307	12/20	0.80	0.17	41,50,55,56	0
2	LFA	B	311	7/20	0.80	0.13	42,47,58,63	0
4	OLC	B	316	16/25	0.80	0.19	38,53,61,62	0
2	LFA	A	303	10/20	0.81	0.17	42,44,57,57	0
2	LFA	B	310	7/20	0.81	0.16	40,42,49,50	0
2	LFA	B	302	8/20	0.81	0.17	42,46,48,53	0
2	LFA	B	312	10/20	0.81	0.16	37,50,57,57	0
2	LFA	B	304	16/20	0.81	0.15	34,41,50,50	0
2	LFA	A	302	16/20	0.81	0.14	33,38,51,51	0
2	LFA	A	309	18/20	0.81	0.15	36,44,47,49	0
2	LFA	B	306	16/20	0.83	0.14	37,43,53,53	0
2	LFA	A	305	8/20	0.83	0.13	41,49,63,65	0
4	OLC	A	315	13/25	0.84	0.13	44,52,66,67	0
4	OLC	A	316	16/25	0.84	0.17	46,52,59,63	0
2	LFA	B	303	10/20	0.84	0.14	32,41,52,53	0
2	LFA	A	304	6/20	0.84	0.13	39,44,47,48	0
2	LFA	B	301	8/20	0.85	0.14	37,41,52,56	0
3	OLB	A	314	9/25	0.85	0.13	29,41,49,64	0
3	OLB	B	314	14/25	0.88	0.10	37,44,57,63	0
2	LFA	B	305	6/20	0.89	0.13	40,45,51,52	0
5	RET	A	317	20/21	0.93	0.08	13,17,18,19	0
5	RET	B	317	20/21	0.93	0.08	14,17,18,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LFA A 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 315:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 313:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 316:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 315:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 316:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLB A 314:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLB B 314:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA B 305:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around RET A 317:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET B 317:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.