



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:31 PM UTC

PDB ID : 5AXW / pdb_00005axw
Title : Crystal structure of Staphylococcus aureus Cas9 in complex with sgRNA and target DNA (TTGGGT PAM)
Authors : Nishimasu, H.; Ishitani, R.; Nureki, O.
Deposited on : 2015-08-01
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)
RNA backbone	3983	1044 (2.90-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1056	5% 79% 17% ••
2	B	73	3% 64% 30% 5%
3	C	28	4% 68% 32%
4	D	8	62% 38%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 10823 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR-associated endonuclease Cas9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1043	Total	C	N	O	S	0	0	0
			8418	5343	1460	1600	15			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP J7RUA5
A	-1	SER	-	expression tag	UNP J7RUA5
A	0	HIS	-	expression tag	UNP J7RUA5
A	580	ALA	ASN	engineered mutation	UNP J7RUA5
A	946	ALA	CYS	engineered mutation	UNP J7RUA5

- Molecule 2 is a RNA chain called RNA (73-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	73	Total	C	N	O	P	0	0	0
			1545	689	279	504	73			

- Molecule 3 is a DNA chain called DNA (28-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	28	Total	C	N	O	P	0	2	0
			601	288	111	173	29			


- Molecule 4 is a DNA chain called DNA (5'-D(*TP*TP*GP*GP*GP*TP*AP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	8	Total	C	N	O	P	0	0	0
			166	80	31	48	7			

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	3	Total 3	Na 3	0	0
5	B	1	Total 1	Na 1	0	0

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total 5	O 4	P 1	0	0

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	52	Total	O	0	0
			52	52		
8	B	16	Total	O	0	0
			16	16		
8	C	1	Total	O	0	0
			1	1		
8	D	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CRISPR-associated endonuclease Cas9



• Molecule 2: RNA (73-MER)



- Molecule 3: DNA (28-MER)



- Molecule 4: DNA (5'-D(*TP*TP*GP*GP*GP*TP*AP*G)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	67.60Å 345.66Å 98.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.67 – 2.70 49.67 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.67-2.70) 99.9 (49.67-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.203 , 0.230 0.217 , 0.243	Depositor DCC
R_{free} test set	3197 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	62.1	Xtriage
Anisotropy	0.735	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 64.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10823	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, EDO, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/8564	0.70	5/11561 (0.0%)
2	B	0.11	0/1729	0.25	0/2692
3	C	0.19	0/673	0.34	0/1033
4	D	0.21	0/186	0.49	0/287
All	All	0.26	0/11152	0.63	5/15573 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	240	PHE	CA-C-N	5.65	125.49	119.28
1	A	240	PHE	C-N-CA	5.65	125.49	119.28
1	A	87	ASN	CA-C-N	5.46	124.92	119.24
1	A	87	ASN	C-N-CA	5.46	124.92	119.24
1	A	219	SER	N-CA-C	5.28	115.67	109.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8418	0	8290	116	0
2	B	1545	0	773	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	601	0	337	10	0
4	D	166	0	93	3	0
5	A	3	0	0	0	0
5	B	1	0	0	0	0
6	B	5	0	0	0	0
7	B	4	0	6	0	0
7	D	4	0	6	0	0
8	A	52	0	0	0	0
8	B	16	0	0	0	0
8	C	1	0	0	0	0
8	D	7	0	0	0	0
All	All	10823	0	9505	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:861:THR:HG23	1:A:863:ASN:H	1.50	0.77
1:A:269:ARG:HG3	1:A:271:GLU:HG2	1.68	0.73
1:A:516:ASN:OD1	1:A:516:ASN:N	2.23	0.71
1:A:92:ARG:NH1	1:A:154:GLN:OE1	2.24	0.70
1:A:66:ARG:HE	1:A:204:LEU:HD11	1.58	0.68
1:A:873:ASN:HD22	1:A:873:ASN:H	1.41	0.66
1:A:459:LYS:NZ	2:B:73:U:OP1	2.24	0.65
1:A:804:ASN:ND2	2:B:23:U:OP1	2.30	0.64
1:A:247:VAL:HG21	1:A:353:LYS:HA	1.80	0.62
1:A:942:VAL:O	1:A:1048:GLN:NE2	2.33	0.61
1:A:685:ARG:NH2	1:A:703:GLU:OE1	2.33	0.61
1:A:184:LEU:HD13	1:A:198:ILE:HG13	1.83	0.61
1:A:269:ARG:NH1	1:A:272:ASN:O	2.33	0.60
1:A:882:TYR:OH	3:C:7:DA:OP1	2.20	0.60
1:A:958:ASN:OD1	1:A:958:ASN:N	2.34	0.59
1:A:144:ALA:O	1:A:148:LYS:NZ	2.34	0.59
1:A:867:LYS:NZ	2:B:45:C:O2	2.34	0.59
1:A:820:ILE:HD12	1:A:844:MET:HG2	1.83	0.58
1:A:98:GLN:O	1:A:187:GLN:NE2	2.37	0.58
1:A:445:ILE:HG21	1:A:451:LYS:HB2	1.85	0.57
1:A:913:ARG:NH2	1:A:967:TYR:OH	2.37	0.57
1:A:30:ASP:OD2	1:A:468:TYR:OH	2.22	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:619:SER:HB3	1:A:622:LYS:HB2	1.86	0.57
1:A:71:LEU:HD13	1:A:106:SER:HB3	1.87	0.57
1:A:306:ASN:ND2	1:A:309:ASP:OD2	2.38	0.56
1:A:316:THR:HG23	1:A:318:THR:H	1.71	0.55
1:A:643:ASN:HA	1:A:647:VAL:HG12	1.88	0.55
1:A:128:THR:HB	1:A:140:ARG:HH21	1.72	0.55
1:A:893:ILE:HD12	1:A:897:TYR:HE2	1.72	0.55
1:A:563:VAL:HG21	1:A:632:ILE:HG23	1.88	0.55
2:B:35:G:N2	2:B:38:A:OP2	2.41	0.54
1:A:188:LYS:HA	1:A:193:LEU:HD21	1.89	0.54
1:A:360:SER:OG	1:A:363:ASP:OD2	2.25	0.54
1:A:59:ARG:NH1	2:B:17:U:OP2	2.38	0.53
1:A:504:ARG:NH2	1:A:507:GLU:OE2	2.42	0.53
1:A:328:VAL:HG11	1:A:352:ALA:HB2	1.89	0.53
1:A:22:ASP:OD1	1:A:25:THR:N	2.31	0.53
1:A:748:GLN:NE2	1:A:752:GLU:OE2	2.42	0.52
2:B:50:A:H2'	2:B:51:A:C8	2.45	0.51
2:B:62:A:H4'	2:B:63:A:O5'	2.11	0.51
3:C:11:DC:H2'	3:C:12[B]:DA:C8	2.46	0.51
1:A:808:LEU:HD11	1:A:879:LYS:HA	1.92	0.50
1:A:608:ILE:HD12	1:A:626:LEU:HD13	1.93	0.50
1:A:578:GLU:OE2	1:A:578:GLU:N	2.37	0.50
1:A:223:TRP:CD1	1:A:229:TRP:HB2	2.46	0.50
1:A:141:ASN:ND2	1:A:170:ARG:O	2.45	0.50
1:A:605:LYS:NZ	1:A:629:GLU:OE2	2.42	0.50
1:A:406:GLU:OE1	1:A:420:ARG:NH1	2.38	0.50
1:A:224:LYS:NZ	1:A:225:ASP:OD2	2.43	0.49
1:A:674:LYS:HD3	1:A:728:MET:HE2	1.94	0.49
1:A:376:THR:HG22	1:A:378:GLU:H	1.77	0.49
1:A:475:ILE:HG23	1:A:708:ILE:HG22	1.95	0.49
1:A:92:ARG:HD3	1:A:112:LEU:HG	1.94	0.48
1:A:116:ARG:NH2	1:A:207:THR:O	2.46	0.48
2:B:25:U:H2'	2:B:26:A:C8	2.48	0.48
1:A:867:LYS:HE2	2:B:30:C:O2	2.14	0.48
1:A:536:TYR:OH	1:A:583:LYS:NZ	2.43	0.48
1:A:243:GLU:HG3	1:A:398:LYS:HD3	1.96	0.48
2:B:49:U:H2'	2:B:50:A:C8	2.49	0.48
1:A:545:ASP:OD2	1:A:553:TYR:OH	2.31	0.48
1:A:991:ARG:NH2	4:D:6:DT:O4	2.41	0.47
3:C:11:DC:H2'	3:C:12[B]:DA:H8	1.79	0.47
1:A:152:GLU:O	1:A:156:GLU:HG3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:ASN:HD22	1:A:473:ASP:N	2.13	0.47
4:D:4:DG:H1'	4:D:5:DG:C8	2.49	0.47
2:B:12:G:H2'	2:B:13:C:C6	2.50	0.47
1:A:873:ASN:HD22	1:A:873:ASN:N	2.10	0.46
1:A:596:ASP:N	1:A:596:ASP:OD1	2.48	0.46
1:A:88:PRO:HG2	2:B:50:A:H4'	1.98	0.46
1:A:253:ALA:HA	1:A:400:ILE:HD13	1.96	0.46
1:A:888:ASN:HB3	1:A:889:ALA:H	1.55	0.46
1:A:119:HIS:CE1	1:A:208:ARG:HD2	2.51	0.46
1:A:219:SER:HA	1:A:220:PRO:HD3	1.86	0.45
1:A:335:ILE:HG13	1:A:336:THR:N	2.31	0.45
1:A:378:GLU:OE1	1:A:378:GLU:N	2.48	0.45
1:A:913:ARG:HD3	1:A:967:TYR:CZ	2.51	0.45
1:A:951:LYS:HG2	1:A:956:ILE:HB	1.99	0.45
1:A:284:ILE:HA	1:A:288:PHE:HB2	1.98	0.45
1:A:820:ILE:O	1:A:824:PRO:HG3	2.17	0.45
1:A:1013:PRO:HA	1:A:1014:PRO:HD3	1.90	0.45
3:C:13[B]:DA:H2'	3:C:14:DG:H8	1.82	0.45
1:A:5:TYR:CE2	1:A:471:PRO:HB3	2.52	0.45
2:B:62:A:H4'	2:B:63:A:C5'	2.47	0.45
3:C:11:DC:H2'	3:C:12[A]:DA:H8	1.80	0.45
1:A:536:TYR:CD2	1:A:575:VAL:HG11	2.53	0.44
1:A:556:ASP:OD2	1:A:583:LYS:NZ	2.48	0.44
1:A:830:TYR:HD2	1:A:831:HIS:CD2	2.36	0.44
2:B:23:U:H2'	2:B:24:U:C6	2.53	0.44
1:A:276:GLU:HB2	1:A:279:GLU:HG3	2.00	0.44
1:A:445:ILE:HD12	1:A:445:ILE:HA	1.86	0.44
1:A:592:LEU:HD23	1:A:597:SER:HB3	1.99	0.44
1:A:906:LYS:NZ	2:B:55:A:O2'	2.36	0.44
1:A:453:SER:O	1:A:457:SER:OG	2.34	0.43
1:A:40:ASN:ND2	1:A:40:ASN:H	2.15	0.43
3:C:15:DC:H2'	3:C:16:DG:C8	2.53	0.43
1:A:272:ASN:OD1	1:A:273:GLU:N	2.51	0.43
1:A:358:TYR:CE1	1:A:367:GLU:HG2	2.53	0.43
1:A:86:ILE:H	1:A:86:ILE:HG13	1.48	0.43
1:A:897:TYR:HA	1:A:898:PRO:HD3	1.88	0.43
1:A:269:ARG:NH2	1:A:279:GLU:OE2	2.49	0.43
1:A:331:ASP:HB3	1:A:386:LEU:HD13	2.00	0.43
1:A:1020:ILE:HD12	1:A:1027:ILE:HD11	1.99	0.43
3:C:12[A]:DA:H2'	3:C:13[A]:DA:H8	1.84	0.43
1:A:441:VAL:HA	1:A:444:PHE:CE1	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:667:ASN:HB2	1:A:669:LEU:HD22	2.01	0.43
1:A:538:LEU:HG	1:A:599:ILE:HD13	2.02	0.42
1:A:867:LYS:HD2	2:B:46:U:H1'	2.00	0.42
1:A:134:THR:N	3:C:13[B]:DA:OP1	2.37	0.42
1:A:89:TYR:OH	2:B:50:A:OP1	2.33	0.42
1:A:857:TYR:O	1:A:861:THR:HG22	2.18	0.42
1:A:360:SER:O	1:A:364:ILE:HG12	2.20	0.42
1:A:857:TYR:CZ	1:A:861:THR:HG21	2.55	0.42
1:A:371:LEU:HD12	1:A:371:LEU:HA	1.86	0.42
1:A:1045:LYS:HB2	1:A:1045:LYS:NZ	2.35	0.42
1:A:92:ARG:HG2	1:A:108:ALA:HB1	2.01	0.42
1:A:482:LYS:HD3	1:A:482:LYS:HA	1.79	0.42
1:A:985:ASN:ND2	4:D:4:DG:N7	2.66	0.42
1:A:591:TYR:O	1:A:597:SER:OG	2.35	0.41
1:A:329:TYR:CE1	1:A:342:ILE:HG23	2.55	0.41
2:B:26:A:H2'	2:B:27:G:C8	2.56	0.41
1:A:592:LEU:HA	1:A:597:SER:OG	2.20	0.41
3:C:11:DC:H2'	3:C:12[A]:DA:C8	2.53	0.41
3:C:17:DC:H2'	3:C:18:DA:C8	2.56	0.41
1:A:60:ARG:NH1	1:A:114:LYS:O	2.54	0.41
1:A:77:LEU:HD13	1:A:81:SER:OG	2.21	0.41
1:A:276:GLU:N	1:A:279:GLU:OE1	2.38	0.41
1:A:72:PHE:CE1	1:A:77:LEU:HB3	2.56	0.41
1:A:204:LEU:HD12	1:A:204:LEU:HA	1.88	0.41
1:A:333:LYS:HA	1:A:342:ILE:HD11	2.03	0.41
1:A:128:THR:O	1:A:128:THR:OG1	2.33	0.40
1:A:830:TYR:HD2	1:A:831:HIS:HD2	1.69	0.40
2:B:39:C:H2'	2:B:40:A:C8	2.56	0.40
1:A:5:TYR:CD2	1:A:20:ILE:HG23	2.56	0.40
1:A:40:ASN:H	1:A:40:ASN:HD22	1.70	0.40
1:A:777:LYS:HE3	1:A:967:TYR:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1039/1056 (98%)	1020 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	901/972 (93%)	828 (92%)	73 (8%)	11	27

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ARG
1	A	21	ILE
1	A	25	THR
1	A	28	VAL
1	A	57	LYS
1	A	77	LEU
1	A	83	LEU
1	A	86	ILE
1	A	96	LEU
1	A	103	GLU
1	A	116	ARG
1	A	118	VAL
1	A	124	VAL
1	A	126	GLU
1	A	127	ASP
1	A	128	THR
1	A	140	ARG
1	A	155	LEU
1	A	167	SER
1	A	193	LEU
1	A	204	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	269	ARG
1	A	271	GLU
1	A	290	GLN
1	A	292	LYS
1	A	306	ASN
1	A	317	SER
1	A	328	VAL
1	A	334	ASP
1	A	335	ILE
1	A	342	ILE
1	A	346	GLU
1	A	371	LEU
1	A	374	GLU
1	A	377	GLN
1	A	382	GLN
1	A	445	ILE
1	A	472	ASN
1	A	480	ARG
1	A	481	GLU
1	A	515	GLU
1	A	516	ASN
1	A	529	MET
1	A	554	GLU
1	A	577	GLN
1	A	596	ASP
1	A	618	ILE
1	A	624	GLU
1	A	639	LYS
1	A	647	VAL
1	A	657	MET
1	A	665	ARG
1	A	669	LEU
1	A	692	LYS
1	A	710	ASN
1	A	716	LYS
1	A	748	GLN
1	A	805	LEU
1	A	816	LEU
1	A	832	HIS
1	A	842	LEU
1	A	844	MET
1	A	870	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	873	ASN
1	A	888	ASN
1	A	893	ILE
1	A	958	ASN
1	A	1008	MET
1	A	1009	ASN
1	A	1041	VAL
1	A	1045	LYS
1	A	1048	GLN
1	A	1049	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	43	ASN
1	A	120	ASN
1	A	372	ASN
1	A	377	GLN
1	A	382	GLN
1	A	433	GLN
1	A	472	ASN
1	A	500	GLN
1	A	570	ASN
1	A	748	GLN
1	A	762	HIS
1	A	831	HIS
1	A	832	HIS
1	A	838	GLN
1	A	873	ASN
1	A	1048	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	71/73 (97%)	7 (9%)	1 (1%)

All (7) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	17	U
2	B	55	A
2	B	56	A
2	B	57	G
2	B	61	A
2	B	63	A
2	B	65	G

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	62	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EDO	B	103	-	3,3,3	0.40	0	2,2,2	0.40	0
6	PO4	B	102	-	4,4,4	0.95	0	6,6,6	0.46	0
7	EDO	D	101	-	3,3,3	0.44	0	2,2,2	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	B	103	-	-	0/1/1/1	-
7	EDO	D	101	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1043/1056 (98%)	0.40	54 (5%) 33 29	41, 79, 122, 175	0
2	B	73/73 (100%)	-0.18	2 (2%) 56 53	46, 79, 193, 237	0
3	C	28/28 (100%)	-0.37	1 (3%) 46 42	36, 58, 91, 112	2 (7%)
4	D	8/8 (100%)	-0.88	0 100 100	41, 44, 54, 58	0
All	All	1152/1165 (98%)	0.33	57 (4%) 35 31	36, 79, 124, 237	2 (0%)

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	124	VAL	5.3
1	A	132	LEU	5.1
1	A	1050	ILE	4.6
1	A	122	ASN	4.1
1	A	937	GLU	4.0
1	A	741	MET	3.7
1	A	120	ASN	3.6
1	A	795	ASP	3.6
1	A	935	LYS	3.6
1	A	189	ALA	3.3
1	A	130	ASN	3.0
1	A	123	GLU	3.0
1	A	1042	LYS	2.9
1	A	796	LYS	2.8
1	A	292	LYS	2.8
1	A	72	PHE	2.8
1	A	192	GLN	2.7
1	A	129	GLY	2.7
1	A	440	LEU	2.6
1	A	89	TYR	2.6
1	A	432	GLN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	83	LEU	2.5
1	A	864	TYR	2.5
1	A	812	ASP	2.4
1	A	121	VAL	2.4
1	A	938	ASN	2.4
1	A	218	GLY	2.4
1	A	190	TYR	2.4
1	A	247	VAL	2.4
1	A	1048	GLN	2.4
1	A	733	PHE	2.4
1	A	287	VAL	2.4
1	A	424	VAL	2.4
1	A	128	THR	2.3
1	A	119	HIS	2.3
1	A	465	ILE	2.3
1	A	105	PHE	2.3
1	A	859	GLU	2.3
1	A	957	SER	2.3
1	A	847	TYR	2.2
1	A	97	SER	2.2
3	C	13[A]	DA	2.2
2	B	73	U	2.1
1	A	1043	SER	2.1
1	A	439	THR	2.1
1	A	427	LYS	2.1
1	A	232	MET	2.1
1	A	472	ASN	2.1
1	A	193	LEU	2.1
1	A	328	VAL	2.1
1	A	335	ILE	2.1
1	A	317	SER	2.1
1	A	152	GLU	2.1
2	B	62	A	2.1
1	A	1051	LYS	2.0
1	A	86	ILE	2.0
1	A	303	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	PO4	B	102	5/5	0.59	0.14	142,143,145,145	0
5	NA	A	1102	1/1	0.90	0.19	88,88,88,88	0
7	EDO	D	101	4/4	0.90	0.21	64,72,76,77	0
5	NA	B	101	1/1	0.91	0.17	81,81,81,81	0
7	EDO	B	103	4/4	0.93	0.18	71,75,76,78	0
5	NA	A	1101	1/1	0.93	0.07	67,67,67,67	0
5	NA	A	1103	1/1	0.95	0.07	66,66,66,66	0

6.5 Other polymers [i](#)

There are no such residues in this entry.