



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 08:28 PM UTC

PDB ID : 9AXN / pdb_00009axn
Title : Crystal Structure of Anti-Fentanyl Antibody HY11-6B2_Mu Fab in Complex with Fentanyl
Authors : Rodarte, J.V.; Pancera, M.
Deposited on : 2024-03-06
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	11% 80% 12% 7%
1	C	228	% 87% 5% 8%
1	E	228	2% 83% 9% 7%
1	H	228	4% 88% 5% 7%
1	I	228	3% 88% • 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	228	 % 87% 5% • 7%
1	O	228	 4% 86% 6% • 7%
1	Q	228	 3% 88% 5% 7%
2	B	214	 14% 90% 9% •
2	D	214	 % 95% 5%
2	F	214	 5% 89% 9% •
2	J	214	 % 94% 5%
2	L	214	 3% 89% 10%
2	N	214	 3% 92% 7% •
2	P	214	 7% 92% 7%
2	R	214	 7% 89% 10%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 27064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HY11-6B2_Mu Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	211	Total	C	N	O	S	0	0	0
			1589	1015	262	308	4			
1	A	211	Total	C	N	O	S	0	0	0
			1588	1015	262	307	4			
1	C	210	Total	C	N	O	S	0	0	0
			1583	1012	261	306	4			
1	E	211	Total	C	N	O	S	0	0	0
			1589	1015	262	308	4			
1	I	211	Total	C	N	O	S	0	0	0
			1589	1015	262	308	4			
1	M	211	Total	C	N	O	S	0	0	0
			1589	1015	262	308	4			
1	O	211	Total	C	N	O	S	0	0	0
			1589	1015	262	308	4			
1	Q	211	Total	C	N	O	S	0	0	0
			1589	1015	262	308	4			

- Molecule 2 is a protein called HY11-6B2_Mu Fab Light Chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			
2	D	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			
2	B	211	Total	C	N	O	S	0	0	0
			1620	1013	269	332	6			
2	F	213	Total	C	N	O	S	0	0	0
			1643	1027	275	335	6			
2	J	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			
2	N	212	Total	C	N	O	S	0	0	0
			1635	1022	274	333	6			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			
2	R	213	Total	C	N	O	S	0	0	0
			1644	1027	275	336	6			

- Molecule 3 is N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide (CCD ID: 7V7) (formula: C₂₂H₂₈N₂O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	H	1	Total	C	N	O	0	0
			25	22	2	1		
3	A	1	Total	C	N	O	0	0
			25	22	2	1		
3	C	1	Total	C	N	O	0	0
			25	22	2	1		
3	E	1	Total	C	N	O	0	0
			25	22	2	1		
3	I	1	Total	C	N	O	0	0
			25	22	2	1		
3	M	1	Total	C	N	O	0	0
			25	22	2	1		
3	O	1	Total	C	N	O	0	0
			25	22	2	1		
3	R	1	Total	C	N	O	0	0
			25	22	2	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	O	S	0	0
			5	4	1		
4	L	1	Total	O	S	0	0
			5	4	1		
4	L	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	I	1	Total O S 5 4 1	0	0
4	M	1	Total O S 5 4 1	0	0
4	M	1	Total O S 5 4 1	0	0
4	N	1	Total O S 5 4 1	0	0
4	N	1	Total O S 5 4 1	0	0
4	N	1	Total O S 5 4 1	0	0
4	O	1	Total O S 5 4 1	0	0
4	P	1	Total O S 5 4 1	0	0
4	Q	1	Total O S 5 4 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	J	1	Total C O 4 2 2	0	0
5	J	1	Total C O 4 2 2	0	0
5	J	1	Total C O 4 2 2	0	0
5	N	1	Total C O 4 2 2	0	0
5	N	1	Total C O 4 2 2	0	0
5	N	1	Total C O 4 2 2	0	0
5	Q	1	Total C O 4 2 2	0	0

- Molecule 6 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total Ni 1 1	0	0
6	B	1	Total Ni 1 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	H	25	Total O 25 25	0	0
7	L	58	Total O 58 58	0	0
7	A	37	Total O 37 37	0	0
7	C	73	Total O 73 73	0	0
7	D	93	Total O 93 93	0	0

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	46	Total 46	O 46	0	0
7	E	46	Total 46	O 46	0	0
7	F	63	Total 63	O 63	0	0
7	J	80	Total 80	O 80	0	0
7	I	65	Total 65	O 65	0	0
7	M	52	Total 52	O 52	0	0
7	N	53	Total 53	O 53	0	0
7	O	42	Total 42	O 42	0	0
7	P	44	Total 44	O 44	0	0
7	Q	37	Total 37	O 37	0	0
7	R	62	Total 62	O 62	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





- Molecule 1: HY11-6B2_Mu Fab Heavy Chain




- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





- Molecule 1: HY11-6B2_Mu Fab Heavy Chain





• Molecule 1: HY11-6B2_Mu Fab Heavy Chain





• Molecule 1: HY11-6B2_Mu Fab Heavy Chain




• Molecule 1: HY11-6B2_Mu Fab Heavy Chain



• Molecule 2: HY11-6B2_Mu Fab Light Chain




• Molecule 2: HY11-6B2_Mu Fab Light Chain




• Molecule 2: HY11-6B2_Mu Fab Light Chain






• Molecule 2: HY11-6B2_Mu Fab Light Chain



• Molecule 2: HY11-6B2_Mu Fab Light Chain



• Molecule 2: HY11-6B2_Mu Fab Light Chain



• Molecule 2: HY11-6B2_Mu Fab Light Chain



• Molecule 2: HY11-6B2_Mu Fab Light Chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	69.78Å 98.24Å 159.72Å 77.73° 85.32° 77.95°	Depositor
Resolution (Å)	49.37 – 2.40 49.37 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.6 (49.37-2.40) 97.6 (49.37-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.224 , 0.263 0.224 , 0.262	Depositor DCC
R_{free} test set	7805 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	35.0	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	27064	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.01 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.8719e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 7V7, EDO, NI, SO4, PCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.22	0/1623	0.45	0/2215
1	C	0.14	0/1618	0.39	0/2208
1	E	0.15	0/1624	0.39	0/2216
1	H	0.13	0/1624	0.40	0/2216
1	I	0.14	0/1624	0.40	0/2216
1	M	0.13	0/1624	0.39	0/2216
1	O	0.14	0/1624	0.40	0/2216
1	Q	0.13	0/1624	0.37	0/2216
2	B	0.14	0/1653	0.37	0/2243
2	D	0.12	0/1678	0.36	0/2276
2	F	0.14	0/1677	0.38	0/2275
2	J	0.11	0/1678	0.36	0/2276
2	L	0.16	0/1678	0.39	0/2276
2	N	0.13	0/1669	0.38	0/2264
2	P	0.15	0/1678	0.37	0/2276
2	R	0.15	0/1678	0.39	0/2276
All	All	0.15	0/26374	0.39	0/35881

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	M	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	1	PCA	Mainchain
1	M	1	PCA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1588	0	1554	22	0
1	C	1583	0	1552	4	0
1	E	1589	0	1557	10	0
1	H	1589	0	1557	4	0
1	I	1589	0	1557	4	0
1	M	1589	0	1557	6	0
1	O	1589	0	1557	8	0
1	Q	1589	0	1557	5	0
2	B	1620	0	1553	10	0
2	D	1644	0	1587	6	0
2	F	1643	0	1584	13	0
2	J	1644	0	1587	8	0
2	L	1644	0	1587	12	0
2	N	1635	0	1581	11	0
2	P	1644	0	1587	8	0
2	R	1644	0	1587	13	0
3	A	25	0	0	0	0
3	C	25	0	0	0	0
3	E	25	0	0	0	0
3	H	25	0	0	0	0
3	I	25	0	0	0	0
3	M	25	0	0	0	0
3	O	25	0	0	0	0
3	R	25	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
4	D	15	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	5	0	0	0	0
4	F	10	0	0	0	0
4	H	5	0	0	0	0
4	I	5	0	0	0	0
4	J	10	0	0	0	0
4	L	10	0	0	0	0
4	M	10	0	0	0	0
4	N	15	0	0	0	0
4	O	5	0	0	0	0
4	P	5	0	0	0	0
4	Q	5	0	0	0	0
5	E	12	0	18	0	0
5	J	12	0	18	0	0
5	L	8	0	12	0	0
5	N	12	0	18	0	0
5	Q	4	0	6	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
7	A	37	0	0	1	0
7	B	46	0	0	0	0
7	C	73	0	0	0	0
7	D	93	0	0	0	0
7	E	46	0	0	0	0
7	F	63	0	0	1	0
7	H	25	0	0	0	0
7	I	65	0	0	0	0
7	J	80	0	0	1	0
7	L	58	0	0	0	0
7	M	52	0	0	0	0
7	N	53	0	0	0	0
7	O	42	0	0	0	0
7	P	44	0	0	0	0
7	Q	37	0	0	0	0
7	R	62	0	0	1	0
All	All	27064	0	25173	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:210:ARG:NE	1:Q:212:GLU:OE1	2.29	0.65
2:J:182:SER:OG	2:J:185:ASP:OD1	2.15	0.63
2:L:149:LYS:O	2:L:149:LYS:HG3	2.00	0.61
1:H:20:ILE:HG12	1:H:107:THR:HG21	1.83	0.60
2:N:189:HIS:O	2:N:211:ARG:NH2	2.33	0.60
1:A:209:LYS:HE3	1:A:210:ARG:O	2.03	0.58
2:R:211:ARG:HH11	2:R:211:ARG:HG2	1.69	0.57
1:M:54:ASN:O	1:M:55:ILE:HB	2.03	0.56
2:N:142:ARG:HH21	2:N:163:VAL:HG11	1.70	0.56
2:N:142:ARG:NH2	2:N:163:VAL:HG11	2.21	0.56
2:R:6:GLN:HA	7:R:401:HOH:O	2.06	0.55
1:A:60:ASN:C	1:A:60:ASN:HD22	2.15	0.55
1:A:60:ASN:HD22	1:A:61:GLU:N	2.04	0.55
2:R:195:GLU:HG3	2:R:206:THR:OG1	2.06	0.55
2:R:197:THR:HG22	2:R:204:PRO:HG3	1.88	0.55
2:L:195:GLU:OE2	2:L:206:THR:OG1	2.25	0.54
1:A:19:ARG:NH1	7:A:402:HOH:O	2.39	0.53
1:A:139:GLY:HA2	1:A:154:TRP:CZ2	2.43	0.53
2:D:128:GLY:HA2	2:D:183:LYS:HE2	1.91	0.53
1:A:85:GLU:H	1:A:85:GLU:CD	2.18	0.52
1:E:55:ILE:O	1:E:55:ILE:HG22	2.09	0.52
1:H:163:VAL:HG22	1:H:182:VAL:HG22	1.91	0.52
2:L:24:LYS:HE2	2:L:70:ASP:OD1	2.09	0.52
1:A:43:GLN:N	1:A:43:GLN:OE1	2.43	0.52
1:Q:199:ASN:OD1	1:Q:201:LYS:HE2	2.10	0.52
2:F:187:GLU:O	2:F:211:ARG:NH2	2.43	0.52
1:A:13:LYS:N	1:A:13:LYS:HD3	2.25	0.51
1:A:12:VAL:C	1:A:13:LYS:HD3	2.35	0.51
2:J:145:LYS:NZ	2:N:9:LYS:HD3	2.26	0.51
2:L:123:GLU:HA	2:L:126:LYS:HE3	1.93	0.51
2:F:165:GLU:HA	7:F:403:HOH:O	2.09	0.51
2:F:185:ASP:O	2:F:189:HIS:HD2	1.93	0.50
1:A:51:ILE:HD13	1:A:57:LEU:HB3	1.92	0.50
2:P:120:PRO:HD3	2:P:132:VAL:HG22	1.94	0.50
1:O:143:LYS:HE2	1:O:171:GLN:NE2	2.26	0.50
1:I:47:TRP:CZ2	1:I:49:GLY:HA2	2.47	0.49
1:C:66:LYS:NZ	1:C:86:ASP:OD2	2.44	0.49
2:F:12:SER:OG	2:F:107:LYS:HE3	2.11	0.49
1:O:55:ILE:HG22	1:O:55:ILE:O	2.13	0.49
2:R:211:ARG:HG2	2:R:211:ARG:NH1	2.27	0.49
1:A:30:THR:HG21	1:A:73:LYS:HE3	1.94	0.49
1:E:3:ARG:HH22	1:E:5:GLN:HG2	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:ILE:HA	1:A:210:ARG:HA	1.95	0.49
1:A:201:LYS:HD2	1:A:201:LYS:HA	1.64	0.48
2:D:85:GLU:HG2	2:D:87:PHE:CZ	2.47	0.48
1:A:139:GLY:HA2	1:A:154:TRP:CH2	2.48	0.48
2:B:186:TYR:HA	2:B:192:TYR:OH	2.13	0.48
2:P:145:LYS:HB3	2:P:197:THR:OG1	2.13	0.48
1:Q:70:THR:HG22	1:Q:79:TYR:HB2	1.96	0.48
1:O:51:ILE:HD12	1:O:57:LEU:HD21	1.94	0.48
2:B:13:THR:HA	2:B:107:LYS:HE2	1.95	0.48
2:D:184:ALA:O	2:D:188:LYS:HG3	2.13	0.48
1:A:58:LYS:HG3	1:A:59:TYR:N	2.28	0.47
1:E:72:ASP:OD1	1:E:74:SER:N	2.47	0.47
1:M:17:SER:OG	1:M:82(A):SER:HA	2.14	0.47
2:R:123:GLU:HA	2:R:126:LYS:HD3	1.96	0.47
2:P:185:ASP:HA	2:P:188:LYS:HE3	1.96	0.47
2:D:83:LEU:HD11	2:D:166:GLN:HB3	1.97	0.47
1:O:209:LYS:HA	1:O:209:LYS:HD2	1.71	0.47
1:M:38:LYS:HB2	1:M:48:ILE:HD11	1.97	0.46
2:B:145:LYS:HB3	2:B:197:THR:OG1	2.15	0.46
2:F:145:LYS:HB3	2:F:197:THR:HG23	1.96	0.46
2:J:145:LYS:HZ3	2:N:9:LYS:HD3	1.81	0.46
2:J:184:ALA:O	2:J:188:LYS:HE3	2.15	0.46
1:A:124:LEU:HB3	2:B:118:PHE:CD1	2.51	0.46
2:D:83:LEU:CD1	2:D:166:GLN:HB3	2.46	0.46
1:I:12:VAL:O	1:I:111:VAL:HA	2.15	0.46
1:E:9:PRO:HD2	1:E:201:LYS:HD2	1.98	0.46
2:J:125:LEU:O	2:J:183:LYS:HD2	2.15	0.45
1:E:38:LYS:HB2	1:E:48:ILE:HD11	1.98	0.45
1:I:38:LYS:HB2	1:I:48:ILE:HD11	1.97	0.45
2:P:158:ASN:ND2	2:P:179:LEU:HD21	2.31	0.45
2:L:149:LYS:HD3	2:L:152:ASN:HA	1.98	0.45
1:C:145:TYR:CE1	1:C:150:VAL:HG23	2.52	0.45
1:C:47:TRP:CZ2	1:C:49:GLY:HA2	2.51	0.45
1:A:19:ARG:NH1	1:A:81:GLN:HB2	2.32	0.45
2:F:122:ASP:O	2:F:126:LYS:HG3	2.16	0.45
2:R:11:MET:HE1	2:R:21:VAL:HG22	1.99	0.45
1:A:51:ILE:HD12	1:A:56:ASN:O	2.16	0.45
1:A:124:LEU:HB3	2:B:118:PHE:CG	2.52	0.45
1:E:40:ARG:HD2	1:E:43:GLN:HE22	1.82	0.45
2:R:186:TYR:HA	2:R:192:TYR:OH	2.17	0.45
1:O:34:ILE:HG13	1:O:52(A):PHE:CE1	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:91:TYR:HA	2:L:96:LEU:HD22	1.98	0.44
2:B:35:TRP:CH2	2:B:88:CYS:HB3	2.53	0.44
1:E:17:SER:HA	1:E:82(C):LEU:CD1	2.47	0.44
2:F:80:SER:HA	2:F:106:LEU:HD22	1.98	0.44
2:F:183:LYS:HB3	2:F:183:LYS:HE2	1.65	0.44
1:O:143:LYS:HE2	1:O:171:GLN:HE22	1.81	0.44
2:R:11:MET:HE2	2:R:11:MET:HB2	1.84	0.44
1:I:12:VAL:HG11	1:I:18:VAL:HB	2.00	0.44
1:A:69:LEU:HD23	1:A:80:ILE:HG13	1.99	0.44
1:Q:47:TRP:CZ2	1:Q:49:GLY:HA2	2.53	0.44
2:R:18:ARG:HA	2:R:76:SER:HA	1.98	0.44
2:L:119:PRO:HB3	2:L:209:PHE:CE1	2.53	0.43
2:D:7:SER:HA	2:F:204:PRO:HD3	2.00	0.43
2:N:4:MET:HE3	2:N:23:CYS:SG	2.58	0.43
2:B:45:LYS:HE2	2:B:47:LEU:HD21	2.00	0.43
1:E:47:TRP:CZ2	1:E:49:GLY:HA2	2.53	0.43
2:P:148:TRP:CD2	2:P:179:LEU:HD12	2.53	0.43
1:O:12:VAL:O	1:O:111:VAL:HA	2.18	0.43
2:N:186:TYR:CE2	2:N:211:ARG:HD3	2.53	0.43
1:H:51:ILE:HD12	1:H:57:LEU:HD21	2.01	0.43
1:C:38:LYS:HB2	1:C:48:ILE:HD11	2.00	0.42
2:P:61:ARG:HB2	2:P:76:SER:O	2.20	0.42
1:A:84:SER:OG	1:A:85:GLU:OE2	2.30	0.42
2:P:193:ALA:HB1	2:P:206:THR:HG23	2.01	0.42
2:R:91:TYR:HA	2:R:96:LEU:HD22	2.01	0.42
2:B:188:LYS:HB3	2:B:188:LYS:HE2	1.66	0.42
2:F:37:GLN:HB2	2:F:47:LEU:HD11	2.00	0.42
2:J:81:GLU:H	2:J:81:GLU:CD	2.27	0.42
2:R:61:ARG:HB2	2:R:76:SER:O	2.20	0.42
1:M:47:TRP:CZ2	1:M:49:GLY:HA2	2.55	0.42
2:B:4:MET:HE3	2:B:23:CYS:SG	2.60	0.42
2:L:39:LYS:HB2	2:L:42:GLN:HG3	2.01	0.42
2:F:91:TYR:HA	2:F:96:LEU:HD22	2.01	0.42
2:P:187:GLU:O	2:P:211:ARG:NH2	2.53	0.42
1:H:210:ARG:N	1:H:210:ARG:HD3	2.35	0.41
1:E:3:ARG:NH2	1:E:5:GLN:HG2	2.35	0.41
1:E:159:LEU:HD21	1:E:182:VAL:HG11	2.02	0.41
2:N:61:ARG:HB2	2:N:76:SER:O	2.20	0.41
2:R:4:MET:HE3	2:R:23:CYS:SG	2.61	0.41
2:J:83:LEU:HD23	7:J:404:HOH:O	2.20	0.41
1:M:40:ARG:HH11	1:M:40:ARG:HG3	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:28:ASN:OD1	2:L:68:GLY:HA2	2.21	0.41
1:A:47:TRP:CZ2	1:A:49:GLY:HA2	2.56	0.41
1:M:12:VAL:HG11	1:M:82(C):LEU:HD13	2.02	0.41
2:N:13:THR:O	2:N:106:LEU:HA	2.21	0.41
2:L:107:LYS:HA	2:L:140:TYR:OH	2.21	0.41
2:F:85:GLU:HG2	2:F:87:PHE:CE2	2.56	0.41
2:N:61:ARG:HD2	2:N:76:SER:O	2.21	0.41
1:Q:62:LYS:HA	1:Q:62:LYS:HD2	1.67	0.41
2:L:13:THR:HB	2:L:19:VAL:HG11	2.03	0.40
2:F:211:ARG:NH1	2:F:211:ARG:HG2	2.36	0.40
2:N:37:GLN:HB2	2:N:47:LEU:HD11	2.03	0.40
2:L:193:ALA:HB1	2:L:206:THR:CG2	2.51	0.40
2:J:81:GLU:OE1	2:J:81:GLU:N	2.45	0.40
1:O:38:LYS:HB2	1:O:48:ILE:HD11	2.04	0.40
2:B:37:GLN:HB2	2:B:47:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/228 (91%)	199 (96%)	8 (4%)	0	100	100
1	C	206/228 (90%)	200 (97%)	5 (2%)	1 (0%)	24	37
1	E	207/228 (91%)	202 (98%)	4 (2%)	1 (0%)	24	37
1	H	207/228 (91%)	200 (97%)	7 (3%)	0	100	100
1	I	207/228 (91%)	200 (97%)	7 (3%)	0	100	100
1	M	207/228 (91%)	199 (96%)	7 (3%)	1 (0%)	24	37
1	O	207/228 (91%)	201 (97%)	5 (2%)	1 (0%)	24	37
1	Q	207/228 (91%)	202 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	207/214 (97%)	201 (97%)	6 (3%)	0	100	100
2	D	211/214 (99%)	205 (97%)	6 (3%)	0	100	100
2	F	211/214 (99%)	204 (97%)	7 (3%)	0	100	100
2	J	211/214 (99%)	208 (99%)	3 (1%)	0	100	100
2	L	211/214 (99%)	207 (98%)	4 (2%)	0	100	100
2	N	210/214 (98%)	204 (97%)	6 (3%)	0	100	100
2	P	211/214 (99%)	205 (97%)	6 (3%)	0	100	100
2	R	211/214 (99%)	206 (98%)	5 (2%)	0	100	100
All	All	3338/3536 (94%)	3243 (97%)	91 (3%)	4 (0%)	48	64

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	55	ILE
1	M	55	ILE
1	E	55	ILE
1	O	55	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	174/192 (91%)	172 (99%)	2 (1%)	65	82
1	C	174/192 (91%)	172 (99%)	2 (1%)	65	82
1	E	175/192 (91%)	170 (97%)	5 (3%)	37	60
1	H	175/192 (91%)	172 (98%)	3 (2%)	53	74
1	I	175/192 (91%)	171 (98%)	4 (2%)	44	66
1	M	175/192 (91%)	174 (99%)	1 (1%)	78	89
1	O	175/192 (91%)	171 (98%)	4 (2%)	44	66
1	Q	175/192 (91%)	174 (99%)	1 (1%)	78	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	184/188 (98%)	180 (98%)	4 (2%)	45	67
2	D	187/188 (100%)	186 (100%)	1 (0%)	81	91
2	F	186/188 (99%)	181 (97%)	5 (3%)	39	62
2	J	187/188 (100%)	185 (99%)	2 (1%)	65	82
2	L	187/188 (100%)	186 (100%)	1 (0%)	81	91
2	N	186/188 (99%)	184 (99%)	2 (1%)	65	82
2	P	187/188 (100%)	186 (100%)	1 (0%)	81	91
2	R	187/188 (100%)	184 (98%)	3 (2%)	55	76
All	All	2889/3040 (95%)	2848 (99%)	41 (1%)	59	79

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	45	LEU
1	H	74	SER
1	H	150	VAL
2	L	132	VAL
1	A	45	LEU
1	A	58	LYS
1	C	45	LEU
1	C	138	LEU
2	D	129	THR
2	B	105	GLU
2	B	106	LEU
2	B	143	GLU
2	B	180	THR
1	E	45	LEU
1	E	143	LYS
1	E	150	VAL
1	E	153	SER
1	E	182	VAL
2	F	106	LEU
2	F	147	GLN
2	F	165	GLU
2	F	197	THR
2	F	213	GLU
2	J	14	SER
2	J	132	VAL
1	I	64	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	111	VAL
1	I	150	VAL
1	I	182	VAL
1	M	45	LEU
2	N	83	LEU
2	N	197	THR
1	O	2	VAL
1	O	111	VAL
1	O	150	VAL
1	O	204	ASN
2	P	1	ASP
1	Q	150	VAL
2	R	103	LYS
2	R	105	GLU
2	R	132	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	39	GLN
1	H	43	GLN
1	H	192	GLN
2	L	32	ASN
2	L	38	GLN
2	L	92	ASN
1	A	27	HIS
1	A	60	ASN
1	A	192	GLN
1	C	39	GLN
1	C	192	GLN
2	D	38	GLN
2	D	42	GLN
2	B	27	GLN
2	B	32	ASN
2	B	42	GLN
2	B	92	ASN
2	B	147	GLN
1	E	39	GLN
1	E	81	GLN
2	F	37	GLN
2	F	38	GLN
2	F	42	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	189	HIS
1	I	204	ASN
1	M	39	GLN
1	M	54	ASN
1	M	56	ASN
2	N	38	GLN
2	N	42	GLN
2	N	137	ASN
2	N	147	GLN
2	N	152	ASN
1	O	39	GLN
2	P	38	GLN
2	P	160	GLN
2	P	210	ASN
1	Q	5	GLN
1	Q	39	GLN
2	R	38	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PCA	H	1	1	7,8,9	1.34	1 (14%)	9,10,12	1.88	2 (22%)
1	PCA	Q	1	1	7,8,9	1.37	1 (14%)	9,10,12	1.75	2 (22%)
1	PCA	A	1	1	7,8,9	1.41	1 (14%)	9,10,12	1.85	2 (22%)
1	PCA	O	1	1	7,8,9	1.36	1 (14%)	9,10,12	1.71	2 (22%)
1	PCA	I	1	1	7,8,9	1.36	1 (14%)	9,10,12	1.95	2 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PCA	C	1	1	7,8,9	1.36	1 (14%)	9,10,12	1.81	2 (22%)
1	PCA	M	1	1	7,8,9	1.39	1 (14%)	9,10,12	1.85	2 (22%)
1	PCA	E	1	1	7,8,9	1.39	1 (14%)	9,10,12	1.90	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PCA	H	1	1	-	0/0/11/13	0/1/1/1
1	PCA	Q	1	1	-	0/0/11/13	0/1/1/1
1	PCA	A	1	1	-	0/0/11/13	0/1/1/1
1	PCA	O	1	1	-	0/0/11/13	0/1/1/1
1	PCA	I	1	1	-	0/0/11/13	0/1/1/1
1	PCA	C	1	1	-	0/0/11/13	0/1/1/1
1	PCA	M	1	1	-	0/0/11/13	0/1/1/1
1	PCA	E	1	1	-	0/0/11/13	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	PCA	CD-N	2.49	1.40	1.34
1	O	1	PCA	CD-N	2.48	1.40	1.34
1	Q	1	PCA	CD-N	2.47	1.40	1.34
1	H	1	PCA	CD-N	2.46	1.40	1.34
1	E	1	PCA	CD-N	2.46	1.40	1.34
1	C	1	PCA	CD-N	2.46	1.40	1.34
1	M	1	PCA	CD-N	2.46	1.40	1.34
1	I	1	PCA	CD-N	2.46	1.40	1.34

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	1	PCA	O-C-CA	-4.71	112.67	124.77
1	M	1	PCA	O-C-CA	-4.45	113.31	124.77
1	E	1	PCA	O-C-CA	-4.45	113.32	124.77
1	H	1	PCA	O-C-CA	-4.41	113.42	124.77
1	C	1	PCA	O-C-CA	-4.41	113.42	124.77
1	A	1	PCA	O-C-CA	-4.26	113.81	124.77
1	Q	1	PCA	O-C-CA	-4.14	114.12	124.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	O	1	PCA	O-C-CA	-3.96	114.58	124.77
1	A	1	PCA	CB-CA-C	-3.16	108.33	112.66
1	E	1	PCA	CB-CA-C	-3.04	108.49	112.66
1	H	1	PCA	CB-CA-C	-2.97	108.58	112.66
1	I	1	PCA	CB-CA-C	-2.85	108.75	112.66
1	O	1	PCA	CB-CA-C	-2.81	108.81	112.66
1	Q	1	PCA	CB-CA-C	-2.76	108.87	112.66
1	M	1	PCA	CB-CA-C	-2.61	109.08	112.66
1	C	1	PCA	CB-CA-C	-2.60	109.08	112.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 2 are monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	E	302	-	4,4,4	0.24	0	6,6,6	0.08	0
3	7V7	H	301	-	27,27,27	1.02	1 (3%)	34,35,35	0.97	2 (5%)
4	SO4	M	303	-	4,4,4	0.22	0	6,6,6	0.14	0
3	7V7	M	301	-	27,27,27	1.15	1 (3%)	34,35,35	1.00	2 (5%)
4	SO4	Q	301	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	L	301	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	I	302	-	4,4,4	0.24	0	6,6,6	0.08	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	E	305	-	3,3,3	0.43	0	2,2,2	0.33	0
4	SO4	B	301	-	4,4,4	0.23	0	6,6,6	0.08	0
4	SO4	O	302	-	4,4,4	0.23	0	6,6,6	0.08	0
5	EDO	N	304	-	3,3,3	0.44	0	2,2,2	0.30	0
3	7V7	E	301	-	27,27,27	0.98	2 (7%)	34,35,35	0.85	1 (2%)
4	SO4	D	303	-	4,4,4	0.22	0	6,6,6	0.09	0
4	SO4	A	302	-	4,4,4	0.23	0	6,6,6	0.08	0
3	7V7	R	301	-	27,27,27	0.90	1 (3%)	34,35,35	0.83	1 (2%)
5	EDO	L	304	-	3,3,3	0.44	0	2,2,2	0.33	0
4	SO4	M	302	-	4,4,4	0.24	0	6,6,6	0.07	0
3	7V7	C	301	-	27,27,27	0.90	1 (3%)	34,35,35	0.86	1 (2%)
5	EDO	E	304	-	3,3,3	0.51	0	2,2,2	0.20	0
4	SO4	F	302	-	4,4,4	0.24	0	6,6,6	0.04	0
4	SO4	J	301	-	4,4,4	0.24	0	6,6,6	0.06	0
4	SO4	D	301	-	4,4,4	0.24	0	6,6,6	0.10	0
5	EDO	L	303	-	3,3,3	0.43	0	2,2,2	0.36	0
4	SO4	N	301	-	4,4,4	0.23	0	6,6,6	0.07	0
5	EDO	Q	302	-	3,3,3	0.43	0	2,2,2	0.36	0
4	SO4	L	302	-	4,4,4	0.23	0	6,6,6	0.11	0
3	7V7	O	301	-	27,27,27	1.00	2 (7%)	34,35,35	0.85	1 (2%)
3	7V7	A	301	-	27,27,27	0.85	1 (3%)	34,35,35	0.86	1 (2%)
4	SO4	P	301	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	C	302	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	F	301	-	4,4,4	0.23	0	6,6,6	0.12	0
5	EDO	E	303	-	3,3,3	0.44	0	2,2,2	0.36	0
5	EDO	N	306	-	3,3,3	0.44	0	2,2,2	0.32	0
4	SO4	N	302	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	J	302	-	4,4,4	0.24	0	6,6,6	0.08	0
5	EDO	J	303	-	3,3,3	0.44	0	2,2,2	0.37	0
5	EDO	N	305	-	3,3,3	0.45	0	2,2,2	0.32	0
4	SO4	D	302	-	4,4,4	0.24	0	6,6,6	0.05	0
5	EDO	J	304	-	3,3,3	0.45	0	2,2,2	0.30	0
4	SO4	N	303	-	4,4,4	0.23	0	6,6,6	0.09	0
5	EDO	J	305	-	3,3,3	0.43	0	2,2,2	0.36	0
4	SO4	H	302	-	4,4,4	0.24	0	6,6,6	0.08	0
3	7V7	I	301	-	27,27,27	0.94	1 (3%)	34,35,35	0.86	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	7V7	H	301	-	-	4/19/29/29	0/3/3/3
3	7V7	M	301	-	-	7/19/29/29	0/3/3/3
5	EDO	E	305	-	-	0/1/1/1	-
5	EDO	N	304	-	-	0/1/1/1	-
3	7V7	E	301	-	-	2/19/29/29	0/3/3/3
3	7V7	R	301	-	-	0/19/29/29	0/3/3/3
5	EDO	L	304	-	-	0/1/1/1	-
3	7V7	C	301	-	-	2/19/29/29	0/3/3/3
5	EDO	E	304	-	-	0/1/1/1	-
5	EDO	L	303	-	-	0/1/1/1	-
5	EDO	Q	302	-	-	0/1/1/1	-
3	7V7	O	301	-	-	2/19/29/29	0/3/3/3
3	7V7	A	301	-	-	1/19/29/29	0/3/3/3
5	EDO	E	303	-	-	0/1/1/1	-
5	EDO	N	306	-	-	0/1/1/1	-
5	EDO	J	303	-	-	1/1/1/1	-
5	EDO	N	305	-	-	0/1/1/1	-
5	EDO	J	304	-	-	0/1/1/1	-
5	EDO	J	305	-	-	0/1/1/1	-
3	7V7	I	301	-	-	2/19/29/29	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	301	7V7	C02-N05	4.37	1.43	1.36
3	H	301	7V7	C02-N05	3.78	1.42	1.36
3	E	301	7V7	C02-N05	3.41	1.42	1.36
3	I	301	7V7	C02-N05	3.32	1.42	1.36
3	O	301	7V7	C02-N05	3.26	1.42	1.36
3	C	301	7V7	C02-N05	3.25	1.42	1.36
3	R	301	7V7	C02-N05	3.08	1.41	1.36
3	A	301	7V7	C02-N05	3.02	1.41	1.36
3	E	301	7V7	C03-C02	2.27	1.54	1.51
3	O	301	7V7	C03-C02	2.07	1.54	1.51

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	7V7	C04-C03-C02	-2.62	108.09	112.69
3	I	301	7V7	C04-C03-C02	-2.62	108.09	112.69
3	A	301	7V7	C04-C03-C02	-2.58	108.18	112.69
3	M	301	7V7	C08-N09-C10	2.58	114.39	108.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	O	301	7V7	C04-C03-C02	-2.55	108.23	112.69
3	E	301	7V7	C04-C03-C02	-2.48	108.35	112.69
3	R	301	7V7	C04-C03-C02	-2.43	108.44	112.69
3	H	301	7V7	C04-C03-C02	-2.25	108.74	112.69
3	M	301	7V7	C04-C03-C02	-2.06	109.08	112.69
3	H	301	7V7	C08-N09-C10	2.03	113.22	108.84

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	M	301	7V7	C13-C12-N09-C08
3	M	301	7V7	C13-C12-N09-C10
3	M	301	7V7	N09-C12-C13-C14
3	M	301	7V7	C12-C13-C14-C15
3	H	301	7V7	C11-C06-N05-C02
3	M	301	7V7	C11-C06-N05-C02
3	M	301	7V7	C12-C13-C14-C19
3	E	301	7V7	C12-C13-C14-C19
3	E	301	7V7	C12-C13-C14-C15
3	I	301	7V7	C12-C13-C14-C15
3	H	301	7V7	C12-C13-C14-C19
3	I	301	7V7	C12-C13-C14-C19
5	J	303	EDO	O1-C1-C2-O2
3	H	301	7V7	C12-C13-C14-C15
3	C	301	7V7	C12-C13-C14-C19
3	O	301	7V7	C12-C13-C14-C19
3	C	301	7V7	C12-C13-C14-C15
3	M	301	7V7	C07-C06-N05-C02
3	O	301	7V7	C12-C13-C14-C15
3	H	301	7V7	N09-C12-C13-C14
3	A	301	7V7	N09-C12-C13-C14

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 7V7 M 301




Ligand 7V7 E 301




Ligand 7V7 R 301




Ligand 7V7 C 301




Ligand 7V7 O 301



Ligand 7V7 A 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	210/228 (92%)	1.16	25 (11%) 9 6	28, 50, 65, 78	0
1	C	209/228 (91%)	0.10	2 (0%) 79 76	19, 31, 45, 64	0
1	E	210/228 (92%)	0.35	5 (2%) 59 55	22, 38, 53, 67	0
1	H	210/228 (92%)	0.66	9 (4%) 40 36	25, 42, 59, 72	0
1	I	210/228 (92%)	0.13	7 (3%) 49 45	21, 30, 47, 70	0
1	M	210/228 (92%)	0.31	3 (1%) 73 69	21, 37, 50, 67	0
1	O	210/228 (92%)	0.68	10 (4%) 35 32	27, 44, 61, 71	0
1	Q	210/228 (92%)	0.33	6 (2%) 53 50	22, 36, 54, 64	0
2	B	211/214 (98%)	0.88	31 (14%) 6 4	24, 43, 74, 81	0
2	D	213/214 (99%)	0.10	3 (1%) 73 69	20, 29, 49, 71	0
2	F	213/214 (99%)	0.30	10 (4%) 36 32	20, 31, 63, 80	0
2	J	213/214 (99%)	0.12	2 (0%) 81 78	21, 29, 46, 61	0
2	L	213/214 (99%)	0.47	7 (3%) 49 45	25, 38, 56, 68	0
2	N	212/214 (99%)	0.42	7 (3%) 49 45	22, 35, 62, 71	0
2	P	213/214 (99%)	0.63	16 (7%) 20 17	22, 39, 68, 77	0
2	R	213/214 (99%)	0.46	15 (7%) 22 19	22, 35, 53, 69	0
All	All	3380/3536 (95%)	0.44	158 (4%) 36 32	19, 37, 61, 81	0

All (158) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	212	GLY	4.9
2	P	202	SER	4.4
2	N	212	GLY	4.4
1	I	133	GLY	4.3
1	O	61	GLU	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	127	SER	4.0
1	A	115	SER	4.0
1	C	133	GLY	3.9
2	B	211	ARG	3.8
1	H	190	GLY	3.8
1	A	61	GLU	3.8
2	L	127	SER	3.7
1	O	127	SER	3.7
1	H	133	GLY	3.7
1	Q	127	SER	3.6
2	R	212	GLY	3.6
1	A	127	SER	3.6
1	M	133	GLY	3.5
2	B	191	VAL	3.4
1	H	210	ARG	3.3
1	A	150	VAL	3.3
2	B	210	ASN	3.3
1	A	133	GLY	3.2
1	E	42	GLY	3.2
2	B	146	VAL	3.1
2	D	213	GLU	3.1
1	Q	126	PRO	3.1
1	O	190	GLY	3.0
2	B	180	THR	3.0
2	B	209	PHE	3.0
2	F	156	SER	2.9
1	E	133	GLY	2.9
1	Q	133	GLY	2.9
2	F	213	GLU	2.9
2	R	191	VAL	2.8
2	R	209	PHE	2.8
2	F	152	ASN	2.8
1	A	41	PRO	2.8
2	L	125	LEU	2.8
1	M	65	GLY	2.7
1	O	156	SER	2.7
2	J	126	LYS	2.7
2	R	145	LYS	2.7
1	I	3	ARG	2.7
1	A	195	ILE	2.6
2	P	146	VAL	2.6
1	H	127	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	41	PRO	2.6
2	R	150	VAL	2.6
1	E	127	SER	2.6
2	B	193	ALA	2.6
1	A	12	VAL	2.6
1	A	173	SER	2.6
2	B	202	SER	2.6
1	Q	42	GLY	2.6
2	B	150	VAL	2.6
2	P	156	SER	2.6
2	L	149	LYS	2.6
1	A	148	GLU	2.5
1	A	176	TYR	2.5
2	D	212	GLY	2.5
1	A	80	ILE	2.5
2	L	159	SER	2.5
2	R	203	SER	2.5
2	N	187	GLU	2.5
2	P	203	SER	2.5
2	B	147	GLN	2.5
2	F	154	LEU	2.4
2	R	127	SER	2.4
2	B	123	GLU	2.4
2	N	123	GLU	2.4
2	B	126	LYS	2.4
2	P	154	LEU	2.4
2	B	189	HIS	2.4
2	L	147	GLN	2.4
1	H	207	VAL	2.4
1	A	193	THR	2.3
2	P	121	SER	2.3
2	R	147	GLN	2.3
2	F	130	ALA	2.3
1	I	213	PRO	2.3
2	B	206	THR	2.3
1	A	57	LEU	2.3
2	B	190	LYS	2.3
2	B	207	LYS	2.3
1	Q	56	ASN	2.3
2	P	204	PRO	2.3
1	O	133	GLY	2.3
2	P	147	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	125	LEU	2.3
1	H	208	ASP	2.3
1	E	117	LYS	2.3
2	B	145	LYS	2.3
2	R	213	GLU	2.3
2	B	182	SER	2.3
2	P	195	GLU	2.3
1	A	213	PRO	2.3
1	O	83	THR	2.2
1	H	55	ILE	2.2
2	N	179	LEU	2.2
1	A	204	ASN	2.2
2	R	184	ALA	2.2
2	F	190	LYS	2.2
2	F	125	LEU	2.2
2	D	152	ASN	2.2
2	R	210	ASN	2.2
1	O	116	THR	2.2
2	P	69	THR	2.2
1	E	65	GLY	2.2
1	Q	74	SER	2.2
2	L	122	ASP	2.2
1	I	41	PRO	2.2
2	P	206	THR	2.2
1	O	84	SER	2.2
2	F	182	SER	2.2
2	P	213	GLU	2.2
1	H	24	ALA	2.1
1	A	42	GLY	2.1
2	F	186	TYR	2.1
1	O	112	SER	2.1
2	R	151	ASP	2.1
1	C	213	PRO	2.1
2	B	27	GLN	2.1
2	J	184	ALA	2.1
2	L	212	GLY	2.1
1	A	20	ILE	2.1
2	P	192	TYR	2.1
2	B	153	ALA	2.1
2	N	184	ALA	2.1
1	I	190	GLY	2.1
2	B	154	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	187	GLU	2.1
2	B	186	TYR	2.1
2	B	185	ASP	2.1
2	P	24	LYS	2.1
2	N	80	SER	2.1
2	P	12	SER	2.1
2	R	125	LEU	2.1
2	B	129	THR	2.1
2	R	192	TYR	2.1
1	A	82(B)	SER	2.1
1	A	40	ARG	2.0
2	F	153	ALA	2.0
1	O	85	GLU	2.0
2	B	195	GLU	2.0
1	I	206	LYS	2.0
2	B	117	ILE	2.0
2	P	180	THR	2.0
1	M	153	SER	2.0
2	B	208	SER	2.0
1	A	43	GLN	2.0
1	A	207	VAL	2.0
1	A	10	GLU	2.0
1	A	201	LYS	2.0
2	R	128	GLY	2.0
1	A	90	TYR	2.0
2	B	192	TYR	2.0
2	N	127	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PCA	Q	1	8/9	0.80	0.15	36,43,52,53	0
1	PCA	C	1	8/9	0.86	0.14	32,41,45,46	0
1	PCA	M	1	8/9	0.86	0.12	30,35,44,46	0
1	PCA	A	1	8/9	0.86	0.12	43,47,51,53	0
1	PCA	O	1	8/9	0.88	0.11	29,35,43,45	0
1	PCA	H	1	8/9	0.88	0.13	43,46,54,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	PCA	E	1	8/9	0.90	0.12	35,44,46,52	0
1	PCA	I	1	8/9	0.92	0.10	25,35,40,41	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	L	302	5/5	0.57	0.12	81,81,85,95	0
5	EDO	E	304	4/4	0.60	0.25	41,45,46,48	0
4	SO4	A	302	5/5	0.61	0.16	63,80,83,112	0
4	SO4	C	302	5/5	0.63	0.20	43,47,76,89	0
4	SO4	O	302	5/5	0.64	0.18	55,69,72,102	0
4	SO4	B	301	5/5	0.66	0.13	75,80,86,102	0
4	SO4	Q	301	5/5	0.68	0.18	41,49,62,90	0
4	SO4	M	303	5/5	0.68	0.31	48,57,68,90	0
5	EDO	L	303	4/4	0.71	0.21	39,44,45,63	0
4	SO4	M	302	5/5	0.71	0.22	48,60,65,89	0
5	EDO	N	305	4/4	0.72	0.19	27,29,32,34	0
4	SO4	E	302	5/5	0.73	0.17	41,52,69,87	0
4	SO4	H	302	5/5	0.73	0.19	43,60,76,96	0
4	SO4	N	303	5/5	0.75	0.29	47,62,63,83	0
4	SO4	D	302	5/5	0.76	0.26	70,71,82,86	0
5	EDO	E	305	4/4	0.79	0.23	35,40,41,54	0
5	EDO	N	306	4/4	0.79	0.15	27,32,39,42	0
4	SO4	I	302	5/5	0.80	0.17	48,52,79,91	0
4	SO4	P	301	5/5	0.82	0.17	63,75,81,96	0
4	SO4	D	303	5/5	0.83	0.18	43,48,67,69	0
5	EDO	J	304	4/4	0.83	0.16	31,34,34,41	0
4	SO4	N	301	5/5	0.85	0.15	52,59,66,74	0
5	EDO	N	304	4/4	0.85	0.16	18,20,21,27	0
5	EDO	J	305	4/4	0.87	0.12	29,32,36,41	0
4	SO4	J	301	5/5	0.88	0.17	44,55,59,67	0
4	SO4	J	302	5/5	0.88	0.15	55,56,60,61	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	N	302	5/5	0.88	0.14	43,49,58,67	0
4	SO4	L	301	5/5	0.88	0.17	54,63,69,71	0
3	7V7	A	301	25/25	0.88	0.14	28,37,53,57	0
5	EDO	L	304	4/4	0.89	0.12	34,37,37,40	0
3	7V7	H	301	25/25	0.89	0.12	28,36,42,49	0
6	NI	B	302	1/1	0.89	0.10	77,77,77,77	0
3	7V7	M	301	25/25	0.90	0.12	21,29,34,39	0
3	7V7	O	301	25/25	0.90	0.12	18,29,48,50	0
6	NI	C	303	1/1	0.90	0.11	92,92,92,92	0
3	7V7	R	301	25/25	0.90	0.12	29,37,49,54	0
3	7V7	E	301	25/25	0.91	0.11	24,29,37,43	0
5	EDO	J	303	4/4	0.91	0.14	20,28,29,35	0
4	SO4	F	301	5/5	0.91	0.13	48,53,58,68	0
5	EDO	E	303	4/4	0.92	0.14	26,27,33,40	0
3	7V7	C	301	25/25	0.93	0.10	21,26,32,35	0
4	SO4	F	302	5/5	0.93	0.12	40,46,52,54	0
3	7V7	I	301	25/25	0.94	0.09	18,24,31,33	0
4	SO4	D	301	5/5	0.95	0.15	27,48,52,53	0
5	EDO	Q	302	4/4	0.95	0.10	23,24,32,37	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 7V7 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7V7 H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7V7 M 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7V7 O 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7V7 R 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7V7 E 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7V7 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 7V7 I 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.