



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:47 PM UTC

PDB ID : 1AY5 / pdb_00001ay5
Title : AROMATIC AMINO ACID AMINOTRANSFERASE COMPLEX WITH
MALEATE
Authors : Okamoto, A.; Hirotsu, K.; Kagamiyama, H.
Deposited on : 1997-11-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	394	 74% 24% .
1	B	394	 71% 24% . .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6235 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AROMATIC AMINO ACID AMINOTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	394	Total	C	N	O	S	0	0	0
			2996	1884	527	565	20			
1	B	388	Total	C	N	O	S	0	0	0
			2945	1855	514	556	20			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is MALEIC ACID (CCD ID: MAE) (formula: $C_4H_4O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	4	4		
3	B	1	Total	C	O	0	0
			8	4	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	131	Total	O	0	0
			131	131		
4	B	117	Total	O	0	0
			117	117		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: AROMATIC AMINO ACID AMINOTRANSFERASE

Chain A: 



• Molecule 1: AROMATIC AMINO ACID AMINOTRANSFERASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	124.48Å 121.44Å 55.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.50	Depositor
% Data completeness (in resolution range)	89.3 (6.00-2.50)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.171 , 0.245	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6235	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, MAE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/3048	0.92	6/4119 (0.1%)
1	B	0.40	0/2995	0.92	11/4046 (0.3%)
All	All	0.40	0/6043	0.92	17/8165 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	196	THR	N-CA-C	9.04	121.13	111.28
1	B	348	ASP	N-CA-C	8.38	120.31	108.74
1	B	196	THR	N-CA-C	7.81	119.87	111.36
1	B	349	ARG	N-CA-C	7.73	127.26	110.80
1	B	247	ILE	CA-C-N	6.76	126.45	119.56
1	B	247	ILE	C-N-CA	6.76	126.45	119.56
1	A	194	ASN	N-CA-C	-6.70	101.34	109.72
1	B	194	ASN	N-CA-C	-6.54	101.54	109.72
1	A	300	PHE	N-CA-C	6.14	118.90	111.40
1	B	140	TRP	CA-C-N	5.94	126.09	119.32
1	B	140	TRP	C-N-CA	5.94	126.09	119.32
1	B	258	LYS	N-CA-C	5.86	117.54	111.03
1	A	396	THR	N-CA-C	5.60	117.19	111.14
1	B	301	HIS	N-CA-C	5.60	117.85	111.02
1	A	301	HIS	N-CA-C	5.41	120.23	111.37
1	B	87	ILE	N-CA-C	5.24	115.45	110.53
1	A	170	PHE	N-CA-C	5.05	116.79	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2996	0	3003	65	0
1	B	2945	0	2953	64	0
2	A	15	0	7	0	0
2	B	15	0	6	0	0
3	A	8	0	2	0	0
3	B	8	0	2	0	0
4	A	131	0	0	3	0
4	B	117	0	0	0	0
All	All	6235	0	5973	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:LEU:HA	1:B:23:GLU:HG2	1.56	0.84
1:B:120:ARG:HD3	1:B:152:LEU:HD11	1.66	0.78
1:A:78:GLU:HG2	1:A:307:SER:HB2	1.67	0.76
1:A:59:ARG:HG3	1:A:59:ARG:HH11	1.51	0.75
1:B:267:THR:HG21	1:B:302:GLY:HA3	1.68	0.74
1:A:292:ARG:HA	1:A:296:SER:HA	1.72	0.72
1:B:103:LEU:HG	1:B:287:MET:HB3	1.72	0.71
1:A:23:GLU:HG3	1:A:380:TYR:HE2	1.57	0.69
1:B:344:LEU:HD23	1:B:405:ILE:HG13	1.75	0.68
1:A:69:THR:HG23	1:B:39:VAL:HG21	1.74	0.68
1:A:221:ILE:HD11	1:A:243:ILE:HD13	1.75	0.67
1:B:337:LEU:HD23	1:B:397:ILE:HG23	1.78	0.66
1:B:366:THR:HB	1:B:367:PRO:HD2	1.78	0.65
1:A:221:ILE:HD11	1:A:243:ILE:HG21	1.80	0.64
1:B:404:ILE:O	1:B:407:VAL:HG12	1.97	0.64
1:A:96:LYS:HE2	1:A:99:THR:OG1	1.99	0.63
1:B:250:VAL:HG13	1:B:273:LEU:HD12	1.83	0.60
1:A:219:PRO:CG	1:A:243:ILE:HD11	2.32	0.60
1:A:270:LEU:HD13	1:A:287:MET:HE3	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:373:ILE:CG2	1:B:379:ILE:HG23	2.33	0.59
1:A:170:PHE:O	1:A:174:LYS:HG2	2.03	0.59
1:B:35:LEU:HD22	1:B:379:ILE:HD11	1.85	0.59
1:A:83:MET:HE3	1:A:306:VAL:HG11	1.85	0.58
1:A:114:GLN:HE21	1:A:114:GLN:HA	1.69	0.57
1:A:239:GLY:O	1:A:243:ILE:HG22	2.05	0.57
1:A:61:LEU:HD21	1:B:58:GLN:HG2	1.87	0.57
1:B:196:THR:HA	1:B:362:ARG:HG3	1.86	0.56
1:A:311:THR:O	1:A:313:PRO:HD3	2.04	0.56
1:B:33:ILE:HG22	1:B:35:LEU:HD13	1.89	0.55
1:B:32:LYS:HB2	1:B:32:LYS:NZ	2.22	0.55
1:A:249:GLU:OE1	1:B:5:MET:HB2	2.06	0.55
1:A:379:ILE:HD11	1:A:399:ILE:HG22	1.89	0.55
1:B:17:ILE:HD12	1:B:17:ILE:H	1.72	0.54
1:B:142:ASN:HA	1:B:145:SER:OG	2.08	0.54
1:A:59:ARG:HG3	1:A:59:ARG:NH1	2.19	0.52
1:B:40:TYR:CE1	1:B:326:VAL:HG13	2.44	0.52
1:B:101:ALA:HB3	1:B:272:ALA:HB3	1.92	0.52
1:A:110:GLY:O	1:A:114:GLN:HG2	2.09	0.52
1:A:69:THR:CG2	1:B:39:VAL:HG21	2.41	0.51
1:A:105:THR:HG21	1:A:111:ALA:HA	1.93	0.51
1:B:129:ARG:HH11	1:B:156:GLN:HG2	1.76	0.51
1:A:242:LEU:O	1:A:246:ARG:HG2	2.10	0.51
1:A:228:PHE:HE1	1:A:259:ASN:HA	1.74	0.50
1:A:126:LEU:HD11	1:A:185:MET:HB2	1.92	0.50
1:B:400:LEU:O	1:B:404:ILE:HG23	2.11	0.50
1:A:73:LEU:HD23	1:A:288:ALA:HB1	1.93	0.50
1:B:334:ARG:NH1	1:B:389:ILE:HG12	2.27	0.50
1:B:330:MET:HB3	1:B:389:ILE:HD13	1.94	0.49
1:B:102:THR:HG23	1:B:271:LEU:HD23	1.95	0.49
1:B:134:PHE:HA	1:B:156:GLN:O	2.12	0.49
1:A:23:GLU:HG3	1:A:380:TYR:CE2	2.43	0.49
1:A:83:MET:HE3	1:A:306:VAL:CG1	2.42	0.49
1:B:342:ARG:CD	1:B:347:SER:HA	2.44	0.48
1:B:389:ILE:HD12	1:B:390:ALA:N	2.28	0.48
1:B:366:THR:OG1	1:B:369:GLN:HG3	2.14	0.48
1:A:219:PRO:HG3	1:A:243:ILE:HD11	1.95	0.48
1:B:20:LEU:HA	1:B:23:GLU:CG	2.36	0.48
1:B:55:ALA:O	1:B:59:ARG:HG3	2.14	0.48
1:A:9:LEU:HD13	1:B:122:ALA:HB2	1.96	0.47
1:A:101:ALA:HB3	1:A:272:ALA:HB3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:ARG:HG2	1:B:154:PRO:HG2	1.95	0.47
1:B:173:MET:HE1	1:B:200:LEU:HD11	1.97	0.47
1:B:181:LYS:HG2	1:B:182:LYS:N	2.29	0.47
1:A:39:VAL:HG11	1:B:69:THR:HG22	1.97	0.46
1:A:202:LEU:HD12	1:A:202:LEU:HA	1.80	0.46
1:A:113:ARG:HH11	1:B:294:THR:HA	1.80	0.46
1:A:78:GLU:HB3	4:A:490:HOH:O	2.15	0.46
1:A:263:TYR:HB2	1:B:68:LYS:O	2.16	0.46
1:A:17:ILE:O	1:A:21:MET:HG3	2.15	0.46
1:B:401:ALA:O	1:B:405:ILE:HG12	2.17	0.45
1:A:407:VAL:HG12	1:A:407:VAL:O	2.17	0.45
1:B:206:ALA:HA	1:B:242:LEU:HD21	1.98	0.45
1:A:69:THR:HG22	1:A:70:TYR:H	1.82	0.45
1:A:305:ILE:O	1:A:309:VAL:HG23	2.16	0.45
1:B:346:GLY:O	1:B:347:SER:HB2	2.17	0.45
1:A:256:CYS:O	1:A:260:PHE:HB2	2.17	0.45
1:A:13:ALA:HA	1:A:14:PRO:HD3	1.86	0.45
1:B:250:VAL:CG1	1:B:273:LEU:HD12	2.47	0.45
1:A:114:GLN:HA	1:A:114:GLN:NE2	2.32	0.44
1:B:397:ILE:HB	1:B:398:PRO:HD3	1.98	0.44
1:A:331:LEU:HD22	4:A:516:HOH:O	2.17	0.44
1:B:359:MET:O	1:B:389:ILE:HG13	2.16	0.44
1:A:73:LEU:HD11	1:A:292:ARG:HB2	1.99	0.44
1:A:129:ARG:HD2	1:A:154:PRO:HG2	2.00	0.44
1:A:269:CYS:SG	1:A:271:LEU:CD1	3.07	0.43
1:B:289:PHE:O	1:B:293:GLN:HG2	2.18	0.43
1:B:340:GLU:HG3	1:B:397:ILE:HG22	2.00	0.43
1:B:371:LYS:HG3	1:B:372:ARG:N	2.33	0.43
1:A:289:PHE:O	1:A:293:GLN:HG2	2.18	0.43
1:B:311:THR:O	1:B:313:PRO:HD3	2.18	0.43
1:B:267:THR:CG2	1:B:302:GLY:HA3	2.43	0.43
1:B:160:TYR:O	1:B:168:VAL:HA	2.18	0.43
1:A:10:LYS:NZ	1:A:10:LYS:HB3	2.34	0.43
1:B:123:ASN:HB3	1:B:126:LEU:HD23	2.01	0.42
1:B:337:LEU:HD12	1:B:353:VAL:HG11	2.01	0.42
1:A:138:PRO:HG3	1:A:362:ARG:CZ	2.49	0.42
1:A:54:HIS:HA	4:A:422:HOH:O	2.19	0.42
1:A:129:ARG:HG3	1:A:154:PRO:HB2	2.01	0.42
1:A:374:LYS:HE2	1:A:374:LYS:HB3	1.94	0.42
1:A:142:ASN:O	1:A:146:ILE:HG13	2.19	0.42
1:A:27:ASP:OD2	1:A:29:ARG:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:LYS:HD2	1:A:16:LYS:HA	1.89	0.42
1:A:140:TRP:CZ3	1:A:142:ASN:HB3	2.54	0.42
1:B:33:ILE:HB	1:B:379:ILE:HB	2.02	0.42
1:A:58:GLN:HA	1:B:61:LEU:HD11	2.02	0.41
1:A:269:CYS:SG	1:A:271:LEU:HD11	2.60	0.41
1:B:280:ARG:NH2	1:B:281:GLU:OE2	2.54	0.41
1:B:369:GLN:NE2	1:B:409:VAL:HA	2.35	0.41
1:A:257:SER:HB3	1:A:263:TYR:HA	2.03	0.41
1:A:240:THR:O	1:A:243:ILE:HG23	2.21	0.41
1:B:82:ALA:HB1	1:B:310:LEU:HD23	2.02	0.41
1:B:81:LYS:O	1:B:85:GLU:HG3	2.21	0.41
1:A:173:MET:HE1	1:A:200:LEU:HD11	2.03	0.41
1:B:379:ILE:CD1	1:B:400:LEU:HD13	2.51	0.41
1:A:264:ARG:HD3	1:B:300:PHE:CG	2.56	0.40
1:A:228:PHE:CE1	1:A:259:ASN:HA	2.55	0.40
1:B:140:TRP:HB3	1:B:143:HIS:ND1	2.36	0.40
1:A:322:GLU:O	1:A:326:VAL:HG23	2.21	0.40
1:B:98:GLU:O	1:B:280:ARG:NH1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/394 (100%)	373 (95%)	18 (5%)	1 (0%)	36	55
1	B	384/394 (98%)	356 (93%)	24 (6%)	4 (1%)	12	24
All	All	776/788 (98%)	729 (94%)	42 (5%)	5 (1%)	21	38

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	347	SER
1	B	349	ARG
1	A	16	LYS
1	B	383	GLY
1	B	363	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/308 (100%)	282 (92%)	26 (8%)	10	22
1	B	303/308 (98%)	283 (93%)	20 (7%)	15	32
All	All	611/616 (99%)	565 (92%)	46 (8%)	12	26

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	15	ASP
1	A	18	LEU
1	A	25	ARG
1	A	35	LEU
1	A	59	ARG
1	A	62	GLU
1	A	69	THR
1	A	86	LEU
1	A	99	THR
1	A	113	ARG
1	A	114	GLN
1	A	116	LEU
1	A	164	GLU
1	A	188	LEU
1	A	214	LYS
1	A	243	ILE
1	A	270	LEU
1	A	280	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	290	LEU
1	A	310	LEU
1	A	314	GLU
1	A	323	LEU
1	A	361	SER
1	A	374	LYS
1	A	400	LEU
1	B	32	LYS
1	B	47	THR
1	B	61	LEU
1	B	69	THR
1	B	103	LEU
1	B	113	ARG
1	B	114	GLN
1	B	116	LEU
1	B	188	LEU
1	B	195	PRO
1	B	246	ARG
1	B	250	VAL
1	B	251	LEU
1	B	267	THR
1	B	290	LEU
1	B	310	LEU
1	B	335	GLU
1	B	368	GLU
1	B	379	ILE
1	B	404	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	114	GLN
1	A	156	GLN
1	A	336	GLN
1	B	54	HIS
1	B	293	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MAE	A	414	-	7,7,7	1.86	1 (14%)	8,8,8	0.77	0
2	PLP	A	413	1	15,15,16	2.49	3 (20%)	21,22,23	1.78	2 (9%)
3	MAE	B	414	-	7,7,7	1.93	2 (28%)	8,8,8	0.84	0
2	PLP	B	413	1	15,15,16	2.11	2 (13%)	21,22,23	1.66	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAE	A	414	-	-	4/5/5/5	-
2	PLP	A	413	1	-	2/6/6/8	0/1/1/1
3	MAE	B	414	-	-	4/5/5/5	-
2	PLP	B	413	1	-	2/6/6/8	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	413	PLP	C4A-C4	-7.17	1.37	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	413	PLP	C3-C2	-5.70	1.35	1.41
2	B	413	PLP	C4A-C4	-4.82	1.42	1.51
2	A	413	PLP	C3-C2	-4.49	1.36	1.41
2	A	413	PLP	C5-C4	-2.97	1.37	1.40
3	B	414	MAE	C3-C2	2.91	1.41	1.33
3	A	414	MAE	C3-C2	2.82	1.41	1.33
3	B	414	MAE	C2-C1	2.05	1.53	1.48

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	413	PLP	O4P-C5A-C5	6.39	121.34	109.36
2	B	413	PLP	O4P-C5A-C5	4.88	118.50	109.36
2	B	413	PLP	O3P-P-O1P	2.61	121.02	110.83
2	A	413	PLP	C5-C6-N1	-2.20	120.25	123.83
2	B	413	PLP	O2P-P-O4P	-2.17	101.00	106.67
2	B	413	PLP	C5-C6-N1	-2.04	120.51	123.83

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	413	PLP	C4-C5-C5A-O4P
2	B	413	PLP	C5A-O4P-P-O2P
2	B	413	PLP	C5A-O4P-P-O3P
3	A	414	MAE	O1-C1-C2-C3
3	A	414	MAE	O2-C1-C2-C3
3	B	414	MAE	O1-C1-C2-C3
3	B	414	MAE	O2-C1-C2-C3
3	A	414	MAE	C2-C3-C4-O3
3	A	414	MAE	C2-C3-C4-O4
3	B	414	MAE	C2-C3-C4-O3
3	B	414	MAE	C2-C3-C4-O4
2	A	413	PLP	C6-C5-C5A-O4P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.