



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:57 AM UTC

PDB ID : 6AYS / pdb_00006ays
Title : Crystal structure of Campylobacter jejuni 5'-methylthioadenosine/S-adenosyl homocysteine nucleosidase (MTAN) complexed with hexylthio-DADMe-Immucillin-A
Authors : Harijan, R.K.; Ducati, R.G.; Bonanno, J.B.; Almo, S.C.; Schramm, V.L.
Deposited on : 2017-09-08
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	8% 94%
1	B	238	12% 92%
1	C	238	16% 91%
1	D	238	12% 91% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	238	18% 89% 7%
1	F	238	22% 90% 6%
1	G	238	18% 92%
1	H	238	22% 92% 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 16036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	2	0
			1764	1138	276	339	11			
1	B	229	Total	C	N	O	S	0	3	0
			1767	1141	274	341	11			
1	C	229	Total	C	N	O	S	0	3	0
			1765	1140	275	339	11			
1	D	229	Total	C	N	O	S	0	2	0
			1759	1135	274	339	11			
1	E	229	Total	C	N	O	S	0	3	0
			1774	1145	277	341	11			
1	F	229	Total	C	N	O	S	0	2	0
			1766	1141	274	340	11			
1	G	229	Total	C	N	O	S	0	2	0
			1768	1142	276	339	11			
1	H	229	Total	C	N	O	S	0	2	0
			1755	1135	272	337	11			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
A	-8	GLY	-	expression tag	UNP A0A1E7P7U4
A	-7	HIS	-	expression tag	UNP A0A1E7P7U4
A	-6	HIS	-	expression tag	UNP A0A1E7P7U4
A	-5	HIS	-	expression tag	UNP A0A1E7P7U4
A	-4	HIS	-	expression tag	UNP A0A1E7P7U4
A	-3	HIS	-	expression tag	UNP A0A1E7P7U4
A	-2	HIS	-	expression tag	UNP A0A1E7P7U4
A	-1	SER	-	expression tag	UNP A0A1E7P7U4
A	0	GLY	-	expression tag	UNP A0A1E7P7U4
A	40	ASP	ASN	conflict	UNP A0A1E7P7U4
B	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
B	-8	GLY	-	expression tag	UNP A0A1E7P7U4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	HIS	-	expression tag	UNP A0A1E7P7U4
B	-6	HIS	-	expression tag	UNP A0A1E7P7U4
B	-5	HIS	-	expression tag	UNP A0A1E7P7U4
B	-4	HIS	-	expression tag	UNP A0A1E7P7U4
B	-3	HIS	-	expression tag	UNP A0A1E7P7U4
B	-2	HIS	-	expression tag	UNP A0A1E7P7U4
B	-1	SER	-	expression tag	UNP A0A1E7P7U4
B	0	GLY	-	expression tag	UNP A0A1E7P7U4
B	40	ASP	ASN	conflict	UNP A0A1E7P7U4
C	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
C	-8	GLY	-	expression tag	UNP A0A1E7P7U4
C	-7	HIS	-	expression tag	UNP A0A1E7P7U4
C	-6	HIS	-	expression tag	UNP A0A1E7P7U4
C	-5	HIS	-	expression tag	UNP A0A1E7P7U4
C	-4	HIS	-	expression tag	UNP A0A1E7P7U4
C	-3	HIS	-	expression tag	UNP A0A1E7P7U4
C	-2	HIS	-	expression tag	UNP A0A1E7P7U4
C	-1	SER	-	expression tag	UNP A0A1E7P7U4
C	0	GLY	-	expression tag	UNP A0A1E7P7U4
C	40	ASP	ASN	conflict	UNP A0A1E7P7U4
D	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
D	-8	GLY	-	expression tag	UNP A0A1E7P7U4
D	-7	HIS	-	expression tag	UNP A0A1E7P7U4
D	-6	HIS	-	expression tag	UNP A0A1E7P7U4
D	-5	HIS	-	expression tag	UNP A0A1E7P7U4
D	-4	HIS	-	expression tag	UNP A0A1E7P7U4
D	-3	HIS	-	expression tag	UNP A0A1E7P7U4
D	-2	HIS	-	expression tag	UNP A0A1E7P7U4
D	-1	SER	-	expression tag	UNP A0A1E7P7U4
D	0	GLY	-	expression tag	UNP A0A1E7P7U4
D	40	ASP	ASN	conflict	UNP A0A1E7P7U4
E	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
E	-8	GLY	-	expression tag	UNP A0A1E7P7U4
E	-7	HIS	-	expression tag	UNP A0A1E7P7U4
E	-6	HIS	-	expression tag	UNP A0A1E7P7U4
E	-5	HIS	-	expression tag	UNP A0A1E7P7U4
E	-4	HIS	-	expression tag	UNP A0A1E7P7U4
E	-3	HIS	-	expression tag	UNP A0A1E7P7U4
E	-2	HIS	-	expression tag	UNP A0A1E7P7U4
E	-1	SER	-	expression tag	UNP A0A1E7P7U4
E	0	GLY	-	expression tag	UNP A0A1E7P7U4
E	40	ASP	ASN	conflict	UNP A0A1E7P7U4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
F	-8	GLY	-	expression tag	UNP A0A1E7P7U4
F	-7	HIS	-	expression tag	UNP A0A1E7P7U4
F	-6	HIS	-	expression tag	UNP A0A1E7P7U4
F	-5	HIS	-	expression tag	UNP A0A1E7P7U4
F	-4	HIS	-	expression tag	UNP A0A1E7P7U4
F	-3	HIS	-	expression tag	UNP A0A1E7P7U4
F	-2	HIS	-	expression tag	UNP A0A1E7P7U4
F	-1	SER	-	expression tag	UNP A0A1E7P7U4
F	0	GLY	-	expression tag	UNP A0A1E7P7U4
F	40	ASP	ASN	conflict	UNP A0A1E7P7U4
G	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
G	-8	GLY	-	expression tag	UNP A0A1E7P7U4
G	-7	HIS	-	expression tag	UNP A0A1E7P7U4
G	-6	HIS	-	expression tag	UNP A0A1E7P7U4
G	-5	HIS	-	expression tag	UNP A0A1E7P7U4
G	-4	HIS	-	expression tag	UNP A0A1E7P7U4
G	-3	HIS	-	expression tag	UNP A0A1E7P7U4
G	-2	HIS	-	expression tag	UNP A0A1E7P7U4
G	-1	SER	-	expression tag	UNP A0A1E7P7U4
G	0	GLY	-	expression tag	UNP A0A1E7P7U4
G	40	ASP	ASN	conflict	UNP A0A1E7P7U4
H	-9	MET	-	initiating methionine	UNP A0A1E7P7U4
H	-8	GLY	-	expression tag	UNP A0A1E7P7U4
H	-7	HIS	-	expression tag	UNP A0A1E7P7U4
H	-6	HIS	-	expression tag	UNP A0A1E7P7U4
H	-5	HIS	-	expression tag	UNP A0A1E7P7U4
H	-4	HIS	-	expression tag	UNP A0A1E7P7U4
H	-3	HIS	-	expression tag	UNP A0A1E7P7U4
H	-2	HIS	-	expression tag	UNP A0A1E7P7U4
H	-1	SER	-	expression tag	UNP A0A1E7P7U4
H	0	GLY	-	expression tag	UNP A0A1E7P7U4
H	40	ASP	ASN	conflict	UNP A0A1E7P7U4

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	G	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is (3R,4S)-1-[(4-amino-5H-pyrrolo[3,2-d]pyrimidin-7-yl)methyl]-4-[(hexylsulfanyl)methyl]pyrrolidin-3-ol (CCD ID: HT6) (formula: C₁₈H₂₉N₅OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	B	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	C	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	D	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	E	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	F	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	G	1	Total	C	N	O	S	0	0
			25	18	5	1	1		
3	H	1	Total	C	N	O	S	0	0
			25	18	5	1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	249	Total	O	0	0
			249	249		
4	B	241	Total	O	0	0
			241	241		
4	C	240	Total	O	0	0
			240	240		
4	D	216	Total	O	0	0
			216	216		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	208	Total 208	O 208	0	0
4	F	188	Total 188	O 188	0	0
4	G	189	Total 189	O 189	0	0
4	H	167	Total 167	O 167	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase



- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase




- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase






- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase










- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase




- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase



- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase



- Molecule 1: 5'-methylthioadenosine/S-adenosylhomocysteine nucleosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	67.37Å 75.29Å 90.44Å 87.54° 89.05° 71.13°	Depositor
Resolution (Å)	90.35 – 1.70 90.35 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.3 (90.35-1.70) 97.3 (90.35-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.230 , 0.248 0.237 , 0.252	Depositor DCC
R_{free} test set	8797 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	15.0	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.035 for -h,-k,l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	16036	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, HT6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/1798	0.74	0/2424
1	B	0.51	0/1804	0.73	0/2433
1	C	0.53	1/1802 (0.1%)	0.76	2/2430 (0.1%)
1	D	0.49	0/1793	0.74	0/2419
1	E	0.53	0/1811	0.77	1/2440 (0.0%)
1	F	0.48	0/1800	0.73	0/2427
1	G	0.48	0/1802	0.74	0/2428
1	H	0.47	0/1789	0.74	0/2414
All	All	0.50	1/14399 (0.0%)	0.74	3/19415 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	201	LYS	CA-C	6.70	1.61	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	39	LYS	CB-CA-C	5.97	122.31	110.42
1	C	200	GLU	CA-C-O	-5.81	114.39	120.55
1	C	128	LEU	CB-CG-CD1	5.19	126.27	110.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	201	LYS	Peptide,Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1764	0	1781	4	0
1	B	1767	0	1775	4	1
1	C	1765	0	1778	4	1
1	D	1759	0	1765	8	0
1	E	1774	0	1798	15	1
1	F	1766	0	1774	6	1
1	G	1768	0	1789	5	0
1	H	1755	0	1755	9	0
2	A	4	0	6	1	0
2	B	8	0	12	1	0
2	D	4	0	6	0	0
2	G	4	0	6	0	0
3	A	25	0	0	0	0
3	B	25	0	0	0	0
3	C	25	0	0	0	0
3	D	25	0	0	0	0
3	E	25	0	0	0	0
3	F	25	0	0	0	0
3	G	25	0	0	0	0
3	H	25	0	0	0	0
4	A	249	0	0	0	0
4	B	241	0	0	0	0
4	C	240	0	0	0	0
4	D	216	0	0	1	0
4	E	208	0	0	0	0
4	F	188	0	0	1	0
4	G	189	0	0	1	0
4	H	167	0	0	1	0
All	All	16036	0	14245	48	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (48) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:89:LEU:HD12	1:D:138:ILE:HD11	1.58	0.86
1:E:119:ILE:HD12	1:E:178:ALA:C	2.01	0.85
1:E:41:HIS:CE1	1:E:225:CYS:O	2.48	0.67
1:D:133:ALA:HA	1:D:138:ILE:HG23	1.75	0.67
1:D:26:ILE:HG22	1:D:35:PHE:HE1	1.69	0.58
1:A:179:LEU:HD21	2:B:302:EDO:H12	1.87	0.56
1:E:119:ILE:CD1	1:E:178:ALA:O	2.54	0.56
1:E:27:GLU:HG3	1:H:27:GLU:CD	2.32	0.54
1:E:27:GLU:CG	1:H:27:GLU:HG3	2.37	0.54
1:E:119:ILE:CD1	1:E:178:ALA:C	2.79	0.54
1:E:41:HIS:HE1	1:E:225:CYS:O	1.89	0.52
1:D:132:VAL:HG22	1:D:227:LYS:HD3	1.92	0.52
1:E:27:GLU:HG3	1:H:27:GLU:HG3	1.91	0.52
1:E:119:ILE:HD12	1:E:178:ALA:O	2.11	0.50
1:E:119:ILE:HD11	1:E:182:ASP:HB2	1.95	0.48
1:F:120:LYS:CE	1:H:211:ILE:HD11	2.44	0.47
1:G:120:LYS:CE	4:G:571:HOH:O	2.62	0.47
1:E:27:GLU:HG3	1:H:27:GLU:CG	2.45	0.47
1:F:141:ARG:NH2	4:F:401:HOH:O	2.47	0.46
1:D:89:LEU:HD12	1:D:138:ILE:CD1	2.38	0.46
1:E:119:ILE:HD12	1:E:179:LEU:N	2.29	0.46
1:G:2:LYS:HE2	1:G:66:PHE:O	2.16	0.45
1:C:179:LEU:C	1:C:179:LEU:HD23	2.45	0.42
1:A:179:LEU:C	1:A:179:LEU:HD23	2.46	0.41
1:B:3:ILE:HG12	1:B:70:VAL:CG1	2.50	0.41
1:B:21:LYS:HD3	1:G:123:GLU:OE1	2.20	0.41
1:G:179:LEU:C	1:G:179:LEU:HD23	2.46	0.41
1:A:97:GLN:HE21	2:A:301:EDO:C2	2.33	0.41
1:H:141:ARG:NH2	4:H:403:HOH:O	2.52	0.41
1:D:119:ILE:HD11	4:D:406:HOH:O	2.19	0.41
1:E:179:LEU:C	1:E:179:LEU:HD23	2.46	0.41
1:F:3:ILE:HG12	1:F:70:VAL:CG1	2.50	0.41
1:B:2:LYS:HE2	1:B:66:PHE:O	2.21	0.41
1:C:3:ILE:HG12	1:C:70:VAL:CG1	2.51	0.41
1:D:179:LEU:C	1:D:179:LEU:HD23	2.46	0.41
1:E:92:ALA:HB2	1:E:145:ILE:HD12	2.03	0.41
1:F:179:LEU:C	1:F:179:LEU:HD23	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:28:HIS:NE2	1:F:65:LYS:HD2	2.35	0.41
1:H:3:ILE:HG12	1:H:70:VAL:CG1	2.50	0.41
1:H:92:ALA:HB2	1:H:145:ILE:HD12	2.03	0.41
1:B:179:LEU:C	1:B:179:LEU:HD23	2.46	0.40
1:C:156:ALA:HB2	1:D:35:PHE:CD2	2.56	0.40
1:A:92:ALA:HB2	1:A:145:ILE:HD12	2.03	0.40
1:G:3:ILE:HG12	1:G:70:VAL:CG1	2.51	0.40
1:H:179:LEU:HD23	1:H:179:LEU:C	2.46	0.40
1:C:92:ALA:HB2	1:C:145:ILE:HD12	2.03	0.40
1:E:3:ILE:HG12	1:E:70:VAL:CG1	2.50	0.40
1:F:92:ALA:HB2	1:F:145:ILE:HD12	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:134:LYS:CD	1:C:127:ASN:ND2[1_465]	2.13	0.07
1:E:137:ASN:ND2	1:F:212:ASN:OD1[1_455]	2.15	0.05

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/238 (96%)	223 (97%)	6 (3%)	0	100	100
1	B	230/238 (97%)	224 (97%)	6 (3%)	0	100	100
1	C	230/238 (97%)	224 (97%)	6 (3%)	0	100	100
1	D	229/238 (96%)	223 (97%)	6 (3%)	0	100	100
1	E	230/238 (97%)	223 (97%)	7 (3%)	0	100	100
1	F	229/238 (96%)	223 (97%)	6 (3%)	0	100	100
1	G	229/238 (96%)	223 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	229/238 (96%)	223 (97%)	6 (3%)	0	100	100
All	All	1835/1904 (96%)	1786 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/195 (95%)	184 (99%)	2 (1%)	65	54
1	B	185/195 (95%)	181 (98%)	4 (2%)	45	29
1	C	185/195 (95%)	182 (98%)	3 (2%)	55	41
1	D	184/195 (94%)	180 (98%)	4 (2%)	45	29
1	E	188/195 (96%)	183 (97%)	5 (3%)	39	23
1	F	184/195 (94%)	178 (97%)	6 (3%)	33	17
1	G	186/195 (95%)	181 (97%)	5 (3%)	39	23
1	H	181/195 (93%)	178 (98%)	3 (2%)	53	38
All	All	1479/1560 (95%)	1447 (98%)	32 (2%)	45	29

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	LYS
1	A	171	GLU
1	B	2	LYS
1	B	40	ASP
1	B	157	LYS
1	B	171	GLU
1	C	40	ASP
1	C	128	LEU
1	C	171	GLU
1	D	40	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	138	ILE
1	D	157	LYS
1	D	171	GLU
1	E	25	LYS
1	E	40	ASP
1	E	119	ILE
1	E	134	LYS
1	E	171	GLU
1	F	2	LYS
1	F	37	LYS
1	F	40	ASP
1	F	65	LYS
1	F	157	LYS
1	F	171	GLU
1	G	1	MET
1	G	2	LYS
1	G	40	ASP
1	G	157	LYS
1	G	171	GLU
1	H	40	ASP
1	H	157	LYS
1	H	171	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	HIS
1	B	107	HIS
1	E	41	HIS
1	G	107	HIS
1	G	212	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	B	302	-	3,3,3	0.39	0	2,2,2	0.60	0
3	HT6	A	302	-	25,27,27	0.95	1 (4%)	26,36,36	1.53	5 (19%)
3	HT6	G	302	-	25,27,27	0.92	1 (4%)	26,36,36	1.50	4 (15%)
3	HT6	C	301	-	25,27,27	0.92	1 (4%)	26,36,36	1.63	6 (23%)
3	HT6	H	301	-	25,27,27	0.84	0	26,36,36	1.59	6 (23%)
2	EDO	D	301	-	3,3,3	0.34	0	2,2,2	0.86	0
2	EDO	G	301	-	3,3,3	0.41	0	2,2,2	0.49	0
2	EDO	B	301	-	3,3,3	0.38	0	2,2,2	0.35	0
2	EDO	A	301	-	3,3,3	0.39	0	2,2,2	0.77	0
3	HT6	B	303	-	25,27,27	0.92	1 (4%)	26,36,36	1.50	5 (19%)
3	HT6	E	301	-	25,27,27	1.01	2 (8%)	26,36,36	1.64	7 (26%)
3	HT6	D	302	-	25,27,27	0.87	1 (4%)	26,36,36	1.51	4 (15%)
3	HT6	F	301	-	25,27,27	0.92	1 (4%)	26,36,36	1.51	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	302	-	-	0/1/1/1	-
3	HT6	A	302	-	-	1/12/24/24	0/3/3/3
3	HT6	G	302	-	-	2/12/24/24	0/3/3/3
3	HT6	C	301	-	-	1/12/24/24	0/3/3/3
3	HT6	H	301	-	-	1/12/24/24	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	301	-	-	0/1/1/1	-
2	EDO	G	301	-	-	0/1/1/1	-
2	EDO	B	301	-	-	0/1/1/1	-
2	EDO	A	301	-	-	1/1/1/1	-
3	HT6	B	303	-	-	3/12/24/24	0/3/3/3
3	HT6	E	301	-	-	3/12/24/24	0/3/3/3
3	HT6	D	302	-	-	3/12/24/24	0/3/3/3
3	HT6	F	301	-	-	1/12/24/24	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	301	HT6	C5-C6	2.30	1.48	1.40
3	F	301	HT6	C8-C9	2.27	1.40	1.36
3	B	303	HT6	C8-C9	2.13	1.40	1.36
3	C	301	HT6	C8-C9	2.10	1.39	1.36
3	E	301	HT6	C8-C9	2.03	1.39	1.36
3	A	302	HT6	C5-N7	-2.02	1.34	1.37
3	G	302	HT6	C5-C6	2.02	1.47	1.40
3	D	302	HT6	C5-C6	2.02	1.47	1.40

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	HT6	N1-C2-N3	-4.42	121.90	128.58
3	E	301	HT6	C1A-N1A-C2A	4.11	110.10	104.12
3	A	302	HT6	N1-C2-N3	-3.80	122.83	128.58
3	D	302	HT6	N1-C2-N3	-3.68	123.01	128.58
3	B	303	HT6	N1-C2-N3	-3.57	123.18	128.58
3	F	301	HT6	N1-C2-N3	-3.54	123.23	128.58
3	G	302	HT6	N1-C2-N3	-3.47	123.33	128.58
3	H	301	HT6	C1A-N1A-C2A	3.42	109.09	104.12
3	H	301	HT6	N1-C2-N3	-3.41	123.42	128.58
3	E	301	HT6	N1-C2-N3	-3.19	123.75	128.58
3	A	302	HT6	C1A-N1A-C2A	3.16	108.72	104.12
3	G	302	HT6	C1A-N1A-C2A	3.14	108.69	104.12
3	B	303	HT6	C1A-N1A-C2A	3.08	108.60	104.12
3	C	301	HT6	C1A-N1A-C2A	3.00	108.48	104.12
3	H	301	HT6	C6-C5-N7	2.99	138.26	134.14
3	F	301	HT6	C1A-N1A-C2A	2.88	108.31	104.12
3	D	302	HT6	C1A-N1A-C2A	2.87	108.29	104.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	HT6	C6-C5-N7	2.76	137.95	134.14
3	F	301	HT6	C4-C5-N7	2.66	107.85	105.81
3	C	301	HT6	C2-N1-C6	2.65	123.08	118.73
3	G	302	HT6	C4-C5-N7	2.58	107.80	105.81
3	A	302	HT6	C4-C5-N7	2.50	107.73	105.81
3	B	303	HT6	C6-C5-N7	2.50	137.58	134.14
3	D	302	HT6	C6-C5-N7	2.48	137.56	134.14
3	H	301	HT6	C3A-C2A-N1A	-2.47	99.91	104.47
3	E	301	HT6	C6-C5-N7	2.45	137.52	134.14
3	A	302	HT6	C2-N1-C6	2.33	122.56	118.73
3	E	301	HT6	C3A-C2A-N1A	-2.33	100.17	104.47
3	E	301	HT6	C2-N1-C6	2.32	122.54	118.73
3	C	301	HT6	C4-C5-N7	2.25	107.54	105.81
3	G	302	HT6	C6-C5-N7	2.25	137.24	134.14
3	B	303	HT6	C4-C5-N7	2.22	107.52	105.81
3	E	301	HT6	C4-C5-N7	2.21	107.51	105.81
3	A	302	HT6	C6-C5-N7	2.19	137.16	134.14
3	D	302	HT6	C4-C5-N7	2.13	107.45	105.81
3	C	301	HT6	C4-C9-C8	-2.13	104.04	105.92
3	H	301	HT6	C5-N7-C8	2.09	110.73	108.93
3	H	301	HT6	C2-N1-C6	2.07	122.13	118.73
3	E	301	HT6	C10-C9-C4	2.07	130.15	126.58
3	F	301	HT6	C2-N1-C6	2.01	122.03	118.73
3	B	303	HT6	C2-N1-C6	2.01	122.03	118.73
3	F	301	HT6	C3A-C2A-N1A	-2.00	100.77	104.47

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	HT6	C9-C10-N1A-C1A
3	B	303	HT6	C9-C10-N1A-C1A
3	C	301	HT6	C9-C10-N1A-C1A
3	D	302	HT6	C9-C10-N1A-C1A
3	F	301	HT6	C9-C10-N1A-C1A
3	H	301	HT6	C9-C10-N1A-C1A
3	B	303	HT6	C21-C22-C23-C24
3	D	302	HT6	C21-C22-C23-C24
2	A	301	EDO	O1-C1-C2-O2
3	G	302	HT6	C22-C23-C24-C25
3	D	302	HT6	C22-C23-C24-C25
3	B	303	HT6	C22-C23-C24-C25

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	E	301	HT6	C21-C22-C23-C24
3	E	301	HT6	C9-C10-N1A-C1A
3	G	302	HT6	C9-C10-N1A-C1A
3	E	301	HT6	C22-C23-C24-C25


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	302	EDO	1	0
2	A	301	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	229/238 (96%)	0.66	19 (8%) 17 18	8, 17, 31, 42	3 (1%)
1	B	229/238 (96%)	0.83	28 (12%) 8 8	9, 18, 34, 47	3 (1%)
1	C	229/238 (96%)	0.99	38 (16%) 4 4	11, 19, 40, 60	3 (1%)
1	D	229/238 (96%)	0.82	29 (12%) 8 7	9, 19, 36, 51	2 (0%)
1	E	229/238 (96%)	1.06	44 (19%) 3 3	10, 20, 43, 53	3 (1%)
1	F	229/238 (96%)	1.27	53 (23%) 2 2	11, 23, 44, 61	2 (0%)
1	G	229/238 (96%)	1.10	43 (18%) 3 3	11, 21, 43, 60	2 (0%)
1	H	229/238 (96%)	1.25	53 (23%) 2 2	11, 24, 43, 55	2 (0%)
All	All	1832/1904 (96%)	1.00	307 (16%) 4 3	8, 20, 41, 61	20 (1%)

All (307) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	136	LEU	5.9
1	E	136	LEU	5.8
1	F	136	LEU	5.1
1	A	40	ASP	5.0
1	G	0	GLY	5.0
1	E	38	TYR	5.0
1	H	228	LEU	4.9
1	E	40	ASP	4.7
1	C	40	ASP	4.5
1	F	1	MET	4.4
1	E	133	ALA	4.4
1	B	0	GLY	4.3
1	D	138	ILE	4.3
1	C	0	GLY	4.2
1	F	24	THR	4.2
1	E	137	ASN	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	228	LEU	4.2
1	F	138	ILE	4.2
1	E	21	LYS	4.1
1	F	0	GLY	4.1
1	C	128	LEU	4.1
1	C	135	GLU	4.0
1	E	130	LEU	4.0
1	E	129	ALA	4.0
1	H	136	LEU	4.0
1	G	1	MET	4.0
1	G	106	GLY	3.9
1	C	137	ASN	3.9
1	H	128	LEU	3.9
1	B	1	MET	3.8
1	H	132	VAL	3.8
1	C	228	LEU	3.8
1	D	40	ASP	3.7
1	E	39	LYS	3.7
1	G	38	TYR	3.7
1	H	82	PRO	3.7
1	E	0	GLY	3.6
1	C	133	ALA	3.6
1	F	128	LEU	3.6
1	H	38	TYR	3.6
1	H	19	THR	3.6
1	E	228	LEU	3.5
1	C	38	TYR	3.5
1	C	138	ILE	3.5
1	G	41	HIS	3.5
1	E	22	ASP	3.5
1	E	135	GLU	3.5
1	G	137	ASN	3.5
1	F	20	LEU	3.4
1	A	155	GLU	3.4
1	E	132	VAL	3.4
1	E	134	LYS	3.4
1	H	0	GLY	3.4
1	F	137	ASN	3.4
1	C	25	LYS	3.3
1	B	40	ASP	3.3
1	E	41	HIS	3.3
1	D	137	ASN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	138	ILE	3.3
1	C	20	LEU	3.3
1	F	222	LEU	3.3
1	B	204	PHE	3.3
1	F	204	PHE	3.3
1	D	39	LYS	3.2
1	F	37	LYS	3.2
1	B	135	GLU	3.2
1	F	17	LEU	3.2
1	A	0	GLY	3.2
1	F	40	ASP	3.2
1	C	19	THR	3.2
1	H	204	PHE	3.2
1	C	22	ASP	3.2
1	G	40	ASP	3.2
1	H	70	VAL	3.2
1	F	39	LYS	3.1
1	E	222	LEU	3.1
1	F	16	LEU	3.1
1	E	131	GLU	3.1
1	H	133	ALA	3.1
1	E	138	ILE	3.1
1	H	131	GLU	3.1
1	A	38	TYR	3.1
1	C	222	LEU	3.1
1	G	204	PHE	3.1
1	C	2	LYS	3.0
1	D	136	LEU	3.0
1	F	26	ILE	3.0
1	G	136	LEU	3.0
1	G	36	ALA	3.0
1	H	200	GLU	3.0
1	D	204	PHE	3.0
1	H	1	MET	3.0
1	B	38	TYR	3.0
1	F	135	GLU	3.0
1	G	18	GLU	3.0
1	B	41	HIS	3.0
1	E	107	HIS	3.0
1	E	200	GLU	3.0
1	F	38	TYR	3.0
1	H	207	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	130	LEU	3.0
1	B	22	ASP	2.9
1	F	132	VAL	2.9
1	C	23	TYR	2.9
1	C	24	THR	2.9
1	F	133	ALA	2.9
1	F	202	ALA	2.9
1	A	136	LEU	2.9
1	D	0	GLY	2.9
1	F	21	LYS	2.9
1	C	14	THR	2.9
1	H	140	LEU	2.9
1	D	1	MET	2.9
1	H	37	LYS	2.9
1	H	39	LYS	2.9
1	H	156	ALA	2.9
1	F	84	LEU	2.9
1	C	39	LYS	2.9
1	G	227	LYS	2.9
1	H	134	LYS	2.9
1	A	27	GLU	2.8
1	E	1	MET	2.8
1	E	201	LYS	2.8
1	G	39	LYS	2.8
1	F	42	GLU	2.8
1	G	132	VAL	2.8
1	B	39	LYS	2.8
1	H	25	LYS	2.8
1	F	218	ALA	2.8
1	G	212	ASN	2.8
1	H	137	ASN	2.8
1	C	204	PHE	2.7
1	H	135	GLU	2.7
1	C	21	LYS	2.7
1	H	42	GLU	2.7
1	E	225	CYS	2.7
1	G	130	LEU	2.7
1	G	14	THR	2.7
1	F	25	LYS	2.7
1	F	129	ALA	2.7
1	D	82	PRO	2.7
1	C	41	HIS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	83	GLU	2.7
1	C	134	LYS	2.7
1	D	119	ILE	2.7
1	F	211	ILE	2.7
1	F	83	GLU	2.6
1	H	41	HIS	2.6
1	B	207	ASP	2.6
1	D	42	GLU	2.6
1	D	200	GLU	2.6
1	G	37	LYS	2.6
1	D	85	GLU	2.6
1	F	22	ASP	2.6
1	A	26	ILE	2.6
1	B	156	ALA	2.6
1	G	2	LYS	2.6
1	G	25	LYS	2.6
1	H	40	ASP	2.6
1	F	35	PHE	2.6
1	D	84	LEU	2.6
1	F	228	LEU	2.6
1	C	70	VAL	2.6
1	H	201	LYS	2.6
1	B	228	LEU	2.5
1	F	216	ILE	2.5
1	G	22	ASP	2.5
1	G	24	THR	2.5
1	A	25	LYS	2.5
1	B	37	LYS	2.5
1	E	20	LEU	2.5
1	E	128	LEU	2.5
1	G	128	LEU	2.5
1	G	83	GLU	2.5
1	F	225	CYS	2.5
1	B	130	LEU	2.5
1	D	128	LEU	2.5
1	E	23	TYR	2.5
1	G	47	TYR	2.5
1	F	41	HIS	2.5
1	F	157	LYS	2.5
1	G	201	LYS	2.5
1	H	2	LYS	2.5
1	H	211	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	21	LYS	2.4
1	C	130	LEU	2.4
1	D	228	LEU	2.4
1	E	42	GLU	2.4
1	G	200	GLU	2.4
1	E	106	GLY	2.4
1	G	23	TYR	2.4
1	A	24	THR	2.4
1	C	132	VAL	2.4
1	F	119	ILE	2.4
1	H	161	ILE	2.4
1	G	42	GLU	2.4
1	D	41	HIS	2.4
1	D	20	LEU	2.4
1	E	36	ALA	2.4
1	G	133	ALA	2.4
1	G	219	ASN	2.4
1	G	19	THR	2.4
1	E	47	TYR	2.4
1	C	26	ILE	2.4
1	B	25	LYS	2.4
1	B	134	LYS	2.4
1	A	106	GLY	2.4
1	D	212	ASN	2.4
1	B	136	LEU	2.4
1	C	129	ALA	2.4
1	D	35	PHE	2.4
1	E	163	GLU	2.4
1	F	23	TYR	2.4
1	H	23	TYR	2.4
1	E	82	PRO	2.3
1	A	200	GLU	2.3
1	H	83	GLU	2.3
1	G	140	LEU	2.3
1	D	37	LYS	2.3
1	F	86	ILE	2.3
1	C	127	ASN	2.3
1	F	163	GLU	2.3
1	H	18	GLU	2.3
1	F	19	THR	2.3
1	B	131	GLU	2.3
1	G	26	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	162	ARG	2.3
1	A	22	ASP	2.3
1	H	227	LYS	2.3
1	E	104	ALA	2.3
1	B	200	GLU	2.3
1	D	226	GLU	2.3
1	H	209	PHE	2.3
1	A	47	TYR	2.3
1	E	223	LYS	2.3
1	D	26	ILE	2.3
1	C	1	MET	2.3
1	H	14	THR	2.2
1	G	135	GLU	2.2
1	D	142	ALA	2.2
1	E	183	ALA	2.2
1	A	128	LEU	2.2
1	H	220	PHE	2.2
1	D	38	TYR	2.2
1	F	210	VAL	2.2
1	H	36	ALA	2.2
1	H	143	GLY	2.2
1	E	162	ARG	2.2
1	H	119	ILE	2.2
1	C	30	ASN	2.2
1	E	19	THR	2.2
1	A	21	LYS	2.2
1	G	225	CYS	2.2
1	A	42	GLU	2.2
1	F	27	GLU	2.2
1	F	200	GLU	2.2
1	C	140	LEU	2.2
1	E	17	LEU	2.2
1	H	130	LEU	2.2
1	C	141	ARG	2.2
1	D	16	LEU	2.1
1	F	89	LEU	2.1
1	B	201	LYS	2.1
1	H	21	LYS	2.1
1	A	66	PHE	2.1
1	B	14	THR	2.1
1	F	207	ASP	2.1
1	H	24	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	83	GLU	2.1
1	E	83	GLU	2.1
1	G	131	GLU	2.1
1	H	47	TYR	2.1
1	H	91	TYR	2.1
1	G	129	ALA	2.1
1	E	2	LYS	2.1
1	H	20	LEU	2.1
1	E	24	THR	2.1
1	E	26	ILE	2.1
1	G	202	ALA	2.1
1	H	212	ASN	2.1
1	H	224	MET	2.1
1	D	17	LEU	2.1
1	E	84	LEU	2.1
1	F	140	LEU	2.1
1	B	26	ILE	2.1
1	C	47	TYR	2.1
1	B	123	GLU	2.0
1	G	27	GLU	2.0
1	A	1	MET	2.0
1	H	205	ASP	2.0
1	B	128	LEU	2.0
1	H	222	LEU	2.0
1	C	139	LYS	2.0
1	C	83	GLU	2.0
1	D	116	GLU	2.0
1	F	18	GLU	2.0
1	H	163	GLU	2.0
1	F	87	GLY	2.0
1	H	166	ASN	2.0
1	B	47	TYR	2.0
1	D	47	TYR	2.0
1	F	117	ILE	2.0
1	G	138	ILE	2.0
1	F	142	ALA	2.0
1	F	70	VAL	2.0
1	B	157	LYS	2.0
1	G	139	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	B	302	4/4	0.73	0.20	28,28,29,29	0
2	EDO	D	301	4/4	0.83	0.21	18,21,22,25	0
2	EDO	A	301	4/4	0.84	0.14	22,23,24,24	0
2	EDO	G	301	4/4	0.90	0.09	16,16,16,16	0
2	EDO	B	301	4/4	0.94	0.07	17,17,17,18	0
3	HT6	E	301	25/25	0.94	0.08	12,13,21,23	0
3	HT6	G	302	25/25	0.94	0.08	13,14,24,28	0
3	HT6	H	301	25/25	0.94	0.09	16,17,23,25	0
3	HT6	D	302	25/25	0.95	0.08	13,13,23,26	0
3	HT6	B	303	25/25	0.95	0.08	12,13,23,27	0
3	HT6	C	301	25/25	0.96	0.08	11,12,21,25	0
3	HT6	F	301	25/25	0.96	0.08	16,16,26,28	0
3	HT6	A	302	25/25	0.97	0.06	10,11,17,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HT6 E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HT6 G 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HT6 H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HT6 D 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HT6 B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HT6 C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HT6 F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HT6 A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.