



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:03 AM UTC

PDB ID : 1AZS / pdb_00001azs
Title : COMPLEX OF GS-ALPHA WITH THE CATALYTIC DOMAINS OF MAMMALIAN ADENYLYL CYCLASE
Authors : Tesmer, J.J.G.; Sprang, S.R.
Deposited on : 1997-11-20
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	4% 69% 17% 14%
2	B	212	2% 70% 17% 11%
3	C	402	2% 68% 16% 16%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 5881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VC1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	190	Total	C	N	O	S	0	0	0
			1484	933	260	274	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	362	HIS	VAL	conflict	UNP P30803
A	476	MET	VAL	engineered mutation	UNP P30803


- Molecule 2 is a protein called IIC2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	189	Total	C	N	O	S	0	0	0
			1467	936	242	279	10			

- Molecule 3 is a protein called GS-ALPHA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	339	Total	C	N	O	S	0	0	0
			2789	1769	487	520	13			

- Molecule 4 is METHYLPIPERAZINOFORSKOLIN (CCD ID: FKP) (formula: C₃₀H₅₀N₂O₇).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			39	30	2	7		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (CCD ID: GSP) (formula: $C_{10}H_{16}N_5O_{13}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	C	1	Total	C	N	O	P	S	0	0
			32	10	5	13	3	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	13	Total	O	0	0
			13	13		
7	B	23	Total	O	0	0
			23	23		
7	C	33	Total	O	0	0
			33	33		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: VC1



• Molecule 2: IIC2



• Molecule 3: GS-ALPHA



Y391	E392	L393	LEU	GLY	HIS	HIS	HIS	HIS	HIS
------	------	------	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	119.00Å 134.05Å 70.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 15.00 – 2.32	Depositor EDS
% Data completeness (in resolution range)	73.2 (15.00-2.30) 74.4 (15.00-2.32)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.27 (at 2.32Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.219 , 0.282 0.233 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	1.359	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 58.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5881	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FKP, GSP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/1512	0.86	0/2038
2	B	0.48	1/1492 (0.1%)	0.85	0/2014
3	C	0.46	0/2848	0.89	3/3853 (0.1%)
All	All	0.46	1/5852 (0.0%)	0.87	3/7905 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1030	MET	SD-CE	-6.12	1.64	1.79

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	121	ASN	CA-C-N	6.07	126.52	119.47
3	C	121	ASN	C-N-CA	6.07	126.52	119.47
3	C	63	LEU	N-CA-C	5.74	118.75	111.69

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1484	0	1454	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1467	0	1470	30	0
3	C	2789	0	2734	33	0
4	A	39	0	50	11	0
5	C	1	0	0	0	0
6	C	32	0	12	1	0
7	A	13	0	0	1	0
7	B	23	0	0	1	0
7	C	33	0	0	1	0
All	All	5881	0	5720	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:411:GLU:HA	1:A:414:MET:HE2	1.43	0.98
4:A:1:FKP:H173	4:A:1:FKP:H201	1.43	0.97
3:C:88:LYS:HE3	3:C:197:LEU:HD11	1.48	0.96
4:A:1:FKP:H193	4:A:1:FKP:H202	1.51	0.90
3:C:104:GLU:HB2	3:C:135:MET:HE2	1.60	0.83
1:A:403:LEU:HD13	1:A:479:VAL:HG11	1.71	0.72
2:B:1009:VAL:HG11	2:B:1015:PRO:HB3	1.71	0.72
3:C:151:LYS:O	3:C:155:GLU:HG2	1.93	0.68
4:A:1:FKP:H201	4:A:1:FKP:C17	2.22	0.67
3:C:87:GLU:O	3:C:90:THR:HG22	1.97	0.65
2:B:879:HIS:HB2	2:B:1007:ALA:O	1.97	0.65
3:C:384:GLN:O	3:C:388:LEU:HG	1.97	0.65
2:B:995:LYS:HB2	2:B:1036:LEU:HD22	1.80	0.64
1:A:386:LYS:HE3	1:A:491:ARG:HD3	1.79	0.63
4:A:1:FKP:H231	4:A:1:FKP:HO3	1.63	0.63
4:A:1:FKP:H202	4:A:1:FKP:C19	2.28	0.61
3:C:195:GLN:O	3:C:199:ARG:HG2	2.02	0.60
1:A:441:CYS:SG	4:A:1:FKP:H302	2.42	0.59
2:B:953:ILE:HD12	2:B:953:ILE:H	1.67	0.59
2:B:1062:ILE:HD12	2:B:1072:THR:HG21	1.84	0.58
2:B:1013:GLN:O	2:B:1015:PRO:HD3	2.03	0.58
2:B:1009:VAL:CG1	2:B:1015:PRO:HB3	2.35	0.57
3:C:283:ARG:HG3	3:C:283:ARG:HH11	1.70	0.56
2:B:1030:MET:HE3	2:B:1040:GLN:HG2	1.88	0.56
3:C:127:ARG:NH1	7:C:427:HOH:O	2.39	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1002:HIS:CE1	2:B:1048:ILE:HD12	2.42	0.54
4:A:1:FKP:H231	4:A:1:FKP:O3	2.07	0.54
2:B:972:MET:HA	2:B:972:MET:HE3	1.90	0.54
1:A:401:THR:OG1	2:B:1065:LYS:HE2	2.08	0.54
1:A:413:VAL:O	1:A:417:ASN:HB2	2.07	0.53
1:A:460:VAL:O	1:A:464:MET:HG2	2.08	0.53
2:B:1043:GLU:O	2:B:1046:SER:HB3	2.07	0.53
1:A:505:ASP:HB3	1:A:507:TRP:CZ2	2.45	0.52
1:A:395:ALA:HB1	1:A:483:MET:HE3	1.91	0.52
1:A:393:LEU:HD23	1:A:394:PHE:N	2.25	0.51
2:B:891:SER:HB2	7:B:31:HOH:O	2.10	0.51
3:C:326:PRO:HG3	3:C:335:THR:HG21	1.94	0.50
3:C:207:ILE:HG12	3:C:224:VAL:HG12	1.92	0.50
2:B:917:GLU:O	2:B:921:ASP:HB2	2.11	0.50
3:C:286:SER:HB2	3:C:386:MET:SD	2.51	0.50
3:C:321:PRO:HG2	3:C:324:ALA:HB2	1.93	0.50
2:B:1064:VAL:HG21	2:B:1070:LEU:HD21	1.94	0.49
1:A:382:ILE:HD12	1:A:382:ILE:O	2.12	0.49
1:A:507:TRP:O	1:A:508:SER:HB3	2.13	0.48
3:C:172:ILE:HD12	3:C:174:CYS:SG	2.53	0.48
3:C:38:ARG:HB3	3:C:391:TYR:HE2	1.79	0.48
2:B:969:ILE:HG22	2:B:1049:LEU:HD21	1.95	0.48
7:A:55:HOH:O	2:B:938:LYS:HB2	2.14	0.47
2:B:1044:GLU:CD	2:B:1044:GLU:H	2.21	0.47
3:C:166:SER:HA	3:C:169:TYR:CE2	2.49	0.47
3:C:107:VAL:HA	3:C:110:MET:HE2	1.95	0.47
3:C:297:LEU:O	3:C:301:VAL:HG23	2.15	0.47
4:A:1:FKP:H173	4:A:1:FKP:O3	2.15	0.46
3:C:151:LYS:HE2	3:C:155:GLU:OE2	2.15	0.46
4:A:1:FKP:H242	4:A:1:FKP:H6	1.97	0.46
1:A:403:LEU:CD1	1:A:477:THR:HG21	2.45	0.46
1:A:463:GLY:O	1:A:467:ILE:HG13	2.15	0.46
1:A:452:ARG:HD3	1:A:454:ASP:HB2	1.97	0.46
2:B:1022:ASN:HA	2:B:1025:ASN:HD22	1.81	0.46
3:C:386:MET:HG2	3:C:389:ARG:NH1	2.30	0.45
3:C:298:ALA:O	3:C:302:LEU:HG	2.17	0.45
1:A:426:LEU:HD13	1:A:465:ASP:HB3	1.99	0.45
3:C:160:ARG:O	3:C:164:GLU:HG2	2.17	0.45
2:B:975:PHE:O	2:B:978:ALA:HB3	2.17	0.45
1:A:514:ALA:O	1:A:517:MET:HB2	2.17	0.44
3:C:353:GLY:O	3:C:356:ARG:HB2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:254:ASN:OD1	3:C:255:MET:HG3	2.18	0.43
1:A:477:THR:HB	1:A:479:VAL:HG12	2.00	0.43
2:B:953:ILE:HD12	2:B:953:ILE:N	2.32	0.43
2:B:1025:ASN:O	2:B:1029:ARG:HG2	2.18	0.43
3:C:277:TRP:NE1	3:C:349:SER:HA	2.32	0.43
2:B:1030:MET:HE2	2:B:1041:VAL:C	2.43	0.43
2:B:925:LEU:HD12	2:B:979:LEU:HD23	2.00	0.43
1:A:434:ARG:HA	1:A:444:CYS:HB3	2.01	0.43
3:C:293:LYS:HG2	6:C:404:GSP:C6	2.54	0.43
3:C:239:ASN:O	3:C:240:ASP:HB2	2.19	0.42
1:A:474:ARG:HG3	1:A:479:VAL:O	2.19	0.42
1:A:441:CYS:SG	4:A:1:FKP:C30	3.07	0.42
2:B:1030:MET:CE	2:B:1040:GLN:HG2	2.48	0.42
1:A:504:PHE:HB3	2:B:1014:LYS:NZ	2.34	0.42
3:C:100:LYS:O	3:C:104:GLU:HG2	2.19	0.42
1:A:452:ARG:HG2	1:A:454:ASP:N	2.34	0.42
4:A:1:FKP:C17	4:A:1:FKP:C20	2.95	0.42
2:B:1026:VAL:O	2:B:1030:MET:HG2	2.19	0.42
1:A:470:ILE:HG21	1:A:483:MET:HG2	2.01	0.42
2:B:888:MET:HB2	2:B:1000:ILE:HG12	2.01	0.41
2:B:995:LYS:HD2	2:B:1037:ASP:OD1	2.20	0.41
3:C:121:ASN:HB2	3:C:124:ASN:ND2	2.36	0.41
3:C:187:GLN:HB2	3:C:190:TYR:HB2	2.02	0.41
1:A:403:LEU:HD22	1:A:481:VAL:HG11	2.01	0.41
1:A:456:ALA:O	1:A:460:VAL:HG23	2.20	0.41
3:C:99:LEU:CD1	3:C:179:LEU:HD23	2.50	0.41
3:C:128:VAL:O	3:C:132:LEU:HG	2.21	0.41
3:C:213:GLN:OE1	3:C:216:LYS:HA	2.20	0.41
3:C:382:ILE:H	3:C:382:ILE:HG13	1.66	0.41
2:B:879:HIS:CB	2:B:1008:GLY:HA3	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	188/220 (86%)	178 (95%)	9 (5%)	1 (0%)	24	31
2	B	185/212 (87%)	176 (95%)	8 (4%)	1 (0%)	24	31
3	C	335/402 (83%)	321 (96%)	12 (4%)	2 (1%)	21	27
All	All	708/834 (85%)	675 (95%)	29 (4%)	4 (1%)	21	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	138	PRO
2	B	1013	GLN
1	A	508	SER
3	C	175	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/186 (86%)	156 (98%)	3 (2%)	50	69
2	B	162/184 (88%)	159 (98%)	3 (2%)	50	69
3	C	306/357 (86%)	300 (98%)	6 (2%)	48	67
All	All	627/727 (86%)	615 (98%)	12 (2%)	50	69

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	415	THR
1	A	528	ILE
1	A	530	LYS
2	B	938	LYS
2	B	1029	ARG
2	B	1037	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	141	ASP
3	C	203	LEU
3	C	357	HIS
3	C	370	GLU
3	C	378	ASP
3	C	382	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	385	GLN
1	A	406	GLN
1	A	431	HIS
1	A	480	ASN
2	B	879	HIS
2	B	989	HIS
2	B	1001	ASN
2	B	1002	HIS
2	B	1025	ASN
2	B	1076	ASN
3	C	64	HIS
3	C	97	ASN
3	C	124	ASN
3	C	220	HIS
3	C	267	GLN
3	C	294	GLN
3	C	362	HIS
3	C	371	ASN
3	C	377	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	GSP	C	404	5	33,34,34	1.00	1 (3%)	47,54,54	1.11	2 (4%)
4	FKP	A	1	-	40,42,42	1.37	4 (10%)	52,68,68	1.61	7 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GSP	C	404	5	-	2/21/38/38	0/3/3/3
4	FKP	A	1	-	-	10/14/97/97	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1	FKP	C10-C5	3.63	1.62	1.56
4	A	1	FKP	C12-C11	3.08	1.55	1.50
6	C	404	GSP	PB-O3A	3.01	1.62	1.59
4	A	1	FKP	C2-C1	2.49	1.55	1.52
4	A	1	FKP	C17-C8	2.09	1.55	1.51

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1	FKP	C10-C5-C4	-5.46	111.62	116.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1	FKP	C4-C5-C6	-3.96	110.03	115.09
4	A	1	FKP	O1-C8-C7	3.79	106.74	103.16
6	C	404	GSP	O2'-C2'-C1'	-3.68	97.43	110.10
4	A	1	FKP	C19-C4-C5	2.56	120.86	111.92
4	A	1	FKP	C2-C3-C4	-2.48	109.66	113.40
4	A	1	FKP	C19-C4-C3	-2.46	103.90	109.01
4	A	1	FKP	C5-C6-C7	-2.22	106.84	110.97
6	C	404	GSP	O2A-PA-O1A	2.12	122.31	112.44

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1	FKP	C16-C13-C14-C15
4	A	1	FKP	C23-C24-C25-N1
4	A	1	FKP	C8-C7-O4-C21
4	A	1	FKP	C24-C25-N1-C29
4	A	1	FKP	C22-C21-O4-C7
4	A	1	FKP	O5-C21-O4-C7
4	A	1	FKP	C24-C25-N1-C26
4	A	1	FKP	C6-C7-O4-C21
4	A	1	FKP	O1-C13-C14-C15
6	C	404	GSP	C5'-O5'-PA-O2A
4	A	1	FKP	C22-C23-C24-C25
6	C	404	GSP	PA-O3A-PB-O2B



There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	404	GSP	1	0
4	A	1	FKP	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	190/220 (86%)	0.34	8 (4%) 40 42	29, 63, 93, 97	0
2	B	189/212 (89%)	-0.14	5 (2%) 57 59	23, 42, 88, 96	0
3	C	339/402 (84%)	-0.04	10 (2%) 53 56	25, 46, 83, 97	0
All	All	718/834 (86%)	0.03	23 (3%) 50 52	23, 48, 88, 97	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	953	ILE	5.0
3	C	36	VAL	4.6
3	C	393	LEU	3.9
3	C	37	TYR	3.4
3	C	391	TYR	3.4
2	B	1011	GLY	3.1
2	B	1014	LYS	3.1
3	C	370	GLU	3.0
1	A	476	MET	2.9
1	A	479	VAL	2.9
2	B	952	ALA	2.8
3	C	354	ASP	2.8
1	A	376	ASP	2.7
3	C	39	ALA	2.6
1	A	472	LEU	2.5
3	C	86	GLY	2.5
1	A	473	VAL	2.5
3	C	353	GLY	2.2
2	B	966	TYR	2.2
3	C	38	ARG	2.1
1	A	482	ASN	2.1
1	A	414	MET	2.0
1	A	454	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FKP	A	1	39/39	0.90	0.11	29,42,86,88	0
5	MG	C	403	1/1	0.96	0.09	28,28,28,28	0
6	GSP	C	404	32/32	0.97	0.05	23,32,41,48	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FKP A 1:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GSP C 404:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.