



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:03 AM UTC

PDB ID : 5AZP / pdb_00005azp
Title : Crystal structure of a membrane protein from Pseudomonas aeruginosa
Authors : Yonehara, R.; Yamashita, E.; Nakagawa, A.
Deposited on : 2015-10-21
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	6% 89% 8% .
1	B	455	5% 88% 9% ..
1	C	455	4% 90% 7% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	B	505	-	-	X	-
6	FMT	C	511	-	-	X	-
8	ACT	B	515	-	-	X	-
8	ACT	B	516	-	-	X	-
8	ACT	C	519	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 13057 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug efflux outer membrane protein OprN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	446	Total	C	N	O	S	0	30	0
			3584	2216	672	695	1			
1	B	450	Total	C	N	O	S	0	30	0
			3620	2244	673	702	1			
1	C	444	Total	C	N	O	S	0	34	0
			3589	2229	666	693	1			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	448	GLY	-	expression tag	UNP Q9I0Y7
A	449	SER	-	expression tag	UNP Q9I0Y7
A	450	HIS	-	expression tag	UNP Q9I0Y7
A	451	HIS	-	expression tag	UNP Q9I0Y7
A	452	HIS	-	expression tag	UNP Q9I0Y7
A	453	HIS	-	expression tag	UNP Q9I0Y7
A	454	HIS	-	expression tag	UNP Q9I0Y7
A	455	HIS	-	expression tag	UNP Q9I0Y7
B	448	GLY	-	expression tag	UNP Q9I0Y7
B	449	SER	-	expression tag	UNP Q9I0Y7
B	450	HIS	-	expression tag	UNP Q9I0Y7
B	451	HIS	-	expression tag	UNP Q9I0Y7
B	452	HIS	-	expression tag	UNP Q9I0Y7
B	453	HIS	-	expression tag	UNP Q9I0Y7
B	454	HIS	-	expression tag	UNP Q9I0Y7
B	455	HIS	-	expression tag	UNP Q9I0Y7
C	448	GLY	-	expression tag	UNP Q9I0Y7
C	449	SER	-	expression tag	UNP Q9I0Y7
C	450	HIS	-	expression tag	UNP Q9I0Y7
C	451	HIS	-	expression tag	UNP Q9I0Y7
C	452	HIS	-	expression tag	UNP Q9I0Y7
C	453	HIS	-	expression tag	UNP Q9I0Y7
C	454	HIS	-	expression tag	UNP Q9I0Y7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	455	HIS	-	expression tag	UNP Q9I0Y7

- Molecule 2 is (2S)-1-(pentanoyloxy)propan-2-yl hexanoate (CCD ID: 3PK) (formula: C₁₄H₂₆O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			18	14	4		
2	C	1	Total	C	O	0	0
			18	14	4		

- Molecule 3 is OCTANAL (CCD ID: OYA) (formula: C₈H₁₆O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	8	1		
3	C	1	Total	C	O	0	0
			9	8	1		

- Molecule 4 is octyl beta-D-glucopyranoside (CCD ID: BOG) (formula: C₁₄H₂₈O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			20	14	6		
4	A	1	Total	C	O	0	0
			20	14	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			20	14	6		
4	B	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		
4	C	1	Total	C	O	0	0
			20	14	6		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		
6	A	1	Total	C	O	0	0
			3	1	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 3 1 2	0	0
6	A	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	B	1	Total C O 3 1 2	0	0
6	C	1	Total C O 3 1 2	0	0
6	C	1	Total C O 3 1 2	0	0
6	C	1	Total C O 3 1 2	0	0
6	C	1	Total C O 3 1 2	0	0
6	C	1	Total C O 3 1 2	0	0

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Na 1 1	0	0
7	B	1	Total Na 1 1	0	0
7	C	1	Total Na 1 1	0	0

- Molecule 8 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	B	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0
8	C	1	Total C O 4 2 2	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	660	Total O 660 660	0	0
9	B	627	Total O 627 627	0	0
9	C	598	Total O 598 598	0	0

- Molecule 1: Multidrug efflux outer membrane protein OprN



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	257.51Å 257.51Å 81.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.69 50.00 – 1.69	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.00-1.69) 99.5 (50.00-1.69)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 1.69Å)	Xtriage
Refinement program	REFMAC 5.8.0131	Depositor
R, R_{free}	0.160 , 0.180 0.173 , 0.191	Depositor DCC
R_{free} test set	15033 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	20.8	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13057	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BOG, 3PK, OYA, FMT, NA, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.18	4/3720 (0.1%)	1.09	10/5030 (0.2%)
1	B	1.22	4/3760 (0.1%)	1.12	11/5084 (0.2%)
1	C	1.17	2/3739 (0.1%)	1.11	8/5056 (0.2%)
All	All	1.19	10/11219 (0.1%)	1.11	29/15170 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	119	ASP	N-CA	8.20	1.57	1.46
1	B	119	ASP	N-CA	6.58	1.55	1.46
1	A	1	CYS	CA-CB	6.00	1.65	1.53
1	C	269	ARG	CD-NE	5.96	1.54	1.46
1	A	403	ASP	CA-C	5.77	1.60	1.52
1	B	1	CYS	CA-CB	5.75	1.65	1.53
1	B	441	GLY	C-O	-5.56	1.17	1.23
1	A	292	ARG	CD-NE	5.36	1.53	1.46
1	A	403	ASP	N-CA	-5.21	1.39	1.45
1	B	147	VAL	CA-CB	5.17	1.60	1.54

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	63	ARG	CB-CG-CD	10.28	134.95	111.30
1	C	118	LEU	CA-C-N	-8.67	109.58	122.24
1	C	118	LEU	C-N-CA	-8.67	109.58	122.24
1	B	412	ARG	NE-CZ-NH2	7.37	125.84	119.20
1	B	118	LEU	CA-C-N	-7.29	111.60	122.24
1	B	118	LEU	C-N-CA	-7.29	111.60	122.24
1	B	412	ARG	NE-CZ-NH1	-7.06	114.44	121.50
1	B	399	GLU	CB-CA-C	-6.36	96.69	109.99
1	A	428	LEU	CD1-CG-CD2	6.26	124.58	110.80
1	B	23	LYS	CA-C-N	-6.26	113.68	119.82
1	B	23	LYS	C-N-CA	-6.26	113.68	119.82
1	A	403	ASP	N-CA-C	-6.18	101.79	110.50
1	A	23	LYS	CA-C-N	-6.14	113.48	119.87
1	A	23	LYS	C-N-CA	-6.14	113.48	119.87
1	A	29	ARG	CG-CD-NE	-5.91	98.99	112.00
1	C	440	GLY	CA-C-N	5.80	126.58	120.43
1	C	440	GLY	C-N-CA	5.80	126.58	120.43
1	B	440	GLY	O-C-N	5.70	129.00	122.33
1	C	23	LYS	CA-C-N	-5.70	114.23	119.82
1	C	23	LYS	C-N-CA	-5.70	114.23	119.82
1	C	412	ARG	NE-CZ-NH2	5.58	124.22	119.20
1	A	392	GLN	CA-CB-CG	-5.41	103.28	114.10
1	B	399	GLU	CG-CD-OE2	-5.33	106.15	118.40
1	A	118	LEU	CA-C-N	-5.26	114.19	122.08
1	A	118	LEU	C-N-CA	-5.26	114.19	122.08
1	A	396	ARG	NE-CZ-NH2	5.25	123.92	119.20
1	B	381	ARG	NE-CZ-NH1	5.24	126.74	121.50
1	B	260	GLU	N-CA-C	-5.16	106.99	113.28
1	A	243	PRO	N-CA-C	5.16	119.18	111.14

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	399	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3584	0	3636	26	0
1	B	3620	0	3677	55	0
1	C	3589	0	3662	27	0
2	A	18	0	25	0	0
2	C	18	0	25	0	0
3	A	9	0	15	0	0
3	C	9	0	15	0	0
4	A	60	0	84	0	0
4	B	20	0	28	0	0
4	C	80	0	112	1	0
5	A	24	0	32	3	0
5	B	24	0	32	10	0
5	C	24	0	32	3	0
6	A	18	0	8	0	0
6	B	21	0	8	1	0
6	C	15	0	6	3	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	8	0	6	1	0
8	B	12	0	9	7	0
8	C	16	0	12	3	0
9	A	660	0	0	6	4
9	B	627	0	0	17	3
9	C	598	0	0	10	0
All	All	13057	0	11424	114	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181[A]:ARG:NH2	1:A:185:GLU:OE1	1.87	1.05
1:B:29[A]:ARG:NH1	9:B:601:HOH:O	2.03	0.91
1:B:37[B]:GLN:HE22	1:B:254:PRO:HG2	1.36	0.90
1:B:37[B]:GLN:HE22	1:B:254:PRO:CG	1.85	0.89
1:B:57[A]:LEU:HD12	1:B:142[A]:LEU:CD1	2.04	0.87
1:B:57[A]:LEU:CD1	1:B:142[A]:LEU:CD1	2.54	0.86
5:A:509:GOL:H2	9:A:606:HOH:O	1.76	0.84
1:B:412:ARG:HD3	5:B:505:GOL:H12	1.65	0.79
1:A:224:HIS:NE2	9:A:601:HOH:O	2.18	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:37[A]:GLN:HE22	1:C:254:PRO:HG2	1.50	0.75
1:B:57[A]:LEU:CD1	1:B:142[A]:LEU:HD11	2.17	0.73
1:B:399:GLU:OE2	5:B:504:GOL:O3	2.05	0.72
1:B:57[A]:LEU:CD1	1:B:142[A]:LEU:HD12	2.20	0.72
1:B:331:GLY:O	8:B:515:ACT:H3	1.91	0.70
1:B:204:ARG:HA	5:B:505:GOL:H31	1.73	0.70
1:A:63[B]:ARG:NE	9:A:602:HOH:O	2.21	0.69
1:B:57[A]:LEU:HD11	1:B:142[A]:LEU:CD1	2.21	0.69
1:B:65[A]:ARG:NH1	1:C:345:ASP:OD2	2.24	0.69
1:B:57[A]:LEU:HD11	1:B:142[A]:LEU:HD11	1.74	0.69
1:A:37[A]:GLN:HE22	1:A:254:PRO:HG2	1.58	0.68
1:C:182[B]:GLN:NE2	9:C:601:HOH:O	2.27	0.68
1:A:233:ARG:HE	8:A:517:ACT:H3	1.58	0.68
1:B:1:CYS:N	9:B:602:HOH:O	2.15	0.67
1:B:412:ARG:CD	5:B:505:GOL:H12	2.25	0.67
1:B:61[B]:PHE:CE2	9:B:897:HOH:O	2.47	0.66
1:B:338:ARG:HH12	8:B:515:ACT:H1	1.59	0.66
1:C:37[A]:GLN:HE22	1:C:254:PRO:CG	2.08	0.65
1:B:269[A]:ARG:HG3	9:B:617:HOH:O	1.94	0.65
1:B:37[B]:GLN:NE2	1:B:254:PRO:HG2	2.12	0.64
1:C:354:GLN:HG2	9:C:637:HOH:O	1.98	0.63
1:B:61[B]:PHE:HZ	9:B:610:HOH:O	1.80	0.63
1:C:61[B]:PHE:CD2	1:C:65:ARG:NH1	2.67	0.63
1:A:37[A]:GLN:HE22	1:A:254:PRO:CG	2.12	0.63
1:B:441:GLY:HA3	9:B:630:HOH:O	1.98	0.63
1:A:96:PRO:HG2	1:B:107:ARG:HG3	1.81	0.62
1:B:95:GLN:NE2	1:B:105:SER:OG	2.33	0.62
1:B:412:ARG:HD3	5:B:505:GOL:C1	2.29	0.61
1:B:7:TYR:HA	8:B:516:ACT:H2	1.83	0.60
1:B:57[A]:LEU:HD12	1:B:142[A]:LEU:HD12	1.80	0.59
1:C:37[B]:GLN:HE22	1:C:254:PRO:HD2	1.68	0.59
1:C:37[B]:GLN:HG3	1:C:249:ILE:CD1	2.33	0.59
1:B:295:LEU:HD11	1:B:319:VAL:CG1	2.33	0.58
1:A:353:GLN:HE21	5:C:508:GOL:H31	1.67	0.58
1:A:353:GLN:HE21	5:C:508:GOL:C3	2.16	0.58
1:B:392:GLN:HG3	9:B:606:HOH:O	2.02	0.58
1:A:221[B]:ARG:NH1	9:A:604:HOH:O	2.37	0.58
8:B:516:ACT:H3	9:B:813:HOH:O	2.03	0.57
1:C:55:ARG:HH22	6:C:511:FMT:C	2.19	0.56
1:A:37[B]:GLN:HG3	1:A:249:ILE:CD1	2.35	0.56
1:B:441:GLY:HA3	9:B:862:HOH:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37[A]:GLN:HE22	1:A:254:PRO:CD	2.19	0.55
1:B:29[B]:ARG:HG2	1:B:30:PHE:H	1.72	0.55
1:B:354:GLN:HG2	9:B:653:HOH:O	2.06	0.55
1:B:36[B]:LYS:NZ	9:B:612:HOH:O	2.40	0.55
1:A:2[A]:THR:OG1	1:A:125:ARG:NH1	2.40	0.54
1:B:61[B]:PHE:CZ	9:B:897:HOH:O	2.59	0.54
1:A:37[A]:GLN:NE2	1:A:254:PRO:HG2	2.22	0.54
1:B:204:ARG:HD2	5:B:505:GOL:H2	1.88	0.54
1:A:61[B]:PHE:CE1	1:A:142:LEU:HD21	2.43	0.54
1:B:142[B]:LEU:HD11	1:B:146:GLN:NE2	2.24	0.53
1:B:118:LEU:HB3	1:B:120:LEU:HD13	1.91	0.51
1:C:182[B]:GLN:HG2	9:C:601:HOH:O	2.11	0.51
1:B:37[A]:GLN:HG3	1:B:249:ILE:HD13	1.93	0.50
1:C:57[B]:LEU:HD23	1:C:145[B]:LEU:HD13	1.92	0.50
8:C:519:ACT:H1	9:C:994:HOH:O	2.11	0.50
1:C:274[A]:ARG:NH2	9:C:607:HOH:O	2.37	0.50
1:C:146[A]:GLN:NE2	9:C:613:HOH:O	2.47	0.48
1:A:288:ASP:O	5:A:509:GOL:H31	2.13	0.48
5:B:505:GOL:O3	1:C:413:GLU:OE1	2.25	0.48
1:B:204:ARG:NH2	5:B:505:GOL:O1	2.47	0.48
1:C:428:LEU:C	1:C:428:LEU:HD13	2.38	0.48
8:C:518:ACT:H2	9:C:855:HOH:O	2.13	0.48
1:B:8:ARG:H	8:B:516:ACT:H2	1.79	0.47
1:B:220:GLU:OE1	1:B:223[B]:ARG:NH2	2.47	0.47
1:B:175[B]:GLU:HG2	9:B:629:HOH:O	2.13	0.47
1:A:61[B]:PHE:CD1	1:A:142:LEU:HD21	2.50	0.47
1:B:325:TRP:HA	5:B:502:GOL:H32	1.96	0.47
1:C:37[B]:GLN:HG3	1:C:249:ILE:HD13	1.96	0.47
5:A:508:GOL:H12	9:C:708:HOH:O	2.14	0.47
1:A:357:LEU:HD11	5:C:508:GOL:H31	1.97	0.46
1:C:286:THR:HG21	4:C:505:BOG:H1	1.98	0.46
5:B:502:GOL:H2	9:B:609:HOH:O	2.16	0.45
1:C:57[B]:LEU:HD11	1:C:149:LEU:HD23	1.98	0.45
1:A:2[B]:THR:HG22	9:A:864:HOH:O	2.15	0.45
1:C:37[B]:GLN:HE22	1:C:254:PRO:CD	2.29	0.45
1:B:29[B]:ARG:HG2	1:B:30:PHE:N	2.32	0.44
1:B:71:ARG:HD3	1:B:71:ARG:C	2.43	0.44
1:C:178:LYS:HA	1:C:205[A]:LEU:HD11	1.99	0.44
1:A:223[A]:ARG:HG3	1:A:241:LEU:HD12	1.99	0.43
1:A:392:GLN:NE2	9:A:607:HOH:O	2.43	0.43
6:C:514:FMT:C	9:C:636:HOH:O	2.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:441:GLY:CA	9:B:630:HOH:O	2.64	0.43
1:B:347:ALA:HB1	9:B:624:HOH:O	2.19	0.42
1:B:123[B]:ARG:NH1	1:B:284:VAL:O	2.52	0.42
1:C:231:GLY:O	6:C:511:FMT:C	2.68	0.42
1:A:204[B]:ARG:HE	1:A:204[B]:ARG:HB2	1.30	0.42
1:A:382:GLN:OE1	1:A:413:GLU:OE2	2.37	0.42
1:B:57[A]:LEU:HD11	1:B:142[A]:LEU:HD12	1.93	0.42
1:C:37[A]:GLN:NE2	1:C:254:PRO:HG2	2.25	0.42
1:B:139:GLU:OE2	6:B:507:FMT:C	2.68	0.42
8:C:519:ACT:H2	9:C:1010:HOH:O	2.19	0.41
1:B:275:LEU:N	9:B:624:HOH:O	2.53	0.41
1:B:338:ARG:HH22	8:B:515:ACT:H1	1.85	0.41
1:C:57[B]:LEU:HD23	1:C:145[B]:LEU:CD1	2.51	0.41
1:A:63[B]:ARG:HA	1:A:63[B]:ARG:HD3	1.90	0.41
1:C:37[A]:GLN:HE22	1:C:254:PRO:CD	2.33	0.41
1:B:185[B]:GLU:HG3	1:B:188:ARG:NH2	2.36	0.41
1:C:37[B]:GLN:CG	1:C:249:ILE:CD1	2.98	0.41
1:C:428:LEU:HD13	1:C:428:LEU:O	2.21	0.41
1:B:8:ARG:H	8:B:516:ACT:CH3	2.33	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:1055:HOH:O	9:B:1089:HOH:O[8_445]	1.74	0.46
9:A:672:HOH:O	9:B:1089:HOH:O[8_445]	2.01	0.19
9:A:922:HOH:O	9:A:1078:HOH:O[8_445]	2.07	0.13
9:A:1055:HOH:O	9:B:844:HOH:O[8_445]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	474/455 (104%)	468 (99%)	6 (1%)	0	100	100
1	B	479/455 (105%)	472 (98%)	7 (2%)	0	100	100
1	C	476/455 (105%)	467 (98%)	9 (2%)	0	100	100
All	All	1429/1365 (105%)	1407 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	376/353 (106%)	369 (98%)	7 (2%)	50	34
1	B	379/353 (107%)	369 (97%)	10 (3%)	40	23
1	C	378/353 (107%)	372 (98%)	6 (2%)	55	41
All	All	1133/1059 (107%)	1110 (98%)	23 (2%)	51	32

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	89	ASP
1	A	105	SER
1	A	120	LEU
1	A	251	LYS
1	A	322	SER
1	A	428	LEU
1	B	29[A]	ARG
1	B	29[B]	ARG
1	B	37[A]	GLN
1	B	37[B]	GLN
1	B	70[A]	LEU
1	B	70[B]	LEU
1	B	105	SER
1	B	120	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	238	THR
1	B	260	GLU
1	C	16	LYS
1	C	31	GLU
1	C	103[A]	VAL
1	C	103[B]	VAL
1	C	120	LEU
1	C	330	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	45	GLN
1	A	104	ASN
1	A	176	ASN
1	A	353	GLN
1	A	382	GLN
1	A	414	GLN
1	A	421	GLN
1	B	45	GLN
1	B	76	ASN
1	B	95	GLN
1	B	104	ASN
1	B	176	ASN
1	B	182	GLN
1	B	214	GLN
1	B	308	GLN
1	B	423	GLN
1	C	44	ASN
1	C	94	GLN
1	C	144	GLN
1	C	176	ASN
1	C	177	GLN
1	C	308	GLN
1	C	392	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 54 ligands modelled in this entry, 3 are monoatomic - leaving 51 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	C	507	-	5,5,5	0.37	0	5,5,5	0.48	0
6	FMT	A	511	-	2,2,2	1.23	0	1,1,1	0.27	0
6	FMT	C	511	-	2,2,2	1.15	0	1,1,1	0.24	0
5	GOL	C	509	-	5,5,5	0.40	0	5,5,5	0.53	0
8	ACT	C	520	-	3,3,3	0.78	0	3,3,3	0.84	0
8	ACT	C	517	-	3,3,3	0.69	0	3,3,3	1.53	1 (33%)
8	ACT	A	517	-	3,3,3	0.91	0	3,3,3	0.40	0
5	GOL	A	509	-	5,5,5	0.45	0	5,5,5	0.66	0
3	OYA	A	502	1	7,8,8	0.68	0	6,7,7	0.56	0
5	GOL	B	504	-	5,5,5	0.37	0	5,5,5	0.86	0
6	FMT	B	512	-	2,2,2	0.90	0	1,1,1	0.61	0
6	FMT	C	513	-	2,2,2	0.90	0	1,1,1	0.39	0
8	ACT	B	514	-	3,3,3	1.19	0	3,3,3	0.80	0
4	BOG	A	505	-	20,20,20	0.75	1 (5%)	25,25,25	1.32	3 (12%)
6	FMT	B	507	-	2,2,2	1.35	0	1,1,1	0.38	0
6	FMT	B	510	-	2,2,2	0.70	0	1,1,1	0.71	0
8	ACT	B	515	-	3,3,3	1.61	1 (33%)	3,3,3	0.53	0
5	GOL	A	508	-	5,5,5	0.20	0	5,5,5	1.10	0
6	FMT	C	514	-	2,2,2	0.93	0	1,1,1	0.41	0
4	BOG	C	505	-	20,20,20	1.85	3 (15%)	25,25,25	2.47	11 (44%)
4	BOG	A	504	-	20,20,20	0.84	1 (5%)	25,25,25	1.47	4 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	FMT	A	513	-	2,2,2	0.78	0	1,1,1	0.55	0
6	FMT	A	515	-	2,2,2	0.97	0	1,1,1	0.49	0
6	FMT	C	515	-	2,2,2	0.68	0	1,1,1	0.72	0
6	FMT	A	512	-	2,2,2	0.79	0	1,1,1	0.55	0
5	GOL	B	505	-	5,5,5	0.11	0	5,5,5	1.25	0
5	GOL	C	508	-	5,5,5	0.46	0	5,5,5	1.19	0
5	GOL	B	503	-	5,5,5	0.42	0	5,5,5	0.21	0
6	FMT	B	511	-	2,2,2	0.68	0	1,1,1	0.75	0
6	FMT	A	514	7	2,2,2	0.69	0	1,1,1	0.67	0
8	ACT	C	518	-	3,3,3	1.05	0	3,3,3	0.93	0
6	FMT	C	512	-	2,2,2	1.09	0	1,1,1	0.36	0
8	ACT	A	518	-	3,3,3	0.77	0	3,3,3	0.90	0
2	3PK	C	501	1	17,17,17	0.55	0	19,19,19	0.78	1 (5%)
2	3PK	A	501	1	17,17,17	0.58	0	19,19,19	0.36	0
4	BOG	A	503	-	20,20,20	0.52	0	25,25,25	0.83	1 (4%)
4	BOG	C	503	-	20,20,20	0.76	1 (5%)	25,25,25	1.51	4 (16%)
3	OYA	C	502	1	7,8,8	0.66	0	6,7,7	0.27	0
5	GOL	B	502	-	5,5,5	0.38	0	5,5,5	1.26	0
4	BOG	C	504	-	20,20,20	0.54	0	25,25,25	0.89	1 (4%)
5	GOL	A	506	-	5,5,5	0.45	0	5,5,5	0.48	0
4	BOG	C	506	-	20,20,20	0.50	0	25,25,25	1.39	5 (20%)
5	GOL	A	507	-	5,5,5	0.73	0	5,5,5	1.55	1 (20%)
6	FMT	A	510	-	2,2,2	2.21	1 (50%)	1,1,1	0.50	0
8	ACT	B	516	-	3,3,3	0.80	0	3,3,3	0.42	0
5	GOL	C	510	-	5,5,5	0.45	0	5,5,5	0.27	0
4	BOG	B	501	-	20,20,20	0.56	0	25,25,25	0.79	0
6	FMT	B	509	-	2,2,2	0.99	0	1,1,1	0.52	0
6	FMT	B	508	-	2,2,2	1.18	0	1,1,1	0.30	0
6	FMT	B	506	-	2,2,2	0.88	0	1,1,1	0.58	0
8	ACT	C	519	-	3,3,3	0.81	0	3,3,3	1.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	C	507	-	-	0/4/4/4	-
5	GOL	C	509	-	-	2/4/4/4	-
5	GOL	A	509	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OYA	A	502	1	-	2/6/6/6	-
5	GOL	B	504	-	-	4/4/4/4	-
4	BOG	A	505	-	-	5/11/31/31	0/1/1/1
5	GOL	A	508	-	-	4/4/4/4	-
4	BOG	C	505	-	-	8/11/31/31	0/1/1/1
4	BOG	A	504	-	-	5/11/31/31	0/1/1/1
5	GOL	B	505	-	-	3/4/4/4	-
5	GOL	C	508	-	-	2/4/4/4	-
5	GOL	B	503	-	-	2/4/4/4	-
2	3PK	C	501	1	-	8/18/18/18	-
2	3PK	A	501	1	-	7/18/18/18	-
4	BOG	A	503	-	-	8/11/31/31	0/1/1/1
4	BOG	C	503	-	-	7/11/31/31	0/1/1/1
3	OYA	C	502	1	-	3/6/6/6	-
5	GOL	B	502	-	-	2/4/4/4	-
4	BOG	C	504	-	-	3/11/31/31	0/1/1/1
5	GOL	A	506	-	-	2/4/4/4	-
4	BOG	C	506	-	-	3/11/31/31	0/1/1/1
5	GOL	A	507	-	-	2/4/4/4	-
5	GOL	C	510	-	-	2/4/4/4	-
4	BOG	B	501	-	-	1/11/31/31	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	505	BOG	O1-C1	5.10	1.48	1.40
4	C	505	BOG	O5-C1	4.22	1.52	1.41
4	C	505	BOG	O5-C5	4.05	1.54	1.44
4	A	504	BOG	O1-C1	2.85	1.45	1.40
4	C	503	BOG	O1-C1	2.80	1.44	1.40
6	A	510	FMT	O2-C	2.62	1.42	1.28
8	B	515	ACT	O-C	2.42	1.32	1.22
4	A	505	BOG	O1-C1	2.34	1.44	1.40

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	505	BOG	O5-C1-O1	5.85	123.88	110.04
4	C	505	BOG	C4-C3-C2	-4.92	102.19	110.83
4	A	505	BOG	O1-C1-C2	4.01	114.36	108.27
4	C	503	BOG	C1'-O1-C1	3.84	120.23	113.68
4	A	504	BOG	C3-C4-C5	3.75	117.02	110.23
4	C	503	BOG	O5-C5-C4	3.68	116.33	109.70
4	C	503	BOG	C1-O5-C5	3.54	120.63	113.72
4	C	505	BOG	O5-C5-C6	3.50	115.11	106.44
4	C	505	BOG	C6-C5-C4	-3.44	104.58	113.02
4	A	504	BOG	C4-C3-C2	3.31	116.64	110.83
4	A	504	BOG	C1-C2-C3	3.24	116.83	110.01
4	C	506	BOG	C1-O5-C5	3.09	119.76	113.72
4	C	505	BOG	O5-C5-C4	3.08	115.25	109.70
4	C	505	BOG	O1-C1'-C2'	3.06	119.74	109.37
4	C	505	BOG	C1-C2-C3	-3.03	103.64	110.01
4	C	506	BOG	O5-C5-C4	3.02	115.15	109.70
4	C	505	BOG	O4-C4-C5	2.65	115.85	109.32
4	C	505	BOG	O6-C6-C5	2.63	120.30	111.33
4	C	503	BOG	C3-C4-C5	2.61	114.96	110.23
2	C	501	3PK	CG2-OG2-CB1	2.58	121.50	117.78
4	C	505	BOG	C1'-O1-C1	2.54	118.03	113.68
4	A	504	BOG	O5-C5-C6	2.53	112.72	106.44
4	A	505	BOG	C1'-O1-C1	-2.46	109.48	113.68
4	C	504	BOG	O5-C5-C6	2.43	112.46	106.44
5	A	507	GOL	C3-C2-C1	-2.34	103.23	111.80
4	C	506	BOG	C1'-O1-C1	-2.28	109.78	113.68
4	C	506	BOG	O5-C5-C6	-2.25	100.86	106.44
4	A	503	BOG	C1'-O1-C1	2.20	117.44	113.68
4	C	506	BOG	O5-C1-O1	-2.18	104.90	110.04
8	C	517	ACT	O-C-CH3	-2.11	113.86	122.53
4	C	505	BOG	O2-C2-C1	2.09	115.06	110.08
4	A	505	BOG	O5-C5-C6	2.00	111.41	106.44

There are no chirality outliers.

All (87) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	3PK	OG1-CG1-CG2-OG2
2	C	501	3PK	CG3-CG2-OG2-CB1
4	C	503	BOG	O5-C1-O1-C1'
4	C	505	BOG	O5-C1-O1-C1'
5	A	506	GOL	O1-C1-C2-C3
5	A	508	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	508	GOL	C1-C2-C3-O3
5	B	504	GOL	O1-C1-C2-C3
5	B	505	GOL	O1-C1-C2-C3
5	C	508	GOL	O1-C1-C2-C3
5	C	510	GOL	O1-C1-C2-O2
5	C	510	GOL	O1-C1-C2-C3
4	C	503	BOG	O5-C5-C6-O6
2	C	501	3PK	OB1-CB1-OG2-CG2
4	A	504	BOG	O5-C5-C6-O6
4	A	504	BOG	O5-C1-O1-C1'
2	C	501	3PK	CB2-CB1-OG2-CG2
4	C	503	BOG	C4-C5-C6-O6
4	A	504	BOG	C2-C1-O1-C1'
4	C	505	BOG	C2-C1-O1-C1'
4	A	503	BOG	C4-C5-C6-O6
5	A	508	GOL	O1-C1-C2-O2
4	A	503	BOG	O5-C5-C6-O6
4	A	504	BOG	C4-C5-C6-O6
2	C	501	3PK	CA2-CA1-OG1-CG1
4	C	503	BOG	O1-C1'-C2'-C3'
2	C	501	3PK	CB1-CB2-CB3-CB4
4	C	503	BOG	C2-C1-O1-C1'
2	C	501	3PK	OA1-CA1-OG1-CG1
5	A	509	GOL	O1-C1-C2-C3
5	B	502	GOL	O1-C1-C2-C3
5	B	503	GOL	O1-C1-C2-C3
5	B	504	GOL	C1-C2-C3-O3
5	C	509	GOL	O1-C1-C2-C3
5	A	506	GOL	O1-C1-C2-O2
5	A	508	GOL	O2-C2-C3-O3
5	A	509	GOL	O1-C1-C2-O2
5	B	505	GOL	O1-C1-C2-O2
5	C	508	GOL	O1-C1-C2-O2
3	A	502	OYA	C7-C11-C6-C5
4	A	504	BOG	C4'-C5'-C6'-C7'
4	A	503	BOG	C4'-C5'-C6'-C7'
2	A	501	3PK	CB2-CB1-OG2-CG2
2	A	501	3PK	OB1-CB1-OG2-CG2
4	A	503	BOG	O1-C1'-C2'-C3'
4	C	505	BOG	O5-C5-C6-O6
4	C	506	BOG	O5-C5-C6-O6
4	C	506	BOG	C3'-C4'-C5'-C6'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	505	BOG	C2'-C3'-C4'-C5'
5	A	507	GOL	O1-C1-C2-O2
5	B	504	GOL	O2-C2-C3-O3
2	A	501	3PK	CA1-CA2-CA3-CA4
4	C	505	BOG	C2'-C3'-C4'-C5'
4	A	505	BOG	C3'-C4'-C5'-C6'
4	C	503	BOG	C4'-C5'-C6'-C7'
2	A	501	3PK	CA2-CA3-CA4-CA5
4	C	505	BOG	C3'-C4'-C5'-C6'
4	A	503	BOG	C2'-C1'-O1-C1
5	B	505	GOL	O2-C2-C3-O3
2	A	501	3PK	OG1-CG1-CG2-CG3
4	B	501	BOG	C5'-C6'-C7'-C8'
3	A	502	OYA	C6-C11-C7-C8
4	C	505	BOG	C4'-C5'-C6'-C7'
4	C	505	BOG	O1-C1'-C2'-C3'
4	A	503	BOG	C2'-C3'-C4'-C5'
3	C	502	OYA	C11-C7-C8-C9
3	C	502	OYA	C7-C8-C9-C10
5	B	504	GOL	O1-C1-C2-O2
4	C	504	BOG	O1-C1'-C2'-C3'
4	C	504	BOG	C3'-C4'-C5'-C6'
4	C	506	BOG	C2'-C3'-C4'-C5'
4	A	505	BOG	C1'-C2'-C3'-C4'
4	A	503	BOG	C5'-C6'-C7'-C8'
3	C	502	OYA	C6-C11-C7-C8
5	A	507	GOL	O1-C1-C2-C3
5	B	502	GOL	O1-C1-C2-O2
5	B	503	GOL	O1-C1-C2-O2
4	A	505	BOG	C4-C5-C6-O6
4	C	505	BOG	C1'-C2'-C3'-C4'
2	C	501	3PK	CB3-CB4-CB5-CB6
4	C	504	BOG	O5-C5-C6-O6
5	C	509	GOL	O1-C1-C2-O2
4	C	503	BOG	C1'-C2'-C3'-C4'
4	A	503	BOG	C1'-C2'-C3'-C4'
4	A	505	BOG	O5-C5-C6-O6
2	A	501	3PK	OG1-CA1-CA2-CA3
2	C	501	3PK	OB1-CB1-CB2-CB3



There are no ring outliers.


15 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	511	FMT	2	0
8	A	517	ACT	1	0
5	A	509	GOL	2	0
5	B	504	GOL	1	0
6	B	507	FMT	1	0
8	B	515	ACT	3	0
5	A	508	GOL	1	0
6	C	514	FMT	1	0
4	C	505	BOG	1	0
5	B	505	GOL	7	0
5	C	508	GOL	3	0
8	C	518	ACT	1	0
5	B	502	GOL	2	0
8	B	516	ACT	4	0
8	C	519	ACT	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












Ligand 3PK A 501



Ligand BOG A 503







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	446/455 (98%)	0.09	27 (6%)	27 29	10, 21, 44, 62	30 (6%)
1	B	450/455 (98%)	0.05	25 (5%)	30 33	9, 21, 42, 53	30 (6%)
1	C	444/455 (97%)	-0.01	16 (3%)	46 50	9, 21, 42, 64	34 (7%)
All	All	1340/1365 (98%)	0.04	68 (5%)	33 37	9, 21, 43, 64	94 (7%)

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	238	THR	6.1
1	A	402[A]	THR	5.5
1	A	98	VAL	5.4
1	B	1	CYS	5.1
1	A	401	THR	4.6
1	A	97	GLY	4.3
1	A	190	ALA	4.1
1	B	190	ALA	4.1
1	A	191	GLY	4.1
1	C	21	ALA	3.8
1	A	400	GLY	3.7
1	A	1	CYS	3.7
1	B	98	VAL	3.7
1	B	21	ALA	3.6
1	C	403	ASP	3.6
1	C	238	THR	3.3
1	B	97	GLY	3.2
1	A	308	GLN	3.2
1	C	11	ASP	3.0
1	A	259	GLY	3.0
1	B	250	THR	2.9
1	A	445	PRO	2.9
1	C	444	GLN	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	312	SER	2.9
1	B	450	HIS	2.8
1	A	89	ASP	2.8
1	B	105	SER	2.7
1	B	260	GLU	2.7
1	B	191	GLY	2.6
1	A	192	VAL	2.6
1	A	18	ASP	2.6
1	A	101	ASP	2.6
1	A	19	ALA	2.6
1	A	21	ALA	2.6
1	A	446	SER	2.5
1	C	98	VAL	2.4
1	B	18	ASP	2.4
1	B	239	VAL	2.4
1	B	447	ALA	2.4
1	B	89	ASP	2.3
1	B	29[A]	ARG	2.3
1	C	101	ASP	2.3
1	A	16	LYS	2.3
1	B	11	ASP	2.3
1	B	235	GLU	2.2
1	B	403	ASP	2.2
1	B	308	GLN	2.2
1	C	31	GLU	2.2
1	B	319	VAL	2.2
1	B	307	SER	2.2
1	B	444	GLN	2.2
1	C	97	GLY	2.2
1	C	23	LYS	2.2
1	B	192	VAL	2.1
1	A	185	GLU	2.1
1	A	310	GLY	2.1
1	C	104	ASN	2.1
1	A	22	SER	2.1
1	C	52	SER	2.1
1	A	444	GLN	2.1
1	B	116	TRP	2.1
1	A	189	ASP	2.1
1	C	89	ASP	2.1
1	A	315	ARG	2.1
1	C	258	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	250	THR	2.0
1	A	182	GLN	2.0
1	C	18	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	3PK	A	501	18/18	0.62	0.28	54,66,68,69	0
5	GOL	C	509	6/6	0.69	0.22	55,60,61,61	0
8	ACT	B	515	4/4	0.69	0.21	31,41,46,47	0
8	ACT	C	520	4/4	0.69	0.30	52,59,63,66	0
3	OYA	C	502	9/9	0.70	0.28	39,57,70,70	0
8	ACT	C	519	4/4	0.72	0.24	55,58,62,64	0
8	ACT	B	516	4/4	0.72	0.16	30,46,52,55	0
4	BOG	A	505	20/20	0.73	0.20	43,56,64,66	0
5	GOL	C	510	6/6	0.73	0.17	58,61,63,63	0
3	OYA	A	502	9/9	0.74	0.19	49,54,62,62	0
4	BOG	C	506	20/20	0.74	0.21	50,65,76,84	0
4	BOG	C	505	20/20	0.76	0.23	38,52,60,62	0
8	ACT	A	518	4/4	0.78	0.25	67,68,70,71	0
4	BOG	A	504	20/20	0.79	0.22	57,80,89,94	0
5	GOL	B	503	6/6	0.80	0.25	64,71,73,77	0
5	GOL	A	509	6/6	0.80	0.18	34,50,57,59	0
5	GOL	B	505	6/6	0.81	0.17	41,48,50,59	0
6	FMT	B	510	3/3	0.82	0.18	71,71,78,80	0
2	3PK	C	501	18/18	0.82	0.21	42,56,62,68	0
6	FMT	A	512	3/3	0.82	0.19	48,48,61,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	A	508	6/6	0.83	0.16	40,47,49,49	0
6	FMT	A	515	3/3	0.83	0.17	48,48,53,59	0
6	FMT	C	514	3/3	0.84	0.13	50,50,59,60	0
4	BOG	C	503	20/20	0.84	0.19	55,65,82,82	0
5	GOL	B	502	6/6	0.85	0.20	36,49,53,55	0
8	ACT	B	514	4/4	0.85	0.15	38,38,39,45	0
6	FMT	B	509	3/3	0.85	0.20	44,44,54,55	0
4	BOG	A	503	20/20	0.85	0.16	41,52,72,75	0
6	FMT	B	512	3/3	0.85	0.16	53,53,57,61	0
5	GOL	A	507	6/6	0.85	0.17	40,52,55,59	0
6	FMT	B	507	3/3	0.86	0.21	34,34,47,48	0
4	BOG	C	504	20/20	0.86	0.16	40,49,62,64	0
6	FMT	A	511	3/3	0.86	0.17	41,41,42,52	0
5	GOL	C	507	6/6	0.86	0.14	44,45,47,48	0
5	GOL	B	504	6/6	0.86	0.14	44,45,48,53	0
8	ACT	A	517	4/4	0.86	0.15	34,35,39,45	0
4	BOG	B	501	20/20	0.87	0.14	46,53,63,66	0
6	FMT	C	511	3/3	0.89	0.24	45,45,47,49	0
8	ACT	C	517	4/4	0.89	0.17	34,43,47,48	0
5	GOL	C	508	6/6	0.90	0.13	41,46,52,52	0
6	FMT	B	506	3/3	0.91	0.15	40,40,54,56	0
8	ACT	C	518	4/4	0.91	0.14	37,39,40,44	0
6	FMT	A	513	3/3	0.91	0.20	33,33,40,47	0
6	FMT	C	513	3/3	0.91	0.14	37,37,45,50	0
6	FMT	C	515	3/3	0.92	0.13	56,56,56,60	0
6	FMT	B	508	3/3	0.92	0.16	36,36,41,50	0
6	FMT	A	514	3/3	0.92	0.18	49,49,49,54	0
5	GOL	A	506	6/6	0.92	0.14	25,36,47,55	0
6	FMT	B	511	3/3	0.92	0.19	46,46,52,52	0
6	FMT	C	512	3/3	0.93	0.10	30,30,42,48	0
6	FMT	A	510	3/3	0.94	0.18	24,24,33,39	0
7	NA	A	516	1/1	0.97	0.08	32,32,32,32	0
7	NA	C	516	1/1	0.99	0.07	30,30,30,30	0
7	NA	B	513	1/1	0.99	0.12	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 3PK A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG C 506:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG C 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG A 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3PK C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG C 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BOG B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.