



Full wwPDB NMR Structure Validation Report ⓘ

Mar 9, 2026 – 11:35 AM UTC

PDB ID : 2B0F / pdb_00002b0f
Title : NMR Structure of the Human Rhinovirus 3C Protease (serotype 14) with covalently bound Ace-LEALFQ-ethylpropionate inhibitor
Authors : Bjorndahl, T.C.; Andrew, L.C.; Wishart, D.S.
Deposited on : 2005-09-13

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	182	
2	B	7	

2 Ensemble composition and analysis

This entry contains 20 models. Model 19 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:178, B:2-B:6 (182)	0.72	19

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 3, 4, 8, 12, 13, 15, 16, 18, 19, 20
2	5, 6, 9, 10, 17
3	7, 14
Single-model clusters	11

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2950 atoms, of which 1488 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Protease 3C.

Mol	Chain	Residues	Atoms						Trace
1	A	182	Total	C	H	N	O	S	0
			2831	883	1427	248	267	6	

- Molecule 2 is a protein called Ace-LEALFQ-ethylpropionate.


Mol	Chain	Residues	Atoms					Trace
2	B	7	Total	C	H	N	O	0
			119	40	61	7	11	

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Protease 3C



- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.2 Score per residue for model 2

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.3 Score per residue for model 3

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.4 Score per residue for model 4

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.5 Score per residue for model 5

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate



4.2.6 Score per residue for model 6

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.7 Score per residue for model 7

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.8 Score per residue for model 8

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.9 Score per residue for model 9

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.10 Score per residue for model 10

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate



4.2.11 Score per residue for model 11

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate



4.2.12 Score per residue for model 12

- Molecule 1: Protease 3C





- Molecule 2: Ace-LEALFQ-ethylpropionate


Chain B: 57% 14% 29%



4.2.13 Score per residue for model 13

- Molecule 1: Protease 3C

Chain A: 75% 20% . .



- Molecule 2: Ace-LEALFQ-ethylpropionate

Chain B: 14% 57% 29%



4.2.14 Score per residue for model 14

- Molecule 1: Protease 3C

Chain A: 81% 14% . .




- Molecule 2: Ace-LEALFQ-ethylpropionate

Chain B: 14% 57% 29%



4.2.15 Score per residue for model 15

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.16 Score per residue for model 16

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.17 Score per residue for model 17

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.18 Score per residue for model 18

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.19 Score per residue for model 19 (medoid)

- Molecule 1: Protease 3C




- Molecule 2: Ace-LEALFQ-ethylpropionate




4.2.20 Score per residue for model 20

- Molecule 1: Protease 3C



● Molecule 2: Ace-LEALFQ-ethylpropionate



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing molecular dynamics torsion angle dynamics RECOORD water refinement*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *back calculated data agree with experimental NOESY spectrum, structures with acceptable covalent geometry, structures with favorable non-bond energy, structures with the least restraint violations, structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	structure solution	XPLOR-NIH v.2.10
CNS	refinement	1.1

No chemical shift data was provided.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, YTF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.54±0.02	0±0/1388 (0.0± 0.0%)	0.92±0.02	2±1/1877 (0.1± 0.0%)
2	B	0.89±0.07	0±0/41 (0.0± 0.0%)	1.17±0.10	0±0/54 (0.0± 0.0%)
All	All	0.56	0/28580 (0.0%)	0.93	36/38620 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.2±0.4
All	All	0	4

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	92	GLU	N-CA-C	-8.03	102.47	111.14	4	11
1	A	70	LEU	N-CA-C	-7.24	104.70	113.97	16	16
1	A	80	ASN	N-CA-C	-6.66	103.83	112.68	20	2
1	A	147	GLY	N-CA-C	-5.56	107.36	114.37	13	1
1	A	86	ILE	N-CA-C	-5.48	107.03	111.91	14	1
1	A	95	GLU	N-CA-C	-5.47	104.50	110.91	7	2
1	A	67	ASN	CA-CB-CG	5.39	117.99	112.60	1	1
1	A	110	ASN	CA-CB-CG	5.29	117.89	112.60	11	1
1	A	142	LYS	N-CA-C	5.00	116.28	109.18	7	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	133	ARG	Sidechain	1
1	A	33	ARG	Sidechain	1
1	A	166	ARG	Sidechain	1
1	A	55	ARG	Sidechain	1

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1366	1386	1386	19±4
2	B	41	42	42	4±2
All	All	28140	28560	28560	417

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:THR:HB	1:A:71:GLU:OE2	0.71	1.86	19	14
1:A:70:LEU:O	1:A:71:GLU:HB2	0.70	1.87	20	2
1:A:62:LEU:O	1:A:70:LEU:HB3	0.68	1.88	12	10
1:A:97:VAL:O	1:A:117:PRO:HA	0.66	1.89	5	12
1:A:109:THR:O	1:A:110:ASN:HB3	0.65	1.90	9	3
1:A:126:LEU:HA	2:B:4:ALA:O	0.64	1.92	19	19
1:A:94:LEU:O	1:A:95:GLU:HG2	0.63	1.94	1	1
1:A:11:LEU:HA	1:A:15:ILE:CG1	0.62	2.24	17	4
1:A:96:GLY:O	1:A:118:VAL:HG13	0.62	1.95	7	2
1:A:26:THR:HB	1:A:147:GLY:C	0.61	2.20	3	3
1:A:26:THR:HB	1:A:147:GLY:O	0.60	1.96	13	17
1:A:166:ARG:HG2	1:A:166:ARG:O	0.60	1.96	5	2
1:A:19:THR:HB	1:A:48:LEU:HB2	0.59	1.74	12	5
1:A:22:LYS:HE2	1:A:42:GLN:OE1	0.57	1.98	9	1
1:A:134:MET:HE2	1:A:134:MET:HA	0.57	1.74	1	5
1:A:158:GLY:HA2	1:A:173:LEU:HD23	0.56	1.75	7	1
1:A:62:LEU:HB2	1:A:72:LEU:O	0.56	2.00	4	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:22:LYS:HA	1:A:22:LYS:HE2	0.56	1.78	19	1
1:A:57:LYS:HE3	1:A:57:LYS:O	0.56	2.01	18	1
1:A:98:ASP:HA	1:A:116:GLY:O	0.55	2.01	14	5
1:A:59:LYS:HD2	1:A:59:LYS:O	0.55	2.00	10	1
1:A:133:ARG:O	1:A:133:ARG:HG2	0.55	2.01	5	1
1:A:92:GLU:H	1:A:92:GLU:CD	0.55	2.10	10	2
1:A:32:ASP:O	1:A:82:LYS:HB2	0.55	2.01	11	4
1:A:132:ASN:O	1:A:133:ARG:HB2	0.55	2.03	15	1
1:A:92:GLU:OE1	1:A:175:LYS:HB3	0.54	2.02	5	1
1:A:125:ASN:O	2:B:3:GLU:HA	0.54	2.03	13	9
1:A:70:LEU:O	1:A:71:GLU:HB3	0.54	2.02	18	6
1:A:32:ASP:OD2	1:A:33:ARG:HG2	0.53	2.03	18	2
1:A:55:ARG:N	1:A:55:ARG:HD2	0.53	2.18	6	1
1:A:62:LEU:O	1:A:70:LEU:HB2	0.53	2.03	14	4
1:A:53:LYS:HD2	1:A:53:LYS:O	0.53	2.03	2	1
1:A:102:VAL:HB	1:A:149:VAL:CG2	0.53	2.34	9	1
1:A:102:VAL:HB	1:A:149:VAL:HG23	0.53	1.80	9	1
1:A:49:VAL:O	1:A:50:ASN:OD1	0.53	2.26	13	1
1:A:16:MET:HA	1:A:16:MET:HE2	0.52	1.80	13	2
1:A:3:ASN:ND2	1:A:152:ALA:HA	0.52	2.19	15	3
1:A:126:LEU:HD12	2:B:4:ALA:O	0.52	2.04	20	7
1:A:109:THR:O	1:A:110:ASN:HB2	0.52	2.05	5	3
2:B:5:LEU:HG	2:B:6:PHE:N	0.52	2.20	10	11
1:A:108:PHE:HB3	1:A:111:THR:OG1	0.52	2.05	12	2
1:A:64:ASP:OD1	1:A:66:GLU:HG2	0.52	2.05	15	1
1:A:46:ASP:HB2	1:A:55:ARG:NH1	0.51	2.21	12	2
1:A:61:LYS:N	1:A:61:LYS:HD2	0.51	2.21	16	1
2:B:5:LEU:HG	2:B:6:PHE:O	0.51	2.06	13	16
1:A:24:GLU:O	1:A:105:SER:HB3	0.51	2.05	19	1
1:A:91:SER:OG	1:A:155:LYS:HG3	0.51	2.06	6	1
1:A:84:ARG:NE	1:A:84:ARG:HA	0.51	2.21	8	1
1:A:64:ASP:C	1:A:66:GLU:N	0.51	2.68	7	5
1:A:91:SER:HB3	1:A:93:ASP:O	0.51	2.06	5	2
1:A:19:THR:OG1	1:A:48:LEU:HB2	0.51	2.06	2	1
1:A:64:ASP:OD1	1:A:133:ARG:HD3	0.50	2.06	2	2
1:A:8:LEU:O	1:A:12:ARG:HG3	0.50	2.05	19	2
1:A:22:LYS:HZ3	1:A:25:PHE:HZ	0.50	1.50	1	1
1:A:45:ASP:O	1:A:56:VAL:HG12	0.50	2.06	9	1
2:B:5:LEU:HD13	2:B:6:PHE:N	0.50	2.22	12	1
1:A:68:ILE:HG22	1:A:69:ASN:H	0.49	1.67	12	1
1:A:133:ARG:O	1:A:172:GLN:HG2	0.49	2.07	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:69:ASN:HB3	1:A:130:PRO:O	0.49	2.07	8	1
1:A:124:ILE:HB	2:B:2:LEU:O	0.49	2.08	4	2
1:A:89:PHE:O	1:A:155:LYS:HA	0.49	2.08	11	2
1:A:32:ASP:HA	1:A:82:LYS:HB2	0.49	1.84	6	1
1:A:77:LEU:H	1:A:77:LEU:HD23	0.49	1.67	18	1
1:A:95:GLU:O	1:A:95:GLU:HG3	0.49	2.07	9	1
1:A:71:GLU:O	1:A:71:GLU:HG3	0.49	2.07	2	8
1:A:94:LEU:O	1:A:95:GLU:C	0.49	2.55	6	4
1:A:133:ARG:HB3	1:A:172:GLN:CD	0.49	2.33	20	1
1:A:68:ILE:HG22	1:A:69:ASN:N	0.48	2.23	12	1
1:A:136:ARG:HB3	1:A:169:PHE:CE2	0.48	2.43	5	2
1:A:33:ARG:HB2	1:A:77:LEU:O	0.48	2.07	11	6
1:A:39:THR:HA	1:A:73:THR:OG1	0.48	2.08	17	2
1:A:53:LYS:HD3	1:A:53:LYS:H	0.48	1.68	5	1
1:A:32:ASP:HA	1:A:82:LYS:CB	0.48	2.38	12	2
1:A:11:LEU:HD21	1:A:110:ASN:ND2	0.48	2.23	12	1
1:A:28:LEU:H	1:A:28:LEU:HD23	0.48	1.69	11	2
1:A:162:GLY:HA3	2:B:5:LEU:O	0.48	2.08	1	4
1:A:133:ARG:O	1:A:133:ARG:CG	0.48	2.61	5	1
1:A:118:VAL:HG12	1:A:137:TYR:HB3	0.48	1.86	13	1
1:A:164:ASN:HB2	2:B:4:ALA:CB	0.48	2.39	3	5
2:B:5:LEU:CD1	2:B:6:PHE:O	0.48	2.62	12	1
1:A:92:GLU:CD	1:A:92:GLU:H	0.47	2.17	3	2
1:A:92:GLU:O	1:A:174:LYS:HE2	0.47	2.09	6	1
1:A:32:ASP:O	1:A:82:LYS:HA	0.47	2.09	6	1
1:A:158:GLY:HA3	1:A:171:ALA:O	0.47	2.10	6	3
1:A:62:LEU:HB3	1:A:72:LEU:O	0.47	2.09	20	2
1:A:97:VAL:HG22	1:A:118:VAL:O	0.47	2.10	16	1
1:A:81:GLU:HG2	1:A:81:GLU:O	0.47	2.09	2	1
1:A:31:HIS:O	1:A:33:ARG:N	0.47	2.48	7	1
1:A:11:LEU:C	1:A:11:LEU:HD23	0.47	2.34	14	3
2:B:5:LEU:HD12	2:B:6:PHE:O	0.47	2.09	12	1
1:A:133:ARG:HG2	1:A:172:GLN:HB3	0.47	1.85	19	1
1:A:146:CYS:HA	1:A:160:HIS:CD2	0.47	2.45	20	1
1:A:164:ASN:HB3	1:A:169:PHE:CE1	0.47	2.44	10	1
1:A:153:THR:O	1:A:153:THR:HG23	0.47	2.10	13	1
1:A:11:LEU:HA	1:A:15:ILE:HB	0.46	1.88	8	4
1:A:32:ASP:OD2	1:A:33:ARG:HG3	0.46	2.10	10	2
1:A:158:GLY:CA	1:A:173:LEU:HD13	0.46	2.39	18	1
1:A:19:THR:HB	1:A:48:LEU:HB3	0.46	1.86	8	1
1:A:42:GLN:HA	1:A:42:GLN:OE1	0.46	2.10	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:70:LEU:O	1:A:71:GLU:CB	0.46	2.64	18	2
1:A:132:ASN:O	1:A:133:ARG:HB3	0.46	2.10	19	1
1:A:142:LYS:O	1:A:143:THR:C	0.46	2.57	14	4
1:A:39:THR:HB	1:A:71:GLU:CD	0.46	2.36	20	5
1:A:24:GLU:O	1:A:105:SER:HB2	0.46	2.11	6	1
1:A:158:GLY:HA2	1:A:173:LEU:HD13	0.46	1.87	20	4
1:A:85:ASP:CG	1:A:85:ASP:O	0.45	2.59	3	1
1:A:19:THR:O	1:A:48:LEU:HB2	0.45	2.11	18	1
1:A:16:MET:SD	1:A:50:ASN:HB2	0.45	2.51	1	1
1:A:46:ASP:OD2	1:A:55:ARG:HD2	0.45	2.12	12	1
1:A:132:ASN:OD1	1:A:133:ARG:N	0.45	2.48	8	1
1:A:158:GLY:HA2	1:A:173:LEU:HB2	0.45	1.88	13	1
1:A:137:TYR:CE2	1:A:168:GLY:HA3	0.45	2.47	7	4
1:A:37:ILE:O	1:A:73:THR:HB	0.45	2.11	4	1
1:A:70:LEU:HD12	1:A:72:LEU:CD2	0.45	2.42	6	1
1:A:123:LEU:N	1:A:123:LEU:HD12	0.45	2.28	15	1
1:A:24:GLU:HB2	1:A:106:ASN:HB3	0.44	1.89	5	1
1:A:91:SER:O	1:A:174:LYS:HA	0.44	2.11	18	1
1:A:30:ILE:O	1:A:85:ASP:HA	0.44	2.11	4	1
1:A:166:ARG:O	1:A:166:ARG:CG	0.44	2.65	5	1
1:A:72:LEU:HG	1:A:173:LEU:CD2	0.44	2.42	6	1
1:A:142:LYS:O	1:A:143:THR:O	0.44	2.36	14	2
1:A:133:ARG:HD2	1:A:172:GLN:O	0.44	2.12	5	1
1:A:91:SER:OG	1:A:155:LYS:HE2	0.44	2.12	18	1
1:A:101:LEU:HD11	1:A:137:TYR:OH	0.44	2.13	8	1
1:A:56:VAL:HG11	1:A:59:LYS:HB2	0.44	1.89	20	1
1:A:97:VAL:HA	1:A:118:VAL:O	0.44	2.12	4	1
1:A:136:ARG:HD2	1:A:167:GLN:OE1	0.44	2.13	7	1
1:A:13:LYS:HE3	1:A:13:LYS:HA	0.44	1.89	20	2
1:A:57:LYS:HD3	1:A:57:LYS:C	0.44	2.38	20	1
1:A:15:ILE:HG23	1:A:26:THR:HG23	0.43	1.90	19	1
1:A:136:ARG:HA	1:A:168:GLY:O	0.43	2.13	3	1
1:A:4:THR:HB	1:A:5:GLU:OE1	0.43	2.12	19	1
1:A:63:VAL:HB	1:A:68:ILE:O	0.43	2.13	17	1
1:A:64:ASP:C	1:A:66:GLU:H	0.43	2.22	3	1
1:A:172:GLN:OE1	1:A:174:LYS:HE2	0.43	2.12	7	1
1:A:22:LYS:O	1:A:22:LYS:HD2	0.43	2.13	14	1
1:A:158:GLY:HA2	1:A:173:LEU:HG	0.43	1.90	14	1
1:A:164:ASN:HB2	2:B:4:ALA:HB2	0.43	1.91	17	4
1:A:142:LYS:C	1:A:143:THR:O	0.43	2.60	14	1
1:A:97:VAL:O	1:A:97:VAL:HG12	0.43	2.14	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:135:ILE:O	1:A:169:PHE:HA	0.43	2.13	6	6
1:A:123:LEU:C	1:A:123:LEU:HD13	0.43	2.38	19	4
1:A:114:GLU:CD	1:A:114:GLU:H	0.43	2.21	1	1
1:A:64:ASP:O	1:A:66:GLU:N	0.43	2.52	3	2
1:A:20:THR:OG1	1:A:21:SER:N	0.43	2.52	13	1
1:A:22:LYS:HA	1:A:22:LYS:CE	0.43	2.44	19	1
1:A:135:ILE:HB	1:A:170:SER:OG	0.42	2.13	20	1
1:A:30:ILE:HG22	1:A:31:HIS:CD2	0.42	2.48	16	1
1:A:133:ARG:CG	1:A:172:GLN:HB3	0.42	2.44	19	1
1:A:136:ARG:HG3	1:A:169:PHE:CZ	0.42	2.49	1	1
1:A:105:SER:OG	1:A:106:ASN:N	0.42	2.52	7	1
1:A:127:SER:O	1:A:128:SER:OG	0.42	2.33	14	1
1:A:135:ILE:N	1:A:170:SER:O	0.42	2.47	14	1
1:A:33:ARG:CZ	1:A:57:LYS:HE3	0.42	2.44	16	1
1:A:85:ASP:OD2	1:A:87:ARG:HD2	0.42	2.15	8	1
1:A:11:LEU:O	1:A:15:ILE:HB	0.42	2.15	1	2
1:A:64:ASP:O	1:A:67:ASN:N	0.42	2.49	5	1
1:A:126:LEU:HB3	2:B:6:PHE:CE1	0.42	2.50	8	1
1:A:92:GLU:OE2	1:A:174:LYS:HB3	0.42	2.13	9	1
1:A:126:LEU:HD23	1:A:131:THR:HB	0.42	1.92	19	1
2:B:2:LEU:HD12	2:B:2:LEU:N	0.42	2.29	9	2
1:A:31:HIS:NE2	1:A:178:PHE:HB3	0.42	2.30	16	1
1:A:117:PRO:O	1:A:137:TYR:HA	0.42	2.14	20	1
1:A:115:VAL:HG21	1:A:137:TYR:CD1	0.41	2.50	4	1
1:A:127:SER:O	1:A:128:SER:HB2	0.41	2.14	9	3
1:A:126:LEU:HD21	1:A:161:VAL:CG1	0.41	2.45	13	1
1:A:123:LEU:C	1:A:123:LEU:HD23	0.41	2.40	9	1
1:A:164:ASN:HB2	2:B:4:ALA:CA	0.41	2.45	2	1
1:A:164:ASN:HB2	2:B:4:ALA:HA	0.41	1.93	4	3
1:A:59:LYS:HG3	1:A:59:LYS:O	0.41	2.15	7	1
1:A:66:GLU:O	1:A:67:ASN:HB3	0.41	2.15	7	1
1:A:92:GLU:O	1:A:174:LYS:HE3	0.41	2.14	11	1
1:A:17:THR:O	1:A:49:VAL:HA	0.41	2.16	15	1
1:A:47:VAL:O	1:A:53:LYS:HA	0.41	2.15	17	1
1:A:136:ARG:HB3	1:A:169:PHE:CE1	0.41	2.50	3	1
1:A:127:SER:N	2:B:4:ALA:O	0.41	2.47	3	1
1:A:96:GLY:C	1:A:98:ASP:N	0.41	2.76	1	1
1:A:11:LEU:C	1:A:11:LEU:HD13	0.41	2.41	6	1
1:A:160:HIS:CE1	1:A:162:GLY:O	0.41	2.73	12	1
2:B:5:LEU:CG	2:B:6:PHE:N	0.41	2.84	20	1
1:A:81:GLU:H	1:A:81:GLU:CD	0.41	2.23	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:64:ASP:N	1:A:70:LEU:HG	0.41	2.30	18	1
1:A:36:VAL:HB	1:A:72:LEU:HD11	0.41	1.92	8	1
1:A:103:VAL:HG12	1:A:108:PHE:O	0.41	2.16	9	1
1:A:3:ASN:HA	1:A:153:THR:HB	0.41	1.93	17	1
1:A:132:ASN:O	1:A:133:ARG:CB	0.41	2.69	19	1
1:A:62:LEU:HB3	1:A:72:LEU:HB2	0.41	1.91	14	1
1:A:19:THR:CG2	1:A:48:LEU:HB2	0.40	2.46	4	1
1:A:45:ASP:HA	1:A:56:VAL:HG12	0.40	1.92	6	1
1:A:11:LEU:HD23	1:A:11:LEU:C	0.40	2.41	11	1

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/182 (97%)	157±2 (89±1%)	18±3 (10±2%)	2±1 (1±1%)	11	58
2	B	5/7 (71%)	4±0 (88±10%)	1±0 (12±10%)	0±0 (0±0%)	100	100
All	All	3640/3780 (96%)	3222 (89%)	370 (10%)	48 (1%)	12	60

All 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	32	ASP	20
1	A	143	THR	11
1	A	96	GLY	9
1	A	65	PRO	2
1	A	85	ASP	2
1	A	128	SER	1
1	A	165	GLY	1
1	A	97	VAL	1
1	A	110	ASN	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	152/156 (97%)	147±2 (97±1%)	5±2 (3±1%)	35	84
2	B	4/4 (100%)	4±0 (99±5%)	0±0 (1±5%)	59	94
All	All	3120/3200 (98%)	3021 (97%)	99 (3%)	35	84

All 41 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	143	THR	15
1	A	17	THR	8
1	A	20	THR	7
1	A	4	THR	6
1	A	141	THR	4
1	A	53	LYS	4
1	A	70	LEU	4
1	A	92	GLU	4
1	A	134	MET	4
1	A	33	ARG	3
1	A	13	LYS	3
1	A	28	LEU	2
1	A	77	LEU	2
1	A	103	VAL	2
1	A	101	LEU	2
1	A	16	MET	2
1	A	109	THR	2
1	A	166	ARG	2
1	A	67	ASN	1
1	A	114	GLU	1
1	A	81	GLU	1
1	A	173	LEU	1
1	A	133	ARG	1
1	A	167	GLN	1
1	A	22	LYS	1
1	A	137	TYR	1
1	A	84	ARG	1
1	A	59	LYS	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	110	ASN	1
1	A	177	TYR	1
2	B	5	LEU	1
1	A	66	GLU	1
1	A	62	LEU	1
1	A	119	THR	1
1	A	82	LYS	1
1	A	100	THR	1
1	A	113	LEU	1
1	A	172	GLN	1
1	A	57	LYS	1
1	A	155	LYS	1
1	A	125	ASN	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	YTF	B	7	1,2	13,13,13	1.13±0.07	2±0 (16±3%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	YTF	B	7	1,2	15,15,15	1.39±0.13	3±0 (17±3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	YTF	B	7	1,2	-	0±0,13,13,13	-

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	B	7	YTF	OX9-CX7	2.99	1.24	1.33	13	20
2	B	7	YTF	OX9-CJ1	2.73	1.55	1.46	5	20
2	B	7	YTF	C-CA	2.43	1.56	1.53	13	4

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
2	B	7	YTF	CX6-C-CA	3.79	104.78	112.87	12	12
2	B	7	YTF	OX9-CJ1-CJ2	3.40	120.60	108.40	12	20
2	B	7	YTF	CJ1-OX9-CX7	3.35	126.18	116.67	19	19
2	B	7	YTF	OX9-CX7-CX6	2.34	118.96	111.83	13	2

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided