



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 09:54 PM UTC

PDB ID : 5B0M / pdb_00005b0m
Title : Structure of MoeN5-Sso7d fusion protein in complex with beta-dodecyl maltoside
Authors : Ko, T.-P.; Zhang, L.; Chen, C.-C.; Guo, R.-T.; Oldfield, E.O.
Deposited on : 2015-11-02
Resolution : 3.05 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2469 (3.10-3.02)
Clashscore	190562	2569 (3.10-3.02)
Ramachandran outliers	187476	2424 (3.10-3.02)
Sidechain outliers	187428	2423 (3.10-3.02)
RSRZ outliers	180081	2469 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	% 41% 29% 6% • 23%
1	B	343	45% 45% 7% •
1	C	343	40% 32% 5% 23%
1	D	343	48% 39% 9% • •
1	E	343	39% 35% • • 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	343	 54% 36% 6% . .
1	G	343	 44% 26% 8% . 22%
1	H	343	 52% 38% 6% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 19074 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MoeN5,DNA-binding protein 7d.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2010	1240	374	385	11			
1	B	334	Total	C	N	O	S	0	0	0
			2549	1582	466	487	14			
1	C	264	Total	C	N	O	S	0	0	0
			2010	1240	374	385	11			
1	D	332	Total	C	N	O	S	0	0	0
			2533	1571	463	485	14			
1	E	270	Total	C	N	O	S	0	0	0
			2066	1274	388	393	11			
1	F	332	Total	C	N	O	S	0	0	0
			2534	1573	464	483	14			
1	G	267	Total	C	N	O	S	0	0	0
			2036	1256	379	390	11			
1	H	333	Total	C	N	O	S	0	0	0
			2542	1577	465	486	14			

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP A0A010
A	-12	ALA	-	expression tag	UNP A0A010
A	-11	HIS	-	expression tag	UNP A0A010
A	-10	HIS	-	expression tag	UNP A0A010
A	-9	HIS	-	expression tag	UNP A0A010
A	-8	HIS	-	expression tag	UNP A0A010
A	-7	HIS	-	expression tag	UNP A0A010
A	-6	HIS	-	expression tag	UNP A0A010
A	-5	VAL	-	expression tag	UNP A0A010
A	-4	ASP	-	expression tag	UNP A0A010
A	-3	ASP	-	expression tag	UNP A0A010
A	-2	ASP	-	expression tag	UNP A0A010
A	-1	ASP	-	expression tag	UNP A0A010

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	LYS	-	expression tag	UNP A0A010
A	261	ALA	-	linker	UNP A0A010
A	262	GLY	-	linker	UNP A0A010
A	263	ALA	-	linker	UNP A0A010
A	264	GLY	-	linker	UNP A0A010
A	265	ALA	-	linker	UNP A0A010
B	-13	MET	-	expression tag	UNP A0A010
B	-12	ALA	-	expression tag	UNP A0A010
B	-11	HIS	-	expression tag	UNP A0A010
B	-10	HIS	-	expression tag	UNP A0A010
B	-9	HIS	-	expression tag	UNP A0A010
B	-8	HIS	-	expression tag	UNP A0A010
B	-7	HIS	-	expression tag	UNP A0A010
B	-6	HIS	-	expression tag	UNP A0A010
B	-5	VAL	-	expression tag	UNP A0A010
B	-4	ASP	-	expression tag	UNP A0A010
B	-3	ASP	-	expression tag	UNP A0A010
B	-2	ASP	-	expression tag	UNP A0A010
B	-1	ASP	-	expression tag	UNP A0A010
B	0	LYS	-	expression tag	UNP A0A010
B	261	ALA	-	linker	UNP A0A010
B	262	GLY	-	linker	UNP A0A010
B	263	ALA	-	linker	UNP A0A010
B	264	GLY	-	linker	UNP A0A010
B	265	ALA	-	linker	UNP A0A010
C	-13	MET	-	expression tag	UNP A0A010
C	-12	ALA	-	expression tag	UNP A0A010
C	-11	HIS	-	expression tag	UNP A0A010
C	-10	HIS	-	expression tag	UNP A0A010
C	-9	HIS	-	expression tag	UNP A0A010
C	-8	HIS	-	expression tag	UNP A0A010
C	-7	HIS	-	expression tag	UNP A0A010
C	-6	HIS	-	expression tag	UNP A0A010
C	-5	VAL	-	expression tag	UNP A0A010
C	-4	ASP	-	expression tag	UNP A0A010
C	-3	ASP	-	expression tag	UNP A0A010
C	-2	ASP	-	expression tag	UNP A0A010
C	-1	ASP	-	expression tag	UNP A0A010
C	0	LYS	-	expression tag	UNP A0A010
C	261	ALA	-	linker	UNP A0A010
C	262	GLY	-	linker	UNP A0A010
C	263	ALA	-	linker	UNP A0A010

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	264	GLY	-	linker	UNP A0A010
C	265	ALA	-	linker	UNP A0A010
D	-13	MET	-	expression tag	UNP A0A010
D	-12	ALA	-	expression tag	UNP A0A010
D	-11	HIS	-	expression tag	UNP A0A010
D	-10	HIS	-	expression tag	UNP A0A010
D	-9	HIS	-	expression tag	UNP A0A010
D	-8	HIS	-	expression tag	UNP A0A010
D	-7	HIS	-	expression tag	UNP A0A010
D	-6	HIS	-	expression tag	UNP A0A010
D	-5	VAL	-	expression tag	UNP A0A010
D	-4	ASP	-	expression tag	UNP A0A010
D	-3	ASP	-	expression tag	UNP A0A010
D	-2	ASP	-	expression tag	UNP A0A010
D	-1	ASP	-	expression tag	UNP A0A010
D	0	LYS	-	expression tag	UNP A0A010
D	261	ALA	-	linker	UNP A0A010
D	262	GLY	-	linker	UNP A0A010
D	263	ALA	-	linker	UNP A0A010
D	264	GLY	-	linker	UNP A0A010
D	265	ALA	-	linker	UNP A0A010
E	-13	MET	-	expression tag	UNP A0A010
E	-12	ALA	-	expression tag	UNP A0A010
E	-11	HIS	-	expression tag	UNP A0A010
E	-10	HIS	-	expression tag	UNP A0A010
E	-9	HIS	-	expression tag	UNP A0A010
E	-8	HIS	-	expression tag	UNP A0A010
E	-7	HIS	-	expression tag	UNP A0A010
E	-6	HIS	-	expression tag	UNP A0A010
E	-5	VAL	-	expression tag	UNP A0A010
E	-4	ASP	-	expression tag	UNP A0A010
E	-3	ASP	-	expression tag	UNP A0A010
E	-2	ASP	-	expression tag	UNP A0A010
E	-1	ASP	-	expression tag	UNP A0A010
E	0	LYS	-	expression tag	UNP A0A010
E	261	ALA	-	linker	UNP A0A010
E	262	GLY	-	linker	UNP A0A010
E	263	ALA	-	linker	UNP A0A010
E	264	GLY	-	linker	UNP A0A010
E	265	ALA	-	linker	UNP A0A010
F	-13	MET	-	expression tag	UNP A0A010
F	-12	ALA	-	expression tag	UNP A0A010

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-11	HIS	-	expression tag	UNP A0A010
F	-10	HIS	-	expression tag	UNP A0A010
F	-9	HIS	-	expression tag	UNP A0A010
F	-8	HIS	-	expression tag	UNP A0A010
F	-7	HIS	-	expression tag	UNP A0A010
F	-6	HIS	-	expression tag	UNP A0A010
F	-5	VAL	-	expression tag	UNP A0A010
F	-4	ASP	-	expression tag	UNP A0A010
F	-3	ASP	-	expression tag	UNP A0A010
F	-2	ASP	-	expression tag	UNP A0A010
F	-1	ASP	-	expression tag	UNP A0A010
F	0	LYS	-	expression tag	UNP A0A010
F	261	ALA	-	linker	UNP A0A010
F	262	GLY	-	linker	UNP A0A010
F	263	ALA	-	linker	UNP A0A010
F	264	GLY	-	linker	UNP A0A010
F	265	ALA	-	linker	UNP A0A010
G	-13	MET	-	expression tag	UNP A0A010
G	-12	ALA	-	expression tag	UNP A0A010
G	-11	HIS	-	expression tag	UNP A0A010
G	-10	HIS	-	expression tag	UNP A0A010
G	-9	HIS	-	expression tag	UNP A0A010
G	-8	HIS	-	expression tag	UNP A0A010
G	-7	HIS	-	expression tag	UNP A0A010
G	-6	HIS	-	expression tag	UNP A0A010
G	-5	VAL	-	expression tag	UNP A0A010
G	-4	ASP	-	expression tag	UNP A0A010
G	-3	ASP	-	expression tag	UNP A0A010
G	-2	ASP	-	expression tag	UNP A0A010
G	-1	ASP	-	expression tag	UNP A0A010
G	0	LYS	-	expression tag	UNP A0A010
G	261	ALA	-	linker	UNP A0A010
G	262	GLY	-	linker	UNP A0A010
G	263	ALA	-	linker	UNP A0A010
G	264	GLY	-	linker	UNP A0A010
G	265	ALA	-	linker	UNP A0A010
H	-13	MET	-	expression tag	UNP A0A010
H	-12	ALA	-	expression tag	UNP A0A010
H	-11	HIS	-	expression tag	UNP A0A010
H	-10	HIS	-	expression tag	UNP A0A010
H	-9	HIS	-	expression tag	UNP A0A010
H	-8	HIS	-	expression tag	UNP A0A010

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-7	HIS	-	expression tag	UNP A0A010
H	-6	HIS	-	expression tag	UNP A0A010
H	-5	VAL	-	expression tag	UNP A0A010
H	-4	ASP	-	expression tag	UNP A0A010
H	-3	ASP	-	expression tag	UNP A0A010
H	-2	ASP	-	expression tag	UNP A0A010
H	-1	ASP	-	expression tag	UNP A0A010
H	0	LYS	-	expression tag	UNP A0A010
H	261	ALA	-	linker	UNP A0A010
H	262	GLY	-	linker	UNP A0A010
H	263	ALA	-	linker	UNP A0A010
H	264	GLY	-	linker	UNP A0A010
H	265	ALA	-	linker	UNP A0A010

- Molecule 2 is DODECYL-BETA-D-MALTOSIDE (CCD ID: LMT) (formula: C₂₄H₄₆O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	C	O	0	0
			35	24	11		
2	F	1	Total	C	O	0	0
			35	24	11		
2	F	1	Total	C	O	0	0
			35	24	11		
2	G	1	Total	C	O	0	0
			35	24	11		
2	G	1	Total	C	O	0	0
			35	24	11		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	H	1	Total	C	O	0	0
			35	24	11		
2	H	1	Total	C	O	0	0
			35	24	11		
2	H	1	Total	C	O	0	0
			35	24	11		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	77	Total	O	0	0
			77	77		
3	B	70	Total	O	0	0
			70	70		
3	C	69	Total	O	0	0
			69	69		
3	D	62	Total	O	0	0
			62	62		
3	E	54	Total	O	0	0
			54	54		
3	F	59	Total	O	0	0
			59	59		
3	G	48	Total	O	0	0
			48	48		
3	H	75	Total	O	0	0
			75	75		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MoeN5,DNA-binding protein 7d



• Molecule 1: MoeN5,DNA-binding protein 7d



Chain C: 40% 32% 5% 23%



LYS	D80	R81	V82	E83	L84	A85	C86	V87	C88	L89	R90	L91	H92	L93	R94	A95	L96	H97		R104	D105	P106	K107	A108	V109	T110		Q115	D116		H119		Q124		R129	S130	R131		M134	L135	R136	E137	W138		F149	L150		Y153		C160		P166		S169	V170	R171	E172		E175	
	M179	T180	T181	T182	M183	A184	D185		T188		R192		R196		N199	L200	A201	H202	L203	M204	R205		A208	V209		Q212		V215		L218	E219	E220	L221	R222	G223	R224		V229		P232	P233	G234	A235	P236		V239	P240		L244	Y245	T246		V249	L250	V251	R252	L253	L254	P255	R256
	H257	L258	G259	E260	A261	G262	A263	G264	A265	M266	A267	T268	V269	K270	F271	K272	Y273	K274		E277	K278	E279	V280	D281	L282	S283	K284	L285	K286	K287	V288	K289	R290	V291		I295	S296	F297	T298	Y299	D300	E301		K305	T306	G307	R308		S312		D315		K318	E319		Q322	M323	L324		K328

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	143.06Å 206.13Å 218.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 3.05 25.00 – 3.05	Depositor EDS
% Data completeness (in resolution range)	89.0 (25.00-3.05) 88.8 (25.00-3.05)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.99Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.177 , 0.249 0.178 , 0.249	Depositor DCC
R_{free} test set	2912 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	51.4	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19074	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 49.47 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.4249e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.04	4/2042 (0.2%)	1.24	14/2775 (0.5%)
1	B	0.91	1/2588 (0.0%)	1.28	26/3499 (0.7%)
1	C	0.98	0/2042	1.32	15/2775 (0.5%)
1	D	0.89	4/2572 (0.2%)	1.24	16/3478 (0.5%)
1	E	0.94	2/2102 (0.1%)	1.22	20/2857 (0.7%)
1	F	0.93	2/2573 (0.1%)	1.20	16/3478 (0.5%)
1	G	1.00	3/2069 (0.1%)	1.30	16/2812 (0.6%)
1	H	0.91	1/2581 (0.0%)	1.23	19/3489 (0.5%)
All	All	0.95	17/18569 (0.1%)	1.25	142/25163 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	1
All	All	0	6

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	239	VAL	CA-CB	-9.18	1.49	1.54
1	A	64	VAL	CA-CB	7.86	1.64	1.54
1	D	179	MET	SD-CE	7.29	1.97	1.79
1	H	1	MET	SD-CE	7.08	1.97	1.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	1	MET	SD-CE	6.96	1.97	1.79

The worst 5 of 142 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	-2	ASP	N-CA-C	-11.46	97.89	112.90
1	G	231	ALA	CA-C-N	9.46	130.12	120.38
1	G	231	ALA	C-N-CA	9.46	130.12	120.38
1	A	231	ALA	CA-C-N	9.43	130.09	120.38
1	A	231	ALA	C-N-CA	9.43	130.09	120.38

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	245	TYR	Sidechain
1	D	35	TYR	Sidechain
1	E	153	TYR	Sidechain
1	F	153	TYR	Sidechain
1	G	153	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2010	0	1990	93	0
1	B	2549	0	2554	150	0
1	C	2010	0	1990	111	0
1	D	2533	0	2532	153	0
1	E	2066	0	2033	107	0
1	F	2534	0	2541	148	0
1	G	2036	0	2012	108	0
1	H	2542	0	2545	147	0
2	E	35	0	46	9	0
2	F	70	0	92	17	0
2	G	70	0	92	17	0
2	H	105	0	138	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	77	0	0	2	0
3	B	70	0	0	4	0
3	C	69	0	0	2	0
3	D	62	0	0	1	0
3	E	54	0	0	1	0
3	F	59	0	0	3	0
3	G	48	0	0	0	0
3	H	75	0	0	0	0
All	All	19074	0	18565	985	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

The worst 5 of 985 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:34:LEU:HG	2:F:902:LMT:H6D	1.18	1.18
1:B:77:THR:HB	1:B:79:LEU:HD12	1.28	1.07
1:A:139:ARG:HD3	1:A:179:MET:HE1	1.33	1.04
1:H:67:LYS:NZ	2:H:902:LMT:H6'2	1.73	1.04
1:F:204:MET:HE1	1:F:254:LEU:HD21	1.42	1.01

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/343 (76%)	239 (91%)	19 (7%)	4 (2%)	8	28
1	B	332/343 (97%)	300 (90%)	25 (8%)	7 (2%)	5	21
1	C	262/343 (76%)	241 (92%)	18 (7%)	3 (1%)	11	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	330/343 (96%)	296 (90%)	25 (8%)	9 (3%)	4	16
1	E	268/343 (78%)	251 (94%)	15 (6%)	2 (1%)	18	45
1	F	330/343 (96%)	297 (90%)	29 (9%)	4 (1%)	10	32
1	G	265/343 (77%)	247 (93%)	15 (6%)	3 (1%)	11	34
1	H	331/343 (96%)	298 (90%)	28 (8%)	5 (2%)	8	28
All	All	2380/2744 (87%)	2169 (91%)	174 (7%)	37 (2%)	7	26

5 of 37 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	167	ALA
1	B	32	LEU
1	B	167	ALA
1	C	167	ALA
1	D	167	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/270 (77%)	188 (91%)	19 (9%)	8	28
1	B	262/270 (97%)	241 (92%)	21 (8%)	11	33
1	C	207/270 (77%)	188 (91%)	19 (9%)	8	28
1	D	260/270 (96%)	234 (90%)	26 (10%)	7	25
1	E	213/270 (79%)	192 (90%)	21 (10%)	7	26
1	F	260/270 (96%)	236 (91%)	24 (9%)	8	28
1	G	210/270 (78%)	177 (84%)	33 (16%)	2	10
1	H	261/270 (97%)	241 (92%)	20 (8%)	12	35
All	All	1880/2160 (87%)	1697 (90%)	183 (10%)	8	26

5 of 183 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	131	ARG
1	G	148	THR
1	F	179	MET
1	G	-6	HIS
1	G	186	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	40	HIS
1	F	119	HIS
1	G	193	ASN
1	C	11	HIS
1	B	199	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LMT	G	902	-	36,36,36	1.07	1 (2%)	47,47,47	0.77	1 (2%)
2	LMT	H	903	-	36,36,36	1.18	3 (8%)	47,47,47	0.75	2 (4%)
2	LMT	H	901	-	36,36,36	0.79	1 (2%)	47,47,47	0.59	0
2	LMT	E	901	-	36,36,36	0.88	1 (2%)	47,47,47	0.95	1 (2%)
2	LMT	H	902	-	36,36,36	1.02	1 (2%)	47,47,47	0.84	2 (4%)
2	LMT	F	902	-	36,36,36	1.09	3 (8%)	47,47,47	1.03	3 (6%)
2	LMT	F	901	-	36,36,36	0.98	2 (5%)	47,47,47	0.91	2 (4%)
2	LMT	G	901	-	36,36,36	0.94	2 (5%)	47,47,47	1.14	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LMT	G	902	-	-	13/21/61/61	0/2/2/2
2	LMT	H	903	-	-	10/21/61/61	0/2/2/2
2	LMT	H	901	-	-	11/21/61/61	0/2/2/2
2	LMT	E	901	-	-	12/21/61/61	0/2/2/2
2	LMT	H	902	-	-	15/21/61/61	0/2/2/2
2	LMT	F	902	-	-	15/21/61/61	0/2/2/2
2	LMT	F	901	-	-	11/21/61/61	0/2/2/2
2	LMT	G	901	-	-	13/21/61/61	0/2/2/2

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	902	LMT	O1'-C1	4.47	1.55	1.43
2	F	902	LMT	O1'-C1	4.46	1.55	1.43
2	H	902	LMT	O1'-C1	4.37	1.54	1.43
2	H	903	LMT	O1'-C1	4.27	1.54	1.43
2	F	901	LMT	O1'-C1	4.06	1.54	1.43

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	901	LMT	C3B-C4B-C5B	3.91	117.31	110.23
2	F	902	LMT	C1B-C2B-C3B	3.61	117.60	110.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	901	LMT	C1B-C2B-C3B	3.12	116.57	110.01
2	G	901	LMT	O5B-C1B-C2B	-3.06	104.08	110.37
2	F	902	LMT	O1'-C1'-C2'	2.84	112.58	108.27

There are no chirality outliers.

5 of 100 torsion outliers are listed below:




Mol	Chain	Res	Type	Atoms
2	E	901	LMT	C2'-C1'-O1'-C1
2	E	901	LMT	O5'-C1'-O1'-C1
2	F	901	LMT	C2B-C1B-O1B-C4'
2	F	901	LMT	C2-C1-O1'-C1'
2	F	902	LMT	C2'-C1'-O1'-C1




There are no ring outliers.


8 monomers are involved in 71 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	902	LMT	13	0
2	H	903	LMT	8	0
2	H	901	LMT	7	0
2	E	901	LMT	9	0
2	H	902	LMT	15	0
2	F	902	LMT	11	0
2	F	901	LMT	8	0
2	G	901	LMT	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/343 (76%)	-0.79	2 (0%) 82 63	30, 45, 76, 122	0
1	B	334/343 (97%)	-0.62	1 (0%) 90 80	28, 56, 102, 130	0
1	C	264/343 (76%)	-0.78	0 100 100	31, 47, 83, 127	0
1	D	332/343 (96%)	-0.63	1 (0%) 90 80	31, 57, 105, 134	0
1	E	270/343 (78%)	-0.76	0 100 100	29, 52, 81, 109	0
1	F	332/343 (96%)	-0.65	1 (0%) 90 80	28, 50, 128, 148	0
1	G	267/343 (77%)	-0.73	0 100 100	28, 50, 72, 118	0
1	H	333/343 (97%)	-0.66	1 (0%) 90 80	29, 49, 134, 151	0
All	All	2396/2744 (87%)	-0.70	6 (0%) 90 80	28, 51, 111, 151	0

The worst 5 of 6 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	197	ASP	2.8
1	D	193	ASN	2.4
1	H	262	GLY	2.4
1	B	-5	VAL	2.4
1	F	263	ALA	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LMT	G	902	35/35	0.65	0.19	98,146,157,159	0
2	LMT	H	903	35/35	0.73	0.20	98,125,148,148	0
2	LMT	F	902	35/35	0.80	0.16	71,121,126,126	0
2	LMT	H	902	35/35	0.82	0.19	91,144,159,159	0
2	LMT	G	901	35/35	0.90	0.14	65,88,94,95	0
2	LMT	E	901	35/35	0.91	0.15	72,97,100,102	0
2	LMT	F	901	35/35	0.94	0.13	77,111,113,114	0
2	LMT	H	901	35/35	0.95	0.11	94,108,113,114	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LMT H 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT F 902:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT H 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT G 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT E 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT F 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LMT H 901:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.