



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:31 AM UTC

PDB ID : 2B10 / pdb_00002b10
Title : Crystal Structure of the Protein-Protein Complex between F82S cytochrome c and cytochrome c peroxidase
Authors : Kang, S.A.; Crane, B.R.
Deposited on : 2005-09-15
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	294	
1	C	294	
2	B	108	
2	D	108	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ZNH	A	295	X	-	-	-
3	ZNH	C	795	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6619 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c peroxidase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	294	Total	C	N	O	S	0	0	0
			2370	1512	395	457	6			
1	C	294	Total	C	N	O	S	0	0	0
			2370	1512	395	457	6			


- Molecule 2 is a protein called Cytochrome c iso-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	108	Total	C	N	O	S	0	0	0
			842	528	151	158	5			
2	D	108	Total	C	N	O	S	0	0	0
			842	528	151	158	5			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	82	SER	PHE	engineered mutation	UNP P00044
D	82	SER	PHE	engineered mutation	UNP P00044

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING ZN (CCD ID: ZNH) (formula: C₃₄H₃₂N₄O₄Zn).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	Zn	0	0
			43	34	4	4	1		
3	C	1	Total	C	N	O	Zn	0	0
			43	34	4	4	1		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	14	Total	O	0	0
			14	14		
5	C	4	Total	O	0	0
			4	4		
5	D	5	Total	O	0	0
			5	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c peroxidase, mitochondrial




- Molecule 1: Cytochrome c peroxidase, mitochondrial



- Molecule 2: Cytochrome c iso-1



- Molecule 2: Cytochrome c iso-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.58Å 113.45Å 88.00Å 90.00° 104.55° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.80) 92.7 (20.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.1.9999	Depositor
R, R_{free}	0.284 , 0.306 0.290 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	48.1	Xtriage
Anisotropy	0.982	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.21 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.115 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6619	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZNH, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	3/2437 (0.1%)	1.20	9/3301 (0.3%)
1	C	0.78	3/2437 (0.1%)	1.22	16/3301 (0.5%)
2	B	0.82	0/859	1.40	8/1148 (0.7%)
2	D	0.67	0/859	1.22	6/1148 (0.5%)
All	All	0.76	6/6592 (0.1%)	1.24	39/8898 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2	THR	CA-CB	6.63	1.64	1.53
1	C	2	THR	CA-CB	6.47	1.63	1.53
1	C	53	THR	CB-OG1	6.42	1.54	1.43
1	A	53	THR	CB-OG1	5.62	1.52	1.43
1	C	197	VAL	CA-CB	5.15	1.61	1.54
1	A	102	ILE	CA-CB	5.09	1.60	1.54

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	SER	N-CA-C	11.19	126.77	108.52
2	B	-2	PHE	N-CA-C	-7.84	97.82	110.20
2	B	26	HIS	N-CA-C	-7.74	98.02	110.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	40	ILE	N-CA-C	-7.36	102.98	111.00
2	B	28	VAL	N-CA-C	-6.83	102.55	111.09
1	C	145	PRO	N-CA-C	6.72	121.78	111.57
1	A	124	ILE	N-CA-C	6.58	114.06	107.55
2	D	28	VAL	N-CA-C	-6.43	103.29	112.35
1	C	43	GLY	CA-C-N	6.42	125.85	118.85
1	C	43	GLY	C-N-CA	6.42	125.85	118.85
1	C	176	ALA	N-CA-C	-6.32	105.53	113.18
2	D	-2	PHE	N-CA-C	-6.29	100.27	110.20
2	D	42	GLN	N-CA-C	6.23	121.81	113.72
1	A	70	THR	N-CA-C	6.11	120.21	112.87
2	D	61	GLU	N-CA-C	6.07	119.52	111.75
1	C	285	ILE	N-CA-C	-6.01	98.47	107.37
1	A	36	TYR	N-CA-C	5.92	118.59	110.24
1	A	195	ASN	N-CA-C	5.91	120.03	112.34
1	A	176	ALA	N-CA-C	-5.89	105.36	112.54
1	C	159	GLN	N-CA-C	-5.88	105.00	111.82
2	B	19	THR	N-CA-C	5.80	119.54	110.32
2	B	0	ALA	N-CA-C	-5.79	98.46	110.80
1	C	68	GLY	N-CA-C	5.77	120.80	114.40
1	A	145	PRO	N-CA-C	5.70	121.20	111.68
1	C	39	TYR	N-CA-C	5.57	119.37	112.58
1	A	211	TRP	N-CA-C	5.55	117.79	108.96
1	A	68	GLY	N-CA-C	5.42	120.93	113.99
1	C	240	GLN	N-CA-C	-5.31	106.64	113.23
1	C	241	ASP	CA-C-N	5.31	125.12	119.28
1	C	241	ASP	C-N-CA	5.31	125.12	119.28
2	D	32	LEU	N-CA-C	5.21	119.36	113.15
1	C	188	GLU	N-CA-C	5.20	117.89	108.69
1	C	70	THR	N-CA-C	5.19	119.37	113.19
1	C	36	TYR	N-CA-C	5.19	117.75	110.23
2	B	25	PRO	N-CA-C	5.17	119.60	111.38
1	C	67	TYR	N-CA-C	5.14	121.76	110.80
2	B	66	GLU	N-CA-C	-5.12	106.88	113.23
2	D	15	LEU	N-CA-C	5.07	118.24	111.75
1	A	198	PHE	N-CA-C	5.01	116.65	108.63

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	71	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2370	0	2246	19	0
1	C	2370	0	2246	20	0
2	B	842	0	847	21	0
2	D	842	0	847	2	0
3	A	43	0	30	0	0
3	C	43	0	30	0	0
4	B	43	0	30	6	0
4	D	43	0	30	0	0
5	A	14	0	0	0	0
5	C	4	0	0	0	0
5	D	5	0	0	0	0
All	All	6619	0	6306	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:14:CYS:SG	4:B:409:HEM:HAB	2.25	0.76
1:A:200:ASN:H	1:A:200:ASN:HD22	1.35	0.74
1:A:20:GLN:HE22	1:A:287:LYS:H	1.35	0.72
1:A:188:GLU:H	1:A:222:GLN:HE22	1.39	0.69
1:A:216:ASN:HD22	1:A:222:GLN:NE2	1.91	0.69
1:A:216:ASN:HD22	1:A:222:GLN:HE21	1.42	0.67
1:C:20:GLN:HE22	1:C:287:LYS:H	1.43	0.67
2:B:10:PHE:HA	2:B:14:CYS:SG	2.37	0.65
1:C:194:ALA:HB1	1:C:197:VAL:HG13	1.82	0.62
1:C:200:ASN:HD22	1:C:200:ASN:H	1.49	0.60
1:A:200:ASN:HD22	1:A:200:ASN:N	2.02	0.58
1:C:188:GLU:H	1:C:222:GLN:HE22	1.51	0.57
2:B:94:LEU:HD21	4:B:409:HEM:HMB2	1.89	0.55
1:C:10:VAL:HG13	1:C:128:CYS:SG	2.47	0.54
1:A:194:ALA:HB1	1:A:197:VAL:HG13	1.90	0.53
1:C:86:GLN:O	1:C:90:LYS:HG2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:17:CYS:SG	2:B:28:VAL:HB	2.49	0.53
2:B:91:ARG:O	2:B:95:ILE:HG12	2.11	0.51
1:C:20:GLN:NE2	1:C:287:LYS:H	2.08	0.51
1:C:31:ARG:NH2	1:C:294:LEU:OXT	2.43	0.50
1:A:200:ASN:H	1:A:200:ASN:ND2	2.06	0.50
2:B:15:LEU:HD12	2:B:18:HIS:O	2.12	0.48
2:B:22:LYS:C	2:B:24:GLY:H	2.20	0.48
1:A:20:GLN:NE2	1:A:287:LYS:H	2.08	0.48
1:C:200:ASN:HD22	1:C:200:ASN:N	2.12	0.48
2:D:91:ARG:O	2:D:95:ILE:HG12	2.13	0.48
2:B:10:PHE:CE2	2:B:98:LEU:HD21	2.49	0.48
1:C:48:ARG:HD3	1:C:85:LEU:HD21	1.95	0.48
1:A:216:ASN:ND2	1:A:222:GLN:HE21	2.10	0.47
2:B:13:ARG:O	4:B:409:HEM:HMC3	2.15	0.47
1:A:52:HIS:HE1	1:A:81:SER:O	1.96	0.47
2:B:22:LYS:HG3	2:B:23:GLY:N	2.29	0.46
1:A:266:PHE:O	1:A:270:LEU:HG	2.16	0.46
1:C:150:ASP:O	1:C:154:VAL:HG23	2.15	0.45
2:B:10:PHE:CZ	2:B:18:HIS:HB3	2.52	0.45
1:A:294:LEU:HD21	1:C:294:LEU:HD21	1.97	0.45
2:B:15:LEU:C	2:B:17:CYS:H	2.24	0.45
1:A:147:ALA:O	1:A:234:THR:HG23	2.17	0.45
1:A:206:LEU:HD13	1:A:231:MET:SD	2.58	0.44
1:C:52:HIS:HE1	1:C:81:SER:O	2.01	0.44
2:B:18:HIS:HE1	4:B:409:HEM:C1B	2.36	0.44
1:C:216:ASN:HD22	1:C:222:GLN:NE2	2.15	0.44
1:A:294:LEU:HD23	1:C:28:LEU:HD11	2.00	0.44
1:A:86:GLN:O	1:A:90:LYS:HG2	2.18	0.43
2:B:-1:LYS:HB3	2:B:0:ALA:H	1.61	0.43
2:B:11:LYS:HA	2:B:15:LEU:HB2	2.00	0.43
2:B:18:HIS:CE1	2:B:32:LEU:HD11	2.53	0.43
2:B:30:PRO:HD3	4:B:409:HEM:HAD2	2.01	0.43
2:D:18:HIS:HE1	2:D:30:PRO:HD2	1.83	0.43
1:A:196:ASN:HD22	1:A:196:ASN:C	2.28	0.42
1:C:18:ASP:O	1:C:22:VAL:HG23	2.19	0.42
2:B:85:LEU:HD22	2:B:90:ASP:HB3	2.01	0.42
2:B:2:SER:HB3	2:B:5:LYS:HB3	2.01	0.42
2:B:98:LEU:HD22	2:B:102:CYS:SG	2.60	0.41
1:A:256:ASP:O	1:A:260:LYS:HD3	2.20	0.41
2:B:14:CYS:SG	4:B:409:HEM:CAB	3.04	0.41
1:C:289:LEU:HG	1:C:294:LEU:HD22	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:VAL:HG13	1:C:124:ILE:HB	2.03	0.41
1:C:230:MET:HE1	1:C:232:LEU:HD23	2.02	0.41
1:C:17:GLU:H	1:C:17:GLU:CD	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/294 (99%)	280 (96%)	11 (4%)	1 (0%)	36	66
1	C	292/294 (99%)	282 (97%)	7 (2%)	3 (1%)	12	38
2	B	106/108 (98%)	92 (87%)	9 (8%)	5 (5%)	2	6
2	D	106/108 (98%)	98 (92%)	6 (6%)	2 (2%)	6	22
All	All	796/804 (99%)	752 (94%)	33 (4%)	11 (1%)	9	30

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	-1	LYS
2	B	0	ALA
2	B	56	ASN
2	D	-1	LYS
2	B	21	GLU
2	D	0	ALA
1	A	12	LYS
2	B	1	GLY
1	C	12	LYS
1	C	67	TYR
1	C	134	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/253 (100%)	227 (90%)	25 (10%)	7	24
1	C	252/253 (100%)	230 (91%)	22 (9%)	9	30
2	B	89/89 (100%)	71 (80%)	18 (20%)	1	4
2	D	89/89 (100%)	74 (83%)	15 (17%)	2	7
All	All	682/684 (100%)	602 (88%)	80 (12%)	5	18

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	4	LEU
1	A	5	VAL
1	A	12	LYS
1	A	28	LEU
1	A	31	ARG
1	A	32	GLU
1	A	47	VAL
1	A	51	TRP
1	A	97	LYS
1	A	168	VAL
1	A	196	ASN
1	A	197	VAL
1	A	200	ASN
1	A	207	LEU
1	A	210	ASP
1	A	215	LYS
1	A	226	LYS
1	A	233	PRO
1	A	245	LEU
1	A	246	SER
1	A	260	LYS
1	A	269	LEU
1	A	279	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	289	LEU
2	B	-3	GLU
2	B	-2	PHE
2	B	-1	LYS
2	B	2	SER
2	B	5	LYS
2	B	9	LEU
2	B	11	LYS
2	B	14	CYS
2	B	20	VAL
2	B	22	LYS
2	B	27	LYS
2	B	53	ILE
2	B	55	LYS
2	B	58	LEU
2	B	61	GLU
2	B	82	SER
2	B	98	LEU
2	B	99	LYS
1	C	2	THR
1	C	4	LEU
1	C	12	LYS
1	C	30	LEU
1	C	32	GLU
1	C	47	VAL
1	C	51	TRP
1	C	94	PRO
1	C	97	LYS
1	C	134	PRO
1	C	140	ASP
1	C	168	VAL
1	C	196	ASN
1	C	197	VAL
1	C	200	ASN
1	C	210	ASP
1	C	215	LYS
1	C	226	LYS
1	C	245	LEU
1	C	260	LYS
1	C	269	LEU
1	C	289	LEU
2	D	-3	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	-2	PHE
2	D	-1	LYS
2	D	9	LEU
2	D	11	LYS
2	D	14	CYS
2	D	20	VAL
2	D	22	LYS
2	D	55	LYS
2	D	61	GLU
2	D	73	LYS
2	D	80	MET
2	D	82	SER
2	D	98	LEU
2	D	99	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	24	ASN
1	A	117	GLN
1	A	120	GLN
1	A	159	GLN
1	A	196	ASN
1	A	200	ASN
1	A	208	ASN
1	A	219	ASN
1	A	222	GLN
1	A	255	GLN
1	A	292	GLN
2	B	31	ASN
2	B	52	ASN
1	C	20	GLN
1	C	24	ASN
1	C	60	HIS
1	C	141	ASN
1	C	195	ASN
1	C	196	ASN
1	C	200	ASN
1	C	208	ASN
1	C	222	GLN
1	C	255	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	292	GLN
2	D	52	ASN
2	D	70	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	HEM	B	409	2	50,50,50	1.84	12 (24%)	67,82,82	1.80	17 (25%)
4	HEM	D	909	2	50,50,50	1.57	10 (20%)	67,82,82	1.40	9 (13%)
3	ZNH	A	295	1	50,50,50	1.55	9 (18%)	65,82,82	1.67	9 (13%)
3	ZNH	C	795	1	50,50,50	1.70	13 (26%)	65,82,82	1.64	12 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	B	409	2	-	6/14/54/54	-
4	HEM	D	909	2	-	0/14/54/54	-
3	ZNH	A	295	1	1/1/3/9	2/14/54/54	-
3	ZNH	C	795	1	1/1/3/9	3/14/54/54	-

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	409	HEM	FE-NC	4.84	2.11	1.95
4	B	409	HEM	FE-NA	4.58	2.10	1.95
3	A	295	ZNH	C4D-C3D	4.27	1.52	1.45
3	C	795	ZNH	C4A-C3A	-4.12	1.37	1.45
3	C	795	ZNH	C3C-C4C	4.07	1.54	1.42
4	D	909	HEM	FE-ND	3.81	2.06	1.94
4	B	409	HEM	FE-ND	3.78	2.06	1.94
4	D	909	HEM	FE-NA	3.55	2.06	1.95
4	B	409	HEM	C1C-C2C	3.47	1.52	1.45
4	D	909	HEM	FE-NC	3.42	2.06	1.95
3	A	295	ZNH	C1D-C2D	3.33	1.51	1.44
3	C	795	ZNH	ZN-NA	3.30	2.14	2.03
4	B	409	HEM	CAB-C3B	-3.10	1.39	1.47
4	D	909	HEM	C3B-C2B	3.10	1.43	1.37
3	C	795	ZNH	C1A-C2A	-3.03	1.39	1.45
4	B	409	HEM	FE-NB	3.02	2.04	1.94
4	D	909	HEM	FE-NB	2.93	2.03	1.94
4	B	409	HEM	CHC-C4B	2.92	1.45	1.39
3	A	295	ZNH	CMA-C3A	2.85	1.56	1.50
4	B	409	HEM	CMD-C2D	2.72	1.56	1.50
3	C	795	ZNH	C3B-C4B	2.66	1.50	1.44
4	B	409	HEM	CHB-C1B	2.57	1.43	1.38
3	C	795	ZNH	C1D-C2D	2.55	1.49	1.44
4	D	909	HEM	C1C-NC	-2.53	1.34	1.39
3	C	795	ZNH	CAC-C3C	-2.51	1.40	1.47
4	B	409	HEM	CMB-C2B	2.43	1.55	1.50
3	C	795	ZNH	C1B-C2B	2.41	1.49	1.44
3	C	795	ZNH	CHB-C1B	2.38	1.44	1.39
3	A	295	ZNH	CAB-C3B	-2.35	1.41	1.47
3	A	295	ZNH	C4A-C3A	-2.30	1.40	1.45
4	D	909	HEM	CAB-C3B	-2.24	1.41	1.47
3	C	795	ZNH	CAB-C3B	-2.24	1.41	1.47
4	D	909	HEM	CMC-C2C	2.22	1.55	1.50
3	A	295	ZNH	C1A-C2A	-2.21	1.41	1.45
3	A	295	ZNH	C1C-NC	-2.21	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	295	ZNH	CAC-C3C	-2.20	1.41	1.47
3	C	795	ZNH	C2A-C3A	-2.15	1.32	1.36
3	C	795	ZNH	C1A-NA	-2.12	1.33	1.38
3	C	795	ZNH	C1D-ND	-2.11	1.34	1.38
4	B	409	HEM	CBB-CAB	2.10	1.40	1.30
3	A	295	ZNH	CMB-C2B	2.08	1.55	1.50
4	B	409	HEM	CBC-CAC	2.07	1.40	1.30
4	D	909	HEM	CBC-CAC	2.06	1.40	1.30
4	D	909	HEM	CMD-C2D	2.01	1.54	1.50

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	409	HEM	CHC-C1C-NC	-6.00	117.92	124.45
3	A	295	ZNH	C4B-C3B-C2B	-5.76	101.99	107.28
4	B	409	HEM	CMB-C2B-C1B	-4.74	117.63	125.03
3	C	795	ZNH	C2C-C1C-NC	4.64	114.84	109.02
3	A	295	ZNH	CBA-CAA-C2A	4.58	125.19	112.53
4	D	909	HEM	C4C-C3C-C2C	-4.57	102.85	106.81
3	C	795	ZNH	C4B-C3B-C2B	-4.51	103.13	107.28
4	B	409	HEM	C4C-C3C-C2C	-3.78	103.53	106.81
4	B	409	HEM	CHD-C1D-C2D	-3.69	119.21	125.03
3	A	295	ZNH	C2C-C1C-NC	3.64	113.60	109.02
3	A	295	ZNH	CAD-C3D-C4D	3.40	130.63	124.70
3	C	795	ZNH	C4D-C3D-C2D	-3.28	102.11	106.89
3	C	795	ZNH	C3B-C2B-C1B	3.18	108.80	106.41
4	D	909	HEM	C4B-C3B-C2B	-3.14	104.39	107.28
4	B	409	HEM	C4C-CHD-C1D	3.12	132.66	126.02
4	B	409	HEM	CHD-C4C-NC	-3.11	121.07	124.45
4	B	409	HEM	C4A-C3A-C2A	3.08	110.34	106.82
4	B	409	HEM	C1B-NB-C4B	2.85	108.58	105.21
4	B	409	HEM	CHC-C1C-C2C	2.84	131.40	125.49
4	B	409	HEM	C2D-C1D-ND	2.76	113.09	109.90
4	D	909	HEM	CBC-CAC-C3C	2.66	140.81	127.53
3	A	295	ZNH	CMA-C3A-C2A	2.60	133.19	126.15
3	C	795	ZNH	CBA-CAA-C2A	2.53	119.53	112.53
4	B	409	HEM	C1C-CHC-C4B	2.51	131.36	126.02
4	D	909	HEM	C2D-C1D-ND	2.51	112.81	109.90
3	C	795	ZNH	C1D-C2D-C3D	2.50	109.61	106.98
3	A	295	ZNH	CMD-C2D-C1D	2.45	128.86	125.03
4	B	409	HEM	CMC-C2C-C1C	2.44	129.03	124.73
3	C	795	ZNH	CMC-C2C-C3C	2.42	132.23	126.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	909	HEM	CAB-C3B-C2B	2.42	136.28	128.43
4	B	409	HEM	CAD-C3D-C4D	2.38	128.84	124.70
4	D	909	HEM	CBB-CAB-C3B	2.36	139.29	127.53
3	A	295	ZNH	C4A-C3A-C2A	-2.34	103.50	106.97
3	C	795	ZNH	C1A-C2A-C3A	2.30	110.14	107.11
4	B	409	HEM	C1A-C2A-C3A	-2.30	103.31	106.87
3	A	295	ZNH	C3B-C2B-C1B	2.25	108.10	106.41
3	C	795	ZNH	C4C-C3C-C2C	-2.25	104.50	107.30
4	D	909	HEM	CHC-C1C-NC	-2.24	122.02	124.45
4	B	409	HEM	CMB-C2B-C3B	2.17	133.67	128.43
4	B	409	HEM	C3B-C4B-NB	-2.17	107.91	109.47
4	D	909	HEM	C4C-CHD-C1D	2.16	130.61	126.02
3	A	295	ZNH	C2D-C1D-ND	2.14	111.81	109.06
3	C	795	ZNH	C3D-C4D-ND	2.13	114.14	110.16
3	C	795	ZNH	C1C-CHC-C4B	2.05	131.06	126.25
4	B	409	HEM	CHD-C1D-ND	2.04	126.62	124.42
3	C	795	ZNH	C3C-C2C-C1C	-2.03	104.77	107.17
4	D	909	HEM	CHD-C1D-C2D	-2.02	121.83	125.03

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	295	ZNH	NA
3	C	795	ZNH	NA

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	409	HEM	C2B-C3B-CAB-CBB
4	B	409	HEM	C2C-C3C-CAC-CBC
4	B	409	HEM	C4C-C3C-CAC-CBC
4	B	409	HEM	C4B-C3B-CAB-CBB
3	A	295	ZNH	CAA-CBA-CGA-O2A
3	C	795	ZNH	CAA-CBA-CGA-O2A
3	A	295	ZNH	CAA-CBA-CGA-O1A
3	C	795	ZNH	CAA-CBA-CGA-O1A
4	B	409	HEM	CAA-CBA-CGA-O2A
3	C	795	ZNH	CAD-CBD-CGD-O2D
4	B	409	HEM	CAA-CBA-CGA-O1A


There are no ring outliers.


1 monomer is involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	409	HEM	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	294/294 (100%)	-1.24	0 100 100	3, 18, 34, 53	0
1	C	294/294 (100%)	-1.24	0 100 100	4, 18, 35, 56	0
2	B	108/108 (100%)	0.45	10 (9%) 14 10	8, 17, 24, 39	0
2	D	108/108 (100%)	-0.24	2 (1%) 66 57	6, 18, 30, 48	0
All	All	804/804 (100%)	-0.88	12 (1%) 72 63	3, 18, 34, 56	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	84	GLY	6.9
2	B	102	CYS	6.2
2	B	35	ILE	5.7
2	B	98	LEU	4.9
2	B	94	LEU	3.8
2	B	16	GLN	3.2
2	D	23	GLY	3.0
2	B	54	LYS	2.9
2	B	81	ALA	2.7
2	B	36	PHE	2.6
2	B	56	ASN	2.3
2	D	50	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	HEM	B	409	43/43	0.95	0.11	2,2,8,10	0
4	HEM	D	909	43/43	0.99	0.06	3,6,13,18	0
3	ZNH	A	295	43/43	1.00	0.04	2,12,19,24	0
3	ZNH	C	795	43/43	1.00	0.04	2,15,28,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HEM D 909:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZNH A 295:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.