



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:23 AM UTC

PDB ID : 3B1R / pdb_00003b1r
Title : Structure of Burkholderia thailandensis nucleoside kinase (BthNK) in complex with AMP-Mg-AMP
Authors : Yasutake, Y.; Ota, H.; Hino, E.; Sakasegawa, S.; Tamura, T.
Deposited on : 2011-07-05
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	78% 17% . .
1	B	320	76% 17% . .
1	C	320	78% 16% . .
1	D	320	82% 13% . .
1	E	320	75% 19% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	320	% 76% 18%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribokinase, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	310	Total	C	N	O	S	0	1	0
			2377	1495	421	446	15			
1	B	310	Total	C	N	O	S	0	2	0
			2382	1500	421	446	15			
1	C	310	Total	C	N	O	S	0	1	0
			2377	1495	421	446	15			
1	D	310	Total	C	N	O	S	0	0	0
			2372	1491	421	446	14			
1	E	310	Total	C	N	O	S	0	2	0
			2383	1499	422	447	15			
1	F	310	Total	C	N	O	S	0	1	0
			2377	1495	421	446	15			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	expression tag	UNP Q2SZE4
A	-6	GLY	-	expression tag	UNP Q2SZE4
A	-5	HIS	-	expression tag	UNP Q2SZE4
A	-4	HIS	-	expression tag	UNP Q2SZE4
A	-3	HIS	-	expression tag	UNP Q2SZE4
A	-2	HIS	-	expression tag	UNP Q2SZE4
A	-1	HIS	-	expression tag	UNP Q2SZE4
A	0	HIS	-	expression tag	UNP Q2SZE4
B	-7	MET	-	expression tag	UNP Q2SZE4
B	-6	GLY	-	expression tag	UNP Q2SZE4
B	-5	HIS	-	expression tag	UNP Q2SZE4
B	-4	HIS	-	expression tag	UNP Q2SZE4
B	-3	HIS	-	expression tag	UNP Q2SZE4
B	-2	HIS	-	expression tag	UNP Q2SZE4
B	-1	HIS	-	expression tag	UNP Q2SZE4
B	0	HIS	-	expression tag	UNP Q2SZE4
C	-7	MET	-	expression tag	UNP Q2SZE4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-6	GLY	-	expression tag	UNP Q2SZE4
C	-5	HIS	-	expression tag	UNP Q2SZE4
C	-4	HIS	-	expression tag	UNP Q2SZE4
C	-3	HIS	-	expression tag	UNP Q2SZE4
C	-2	HIS	-	expression tag	UNP Q2SZE4
C	-1	HIS	-	expression tag	UNP Q2SZE4
C	0	HIS	-	expression tag	UNP Q2SZE4
D	-7	MET	-	expression tag	UNP Q2SZE4
D	-6	GLY	-	expression tag	UNP Q2SZE4
D	-5	HIS	-	expression tag	UNP Q2SZE4
D	-4	HIS	-	expression tag	UNP Q2SZE4
D	-3	HIS	-	expression tag	UNP Q2SZE4
D	-2	HIS	-	expression tag	UNP Q2SZE4
D	-1	HIS	-	expression tag	UNP Q2SZE4
D	0	HIS	-	expression tag	UNP Q2SZE4
E	-7	MET	-	expression tag	UNP Q2SZE4
E	-6	GLY	-	expression tag	UNP Q2SZE4
E	-5	HIS	-	expression tag	UNP Q2SZE4
E	-4	HIS	-	expression tag	UNP Q2SZE4
E	-3	HIS	-	expression tag	UNP Q2SZE4
E	-2	HIS	-	expression tag	UNP Q2SZE4
E	-1	HIS	-	expression tag	UNP Q2SZE4
E	0	HIS	-	expression tag	UNP Q2SZE4
F	-7	MET	-	expression tag	UNP Q2SZE4
F	-6	GLY	-	expression tag	UNP Q2SZE4
F	-5	HIS	-	expression tag	UNP Q2SZE4
F	-4	HIS	-	expression tag	UNP Q2SZE4
F	-3	HIS	-	expression tag	UNP Q2SZE4
F	-2	HIS	-	expression tag	UNP Q2SZE4
F	-1	HIS	-	expression tag	UNP Q2SZE4
F	0	HIS	-	expression tag	UNP Q2SZE4

- Molecule 2 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	E	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	E	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	F	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	F	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	2	Total Mg 2 2	0	0
3	E	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	150	Total O 150 150	0	0
4	B	202	Total O 202 202	0	0
4	C	160	Total O 160 160	0	0
4	D	164	Total O 164 164	0	0
4	E	201	Total O 201 201	0	0
4	F	144	Total O 144 144	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribokinase, putative




- Molecule 1: Ribokinase, putative




- Molecule 1: Ribokinase, putative




- Molecule 1: Ribokinase, putative






- Molecule 1: Ribokinase, putative

Chain E: 75% 19% . .



- Molecule 1: Ribokinase, putative

Chain F: 76% 18% . .



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	125.22Å 125.22Å 115.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	42.35 – 2.00 42.35 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (42.35-2.00) 99.9 (42.35-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.50 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.167 , 0.204 0.162 , 0.195	Depositor DCC
R_{free} test set	7059 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	21.9	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l 0.022 for h,-h-k,-l 0.156 for -k,-h,-l	Xtriage
Reported twinning fraction	0.501 for H, K, L 0.499 for -H, H+K, -L	Depositor
Outliers	0 of 136199 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15572	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 58.27 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0959e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/2430	0.90	2/3294 (0.1%)
1	B	0.64	0/2438	0.90	0/3305
1	C	0.59	0/2430	0.89	0/3294
1	D	0.58	0/2422	0.86	1/3284 (0.0%)
1	E	0.64	0/2439	0.92	2/3306 (0.1%)
1	F	0.60	0/2430	0.89	0/3294
All	All	0.61	0/14589	0.89	5/19777 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	42	MET	N-CA-C	6.24	118.38	110.33
1	A	26	LEU	CA-C-N	5.70	125.81	119.32
1	A	26	LEU	C-N-CA	5.70	125.81	119.32
1	E	142	GLY	CA-C-N	5.29	125.59	119.93
1	E	142	GLY	C-N-CA	5.29	125.59	119.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2377	0	2323	46	0
1	B	2382	0	2334	45	0
1	C	2377	0	2323	38	0
1	D	2372	0	2314	36	0
1	E	2383	0	2331	57	0
1	F	2377	0	2323	45	0
2	A	46	0	24	1	0
2	B	46	0	24	0	0
2	C	46	0	24	0	0
2	D	46	0	24	1	0
2	E	46	0	24	1	0
2	F	46	0	24	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	2	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	150	0	0	3	0
4	B	202	0	0	5	0
4	C	160	0	0	2	0
4	D	164	0	0	2	0
4	E	201	0	0	5	0
4	F	144	0	0	5	0
All	All	15572	0	14092	242	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:44:ARG:HG2	1:D:44:ARG:HH11	1.08	1.11
1:C:296:ARG:HG3	1:C:296:ARG:HH11	1.22	0.99
1:E:274:ARG:HG3	1:E:274:ARG:HH11	1.27	0.97
1:C:44:ARG:HH11	1:C:44:ARG:CB	1.79	0.95
1:B:33:ILE:HD12	1:E:112:ASN:HB3	1.49	0.93
1:D:44:ARG:HG2	1:D:44:ARG:NH1	1.77	0.92
1:B:39:VAL:HG21	1:E:116:ALA:HB1	1.56	0.88
1:A:244:ARG:HH21	1:A:244:ARG:CG	1.89	0.85
1:A:38:LEU:HD23	1:A:38:LEU:H	1.40	0.85
1:D:256:ARG:HH11	1:D:256:ARG:HG2	1.43	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:231:ARG:HG2	1:B:232:ASP:H	1.42	0.84
1:C:44:ARG:HH11	1:C:44:ARG:HB3	1.40	0.84
1:C:296:ARG:HG3	1:C:296:ARG:NH1	1.92	0.82
1:E:274:ARG:HH11	1:E:274:ARG:CG	1.93	0.82
1:D:44:ARG:HH11	1:D:44:ARG:CG	1.91	0.78
1:A:38:LEU:H	1:A:38:LEU:CD2	1.97	0.78
1:B:116:ALA:CB	1:E:15[A]:MET:HG2	2.15	0.77
1:A:244:ARG:HH21	1:A:244:ARG:HG2	1.49	0.76
1:F:22:ARG:HD2	4:F:710:HOH:O	1.86	0.75
1:E:310:ARG:HD2	4:E:782:HOH:O	1.86	0.75
1:B:231:ARG:HG2	1:B:232:ASP:N	2.00	0.74
1:F:230:HIS:CE1	1:F:269:TRP:CD1	2.78	0.71
1:D:107:THR:HG22	1:D:108:ASP:H	1.54	0.71
1:A:261:TYR:OH	1:A:296:ARG:NH2	2.24	0.70
1:B:231:ARG:HD3	4:B:363:HOH:O	1.92	0.69
1:C:295:THR:O	1:C:299:ILE:HG13	1.93	0.69
1:E:85:LEU:HB2	1:E:87:LEU:HD13	1.73	0.69
1:A:244:ARG:HH22	1:A:285:ALA:HB1	1.59	0.68
1:B:146:PHE:HB2	1:B:173:LEU:HG	1.75	0.67
1:B:106:THR:HG23	4:B:677:HOH:O	1.94	0.67
1:C:107:THR:HG23	1:C:113:GLN:HA	1.78	0.66
1:C:21:PHE:CZ	1:F:114:ILE:HD11	2.31	0.66
1:E:231:ARG:HH11	1:E:231:ARG:HB2	1.62	0.65
1:E:231:ARG:HB2	1:E:231:ARG:NH1	2.11	0.64
1:E:149:MET:HE1	1:E:167:PRO:HA	1.78	0.64
1:D:271:THR:CG2	1:D:311:PRO:HB3	2.27	0.64
1:C:25:ILE:HG23	1:C:32:LEU:HD11	1.78	0.64
1:B:165:PHE:O	1:B:189[A]:ILE:HD12	1.99	0.63
1:B:95:LEU:HD11	1:B:124:GLN:HB2	1.81	0.63
1:B:82:MET:HE3	1:B:89:ARG:HD3	1.80	0.62
1:A:116:ALA:HB3	1:D:15:MET:HE3	1.81	0.62
1:D:230:HIS:O	1:D:232:ASP:N	2.32	0.62
1:A:244:ARG:NH2	1:A:285:ALA:HB1	2.14	0.62
1:F:144:ASP:HB3	1:F:149:MET:HG3	1.82	0.62
1:C:44:ARG:HH11	1:C:44:ARG:CG	2.13	0.61
1:F:57:LEU:HD23	1:F:64:ALA:HB2	1.82	0.61
1:A:15:MET:HE2	1:A:106:THR:CG2	2.30	0.61
1:A:15:MET:HB2	1:A:106:THR:HG22	1.83	0.61
1:C:20:ARG:NH1	1:C:110:ASP:OD1	2.34	0.60
1:C:167:PRO:HB2	1:C:171:LEU:HD13	1.83	0.60
1:A:296:ARG:NH1	1:A:300:ASP:OD1	2.33	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:ILE:HG23	1:B:189[B]:ILE:HD11	1.82	0.60
1:C:19:GLY:H	1:C:109:LEU:HD22	1.66	0.60
1:A:230:HIS:HE2	1:A:269:TRP:CD1	2.20	0.60
1:E:250:GLY:HA2	2:E:501:AMP:O2P	2.01	0.59
1:B:191:VAL:HG12	4:B:878:HOH:O	2.01	0.59
1:E:2:ALA:N	4:E:521:HOH:O	2.35	0.58
1:C:81:ARG:NH2	1:C:290:GLN:OE1	2.36	0.58
1:D:80:ASP:O	1:D:83:ASP:HB2	2.03	0.58
1:A:104:MET:HB3	1:D:15:MET:CE	2.34	0.57
1:C:124:GLN:O	1:C:127:VAL:HG22	2.05	0.57
1:D:256:ARG:HH11	1:D:256:ARG:CG	2.16	0.57
1:A:189:ILE:HG22	1:A:214:VAL:HG21	1.86	0.57
1:F:106:THR:O	1:F:114:ILE:HG22	2.04	0.57
1:E:119:PRO:HD2	4:E:348:HOH:O	2.05	0.57
1:E:167:PRO:HB2	1:E:171:LEU:HD13	1.87	0.57
1:E:66:MET:HE1	1:E:82:MET:HE2	1.86	0.57
1:B:150:VAL:O	1:B:153:THR:HG22	2.04	0.56
1:C:179:LEU:O	1:C:183:ILE:HG13	2.04	0.56
1:E:165:PHE:HB3	1:E:189:ILE:HD13	1.86	0.56
1:B:153:THR:HG23	1:B:185:LEU:HD12	1.87	0.56
1:A:102:GLN:HG2	1:A:118:HIS:HB2	1.88	0.56
1:F:218:ILE:HG12	1:F:228:ILE:HG12	1.88	0.56
1:F:230:HIS:C	1:F:232:ASP:H	2.13	0.56
1:A:310:ARG:HB3	4:A:659:HOH:O	2.06	0.56
4:B:971:HOH:O	1:E:118:HIS:HB3	2.05	0.56
1:F:102:GLN:HB2	1:F:118:HIS:HB2	1.88	0.55
1:B:112:ASN:HD21	1:E:32:LEU:N	2.03	0.55
1:A:109:LEU:HD22	1:A:245:VAL:HG12	1.88	0.55
1:C:193:ASP:OD2	1:F:30:VAL:HG12	2.07	0.54
1:A:230:HIS:NE2	1:A:269:TRP:CD1	2.75	0.54
1:E:218:ILE:HD13	1:E:259:LEU:HD21	1.88	0.54
1:F:166:ASP:OD2	1:F:256:ARG:NE	2.40	0.54
1:E:20:ARG:NH1	1:E:110:ASP:OD1	2.41	0.54
1:B:147:GLN:O	1:B:151:GLN:HB2	2.08	0.53
1:B:26:LEU:HD13	1:E:197:LYS:HG2	1.90	0.53
1:B:146:PHE:CD1	1:B:173:LEU:HB3	2.44	0.53
1:B:112:ASN:HD21	1:E:32:LEU:H	1.56	0.53
1:C:296:ARG:HH11	1:C:296:ARG:CG	2.08	0.53
1:C:223:GLU:HG3	1:C:224:HIS:HD2	1.72	0.53
1:B:147:GLN:HE21	1:B:151:GLN:HE22	1.56	0.53
1:D:153:THR:HG22	1:D:185:LEU:HD12	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:LEU:O	1:A:264:GLU:HG2	2.08	0.52
1:B:73:VAL:HG22	1:B:98:THR:O	2.09	0.52
1:C:146:PHE:HB2	1:C:173:LEU:HD23	1.92	0.52
1:C:286:HIS:HB3	1:C:291:THR:HG22	1.91	0.52
1:F:215:GLN:HG2	4:F:348:HOH:O	2.08	0.52
1:F:230:HIS:HE1	1:F:269:TRP:CD1	2.26	0.51
1:F:274:ARG:NH1	4:F:358:HOH:O	2.44	0.51
1:B:244:ARG:HG3	1:B:246:ILE:HG12	1.92	0.51
1:A:114:ILE:HG12	1:D:33:ILE:HD12	1.92	0.51
1:C:211:ALA:CB	1:C:229:ARG:HD3	2.41	0.51
1:E:218:ILE:HG12	1:E:228:ILE:HG12	1.91	0.51
1:A:244:ARG:HH21	1:A:244:ARG:HG3	1.74	0.51
1:B:112:ASN:ND2	1:E:33:ILE:H	2.08	0.51
1:A:34:ASN:ND2	1:D:192:ASN:HD21	2.09	0.51
1:C:21:PHE:CE1	1:F:114:ILE:HD11	2.45	0.51
1:C:32:LEU:HD22	1:F:22:ARG:HG3	1.93	0.50
1:D:3:THR:OG1	1:D:264:GLU:OE1	2.29	0.50
1:E:195:GLU:O	1:E:199:VAL:HG23	2.10	0.50
1:C:153:THR:HG22	1:C:185:LEU:HD12	1.92	0.50
1:F:304:GLU:CG	1:F:310:ARG:HG3	2.42	0.50
1:E:104:MET:HE2	1:E:118:HIS:HE1	1.77	0.49
1:B:33:ILE:HD13	1:E:114:ILE:HD11	1.94	0.49
1:D:303:PHE:CE2	1:D:311:PRO:HD3	2.46	0.49
1:A:244:ARG:CG	1:A:244:ARG:NH2	2.59	0.49
1:D:15:MET:HE2	1:D:106:THR:HG22	1.93	0.49
1:F:25:ILE:HG12	1:F:32:LEU:HD11	1.93	0.49
1:D:2:ALA:HB3	1:D:135:ASP:O	2.11	0.49
1:A:231:ARG:H	1:A:231:ARG:HD2	1.78	0.49
1:C:137:LYS:HD3	4:C:608:HOH:O	2.12	0.49
1:F:168:GLY:O	1:F:171:LEU:HD22	2.12	0.49
1:B:194:TYR:O	1:B:198:LEU:HD13	2.13	0.48
1:D:271:THR:HG21	1:D:311:PRO:HB3	1.94	0.48
1:F:43:ARG:NH1	1:F:43:ARG:HB2	2.28	0.48
1:D:18:GLU:HG2	4:D:904:HOH:O	2.13	0.48
1:E:246:ILE:HD12	1:E:285:ALA:O	2.14	0.48
1:B:167:PRO:HB2	1:B:171:LEU:HD13	1.96	0.48
1:F:9:ILE:HG22	1:F:70:LEU:HD21	1.95	0.48
1:B:124:GLN:O	1:B:127:VAL:HG13	2.14	0.48
1:B:255:PHE:CE2	1:B:259:LEU:HD22	2.48	0.48
1:F:230:HIS:C	1:F:232:ASP:N	2.71	0.48
1:E:296:ARG:HB3	4:E:358:HOH:O	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:244:ARG:O	1:E:285:ALA:HA	2.14	0.47
1:E:140:ILE:CD1	1:E:256:ARG:HG3	2.43	0.47
1:A:104:MET:HB3	1:D:15:MET:HE1	1.95	0.47
1:A:104:MET:HB3	1:D:15:MET:HE3	1.97	0.47
1:A:281:ALA:O	1:A:284:ILE:HG22	2.13	0.47
1:B:53:ILE:HD13	1:B:140:ILE:HD13	1.96	0.47
1:D:18:GLU:CG	4:D:904:HOH:O	2.62	0.47
1:E:270:ALA:O	1:E:274:ARG:HG3	2.15	0.47
1:E:93:ARG:HE	1:E:93:ARG:HB2	1.55	0.47
1:E:244:ARG:HD3	1:E:285:ALA:HB1	1.96	0.46
1:F:18:GLU:HG2	4:F:873:HOH:O	2.14	0.46
1:F:51:GLY:HA2	1:F:66:MET:HE3	1.97	0.46
1:E:282:LEU:HD13	1:E:294:PRO:HG3	1.97	0.46
1:B:81:ARG:HH11	1:B:81:ARG:HG3	1.80	0.46
1:B:43:ARG:H	1:B:43:ARG:HG3	1.50	0.46
1:E:298:GLU:O	1:E:302:ARG:HG2	2.16	0.46
1:D:168:GLY:HA2	1:D:195:GLU:CD	2.41	0.46
1:A:32:LEU:HD21	1:D:25:ILE:CD1	2.46	0.46
1:F:43:ARG:HB2	1:F:43:ARG:HH11	1.81	0.46
1:D:282:LEU:HD13	1:D:294:PRO:HG3	1.97	0.46
1:E:274:ARG:HG3	1:E:274:ARG:NH1	2.08	0.46
1:A:66:MET:HE1	1:A:82:MET:HE2	1.97	0.45
1:E:153:THR:HG22	1:E:185:LEU:CD1	2.45	0.45
1:B:116:ALA:HB1	1:E:15[A]:MET:HG2	1.95	0.45
1:E:15[B]:MET:HB3	1:E:15[B]:MET:HE2	1.61	0.45
1:A:253:ASP:OD2	2:A:501:AMP:O3P	2.35	0.45
1:E:300:ASP:OD1	1:E:311:PRO:HG2	2.17	0.45
1:A:268:ASP:OD2	1:A:270:ALA:HB3	2.17	0.45
1:C:44:ARG:CB	1:C:44:ARG:NH1	2.63	0.45
1:D:303:PHE:CD2	1:D:311:PRO:HD3	2.51	0.45
1:E:73:VAL:HG22	1:E:99:TYR:HA	1.99	0.45
1:B:119:PRO:HB2	1:B:123[A]:MET:HG2	1.97	0.45
1:E:274:ARG:CG	1:E:274:ARG:NH1	2.63	0.45
1:E:146:PHE:CD1	1:E:173:LEU:HB3	2.52	0.44
1:E:153:THR:HG22	1:E:185:LEU:HD12	1.99	0.44
1:E:202:LYS:HE3	1:E:202:LYS:HB2	1.72	0.44
1:D:283:LYS:NZ	1:D:288:GLY:O	2.46	0.44
1:A:78:TYR:CD2	1:A:82:MET:HE3	2.52	0.44
1:F:124:GLN:O	1:F:127:VAL:HG22	2.18	0.44
1:A:137:LYS:HD3	4:A:889:HOH:O	2.17	0.44
1:E:274:ARG:HD3	1:E:307:PHE:CG	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:ILE:HG22	1:B:70:LEU:HD21	1.98	0.44
1:A:274:ARG:HG3	1:A:274:ARG:HH11	1.83	0.43
1:A:258:GLY:HA3	1:A:276:ALA:HA	2.00	0.43
1:C:23:GLU:HA	4:C:734:HOH:O	2.19	0.43
1:A:5:ILE:HD12	1:A:64:ALA:HB1	1.99	0.43
1:D:165:PHE:CZ	1:D:167:PRO:HB3	2.54	0.43
1:C:126:HIS:HB2	1:C:151:GLN:OE1	2.18	0.43
1:C:143:PRO:HD3	1:C:166:ASP:O	2.19	0.43
1:F:218:ILE:HD13	1:F:259:LEU:HD21	2.01	0.43
1:E:66:MET:CE	1:E:82:MET:HE2	2.48	0.43
4:B:868:HOH:O	1:E:38:LEU:HD21	2.18	0.43
1:C:271:THR:HG21	1:C:311:PRO:HB3	2.00	0.43
1:A:137:LYS:CD	4:A:889:HOH:O	2.66	0.42
1:F:163:PHE:HE1	1:F:165:PHE:HB2	1.84	0.42
1:A:158:GLN:HG3	4:E:729:HOH:O	2.20	0.42
1:D:230:HIS:O	1:D:230:HIS:CG	2.72	0.42
1:F:211:ALA:HB3	1:F:229:ARG:HH11	1.84	0.42
1:D:253:ASP:OD2	2:D:501:AMP:O1P	2.38	0.42
1:D:256:ARG:CG	1:D:256:ARG:NH1	2.78	0.42
1:F:151:GLN:HG2	4:F:950:HOH:O	2.18	0.42
1:B:33:ILE:CD1	1:E:112:ASN:HB3	2.35	0.42
1:B:22:ARG:NH2	1:E:29:GLN:O	2.53	0.42
1:E:67:MET:SD	1:E:128:ASN:HB3	2.59	0.42
1:F:189:ILE:HG23	1:F:217:LEU:HA	2.02	0.42
1:C:44:ARG:CG	1:C:44:ARG:NH1	2.78	0.42
1:E:119:PRO:HB2	1:E:123:MET:HG2	2.00	0.42
1:A:40:PRO:O	1:D:118:HIS:CD2	2.73	0.42
1:C:119:PRO:O	1:C:120:GLY:C	2.63	0.42
1:C:243:GLU:OE2	1:C:244:ARG:NH2	2.53	0.41
1:A:15:MET:HE2	1:A:106:THR:HG23	2.01	0.41
1:A:119:PRO:HB2	1:A:123[A]:MET:HG2	2.02	0.41
1:F:218:ILE:HA	1:F:227:THR:O	2.20	0.41
1:C:22:ARG:NH2	1:F:27:PRO:O	2.53	0.41
1:D:166:ASP:CG	1:D:256:ARG:HE	2.29	0.41
1:F:26:LEU:HA	1:F:27:PRO:HD2	1.84	0.41
1:A:189:ILE:HG23	1:A:217:LEU:HA	2.02	0.41
1:A:227:THR:HG23	1:A:234:THR:HG23	2.01	0.41
1:B:304:GLU:OE1	1:B:310:ARG:HD3	2.19	0.41
1:E:231:ARG:HH11	1:E:231:ARG:CB	2.32	0.41
1:F:310:ARG:H	1:F:310:ARG:HD3	1.85	0.41
1:A:244:ARG:NH2	1:A:244:ARG:HG3	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:TYR:CZ	1:A:296:ARG:NH2	2.87	0.41
1:D:81:ARG:HH12	1:D:290:GLN:HB3	1.85	0.41
1:F:20:ARG:NH1	1:F:110:ASP:OD1	2.44	0.41
1:F:42:MET:O	1:F:43:ARG:HG3	2.21	0.41
1:B:261:TYR:CZ	1:B:265:HIS:CE1	3.09	0.41
1:F:189:ILE:HG22	1:F:214:VAL:HG21	2.03	0.41
1:F:256:ARG:HG3	1:F:256:ARG:HH11	1.85	0.41
1:C:194:TYR:HA	1:F:29:GLN:HG2	2.02	0.41
1:F:22:ARG:NH1	1:F:110:ASP:OD2	2.54	0.41
1:B:189[A]:ILE:HG23	1:B:217:LEU:CD1	2.51	0.41
1:C:95:LEU:HA	1:C:96:PRO:HD2	1.88	0.41
1:E:304:GLU:HB2	1:E:310:ARG:HG2	2.03	0.41
1:F:150:VAL:O	1:F:153:THR:HB	2.21	0.41
1:D:33:ILE:HD11	1:D:35:LEU:HD22	2.03	0.41
1:E:216:ALA:HA	1:E:229:ARG:O	2.21	0.41
1:F:119:PRO:HB2	1:F:123[A]:MET:SD	2.61	0.41
1:B:278:LEU:O	1:B:282:LEU:HG	2.21	0.40
1:C:6:CYS:HB3	1:C:152:HIS:CD2	2.57	0.40
1:E:76:GLN:HB2	1:E:77:PRO:HD3	2.03	0.40
1:A:155:GLU:HA	1:A:158:GLN:HG2	2.03	0.40
1:B:5:ILE:HD12	1:B:54:ALA:HA	2.04	0.40
1:B:120:GLY:O	1:B:123[B]:MET:HG3	2.21	0.40
1:B:259:LEU:HD12	1:B:259:LEU:HA	1.88	0.40
1:C:44:ARG:HB3	1:C:44:ARG:NH1	2.22	0.40
1:B:73:VAL:HG21	1:B:99:TYR:CD2	2.57	0.40
1:F:244:ARG:HG3	1:F:246:ILE:HG12	2.03	0.40
1:F:281:ALA:O	1:F:284:ILE:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/320 (97%)	301 (97%)	7 (2%)	1 (0%)	36	35
1	B	310/320 (97%)	302 (97%)	6 (2%)	2 (1%)	21	17
1	C	309/320 (97%)	300 (97%)	8 (3%)	1 (0%)	36	35
1	D	308/320 (96%)	297 (96%)	10 (3%)	1 (0%)	36	35
1	E	310/320 (97%)	304 (98%)	6 (2%)	0	100	100
1	F	309/320 (97%)	301 (97%)	8 (3%)	0	100	100
All	All	1855/1920 (97%)	1805 (97%)	45 (2%)	5 (0%)	36	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	231	ARG
1	B	40	PRO
1	B	42	MET
1	C	120	GLY
1	A	168	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/249 (97%)	224 (93%)	17 (7%)	13	10
1	B	242/249 (97%)	221 (91%)	21 (9%)	9	6
1	C	241/249 (97%)	223 (92%)	18 (8%)	12	9
1	D	240/249 (96%)	224 (93%)	16 (7%)	15	11
1	E	242/249 (97%)	225 (93%)	17 (7%)	14	10
1	F	241/249 (97%)	224 (93%)	17 (7%)	13	10
All	All	1447/1494 (97%)	1341 (93%)	106 (7%)	13	9

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ASP
1	A	38	LEU
1	A	41	THR
1	A	42	MET
1	A	73	VAL
1	A	87	LEU
1	A	95	LEU
1	A	98	THR
1	A	104	MET
1	A	189	ILE
1	A	198	LEU
1	A	230	HIS
1	A	232	ASP
1	A	244	ARG
1	A	259	LEU
1	A	264	GLU
1	A	283	LYS
1	B	22	ARG
1	B	33	ILE
1	B	38	LEU
1	B	39	VAL
1	B	41	THR
1	B	43	ARG
1	B	87	LEU
1	B	106	THR
1	B	118	HIS
1	B	135	ASP
1	B	151	GLN
1	B	153	THR
1	B	158	GLN
1	B	171	LEU
1	B	173	LEU
1	B	229	ARG
1	B	231	ARG
1	B	232	ASP
1	B	241	ARG
1	B	268	ASP
1	B	283	LYS
1	C	25	ILE
1	C	34	ASN
1	C	42	MET
1	C	44	ARG
1	C	73	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	98	THR
1	C	107	THR
1	C	109	LEU
1	C	171	LEU
1	C	188	TYR
1	C	189	ILE
1	C	231	ARG
1	C	243	GLU
1	C	246	ILE
1	C	277	SER
1	C	283	LYS
1	C	291	THR
1	C	296	ARG
1	D	9	ILE
1	D	33	ILE
1	D	35	LEU
1	D	41	THR
1	D	42	MET
1	D	43	ARG
1	D	44	ARG
1	D	95	LEU
1	D	102	GLN
1	D	107	THR
1	D	158	GLN
1	D	171	LEU
1	D	173	LEU
1	D	189	ILE
1	D	256	ARG
1	D	283	LYS
1	E	41	THR
1	E	43	ARG
1	E	44	ARG
1	E	93	ARG
1	E	102[A]	GLN
1	E	102[B]	GLN
1	E	104	MET
1	E	109	LEU
1	E	171	LEU
1	E	173	LEU
1	E	197	LYS
1	E	235	GLU
1	E	244	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	256	ARG
1	E	274	ARG
1	E	283	LYS
1	E	310	ARG
1	F	18	GLU
1	F	22	ARG
1	F	25	ILE
1	F	28	ASP
1	F	38	LEU
1	F	78	TYR
1	F	87	LEU
1	F	104	MET
1	F	158	GLN
1	F	171	LEU
1	F	189	ILE
1	F	209	GLU
1	F	215	GLN
1	F	227	THR
1	F	268	ASP
1	F	283	LYS
1	F	310	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	128	ASN
1	A	151	GLN
1	A	287	GLN
1	B	112	ASN
1	B	124	GLN
1	B	128	ASN
1	B	147	GLN
1	B	224	HIS
1	B	236	GLN
1	B	265	HIS
1	B	287	GLN
1	C	13	ASN
1	C	29	GLN
1	C	34	ASN
1	C	128	ASN
1	C	224	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	236	GLN
1	D	29	GLN
1	D	128	ASN
1	D	236	GLN
1	E	118	HIS
1	E	124	GLN
1	E	224	HIS
1	E	236	GLN
1	F	24	HIS
1	F	34	ASN
1	F	102	GLN
1	F	118	HIS
1	F	126	HIS
1	F	128	ASN
1	F	230	HIS
1	F	236	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 7 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AMP	C	502	-	25,25,25	1.45	4 (16%)	37,38,38	2.05	11 (29%)
2	AMP	B	501	3	25,25,25	1.43	5 (20%)	37,38,38	1.96	9 (24%)
2	AMP	B	502	-	25,25,25	1.44	4 (16%)	37,38,38	1.88	8 (21%)
2	AMP	D	501	3	25,25,25	1.52	4 (16%)	37,38,38	1.90	8 (21%)
2	AMP	F	501	3	25,25,25	1.40	5 (20%)	37,38,38	1.93	10 (27%)
2	AMP	D	502	-	25,25,25	1.46	4 (16%)	37,38,38	2.04	11 (29%)
2	AMP	A	502	-	25,25,25	1.41	3 (12%)	37,38,38	2.04	12 (32%)
2	AMP	C	501	3	25,25,25	1.37	3 (12%)	37,38,38	1.93	9 (24%)
2	AMP	A	501	3	25,25,25	1.33	4 (16%)	37,38,38	1.98	11 (29%)
2	AMP	E	502	-	25,25,25	1.40	3 (12%)	37,38,38	1.94	12 (32%)
2	AMP	E	501	3	25,25,25	1.38	4 (16%)	37,38,38	1.88	8 (21%)
2	AMP	F	502	-	25,25,25	1.45	4 (16%)	37,38,38	1.93	10 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AMP	C	502	-	-	0/10/26/26	0/3/3/3
2	AMP	B	501	3	-	0/10/26/26	0/3/3/3
2	AMP	B	502	-	-	0/10/26/26	0/3/3/3
2	AMP	D	501	3	-	0/10/26/26	0/3/3/3
2	AMP	F	501	3	-	1/10/26/26	0/3/3/3
2	AMP	D	502	-	-	0/10/26/26	0/3/3/3
2	AMP	A	502	-	-	0/10/26/26	0/3/3/3
2	AMP	C	501	3	-	0/10/26/26	0/3/3/3
2	AMP	A	501	3	-	0/10/26/26	0/3/3/3
2	AMP	E	502	-	-	0/10/26/26	0/3/3/3
2	AMP	E	501	3	-	2/10/26/26	0/3/3/3
2	AMP	F	502	-	-	0/10/26/26	0/3/3/3

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	AMP	C5-C4	5.01	1.48	1.39
2	F	502	AMP	C5-C4	4.81	1.47	1.39
2	D	502	AMP	C5-C4	4.80	1.47	1.39
2	C	502	AMP	C5-C4	4.68	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	AMP	C5-C4	4.63	1.47	1.39
2	E	502	AMP	C5-C4	4.56	1.47	1.39
2	A	502	AMP	C5-C4	4.51	1.47	1.39
2	F	501	AMP	C5-C4	4.32	1.46	1.39
2	E	501	AMP	C5-C4	4.32	1.46	1.39
2	B	501	AMP	C5-C4	4.25	1.46	1.39
2	C	501	AMP	C5-C4	4.24	1.46	1.39
2	A	501	AMP	C5-C4	4.22	1.46	1.39
2	E	502	AMP	C5-C6	3.03	1.49	1.41
2	D	502	AMP	C5-C6	2.95	1.49	1.41
2	D	501	AMP	C5-C6	2.76	1.48	1.41
2	C	502	AMP	C5-C6	2.76	1.48	1.41
2	B	502	AMP	C5-C6	2.72	1.48	1.41
2	A	502	AMP	C5-C6	2.72	1.48	1.41
2	A	502	AMP	C8-N7	2.71	1.36	1.31
2	F	501	AMP	C5-C6	2.71	1.48	1.41
2	B	501	AMP	C5-N7	-2.64	1.34	1.39
2	F	502	AMP	C5-C6	2.59	1.48	1.41
2	B	501	AMP	C5-C6	2.54	1.48	1.41
2	E	501	AMP	C5-C6	2.53	1.48	1.41
2	E	501	AMP	C5-N7	-2.49	1.34	1.39
2	D	501	AMP	C5-N7	-2.48	1.34	1.39
2	B	502	AMP	C5-N7	-2.43	1.34	1.39
2	C	502	AMP	C5-N7	-2.42	1.34	1.39
2	B	502	AMP	C8-N7	2.40	1.36	1.31
2	C	501	AMP	C5-N7	-2.40	1.34	1.39
2	E	502	AMP	C8-N7	2.35	1.36	1.31
2	F	501	AMP	C5-N7	-2.34	1.34	1.39
2	A	501	AMP	C5-N7	-2.30	1.34	1.39
2	D	501	AMP	C8-N7	2.29	1.36	1.31
2	F	502	AMP	C5-N7	-2.29	1.34	1.39
2	A	501	AMP	C4-N9	-2.27	1.33	1.37
2	C	501	AMP	C5-C6	2.22	1.47	1.41
2	D	502	AMP	C5-N7	-2.20	1.35	1.39
2	B	501	AMP	C4-N9	-2.16	1.33	1.37
2	E	501	AMP	C4-N9	-2.16	1.33	1.37
2	D	502	AMP	C8-N7	2.09	1.35	1.31
2	F	501	AMP	C4-N9	-2.08	1.33	1.37
2	C	502	AMP	C8-N7	2.07	1.35	1.31
2	B	501	AMP	C8-N7	2.07	1.35	1.31
2	A	501	AMP	C5-C6	2.05	1.46	1.41
2	F	501	AMP	C8-N7	2.04	1.35	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	502	AMP	C4-N9	-2.03	1.33	1.37

All (119) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	AMP	C5-C4-N3	-5.91	118.58	126.72
2	B	501	AMP	C5-C4-N3	-5.69	118.88	126.72
2	B	502	AMP	C5-C4-N3	-5.64	118.95	126.72
2	D	502	AMP	C5-C4-N3	-5.61	118.99	126.72
2	F	501	AMP	C5-C4-N3	-5.53	119.10	126.72
2	C	502	AMP	C5-C4-N3	-5.50	119.14	126.72
2	A	502	AMP	C5-C4-N3	-5.45	119.22	126.72
2	E	502	AMP	C5-C4-N3	-5.39	119.29	126.72
2	C	501	AMP	C5-C4-N3	-5.31	119.41	126.72
2	E	501	AMP	C5-C4-N3	-5.29	119.43	126.72
2	A	501	AMP	C5-C4-N3	-5.03	119.79	126.72
2	F	502	AMP	C5-C4-N3	-4.94	119.91	126.72
2	A	501	AMP	N3-C4-N9	4.91	135.52	127.17
2	C	501	AMP	N3-C4-N9	4.91	135.51	127.17
2	D	501	AMP	N3-C4-N9	4.90	135.50	127.17
2	C	502	AMP	N3-C4-N9	4.70	135.17	127.17
2	B	501	AMP	N3-C4-N9	4.65	135.07	127.17
2	B	502	AMP	N3-C4-N9	4.62	135.02	127.17
2	D	502	AMP	N3-C4-N9	4.59	134.98	127.17
2	E	501	AMP	N3-C4-N9	4.55	134.91	127.17
2	F	501	AMP	N3-C4-N9	4.50	134.82	127.17
2	A	502	AMP	N3-C4-N9	4.33	134.53	127.17
2	F	502	AMP	N3-C4-N9	4.25	134.39	127.17
2	E	502	AMP	N3-C4-N9	4.21	134.33	127.17
2	C	502	AMP	N3-C2-N1	-4.09	122.39	128.58
2	D	502	AMP	C2-N3-C4	3.96	121.50	111.83
2	A	502	AMP	N3-C2-N1	-3.95	122.60	128.58
2	B	501	AMP	N3-C2-N1	-3.93	122.64	128.58
2	D	502	AMP	N3-C2-N1	-3.91	122.66	128.58
2	C	502	AMP	C2-N3-C4	3.90	121.36	111.83
2	A	501	AMP	N3-C2-N1	-3.88	122.71	128.58
2	E	502	AMP	C2-N3-C4	3.86	121.25	111.83
2	B	501	AMP	C2-N3-C4	3.85	121.24	111.83
2	A	502	AMP	C2-N3-C4	3.85	121.22	111.83
2	E	502	AMP	N3-C2-N1	-3.83	122.78	128.58
2	A	501	AMP	C4-N9-C8	3.78	109.70	105.74
2	C	502	AMP	C2'-C1'-N9	-3.72	104.05	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	AMP	C2-N3-C4	3.63	120.69	111.83
2	F	501	AMP	C2-N3-C4	3.58	120.56	111.83
2	D	502	AMP	C2'-C1'-N9	-3.55	104.49	113.30
2	F	502	AMP	N3-C2-N1	-3.54	123.22	128.58
2	B	502	AMP	C2-N3-C4	3.52	120.43	111.83
2	C	501	AMP	C4-N9-C8	3.51	109.42	105.74
2	E	502	AMP	C4-C5-N7	-3.50	106.58	110.58
2	F	501	AMP	N3-C2-N1	-3.50	123.29	128.58
2	A	502	AMP	C2'-C1'-N9	-3.49	104.64	113.30
2	D	502	AMP	C4-C5-N7	-3.48	106.61	110.58
2	F	502	AMP	C2'-C1'-N9	-3.43	104.78	113.30
2	D	501	AMP	N3-C2-N1	-3.38	123.46	128.58
2	C	501	AMP	N3-C2-N1	-3.35	123.50	128.58
2	B	502	AMP	N3-C2-N1	-3.34	123.53	128.58
2	A	501	AMP	C2-N3-C4	3.30	119.89	111.83
2	E	501	AMP	C4-N9-C8	3.26	109.17	105.74
2	D	501	AMP	C4-C5-N7	-3.26	106.86	110.58
2	B	501	AMP	C4-C5-N7	-3.23	106.89	110.58
2	A	502	AMP	C4-C5-N7	-3.23	106.89	110.58
2	F	502	AMP	C2-N3-C4	3.22	119.69	111.83
2	F	502	AMP	C4-C5-N7	-3.22	106.91	110.58
2	B	502	AMP	C2'-C1'-N9	-3.19	105.38	113.30
2	E	501	AMP	C2-N3-C4	3.16	119.54	111.83
2	C	501	AMP	C2-N3-C4	3.13	119.49	111.83
2	E	501	AMP	C4-C5-N7	-3.10	107.04	110.58
2	C	502	AMP	C4-C5-N7	-3.06	107.09	110.58
2	F	502	AMP	C4-N9-C8	2.97	108.86	105.74
2	C	502	AMP	C4-N9-C8	2.94	108.82	105.74
2	E	502	AMP	C4-N9-C8	2.93	108.82	105.74
2	D	502	AMP	C5-N7-C8	2.91	108.03	103.45
2	A	502	AMP	C4-N9-C8	2.91	108.79	105.74
2	E	501	AMP	N3-C2-N1	-2.87	124.24	128.58
2	B	501	AMP	C4-N9-C8	2.87	108.75	105.74
2	C	501	AMP	C4-C5-N7	-2.83	107.34	110.58
2	F	501	AMP	C4-C5-N7	-2.79	107.40	110.58
2	F	502	AMP	C2-N1-C6	2.77	123.28	118.73
2	D	502	AMP	C4-N9-C8	2.75	108.63	105.74
2	B	502	AMP	C4-C5-N7	-2.74	107.45	110.58
2	F	501	AMP	O4'-C1'-N9	-2.71	102.89	108.09
2	C	501	AMP	C5-N7-C8	2.60	107.54	103.45
2	A	501	AMP	O4'-C1'-N9	-2.59	103.11	108.09
2	C	502	AMP	C5-N7-C8	2.58	107.50	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	AMP	C4-N9-C8	2.51	108.38	105.74
2	E	501	AMP	C5-N7-C8	2.50	107.38	103.45
2	D	501	AMP	C5-N7-C8	2.49	107.36	103.45
2	A	501	AMP	C2-N1-C6	2.49	122.82	118.73
2	F	501	AMP	C4-N9-C8	2.44	108.30	105.74
2	A	502	AMP	C5-N7-C8	2.43	107.27	103.45
2	B	501	AMP	C5-N7-C8	2.42	107.26	103.45
2	E	502	AMP	C6-C5-N7	2.42	136.75	132.09
2	F	502	AMP	C5-N7-C8	2.39	107.20	103.45
2	A	501	AMP	N6-C6-N1	2.38	123.67	118.38
2	E	502	AMP	C5-N7-C8	2.37	107.18	103.45
2	C	502	AMP	C2-N1-C6	2.35	122.59	118.73
2	A	502	AMP	C6-C5-N7	2.35	136.62	132.09
2	C	501	AMP	N9-C8-N7	-2.34	110.62	113.94
2	B	502	AMP	C5-N7-C8	2.34	107.12	103.45
2	E	502	AMP	C2'-C1'-N9	-2.32	107.54	113.30
2	C	501	AMP	C2-N1-C6	2.29	122.49	118.73
2	D	502	AMP	N9-C8-N7	-2.28	110.70	113.94
2	B	502	AMP	C4-N9-C8	2.27	108.13	105.74
2	B	501	AMP	C2-N1-C6	2.26	122.44	118.73
2	E	501	AMP	N9-C8-N7	-2.26	110.74	113.94
2	A	501	AMP	C4-C5-N7	-2.25	108.01	110.58
2	F	501	AMP	C2'-C1'-N9	2.22	118.83	113.30
2	A	502	AMP	N9-C8-N7	-2.22	110.79	113.94
2	D	502	AMP	C6-C5-N7	2.21	136.36	132.09
2	C	502	AMP	C6-C5-N7	2.17	136.27	132.09
2	D	502	AMP	C2-N1-C6	2.17	122.29	118.73
2	E	502	AMP	O3P-P-O2P	2.15	115.86	107.80
2	C	502	AMP	N9-C8-N7	-2.14	110.89	113.94
2	A	502	AMP	C2-N1-C6	2.13	122.22	118.73
2	E	502	AMP	C2-N1-C6	2.12	122.21	118.73
2	A	501	AMP	N9-C8-N7	-2.11	110.94	113.94
2	F	502	AMP	C6-C5-N7	2.10	136.15	132.09
2	F	501	AMP	C2-N1-C6	2.07	122.13	118.73
2	F	501	AMP	C5-N7-C8	2.06	106.69	103.45
2	A	501	AMP	C5-N7-C8	2.04	106.65	103.45
2	E	502	AMP	N9-C8-N7	-2.03	111.05	113.94
2	B	501	AMP	N9-C8-N7	-2.03	111.06	113.94
2	D	501	AMP	C2-N1-C6	2.01	122.03	118.73
2	A	502	AMP	O3P-P-O2P	2.00	115.30	107.80

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	501	AMP	C3'-C4'-C5'-O5'
2	F	501	AMP	C5'-O5'-P-O1P
2	E	501	AMP	O4'-C4'-C5'-O5'



There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	501	AMP	1	0
2	A	501	AMP	1	0
2	E	501	AMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand AMP D 501




Ligand AMP F 501







Ligand AMP D 502




Ligand AMP A 502









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	310/320 (96%)	-0.21	3 (0%) 79 79	14, 21, 32, 38	1 (0%)
1	B	310/320 (96%)	-0.23	0 100 100	9, 20, 29, 34	2 (0%)
1	C	310/320 (96%)	-0.18	0 100 100	11, 23, 32, 42	1 (0%)
1	D	310/320 (96%)	-0.21	1 (0%) 90 89	14, 23, 33, 39	0
1	E	310/320 (96%)	-0.12	1 (0%) 90 89	10, 20, 32, 39	2 (0%)
1	F	310/320 (96%)	-0.08	2 (0%) 85 85	14, 24, 34, 44	1 (0%)
All	All	1860/1920 (96%)	-0.17	7 (0%) 88 88	9, 22, 32, 44	7 (0%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	231	ARG	3.1
1	A	232	ASP	2.9
1	A	230	HIS	2.6
1	F	232	ASP	2.5
1	F	42	MET	2.3
1	E	311	PRO	2.1
1	D	42	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	D	313	1/1	0.93	0.06	35,35,35,35	0
2	AMP	B	501	23/23	0.97	0.05	13,15,18,19	0
2	AMP	E	502	23/23	0.97	0.06	18,20,21,21	0
2	AMP	A	501	23/23	0.97	0.05	9,13,19,21	0
3	MG	E	503	1/1	0.97	0.03	17,17,17,17	0
2	AMP	C	502	23/23	0.98	0.06	16,22,23,24	0
2	AMP	D	501	23/23	0.98	0.05	12,15,23,24	0
2	AMP	D	502	23/23	0.98	0.06	15,20,21,22	0
2	AMP	E	501	23/23	0.98	0.04	11,14,20,21	0
2	AMP	A	502	23/23	0.98	0.05	14,19,22,23	0
2	AMP	F	501	23/23	0.98	0.04	10,12,19,20	0
2	AMP	F	502	23/23	0.98	0.05	14,18,20,20	0
2	AMP	B	502	23/23	0.98	0.05	11,14,17,18	0
2	AMP	C	501	23/23	0.98	0.04	13,15,21,23	0
3	MG	C	503	1/1	0.99	0.02	22,22,22,22	0
3	MG	D	503	1/1	0.99	0.02	19,19,19,19	0
3	MG	A	503	1/1	0.99	0.03	21,21,21,21	0
3	MG	B	503	1/1	0.99	0.03	13,13,13,13	0
3	MG	F	503	1/1	0.99	0.02	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AMP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AMP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AMP E 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP F 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP F 502:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AMP B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.