



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:07 PM UTC

PDB ID : 3B2R / pdb_00003b2r
Title : Crystal Structure of PDE5A1 catalytic domain in complex with Vardenafil
Authors : Huanchen, W.; Mengchun, Y.; Howard, R.; Sharron, H.F.; Hengming, K.
Deposited on : 2007-10-19
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	
1	B	330	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4967 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called cGMP-specific 3',5'-cyclic phosphodiesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	S	0	0	0
			2394	1526	414	436	18			
1	B	287	Total	C	N	O	S	0	0	0
			2322	1485	402	418	17			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	531	GLY	-	expression tag	UNP O76074
A	532	SER	-	expression tag	UNP O76074
A	533	HIS	-	expression tag	UNP O76074
A	534	MET	-	expression tag	UNP O76074
B	531	GLY	-	expression tag	UNP O76074
B	532	SER	-	expression tag	UNP O76074
B	533	HIS	-	expression tag	UNP O76074
B	534	MET	-	expression tag	UNP O76074

- Molecule 2 is 2-{2-ETHOXY-5-[(4-ETHYLPIPERAZIN-1-YL)SULFONYL]PHENYL}-5-METHYL-7-PROPYLIMIDAZO[5,1-F][1,2,4]TRIAZIN-4(1H)-ONE (CCD ID: VDN) (formula: C₂₃H₃₂N₆O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			34	23	6	4	1		
2	B	1	Total	C	N	O	S	0	0
			34	23	6	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	116	Total	O	0	0
			116	116		
3	B	67	Total	O	0	0
			67	67		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cGMP-specific 3',5'-cyclic phosphodiesterase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.92Å 87.82Å 138.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.07 30.00 – 2.07	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.07) 87.5 (30.00-2.07)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.80 (at 2.06Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.216 , 0.248 0.215 , 0.247	Depositor DCC
R_{free} test set	4765 reflections (10.07%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtriage
Anisotropy	0.581	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4967	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VDN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/2439	0.86	8/3287 (0.2%)
1	B	0.38	0/2366	0.82	4/3189 (0.1%)
All	All	0.40	0/4805	0.84	12/6476 (0.2%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	825	CYS	N-CA-C	9.50	123.50	111.24
1	B	825	CYS	N-CA-C	8.49	122.19	111.24
1	B	824	ILE	N-CA-C	8.20	118.61	111.56
1	A	824	ILE	N-CA-C	7.33	117.87	111.56
1	A	653	HIS	N-CA-C	6.82	120.71	112.38
1	A	813	ILE	CB-CA-C	-5.95	108.05	113.70
1	A	611	ALA	N-CA-C	5.57	117.43	111.36
1	A	564	PHE	N-CA-C	5.53	118.03	111.33
1	B	653	HIS	N-CA-C	5.49	119.08	112.38
1	B	824	ILE	CB-CA-C	-5.42	106.29	111.44
1	A	826	LEU	N-CA-C	5.41	117.61	111.11
1	A	766	SER	N-CA-C	5.02	118.87	112.34

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2394	0	2404	37	0
1	B	2322	0	2345	63	0
2	A	34	0	32	2	0
2	B	34	0	32	2	0
3	A	116	0	0	1	0
3	B	67	0	0	1	0
All	All	4967	0	4813	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:575:THR:HA	1:B:578:MET:HE3	1.45	0.98
1:A:660:VAL:H	1:A:789:GLN:HE22	1.18	0.86
1:B:810:LYS:HD3	1:B:811:ASN:H	1.40	0.86
1:B:810:LYS:CD	1:B:811:ASN:H	1.93	0.82
1:A:533:HIS:HB3	1:A:534:MET:HE3	1.62	0.81
1:B:767:ALA:HB1	1:B:778:ILE:HD12	1.65	0.79
1:A:597:ARG:HG2	1:A:698:ASN:OD1	1.83	0.78
1:B:696:PRO:HA	1:B:699:GLN:HE21	1.50	0.76
1:B:810:LYS:CG	1:B:811:ASN:H	1.99	0.74
1:B:728:TYR:CZ	1:B:732:ARG:HD3	2.22	0.74
1:B:816:MET:HE2	2:B:1:VDN:H6	1.74	0.69
1:A:677:CYS:O	1:A:680:ILE:HG12	1.93	0.69
1:B:607:ARG:HB3	1:B:609:ASN:OD1	1.94	0.68
1:B:810:LYS:HD3	1:B:811:ASN:N	2.07	0.68
1:B:855:ALA:HB1	1:B:860:GLN:OE1	1.93	0.67
1:A:660:VAL:N	1:A:789:GLN:HE22	1.88	0.67
1:A:767:ALA:HB1	1:A:778:ILE:HD12	1.76	0.67
1:B:774:ILE:O	1:B:778:ILE:HG12	1.96	0.66
1:A:677:CYS:HA	2:A:1:VDN:O11	1.95	0.65
1:A:816:MET:HE2	2:A:1:VDN:H152	1.79	0.65
1:B:809:LYS:O	1:B:814:PRO:HD3	1.98	0.64
1:B:696:PRO:HA	1:B:699:GLN:NE2	2.14	0.62
1:A:533:HIS:HB3	1:A:534:MET:CE	2.30	0.62
1:B:776:GLN:O	1:B:780:GLU:HG3	1.99	0.62
1:B:858:GLU:O	1:B:859:GLN:HB2	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:713:LEU:O	1:A:717:LYS:HG3	2.00	0.61
1:B:549:PRO:HG2	1:B:554:LEU:HD21	1.81	0.61
1:B:633:LYS:HD2	1:B:838:ASP:OD2	2.01	0.61
1:B:732:ARG:HD2	1:B:736:PHE:CE1	2.39	0.58
1:A:813:ILE:HB	1:A:814:PRO:HD3	1.89	0.55
1:B:607:ARG:HB2	1:B:610:VAL:HG23	1.89	0.55
1:B:677:CYS:O	1:B:680:ILE:HG12	2.07	0.55
1:A:677:CYS:C	1:A:679:SER:H	2.16	0.54
1:B:809:LYS:O	1:B:813:ILE:HB	2.06	0.54
1:B:745:ASN:ND2	1:B:747:GLU:H	2.05	0.54
1:A:660:VAL:H	1:A:789:GLN:NE2	1.97	0.53
1:A:597:ARG:HD2	1:A:697:GLY:O	2.07	0.53
1:A:563:ASP:OD2	1:A:616:ARG:HD2	2.09	0.52
1:A:681:MET:HE1	1:A:726:ALA:HA	1.91	0.52
1:A:772:TRP:HB3	1:A:773:PRO:HD3	1.91	0.52
1:B:728:TYR:O	1:B:732:ARG:HG3	2.10	0.51
1:B:611:ALA:HB3	1:B:785:GLU:HB2	1.93	0.51
1:A:739:ILE:HD12	1:A:831:ALA:HB1	1.94	0.50
1:B:767:ALA:CB	1:B:778:ILE:HD12	2.40	0.50
1:B:605:ASN:HB3	1:B:688:GLN:NE2	2.27	0.49
1:B:728:TYR:CE2	1:B:732:ARG:HD3	2.47	0.49
1:B:556:ILE:HD11	1:B:577:ARG:HG3	1.95	0.49
1:B:653:HIS:CD2	1:B:723:THR:HG21	2.48	0.49
1:A:532:SER:O	1:A:536:GLU:HG3	2.13	0.48
1:B:810:LYS:HB3	1:B:813:ILE:HG12	1.95	0.48
1:A:532:SER:OG	1:A:535:GLU:HG3	2.12	0.48
1:A:677:CYS:C	1:A:679:SER:N	2.68	0.48
1:B:706:ILE:HG23	1:B:707:GLU:N	2.29	0.48
1:B:745:ASN:C	1:B:745:ASN:HD22	2.21	0.47
1:A:774:ILE:O	1:A:778:ILE:HG12	2.15	0.47
1:A:633:LYS:HD2	1:A:838:ASP:OD2	2.14	0.47
1:B:809:LYS:HD2	1:B:856:LEU:HD13	1.97	0.47
1:A:685:HIS:HA	3:A:919:HOH:O	2.14	0.47
1:B:737:GLU:OE1	1:B:741:LYS:HE3	2.14	0.47
1:B:810:LYS:HB3	1:B:813:ILE:CG1	2.44	0.46
1:A:649:ALA:O	1:A:653:HIS:HB3	2.15	0.46
1:A:736:PHE:CE1	1:A:827:GLN:HG2	2.50	0.46
1:B:809:LYS:HD2	1:B:856:LEU:CD1	2.46	0.46
1:A:680:ILE:HG22	1:A:786:PHE:CZ	2.51	0.45
1:B:810:LYS:CG	1:B:811:ASN:N	2.72	0.45
1:A:706:ILE:HG23	1:A:707:GLU:N	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:639:THR:OG1	1:A:642:GLU:HG3	2.18	0.44
1:B:603:LYS:HG3	1:B:615:TRP:CG	2.52	0.44
1:B:567:SER:OG	1:B:570:GLU:HG3	2.17	0.44
1:A:690:LEU:HD11	1:A:717:LYS:HE2	2.00	0.44
1:B:607:ARG:HG2	1:B:607:ARG:HH11	1.81	0.44
1:A:677:CYS:O	1:A:679:SER:N	2.51	0.44
1:B:683:HIS:CD2	1:B:724:ASP:OD2	2.71	0.44
1:A:634:ILE:O	1:A:634:ILE:HG22	2.17	0.43
1:B:575:THR:CA	1:B:578:MET:HE3	2.33	0.43
1:B:745:ASN:HD21	1:B:747:GLU:HB3	1.83	0.43
1:B:860:GLN:HG3	3:B:900:HOH:O	2.17	0.43
1:B:564:PHE:HE2	1:B:774:ILE:HG23	1.83	0.43
1:A:771:PRO:HD2	1:A:774:ILE:HD12	1.99	0.43
1:B:634:ILE:HD11	1:B:839:CYS:SG	2.58	0.43
1:A:739:ILE:CD1	1:A:831:ALA:HB1	2.49	0.42
1:B:593:GLU:H	1:B:593:GLU:CD	2.26	0.42
1:B:772:TRP:HB3	1:B:773:PRO:HD3	2.02	0.42
2:B:1:VDN:H181	2:B:1:VDN:O12	2.19	0.42
1:A:817:GLN:HG3	1:A:853:TRP:CE2	2.55	0.42
1:B:810:LYS:HG2	1:B:811:ASN:H	1.83	0.42
1:B:597:ARG:HG2	1:B:698:ASN:OD1	2.19	0.42
1:B:687:ASP:O	1:B:691:MET:HG2	2.19	0.42
1:B:549:PRO:CG	1:B:554:LEU:HD21	2.49	0.42
1:B:771:PRO:HD2	1:B:774:ILE:HD12	2.02	0.41
1:B:840:PHE:N	1:B:841:PRO:CD	2.84	0.41
1:B:594:VAL:HG13	1:B:697:GLY:O	2.20	0.41
1:B:778:ILE:HG12	1:B:778:ILE:H	1.59	0.41
1:A:554:LEU:HD13	1:A:574:CYS:HA	2.02	0.41
1:B:563:ASP:OD2	1:B:616:ARG:HD2	2.21	0.41
1:B:608:LYS:C	1:B:610:VAL:H	2.27	0.41
1:B:706:ILE:O	1:B:710:LYS:HG3	2.21	0.41
1:B:595:LEU:O	1:B:599:ILE:HG13	2.21	0.40
1:B:745:ASN:ND2	1:B:745:ASN:C	2.79	0.40
1:A:767:ALA:CB	1:A:778:ILE:HD12	2.48	0.40
1:B:706:ILE:HG23	1:B:707:GLU:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/330 (88%)	283 (97%)	7 (2%)	1 (0%)	36	30
1	B	281/330 (85%)	265 (94%)	14 (5%)	2 (1%)	18	10
All	All	572/660 (87%)	548 (96%)	21 (4%)	3 (0%)	24	17

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	810	LYS
1	B	859	GLN
1	A	678	HIS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/294 (89%)	258 (98%)	4 (2%)	57	58
1	B	254/294 (86%)	252 (99%)	2 (1%)	73	77
All	All	516/588 (88%)	510 (99%)	6 (1%)	63	65

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	534	MET
1	A	775	GLN
1	A	778	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	859	GLN
1	B	775	GLN
1	B	778	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	583	ASN
1	A	636	ASN
1	A	742	ASN
1	A	743	GLN
1	A	745	ASN
1	A	776	GLN
1	A	789	GLN
1	A	827	GLN
1	A	851	GLN
1	A	854	GLN
1	A	859	GLN
1	B	583	ASN
1	B	586	GLN
1	B	636	ASN
1	B	683	HIS
1	B	699	GLN
1	B	718	GLN
1	B	745	ASN
1	B	776	GLN
1	B	834	HIS
1	B	851	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	VDN	B	1	-	33,37,37	2.61	7 (21%)	41,54,54	2.05	11 (26%)
2	VDN	A	1	-	33,37,37	2.60	7 (21%)	41,54,54	2.04	11 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VDN	B	1	-	-	12/24/34/34	0/3/4/4
2	VDN	A	1	-	-	10/24/34/34	0/3/4/4

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	VDN	N26-N25	-9.19	1.23	1.39
2	B	1	VDN	N26-N25	-9.19	1.23	1.39
2	B	1	VDN	O12-S10	6.50	1.50	1.43
2	B	1	VDN	O11-S10	6.49	1.50	1.43
2	A	1	VDN	O12-S10	6.40	1.50	1.43
2	A	1	VDN	O11-S10	6.40	1.50	1.43
2	B	1	VDN	C9-C21	-4.48	1.39	1.47
2	A	1	VDN	C9-C21	-4.44	1.39	1.47
2	A	1	VDN	C21-N22	3.58	1.40	1.31
2	B	1	VDN	C21-N22	3.57	1.40	1.31
2	B	1	VDN	C32-C30	3.01	1.53	1.49
2	A	1	VDN	C32-C30	2.97	1.53	1.49
2	B	1	VDN	C28-N29	-2.28	1.33	1.38
2	A	1	VDN	C28-N29	-2.27	1.33	1.38

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	VDN	O12-S10-O11	-6.81	108.97	119.59
2	A	1	VDN	O12-S10-O11	-6.45	109.53	119.59
2	B	1	VDN	O12-S10-N14	4.71	111.12	106.69
2	A	1	VDN	O12-S10-N14	4.38	110.81	106.69
2	A	1	VDN	O11-S10-N14	3.75	110.21	106.69
2	B	1	VDN	O11-S10-N14	3.56	110.04	106.69
2	B	1	VDN	C2-O3-C4	-3.54	110.85	118.08
2	A	1	VDN	C16-C15-N14	3.50	112.68	108.97
2	B	1	VDN	C19-N14-S10	-3.38	110.77	117.06
2	A	1	VDN	C2-O3-C4	-3.18	111.59	118.08
2	B	1	VDN	C31-C28-C24	-3.17	125.02	129.34
2	A	1	VDN	C18-C19-N14	3.11	112.27	108.97
2	A	1	VDN	C19-N14-S10	-3.10	111.29	117.06
2	A	1	VDN	C31-C28-C24	-2.91	125.38	129.34
2	B	1	VDN	C18-C19-N14	2.89	112.04	108.97
2	A	1	VDN	C4-C9-C21	-2.67	119.72	124.48
2	B	1	VDN	C31-C28-N29	2.61	124.56	119.32
2	B	1	VDN	C4-C9-C21	-2.55	119.94	124.48
2	A	1	VDN	C31-C28-N29	2.50	124.33	119.32
2	B	1	VDN	C16-C15-N14	2.42	111.54	108.97
2	B	1	VDN	C15-N14-S10	-2.18	113.00	117.06
2	A	1	VDN	C19-N14-C15	2.13	114.56	112.12

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	VDN	C15-N14-S10-O12
2	A	1	VDN	C15-N14-S10-O12
2	A	1	VDN	C15-N14-S10-C7
2	B	1	VDN	C6-C7-S10-N14
2	B	1	VDN	C15-N14-S10-C7
2	B	1	VDN	C8-C7-S10-N14
2	B	1	VDN	C6-C7-S10-O11
2	B	1	VDN	C8-C7-S10-O11
2	A	1	VDN	C6-C7-S10-O11
2	A	1	VDN	C8-C7-S10-O11
2	A	1	VDN	C6-C7-S10-N14
2	B	1	VDN	C13-C20-N17-C16
2	B	1	VDN	C13-C20-N17-C18
2	A	1	VDN	C8-C7-S10-N14

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	A	1	VDN	N26-C21-C9-C4
2	B	1	VDN	N26-C21-C9-C4
2	A	1	VDN	N22-C21-C9-C4
2	B	1	VDN	N22-C21-C9-C4
2	A	1	VDN	C15-N14-S10-O11
2	A	1	VDN	C19-N14-S10-O11
2	B	1	VDN	C19-N14-S10-O11
2	B	1	VDN	C15-N14-S10-O11

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	VDN	2	0
2	A	1	VDN	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/330 (90%)	0.18	16 (5%) 31 31	25, 36, 59, 84	0
1	B	287/330 (86%)	0.74	42 (14%) 6 5	27, 42, 80, 103	0
All	All	584/660 (88%)	0.46	58 (9%) 13 13	25, 38, 72, 103	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	678	HIS	6.2
1	B	809	LYS	6.1
1	B	677	CYS	5.6
1	A	660	VAL	5.5
1	B	659	GLY	5.3
1	B	787	PHE	5.2
1	B	786	PHE	4.8
1	B	860	GLN	4.6
1	B	540	LEU	4.5
1	A	860	GLN	4.3
1	A	659	GLY	4.3
1	B	810	LYS	4.2
1	B	679	SER	4.2
1	B	683	HIS	4.2
1	B	691	MET	3.9
1	B	545	ALA	3.9
1	A	636	ASN	3.8
1	B	680	ILE	3.8
1	B	569	LEU	3.6
1	B	658	ARG	3.6
1	B	657	HIS	3.4
1	B	789	GLN	3.4
1	B	859	GLN	3.3
1	A	787	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	541	GLN	3.2
1	A	677	CYS	3.2
1	A	809	LYS	3.2
1	B	811	ASN	3.2
1	A	534	MET	3.0
1	A	778	ILE	2.9
1	B	544	ALA	2.9
1	B	538	ARG	2.9
1	B	570	GLU	2.8
1	B	610	VAL	2.8
1	B	778	ILE	2.8
1	A	859	GLN	2.7
1	B	788	ASP	2.7
1	B	600	LEU	2.7
1	B	706	ILE	2.6
1	A	679	SER	2.6
1	A	678	HIS	2.6
1	B	607	ARG	2.6
1	B	585	VAL	2.5
1	A	786	PHE	2.5
1	B	834	HIS	2.5
1	B	546	ALA	2.4
1	A	680	ILE	2.4
1	B	568	ASP	2.3
1	B	655	LEU	2.3
1	B	784	THR	2.3
1	B	688	GLN	2.2
1	A	607	ARG	2.2
1	B	543	LEU	2.2
1	B	656	ASP	2.2
1	A	593	GLU	2.2
1	B	692	ILE	2.1
1	B	780	GLU	2.1
1	B	611	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	VDN	B	1	34/34	0.96	0.08	31,38,46,49	0
2	VDN	A	1	34/34	0.97	0.07	27,31,37,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around VDN A 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.