



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:23 PM UTC

PDB ID : 5B25 / pdb_00005b25
Title : Crystal structure of human PDE1B with inhibitor 3
Authors : Ida, K.; Lane, W.; Snell, G.; Sogabe, S.
Deposited on : 2016-01-07
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	338	3% 93% 6% .
1	B	338	2% 92% 6% .
1	C	338	4% 90% 7% ..
1	D	338	4% 92% 6% .

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 11932 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium/calmodulin-dependent 3',5'-cyclic nucleotide phosphodiesterase 1B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	0	3	0
			2703	1726	460	500	17			
1	B	332	Total	C	N	O	S	0	5	0
			2686	1718	456	495	17			
1	C	332	Total	C	N	O	S	0	4	0
			2684	1715	456	496	17			
1	D	332	Total	C	N	O	S	0	5	0
			2690	1719	459	495	17			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ASP	deletion	UNP Q01064
A	?	-	GLU	deletion	UNP Q01064
A	?	-	ASP	deletion	UNP Q01064
A	?	-	SER	deletion	UNP Q01064
A	?	-	LYS	deletion	UNP Q01064
A	?	-	SER	deletion	UNP Q01064
A	?	-	LYS	deletion	UNP Q01064
A	?	-	ASN	deletion	UNP Q01064
A	?	-	GLN	deletion	UNP Q01064
A	?	-	PRO	deletion	UNP Q01064
A	?	-	SER	deletion	UNP Q01064
A	?	-	PHE	deletion	UNP Q01064
A	?	-	GLN	deletion	UNP Q01064
A	?	-	TRP	deletion	UNP Q01064
A	?	-	ARG	deletion	UNP Q01064
A	?	-	GLN	deletion	UNP Q01064
A	?	-	PRO	deletion	UNP Q01064
A	?	-	SER	deletion	UNP Q01064
A	?	-	LEU	deletion	UNP Q01064
A	?	-	ASP	deletion	UNP Q01064

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	VAL	deletion	UNP Q01064
A	?	-	GLU	deletion	UNP Q01064
A	?	-	VAL	deletion	UNP Q01064
B	?	-	ASP	deletion	UNP Q01064
B	?	-	GLU	deletion	UNP Q01064
B	?	-	ASP	deletion	UNP Q01064
B	?	-	SER	deletion	UNP Q01064
B	?	-	LYS	deletion	UNP Q01064
B	?	-	SER	deletion	UNP Q01064
B	?	-	LYS	deletion	UNP Q01064
B	?	-	ASN	deletion	UNP Q01064
B	?	-	GLN	deletion	UNP Q01064
B	?	-	PRO	deletion	UNP Q01064
B	?	-	SER	deletion	UNP Q01064
B	?	-	PHE	deletion	UNP Q01064
B	?	-	GLN	deletion	UNP Q01064
B	?	-	TRP	deletion	UNP Q01064
B	?	-	ARG	deletion	UNP Q01064
B	?	-	GLN	deletion	UNP Q01064
B	?	-	PRO	deletion	UNP Q01064
B	?	-	SER	deletion	UNP Q01064
B	?	-	LEU	deletion	UNP Q01064
B	?	-	ASP	deletion	UNP Q01064
B	?	-	VAL	deletion	UNP Q01064
B	?	-	GLU	deletion	UNP Q01064
B	?	-	VAL	deletion	UNP Q01064
C	?	-	ASP	deletion	UNP Q01064
C	?	-	GLU	deletion	UNP Q01064
C	?	-	ASP	deletion	UNP Q01064
C	?	-	SER	deletion	UNP Q01064
C	?	-	LYS	deletion	UNP Q01064
C	?	-	SER	deletion	UNP Q01064
C	?	-	LYS	deletion	UNP Q01064
C	?	-	ASN	deletion	UNP Q01064
C	?	-	GLN	deletion	UNP Q01064
C	?	-	PRO	deletion	UNP Q01064
C	?	-	SER	deletion	UNP Q01064
C	?	-	PHE	deletion	UNP Q01064
C	?	-	GLN	deletion	UNP Q01064
C	?	-	TRP	deletion	UNP Q01064
C	?	-	ARG	deletion	UNP Q01064
C	?	-	GLN	deletion	UNP Q01064

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	PRO	deletion	UNP Q01064
C	?	-	SER	deletion	UNP Q01064
C	?	-	LEU	deletion	UNP Q01064
C	?	-	ASP	deletion	UNP Q01064
C	?	-	VAL	deletion	UNP Q01064
C	?	-	GLU	deletion	UNP Q01064
C	?	-	VAL	deletion	UNP Q01064
D	?	-	ASP	deletion	UNP Q01064
D	?	-	GLU	deletion	UNP Q01064
D	?	-	ASP	deletion	UNP Q01064
D	?	-	SER	deletion	UNP Q01064
D	?	-	LYS	deletion	UNP Q01064
D	?	-	SER	deletion	UNP Q01064
D	?	-	LYS	deletion	UNP Q01064
D	?	-	ASN	deletion	UNP Q01064
D	?	-	GLN	deletion	UNP Q01064
D	?	-	PRO	deletion	UNP Q01064
D	?	-	SER	deletion	UNP Q01064
D	?	-	PHE	deletion	UNP Q01064
D	?	-	GLN	deletion	UNP Q01064
D	?	-	TRP	deletion	UNP Q01064
D	?	-	ARG	deletion	UNP Q01064
D	?	-	GLN	deletion	UNP Q01064
D	?	-	PRO	deletion	UNP Q01064
D	?	-	SER	deletion	UNP Q01064
D	?	-	LEU	deletion	UNP Q01064
D	?	-	ASP	deletion	UNP Q01064
D	?	-	VAL	deletion	UNP Q01064
D	?	-	GLU	deletion	UNP Q01064
D	?	-	VAL	deletion	UNP Q01064


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is (11R,15S)-4-{{[4-(6-fluoropyridin-2-yl)phenyl]methyl}-8-methyl-5-(phenylamino)-1,3,4,8,10-pentaazatetracyclo[7.6.0.0^{2,6}.0^{11,15}]pentadeca-2,5,9-trien-7-one (CCD ID: 4QJ) (formula: C₂₉H₂₆FN₇O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	0	0
			38	29	1	7	1		
4	B	1	Total	C	F	N	O	0	0
			38	29	1	7	1		
4	C	1	Total	C	F	N	O	0	0
			38	29	1	7	1		
4	D	1	Total	C	F	N	O	0	0
			38	29	1	7	1		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	235	Total	O	0	0
			235	235		
7	B	213	Total	O	0	0
			213	213		
7	C	246	Total	O	0	0
			246	246		
7	D	217	Total	O	0	0
			217	217		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calcium/calmodulin-dependent 3',5'-cyclic nucleotide phosphodiesterase 1B

Chain A: 




- Molecule 1: Calcium/calmodulin-dependent 3',5'-cyclic nucleotide phosphodiesterase 1B

Chain B: 





- Molecule 1: Calcium/calmodulin-dependent 3',5'-cyclic nucleotide phosphodiesterase 1B

Chain C: 



- Molecule 1: Calcium/calmodulin-dependent 3',5'-cyclic nucleotide phosphodiesterase 1B

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	102.88Å 102.88Å 294.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.90 40.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (40.00-1.90) 99.9 (40.00-1.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 1.89Å)	Xtrriage
Refinement program	REFMAC 5.8.0131	Depositor
R, R_{free}	0.172 , 0.203 (Not available) , 0.194	Depositor DCC
R_{free} test set	6291 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	23.3	Xtrriage
Anisotropy	0.293	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11932	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.48 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.6155e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4QJ, ZN, MG, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/2772	0.89	0/3759
1	B	0.67	0/2761	0.88	1/3745 (0.0%)
1	C	0.67	0/2756	0.90	0/3738
1	D	0.67	0/2765	0.91	0/3749
All	All	0.67	0/11054	0.89	1/14991 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	307	ASP	N-CA-C	5.09	118.59	112.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2703	0	2690	13	0
1	B	2686	0	2680	15	0
1	C	2684	0	2670	15	0
1	D	2690	0	2684	13	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	38	0	26	0	0
4	B	38	0	26	0	0
4	C	38	0	26	0	0
4	D	38	0	26	0	0
5	A	10	0	0	0	0
5	B	10	0	0	0	0
5	C	15	0	0	0	0
5	D	15	0	0	0	0
6	A	12	0	16	0	0
6	B	18	0	24	0	0
6	C	12	0	16	0	0
6	D	6	0	8	0	0
7	A	235	0	0	0	0
7	B	213	0	0	1	0
7	C	246	0	0	0	0
7	D	217	0	0	0	0
All	All	11932	0	10892	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:HIS:HE1	1:A:496:TRP:HE1	1.14	0.95
1:B:381:HIS:HE1	1:B:496:TRP:HE1	1.14	0.95
1:C:381:HIS:HE1	1:C:496:TRP:HE1	1.14	0.95
1:B:244:MET:HG2	1:B:444:VAL:HG21	1.56	0.86
1:B:381:HIS:CE1	1:B:496:TRP:HE1	1.94	0.85
1:D:381:HIS:HE1	1:D:496:TRP:HE1	1.25	0.83
1:A:381:HIS:CE1	1:A:496:TRP:HE1	1.96	0.81
1:C:381:HIS:CE1	1:C:496:TRP:HE1	1.99	0.78
1:A:244:MET:HG2	1:A:444:VAL:HG21	1.69	0.75
1:D:381:HIS:CE1	1:D:496:TRP:HE1	2.07	0.73
1:A:178:HIS:HD2	1:A:212:GLU:OE1	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:MET:HG2	1:B:444:VAL:CG2	2.26	0.65
1:C:244:MET:HG2	1:C:444:VAL:HG21	1.79	0.64
1:C:373:HIS:ND1	1:C:381:HIS:HD2	1.97	0.63
1:B:178:HIS:HD2	1:B:212:GLU:OE1	1.81	0.63
1:B:244:MET:CG	1:B:444:VAL:HG21	2.29	0.61
1:C:244:MET:HG2	1:C:444:VAL:HG11	1.84	0.60
1:B:373:HIS:ND1	1:B:381:HIS:HD2	2.00	0.59
1:D:373:HIS:ND1	1:D:381:HIS:HD2	2.01	0.59
1:C:178:HIS:HD2	1:C:212:GLU:OE1	1.86	0.57
1:A:373:HIS:ND1	1:A:381:HIS:HD2	2.04	0.56
1:D:178:HIS:HD2	1:D:212:GLU:OE1	1.89	0.56
1:D:214:GLY:HA3	1:D:265:TYR:CE1	2.41	0.55
1:D:244:MET:HG2	1:D:444:VAL:CG2	2.37	0.55
1:C:214:GLY:HA3	1:C:265:TYR:CE1	2.43	0.54
1:D:244:MET:HG2	1:D:444:VAL:HG21	1.89	0.54
1:A:214:GLY:HA3	1:A:265:TYR:CE1	2.43	0.53
1:A:246:HIS:HB2	1:A:446:PRO:HB3	1.92	0.52
1:C:246:HIS:HB2	1:C:446:PRO:HB3	1.93	0.50
1:A:247:CYS:SG	1:A:444:VAL:HG13	2.52	0.50
1:B:256:ILE:HD13	1:B:365:LEU:HD23	1.93	0.49
1:C:186:GLU:OE2	1:C:190:ARG:HD2	2.13	0.49
1:B:214:GLY:HA3	1:B:265:TYR:CE1	2.48	0.48
1:D:244:MET:CG	1:D:444:VAL:HG21	2.44	0.48
1:C:408:PRO:HG2	1:D:447:LEU:HD11	1.96	0.48
1:C:183:ILE:HD12	1:C:229:ALA:HB1	1.98	0.45
1:A:220:ASN:HB3	1:A:391:GLU:OE1	2.17	0.44
1:B:247:CYS:SG	1:B:444:VAL:HG13	2.57	0.44
1:B:435[A]:VAL:HG23	7:B:802:HOH:O	2.17	0.44
1:D:183:ILE:HD12	1:D:229:ALA:HB1	1.99	0.44
1:B:445:GLN:HB3	1:B:472:GLY:H	1.82	0.44
1:A:248:LEU:HD21	1:A:362:LEU:HD21	2.01	0.43
1:B:183:ILE:HD12	1:B:229:ALA:HB1	2.01	0.43
1:A:156:ASN:HB3	1:C:156:ASN:OD1	2.19	0.43
1:B:256:ILE:CD1	1:B:365:LEU:HD23	2.50	0.42
1:C:358:LYS:HB3	1:C:359:PRO:HD3	2.00	0.42
1:A:262:ILE:HB	1:A:300:VAL:HG21	2.00	0.42
1:C:396:GLY:HA3	1:C:410:CYS:O	2.21	0.41
1:A:244:MET:HG2	1:A:444:VAL:CG2	2.45	0.41
1:D:262:ILE:HB	1:D:300:VAL:HG21	2.01	0.41
1:B:168:VAL:HG11	1:B:230:ASP:HB2	2.02	0.41
1:D:259:ALA:O	1:D:263:HIS:HB3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:475:ASN:O	1:C:478:VAL:HG22	2.20	0.40
1:D:426:ASP:OD1	1:D:493:LYS:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	336/338 (99%)	333 (99%)	3 (1%)	0	100	100
1	B	335/338 (99%)	332 (99%)	3 (1%)	0	100	100
1	C	334/338 (99%)	331 (99%)	3 (1%)	0	100	100
1	D	335/338 (99%)	330 (98%)	5 (2%)	0	100	100
All	All	1340/1352 (99%)	1326 (99%)	14 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/303 (100%)	300 (99%)	4 (1%)	61	61
1	B	303/303 (100%)	302 (100%)	1 (0%)	86	88
1	C	302/303 (100%)	296 (98%)	6 (2%)	48	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	303/303 (100%)	298 (98%)	5 (2%)	53	52
All	All	1212/1212 (100%)	1196 (99%)	16 (1%)	61	61

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	171	LEU
1	A	190	ARG
1	A	358	LYS
1	A	444	VAL
1	B	358	LYS
1	C	190	ARG
1	C	262	ILE
1	C	308	GLU
1	C	365	LEU
1	C	444	VAL
1	C	488	ARG
1	D	190	ARG
1	D	358	LYS
1	D	445	GLN
1	D	447	LEU
1	D	488	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	173	GLN
1	A	178	HIS
1	A	220	ASN
1	A	305	GLN
1	A	381	HIS
1	A	490	GLN
1	A	492	ASN
1	B	178	HIS
1	B	305	GLN
1	B	381	HIS
1	B	490	GLN
1	C	178	HIS
1	C	381	HIS
1	C	490	GLN
1	D	178	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	381	HIS
1	D	490	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 30 ligands modelled in this entry, 8 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	C	606	-	4,4,4	0.45	0	6,6,6	0.12	0
6	GOL	C	607	-	5,5,5	0.30	0	5,5,5	0.24	0
4	4QJ	D	603	-	43,44,44	0.88	2 (4%)	45,65,65	1.38	8 (17%)
4	4QJ	B	603	-	43,44,44	0.84	2 (4%)	45,65,65	1.50	7 (15%)
5	SO4	C	604	-	4,4,4	0.41	0	6,6,6	0.18	0
5	SO4	D	604	-	4,4,4	0.49	0	6,6,6	0.14	0
6	GOL	B	608	-	5,5,5	0.32	0	5,5,5	0.18	0
5	SO4	C	605	-	4,4,4	0.42	0	6,6,6	0.07	0
5	SO4	D	605	-	4,4,4	0.42	0	6,6,6	0.07	0
5	SO4	D	606	-	4,4,4	0.44	0	6,6,6	0.07	0
6	GOL	D	607	-	5,5,5	0.15	0	5,5,5	0.76	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	B	607	-	5,5,5	0.26	0	5,5,5	0.33	0
5	SO4	B	604	-	4,4,4	0.44	0	6,6,6	0.13	0
6	GOL	A	606	-	5,5,5	0.21	0	5,5,5	0.59	0
4	4QJ	A	603	-	43,44,44	0.85	1 (2%)	45,65,65	1.52	6 (13%)
5	SO4	A	605	-	4,4,4	0.43	0	6,6,6	0.12	0
5	SO4	B	605	-	4,4,4	0.45	0	6,6,6	0.04	0
6	GOL	C	608	-	5,5,5	0.22	0	5,5,5	0.39	0
6	GOL	A	607	-	5,5,5	0.20	0	5,5,5	0.63	0
6	GOL	B	606	-	5,5,5	0.26	0	5,5,5	0.37	0
4	4QJ	C	603	-	43,44,44	0.94	2 (4%)	45,65,65	1.39	6 (13%)
5	SO4	A	604	-	4,4,4	0.41	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	607	-	-	0/4/4/4	-
6	GOL	D	607	-	-	2/4/4/4	-
6	GOL	C	608	-	-	2/4/4/4	-
6	GOL	A	607	-	-	4/4/4/4	-
6	GOL	A	606	-	-	4/4/4/4	-
6	GOL	B	606	-	-	0/4/4/4	-
4	4QJ	D	603	-	-	2/12/30/30	0/7/7/7
6	GOL	B	607	-	-	0/4/4/4	-
6	GOL	B	608	-	-	4/4/4/4	-
4	4QJ	B	603	-	-	2/12/30/30	0/7/7/7
4	4QJ	C	603	-	-	2/12/30/30	0/7/7/7
4	4QJ	A	603	-	-	2/12/30/30	0/7/7/7

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	603	4QJ	C27-N34	-3.00	1.44	1.48
4	B	603	4QJ	C27-N34	-2.79	1.44	1.48
4	C	603	4QJ	C20-N33	2.75	1.38	1.35
4	D	603	4QJ	C20-N33	2.64	1.38	1.35
4	A	603	4QJ	C20-N33	2.46	1.37	1.35
4	B	603	4QJ	C20-N33	2.32	1.37	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	603	4QJ	C27-N34	-2.29	1.45	1.48

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	603	4QJ	C22-N35-C21	5.06	122.92	120.79
4	A	603	4QJ	C22-N35-C21	4.96	122.88	120.79
4	C	603	4QJ	N34-C18-N31	4.07	130.49	127.10
4	A	603	4QJ	C24-C26-C27	3.97	108.00	102.54
4	D	603	4QJ	C24-C26-C27	3.87	107.86	102.54
4	A	603	4QJ	N34-C18-N31	3.34	129.88	127.10
4	D	603	4QJ	C15-C29-N33	-3.26	107.71	112.76
4	D	603	4QJ	N34-C18-N31	3.26	129.82	127.10
4	B	603	4QJ	N34-C18-N31	3.24	129.80	127.10
4	C	603	4QJ	C22-N35-C21	3.19	122.13	120.79
4	A	603	4QJ	C15-C29-N33	-3.09	107.98	112.76
4	B	603	4QJ	C24-C26-C27	3.08	106.78	102.54
4	C	603	4QJ	C24-C26-C27	3.06	106.75	102.54
4	B	603	4QJ	C19-N30-C17	2.91	117.63	115.98
4	B	603	4QJ	C15-C29-N33	-2.86	108.34	112.76
4	C	603	4QJ	C15-C29-N33	-2.80	108.43	112.76
4	A	603	4QJ	O37-C21-N35	2.59	125.10	120.36
4	D	603	4QJ	C19-N30-C17	2.54	117.42	115.98
4	B	603	4QJ	F38-C19-C12	2.49	120.91	118.66
4	C	603	4QJ	C29-N33-N31	-2.42	115.51	119.15
4	D	603	4QJ	C29-N33-N31	-2.27	115.73	119.15
4	C	603	4QJ	O37-C21-N35	2.18	124.35	120.36
4	D	603	4QJ	C23-C25-C27	2.14	107.77	104.21
4	D	603	4QJ	C12-C19-N30	-2.09	124.73	126.47
4	D	603	4QJ	C22-N35-C21	2.09	121.67	120.79
4	B	603	4QJ	C29-N33-N31	-2.07	116.04	119.15
4	A	603	4QJ	C23-C25-C27	2.06	107.64	104.21

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	603	4QJ	N33-C20-N36-C16
6	A	606	GOL	O1-C1-C2-C3
6	A	607	GOL	O1-C1-C2-C3
6	A	607	GOL	C1-C2-C3-O3
6	B	608	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	B	608	GOL	O1-C1-C2-C3
6	B	608	GOL	C1-C2-C3-O3
6	C	608	GOL	C1-C2-C3-O3
6	C	608	GOL	O2-C2-C3-O3
6	D	607	GOL	O1-C1-C2-C3
6	A	606	GOL	C1-C2-C3-O3
6	A	606	GOL	O2-C2-C3-O3
6	A	607	GOL	O1-C1-C2-O2
6	A	607	GOL	O2-C2-C3-O3
6	D	607	GOL	O1-C1-C2-O2
6	A	606	GOL	O1-C1-C2-O2
6	B	608	GOL	O2-C2-C3-O3
4	A	603	4QJ	C14-C20-N36-C16
4	A	603	4QJ	N33-C20-N36-C16
4	B	603	4QJ	C14-C20-N36-C16
4	C	603	4QJ	C14-C20-N36-C16
4	C	603	4QJ	N33-C20-N36-C16
4	D	603	4QJ	N33-C20-N36-C16
4	D	603	4QJ	C14-C20-N36-C16

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 4QJ D 603




Ligand 4QJ B 603




Bond lengths



Bond angles





Torsions



Rings

Ligand 4QJ A 603





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/338 (99%)	-0.16	9 (2%) 56 60	14, 24, 45, 114	3 (0%)
1	B	332/338 (98%)	-0.20	8 (2%) 59 63	11, 22, 45, 98	5 (1%)
1	C	332/338 (98%)	-0.17	15 (4%) 38 40	13, 24, 49, 84	4 (1%)
1	D	332/338 (98%)	-0.11	13 (3%) 43 46	13, 24, 48, 93	5 (1%)
All	All	1331/1352 (98%)	-0.16	45 (3%) 48 51	11, 23, 47, 114	17 (1%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	446	PRO	8.6
1	A	447	LEU	7.9
1	C	444	VAL	7.6
1	A	444	VAL	6.6
1	A	448	ALA	5.8
1	D	447	LEU	5.8
1	B	447	LEU	5.7
1	B	446	PRO	5.6
1	C	447	LEU	5.2
1	D	446	PRO	5.1
1	B	448	ALA	5.0
1	C	446	PRO	5.0
1	A	149	THR	4.4
1	B	149	THR	4.1
1	B	444	VAL	3.9
1	B	503	GLY	3.9
1	C	503	GLY	3.9
1	C	156	ASN	3.4
1	D	448	ALA	3.4
1	D	150	TYR	3.4
1	C	150	TYR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	149	THR	3.1
1	C	153	ALA	3.1
1	A	445	GLN	3.0
1	A	443	SER	2.9
1	B	443	SER	2.9
1	D	444	VAL	2.9
1	A	150	TYR	2.8
1	B	445	GLN	2.8
1	D	443	SER	2.7
1	D	153	ALA	2.7
1	D	503	GLY	2.7
1	C	443	SER	2.6
1	C	157	CYS	2.4
1	D	149	THR	2.4
1	C	501	ALA	2.4
1	C	500	ALA	2.4
1	D	499[A]	ARG	2.2
1	C	155	LEU	2.2
1	C	445	GLN	2.2
1	D	157	CYS	2.1
1	C	448	ALA	2.1
1	A	152	THR	2.1
1	D	353	LEU	2.1
1	D	156	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	B	605	5/5	0.68	0.15	68,75,83,93	0
6	GOL	C	608	6/6	0.76	0.16	53,60,68,69	0
6	GOL	B	608	6/6	0.82	0.17	37,46,48,68	0
6	GOL	A	607	6/6	0.82	0.17	38,39,43,53	0
6	GOL	A	606	6/6	0.83	0.14	37,42,47,49	0
5	SO4	C	605	5/5	0.85	0.10	64,65,73,78	0
6	GOL	D	607	6/6	0.86	0.13	30,35,38,39	0
5	SO4	D	605	5/5	0.87	0.10	64,66,72,81	0
6	GOL	B	606	6/6	0.89	0.11	37,40,46,46	0
5	SO4	C	604	5/5	0.91	0.17	40,43,45,47	0
6	GOL	C	607	6/6	0.92	0.09	27,28,32,42	0
6	GOL	B	607	6/6	0.92	0.09	29,30,32,38	0
5	SO4	D	604	5/5	0.92	0.17	30,31,37,38	0
5	SO4	C	606	5/5	0.93	0.06	44,46,51,52	0
5	SO4	A	605	5/5	0.95	0.10	35,36,41,46	0
5	SO4	D	606	5/5	0.95	0.05	44,46,49,52	0
4	4QJ	C	603	38/38	0.96	0.05	15,20,26,31	0
4	4QJ	B	603	38/38	0.96	0.05	16,19,23,28	0
5	SO4	B	604	5/5	0.96	0.11	38,38,40,41	0
3	MG	D	602	1/1	0.97	0.05	28,28,28,28	0
4	4QJ	D	603	38/38	0.97	0.05	15,19,24,32	0
5	SO4	A	604	5/5	0.97	0.08	34,39,40,46	0
4	4QJ	A	603	38/38	0.97	0.05	17,19,23,28	0
3	MG	A	602	1/1	0.97	0.08	26,26,26,26	0
3	MG	C	602	1/1	0.98	0.08	26,26,26,26	0
3	MG	B	602	1/1	0.98	0.07	26,26,26,26	0
2	ZN	C	601	1/1	1.00	0.09	29,29,29,29	0
2	ZN	D	601	1/1	1.00	0.08	29,29,29,29	0
2	ZN	A	601	1/1	1.00	0.10	31,31,31,31	0
2	ZN	B	601	1/1	1.00	0.08	29,29,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 4QJ C 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4QJ B 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 4QJ D 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 4QJ A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.