



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 08:46 PM UTC

PDB ID : 6B2E / pdb_00006b2e
Title : Structure of full length human AMPK (a2b2g1) in complex with a small molecule activator SC4.
Authors : Ngoei, K.R.W.; Langendorf, C.G.; Ling, N.X.Y.; Hoque, A.; Johnson, S.; Camerino, M.C.; Walker, S.R.; Bozikis, Y.E.; Dite, T.A.; Ovens, A.J.; Smiles, W.J.; Jacobs, R.; Huang, H.; Parker, M.W.; Scott, J.W.; Rider, M.H.; Kemp, B.E.; Foitzik, R.C.; Baell, J.B.; Oakhill, J.S.
Deposited on : 2017-09-19
Resolution : 3.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1065 (3.96-3.64)
Clashscore	190562	1012 (3.94-3.66)
Ramachandran outliers	187476	1048 (3.96-3.64)
Sidechain outliers	187428	1043 (3.96-3.64)
RSRZ outliers	180081	1064 (3.96-3.64)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	565	
2	B	272	
3	C	336	

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	7	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SEP	B	108	-	-	X	-
4	GLC	D	4	-	-	X	-
4	GLC	D	5	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6720 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	443	Total	C	N	O	P	S	0	0	0
			3206	2062	533	588	1	22			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	initiating methionine	UNP P54646
A	-11	GLY	-	expression tag	UNP P54646
A	-10	SER	-	expression tag	UNP P54646
A	-9	SER	-	expression tag	UNP P54646
A	-8	HIS	-	expression tag	UNP P54646
A	-7	HIS	-	expression tag	UNP P54646
A	-6	HIS	-	expression tag	UNP P54646
A	-5	HIS	-	expression tag	UNP P54646
A	-4	HIS	-	expression tag	UNP P54646
A	-3	HIS	-	expression tag	UNP P54646
A	-2	SER	-	expression tag	UNP P54646
A	-1	GLN	-	expression tag	UNP P54646
A	0	ASP	-	expression tag	UNP P54646
A	1	PRO	-	expression tag	UNP P54646
A	271	GLY	ASP	conflict	UNP P54646

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	193	Total	C	N	O	P	S	0	0	0
			1258	782	220	252	1	3			


- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	295	Total	C	N	O	S	0	0	0
			2064	1335	343	382	4			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	MET	-	initiating methionine	UNP P54619
C	-3	ALA	-	expression tag	UNP P54619
C	-2	ASP	-	expression tag	UNP P54619
C	-1	LEU	-	expression tag	UNP P54619
C	0	ASN	-	expression tag	UNP P54619
C	1	TRP	-	expression tag	UNP P54619

- Molecule 4 is an oligosaccharide called Cycloheptakis-(1-4)-(alpha-D-glucopyranose).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	D	7	Total	C	O	0	0	0
			77	42	35			

- Molecule 5 is STAUROSPORINE (CCD ID: STU) (formula: $C_{28}H_{26}N_4O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 6 is 5-{{6-chloro-5-(2'-hydroxy[1,1'-biphenyl]-4-yl)-1H-imidazo[4,5-b]pyridin-2-yl}oxy}-2-methylbenzoic acid (CCD ID: CG7) (formula: C₂₆H₁₈ClN₃O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	Cl	N	O	0
			34	26	1	3	4	0


- Molecule 7 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: C₁₀H₁₄N₅O₇P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	C	1	Total 23	C 10	N 5	O 7	P 1	0	0
7	C	1	Total 23	C 10	N 5	O 7	P 1	0	0

- Molecule 1: 5'-AMP-activated protein kinase catalytic subunit alpha-2





● Molecule 4: Cycloheptakis-(1-4)-(alpha-D-glucopyranose)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.94Å 118.85Å 138.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.15 – 3.80 48.15 – 3.80	Depositor EDS
% Data completeness (in resolution range)	93.3 (48.15-3.80) 93.2 (48.15-3.80)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 3.77Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.244 , 0.277 0.281 , 0.310	Depositor DCC
R_{free} test set	921 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	121.5	Xtriage
Anisotropy	0.260	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 145.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.031 for k,h,-l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6720	wwPDB-VP
Average B, all atoms (Å ²)	135.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, STU, SEP, CG7, TPO, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/3270 (0.0%)	1.26	5/4470 (0.1%)
2	B	0.73	2/1272 (0.2%)	1.14	3/1756 (0.2%)
3	C	0.76	0/2104	1.28	0/2903
All	All	0.74	3/6646 (0.0%)	1.24	8/9129 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	71	LYS	C-N	6.25	1.41	1.33
1	A	315	ASP	C-N	5.37	1.41	1.34
2	B	72	PRO	N-CD	5.29	1.55	1.47

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	80	VAL	N-CA-C	12.42	122.20	110.53
1	A	218	HIS	CA-C-N	9.29	127.76	120.33
1	A	218	HIS	C-N-CA	9.29	127.76	120.33
2	B	71	LYS	CA-C-N	-6.49	112.82	119.83
2	B	71	LYS	C-N-CA	-6.49	112.82	119.83
1	A	289	ASP	N-CA-C	5.78	117.63	108.79
1	A	315	ASP	CA-C-N	-5.37	113.09	119.05
1	A	315	ASP	C-N-CA	-5.37	113.09	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3206	0	2866	108	0
2	B	1258	0	992	56	0
3	C	2064	0	1858	55	0
4	D	77	0	63	11	0
5	A	35	0	26	10	0
6	A	34	0	0	0	0
7	C	46	0	24	0	0
All	All	6720	0	5829	218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (218) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:ALA:HB1	1:A:207:LEU:CD2	1.41	1.48
1:A:308:MET:CB	1:A:311:LEU:HD12	1.59	1.31
1:A:273:PRO:HD2	1:A:276:LEU:CD1	1.57	1.31
3:C:88:ILE:CG1	3:C:247:ILE:HD11	1.72	1.19
1:A:116:ALA:CB	1:A:207:LEU:CD2	2.21	1.17
3:C:88:ILE:HG12	3:C:247:ILE:CD1	1.74	1.17
1:A:169:PHE:CZ	2:B:236:VAL:HG11	1.83	1.13
1:A:309:ASN:HA	1:A:312:TYR:CD2	1.85	1.12
3:C:303:VAL:HG21	3:C:307:ASP:HA	1.25	1.10
1:A:116:ALA:CB	1:A:207:LEU:HD23	1.83	1.06
3:C:88:ILE:HD13	3:C:247:ILE:HG12	1.36	1.05
1:A:309:ASN:O	1:A:312:TYR:CD2	2.11	1.03
1:A:309:ASN:O	1:A:312:TYR:CE2	2.11	1.02
1:A:116:ALA:HB1	1:A:207:LEU:HD22	1.41	1.02
1:A:403:TRP:CH2	2:B:252:VAL:HG12	1.94	1.01
2:B:248:ASP:OD1	2:B:249:SER:N	1.92	1.01
1:A:273:PRO:HD2	1:A:276:LEU:HD12	1.01	1.00
1:A:116:ALA:HB1	1:A:207:LEU:HD21	1.40	0.99
1:A:309:ASN:CA	1:A:312:TYR:CE2	2.46	0.99
3:C:132:ILE:CG1	3:C:153:LEU:HD21	1.92	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309:ASN:HA	1:A:312:TYR:CE2	1.96	0.99
3:C:88:ILE:CD1	3:C:247:ILE:CG1	2.41	0.99
4:D:4:GLC:H61	4:D:5:GLC:C5	1.92	0.98
2:B:260:LYS:O	3:C:39:TYR:OH	1.85	0.95
1:A:273:PRO:CD	1:A:276:LEU:HD12	1.96	0.95
1:A:273:PRO:CD	1:A:276:LEU:CD1	2.45	0.94
1:A:308:MET:CB	1:A:311:LEU:CD1	2.44	0.94
3:C:88:ILE:HD13	3:C:247:ILE:CG1	1.99	0.93
5:A:601:STU:H16	5:A:601:STU:H261	1.52	0.92
3:C:88:ILE:HD11	3:C:247:ILE:HG13	1.52	0.91
3:C:132:ILE:HG12	3:C:153:LEU:HD21	1.53	0.91
5:A:601:STU:HN4	5:A:601:STU:H272	1.32	0.90
2:B:212:LEU:HD21	2:B:240:HIS:CD2	2.06	0.90
1:A:403:TRP:CH2	2:B:252:VAL:CG1	2.54	0.90
1:A:309:ASN:CA	1:A:312:TYR:CD2	2.57	0.88
3:C:88:ILE:CD1	3:C:247:ILE:HG13	2.03	0.88
3:C:266:LEU:HD13	3:C:269:ARG:HH21	1.40	0.87
3:C:132:ILE:HG13	3:C:153:LEU:HD21	1.57	0.86
2:B:108:SEP:O2P	2:B:109:HIS:N	2.08	0.86
1:A:15:HIS:O	1:A:35:HIS:HD2	1.58	0.86
3:C:306:ASN:O	3:C:308:VAL:HG23	1.75	0.85
1:A:309:ASN:C	1:A:312:TYR:CE2	2.55	0.85
1:A:169:PHE:CZ	2:B:236:VAL:CG1	2.60	0.85
1:A:309:ASN:HA	1:A:312:TYR:HD2	1.39	0.84
1:A:314:GLY:C	1:A:316:PRO:HD3	2.03	0.83
1:A:289:ASP:OD1	1:A:290:ASP:N	2.11	0.83
2:B:233:PRO:HD2	2:B:263:TYR:HD2	1.42	0.83
2:B:212:LEU:HD21	2:B:240:HIS:HD2	1.42	0.83
1:A:273:PRO:HD2	1:A:276:LEU:HD11	1.59	0.82
1:A:308:MET:CB	1:A:311:LEU:HB2	2.10	0.81
1:A:169:PHE:CE1	2:B:236:VAL:HG11	2.15	0.81
3:C:303:VAL:HG21	3:C:307:ASP:CA	2.08	0.79
1:A:309:ASN:CA	1:A:312:TYR:HE2	1.95	0.79
4:D:4:GLC:H61	4:D:5:GLC:H5	1.63	0.79
3:C:98:TYR:CD1	3:C:108:GLU:HG2	2.17	0.79
1:A:70:LEU:HD12	1:A:288:ILE:CB	2.12	0.78
1:A:57:VAL:HG12	1:A:61:ILE:HG12	1.64	0.78
4:D:3:GLC:H62	4:D:4:GLC:O5	1.83	0.78
3:C:266:LEU:HD13	3:C:269:ARG:NH2	1.99	0.78
1:A:100:GLU:HA	1:A:146:LEU:HD23	1.68	0.75
1:A:309:ASN:CB	1:A:312:TYR:HE2	1.99	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:MET:CA	1:A:311:LEU:HD12	2.16	0.75
1:A:309:ASN:C	1:A:312:TYR:CD2	2.63	0.75
4:D:6:GLC:H62	4:D:7:GLC:C1	2.17	0.75
1:A:403:TRP:HH2	2:B:252:VAL:CG1	1.97	0.74
1:A:72:ARG:CB	1:A:287:VAL:HG13	2.18	0.74
2:B:212:LEU:CD2	2:B:240:HIS:HD2	2.01	0.74
2:B:212:LEU:CD2	2:B:240:HIS:CD2	2.71	0.73
2:B:164:ASP:O	2:B:168:LEU:N	2.22	0.72
4:D:4:GLC:H61	4:D:5:GLC:C6	2.20	0.71
1:A:403:TRP:HH2	2:B:252:VAL:HG12	1.51	0.71
3:C:88:ILE:HG12	3:C:247:ILE:HD11	0.84	0.70
2:B:108:SEP:P	2:B:109:HIS:H	2.15	0.70
2:B:233:PRO:HD2	2:B:263:TYR:CD2	2.24	0.70
3:C:98:TYR:CE1	3:C:108:GLU:HG2	2.26	0.69
1:A:366:PRO:HA	2:B:223:ILE:HG22	1.73	0.69
1:A:179:TYR:HA	1:A:202:VAL:HG11	1.75	0.69
1:A:273:PRO:CD	1:A:276:LEU:HD11	2.17	0.69
1:A:314:GLY:HA3	1:A:316:PRO:HD3	1.74	0.69
2:B:246:ILE:HG13	2:B:246:ILE:O	1.93	0.68
1:A:314:GLY:CA	1:A:316:PRO:HD3	2.23	0.68
1:A:305:SER:O	1:A:306:GLU:HB3	1.96	0.66
2:B:72:PRO:O	2:B:73:THR:HG23	1.95	0.66
3:C:279:CYS:SG	3:C:302:VAL:HG22	2.36	0.65
5:A:601:STU:H272	5:A:601:STU:N4	2.08	0.65
4:D:4:GLC:H61	4:D:5:GLC:H61	1.78	0.65
1:A:172:TPO:O1P	1:A:172:TPO:HG21	1.98	0.64
1:A:46:ILE:HG12	1:A:90:PHE:CD1	2.33	0.63
1:A:314:GLY:O	1:A:315:ASP:HB3	1.99	0.63
1:A:15:HIS:O	1:A:35:HIS:CD2	2.47	0.62
1:A:16:TYR:HE1	1:A:35:HIS:HB2	1.65	0.62
3:C:303:VAL:CG2	3:C:308:VAL:H	2.12	0.62
2:B:238:LEU:O	2:B:239:ASN:HB2	2.00	0.61
1:A:144:ASN:HA	5:A:601:STU:H271	1.82	0.60
1:A:162:ASN:OD1	1:A:163:MET:N	2.35	0.60
3:C:99:TYR:HD1	3:C:106:ILE:HD11	1.66	0.60
5:A:601:STU:H261	5:A:601:STU:C16	2.24	0.60
2:B:226:ASP:HB3	2:B:229:LEU:HD12	1.83	0.59
2:B:64:GLN:O	2:B:64:GLN:NE2	2.36	0.59
2:B:250:VAL:HA	2:B:271:PRO:HA	1.85	0.59
1:A:116:ALA:CA	1:A:207:LEU:HD23	2.33	0.59
1:A:124:LEU:HD23	1:A:268:PHE:CZ	2.37	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:72:PRO:O	2:B:73:THR:CG2	2.51	0.58
3:C:48:LEU:CD1	3:C:166:ILE:HD11	2.34	0.58
3:C:173:LEU:HD11	3:C:289:ILE:HG23	1.86	0.57
1:A:315:ASP:N	1:A:316:PRO:HD3	2.18	0.57
2:B:161:GLU:OE2	2:B:161:GLU:HA	2.04	0.57
3:C:98:TYR:CD1	3:C:108:GLU:CG	2.85	0.57
2:B:64:GLN:CA	2:B:64:GLN:HE21	2.18	0.57
3:C:207:VAL:HG13	3:C:228:LEU:HD23	1.87	0.57
1:A:16:TYR:HD1	1:A:35:HIS:HA	1.70	0.56
2:B:163:PHE:O	2:B:167:LYS:HD2	2.06	0.56
2:B:253:LEU:O	2:B:253:LEU:HD12	2.06	0.56
1:A:316:PRO:O	1:A:317:GLN:HB2	2.05	0.56
1:A:427:LEU:HD12	1:A:427:LEU:N	2.21	0.55
1:A:541:PHE:CD1	2:B:253:LEU:CD1	2.88	0.55
3:C:34:LYS:HA	3:C:137:SER:HB3	1.89	0.55
1:A:35:HIS:ND1	1:A:38:THR:OG1	2.28	0.55
3:C:41:LEU:HD11	3:C:138:LEU:HD13	1.89	0.55
1:A:308:MET:HA	1:A:311:LEU:HG	1.88	0.55
1:A:123:ILE:HD11	1:A:145:VAL:HG21	1.89	0.55
1:A:455:SER:HB3	1:A:471:LYS:HB3	1.90	0.54
3:C:303:VAL:HG23	3:C:308:VAL:H	1.73	0.53
3:C:132:ILE:HD11	3:C:144:SER:OG	2.09	0.53
1:A:116:ALA:HB2	1:A:207:LEU:HD23	1.83	0.53
1:A:299:LYS:HA	1:A:303:THR:O	2.09	0.53
1:A:120:PHE:HA	1:A:123:ILE:HG22	1.91	0.52
2:B:226:ASP:HB3	2:B:229:LEU:CD1	2.39	0.52
4:D:4:GLC:C6	4:D:5:GLC:H61	2.39	0.52
1:A:46:ILE:HG12	1:A:90:PHE:CE1	2.44	0.52
1:A:308:MET:HA	1:A:311:LEU:CG	2.39	0.52
1:A:315:ASP:N	1:A:316:PRO:CD	2.73	0.52
1:A:35:HIS:HB3	1:A:39:GLY:H	1.75	0.51
3:C:303:VAL:CG2	3:C:308:VAL:N	2.73	0.51
1:A:116:ALA:CA	1:A:207:LEU:CD2	2.88	0.51
1:A:308:MET:CB	1:A:311:LEU:CB	2.86	0.51
5:A:601:STU:HN4	5:A:601:STU:C27	2.14	0.51
4:D:4:GLC:H61	4:D:5:GLC:O5	2.09	0.51
2:B:72:PRO:C	2:B:73:THR:HG23	2.36	0.51
3:C:61:PHE:HA	3:C:64:LEU:HD12	1.93	0.51
3:C:303:VAL:HG23	3:C:308:VAL:N	2.26	0.51
1:A:462:ASP:H	1:A:465:SER:HB2	1.76	0.50
3:C:131:CYS:O	3:C:132:ILE:HD13	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:43:PRO:HG2	3:C:46:SER:HB3	1.93	0.50
1:A:308:MET:CA	1:A:311:LEU:HB2	2.42	0.50
5:A:601:STU:C16	5:A:601:STU:C26	2.89	0.50
3:C:39:TYR:HA	3:C:42:ILE:HD12	1.94	0.50
1:A:89:PHE:HE1	2:B:160:PHE:HA	1.76	0.50
4:D:6:GLC:C6	4:D:7:GLC:C1	2.86	0.49
3:C:41:LEU:HD23	3:C:175:PHE:CG	2.47	0.49
1:A:144:ASN:HA	5:A:601:STU:C27	2.42	0.49
3:C:307:ASP:C	3:C:308:VAL:HG23	2.38	0.49
2:B:64:GLN:HE21	2:B:64:GLN:C	2.20	0.49
3:C:307:ASP:C	3:C:308:VAL:CG2	2.86	0.49
2:B:109:HIS:ND1	2:B:110:ASN:N	2.60	0.48
1:A:16:TYR:HE1	1:A:35:HIS:CB	2.27	0.48
1:A:308:MET:O	1:A:311:LEU:HB2	2.12	0.48
2:B:109:HIS:CG	2:B:110:ASN:N	2.82	0.48
1:A:427:LEU:N	1:A:427:LEU:CD1	2.77	0.48
3:C:88:ILE:HG21	3:C:243:LYS:O	2.13	0.48
1:A:331:ASN:HA	1:A:334:ILE:HD12	1.96	0.48
3:C:88:ILE:CG1	3:C:247:ILE:CD1	2.57	0.47
3:C:56:GLN:HA	3:C:113:LYS:HA	1.97	0.47
3:C:57:VAL:HG22	3:C:61:PHE:CE2	2.49	0.47
1:A:166:ASP:HB3	2:B:238:LEU:HD11	1.97	0.47
1:A:237:LEU:HD12	1:A:237:LEU:O	2.14	0.47
2:B:108:SEP:P	2:B:109:HIS:N	2.81	0.47
1:A:403:TRP:CZ3	2:B:252:VAL:HG12	2.45	0.46
2:B:64:GLN:NE2	2:B:64:GLN:C	2.73	0.46
1:A:88:ASP:OD1	1:A:90:PHE:CE2	2.69	0.46
1:A:100:GLU:CA	1:A:146:LEU:HD23	2.43	0.46
1:A:308:MET:HA	1:A:311:LEU:HD12	1.96	0.46
3:C:41:LEU:HD23	3:C:175:PHE:CD1	2.51	0.45
3:C:304:ASP:O	3:C:306:ASN:N	2.47	0.45
1:A:70:LEU:O	1:A:287:VAL:HG22	2.16	0.45
1:A:278:PRO:HB2	1:A:281:PRO:HD2	1.98	0.45
2:B:237:MET:O	2:B:240:HIS:HB2	2.16	0.45
4:D:3:GLC:H62	4:D:4:GLC:C1	2.45	0.45
1:A:84:SER:O	2:B:158:SER:HB2	2.17	0.45
3:C:308:VAL:HG12	3:C:309:VAL:N	2.32	0.45
1:A:169:PHE:CE2	2:B:236:VAL:CG1	3.00	0.44
2:B:108:SEP:O2P	2:B:109:HIS:CD2	2.70	0.44
2:B:233:PRO:CD	2:B:263:TYR:HD2	2.20	0.44
1:A:314:GLY:C	1:A:316:PRO:CD	2.85	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:TYR:CD1	1:A:35:HIS:HA	2.52	0.44
1:A:116:ALA:HA	1:A:207:LEU:HD23	2.00	0.44
2:B:271:PRO:HD3	3:C:55:LEU:HB3	2.01	0.43
1:A:14:GLY:O	1:A:15:HIS:HB2	2.17	0.43
1:A:115:GLU:O	1:A:119:LEU:HD13	2.18	0.43
2:B:74:GLN:HE21	2:B:74:GLN:HB2	1.63	0.43
3:C:48:LEU:HD21	3:C:163:THR:OG1	2.18	0.43
1:A:284:ASP:OD1	2:B:64:GLN:HG2	2.19	0.43
1:A:309:ASN:CA	1:A:312:TYR:HD2	2.17	0.42
1:A:136:VAL:HG21	1:A:192:GLY:HA3	2.00	0.42
1:A:306:GLU:O	1:A:306:GLU:HG2	2.19	0.42
1:A:308:MET:HA	1:A:311:LEU:CD1	2.49	0.42
1:A:15:HIS:N	1:A:15:HIS:ND1	2.67	0.42
1:A:471:LYS:HA	2:B:239:ASN:O	2.20	0.42
3:C:90:ASP:O	3:C:94:ILE:HG13	2.19	0.42
3:C:303:VAL:HG22	3:C:304:ASP:N	2.34	0.42
3:C:319:LEU:HA	3:C:322:LEU:HD12	2.02	0.41
1:A:134:MET:HA	1:A:164:MET:HE3	2.01	0.41
1:A:185:ILE:CD1	1:A:226:ILE:HB	2.50	0.41
1:A:466:TYR:HE1	2:B:205:PRO:HG2	1.86	0.41
3:C:51:PHE:HB2	3:C:74:LEU:HD23	2.02	0.41
3:C:106:ILE:HG22	3:C:109:LEU:H	1.86	0.41
2:B:246:ILE:HG22	2:B:251:MET:HA	2.02	0.41
5:A:601:STU:N4	5:A:601:STU:C27	2.78	0.41
3:C:303:VAL:HG21	3:C:308:VAL:N	2.36	0.41
3:C:307:ASP:O	3:C:308:VAL:HG22	2.20	0.41
2:B:253:LEU:HD12	2:B:253:LEU:C	2.46	0.41
4:D:5:GLC:C3	4:D:6:GLC:HO2	2.34	0.41
2:B:226:ASP:HB3	2:B:229:LEU:CG	2.51	0.41
2:B:226:ASP:HB3	2:B:229:LEU:HG	2.02	0.40
1:A:196:ASP:O	1:A:200:CYS:SG	2.73	0.40
1:A:143:GLU:O	5:A:601:STU:H272	2.21	0.40
1:A:308:MET:CA	1:A:311:LEU:CD1	2.94	0.40
2:B:90:VAL:CG1	2:B:105:LEU:HG	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	432/565 (76%)	415 (96%)	16 (4%)	1 (0%)	43	73
2	B	186/272 (68%)	181 (97%)	5 (3%)	0	100	100
3	C	291/336 (87%)	280 (96%)	11 (4%)	0	100	100
All	All	909/1173 (78%)	876 (96%)	32 (4%)	1 (0%)	48	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	315	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/497 (60%)	293 (98%)	5 (2%)	53	67
2	B	101/242 (42%)	98 (97%)	3 (3%)	36	57
3	C	190/308 (62%)	190 (100%)	0	100	100
All	All	589/1047 (56%)	581 (99%)	8 (1%)	59	70

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	170	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	LEU
1	A	451	TYR
1	A	460	LEU
2	B	64	GLN
2	B	74	GLN
2	B	167	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	64	GLN
2	B	150	ASN
2	B	214	GLN
2	B	240	HIS
3	C	67	ASN
3	C	93	ASN
3	C	223	HIS
3	C	256	ASN
3	C	267	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	172	1	8,10,11	0.89	0	10,14,16	1.24	1 (10%)
2	SEP	B	108	2	8,9,10	0.87	0	7,12,14	1.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	172	1	-	3/9/11/13	-
2	SEP	B	108	2	-	6/6/8/10	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	TPO	O-C-CA	-2.06	119.48	124.77

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	172	TPO	O-C-CA-CB
2	B	108	SEP	N-CA-CB-OG
2	B	108	SEP	C-CA-CB-OG
2	B	108	SEP	CB-OG-P-O2P
2	B	108	SEP	CB-OG-P-O3P
1	A	172	TPO	CG2-CB-OG1-P
2	B	108	SEP	CB-OG-P-O1P
2	B	108	SEP	CA-CB-OG-P
1	A	172	TPO	CB-OG1-P-O3P

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	172	TPO	1	0
2	B	108	SEP	4	0

5.5 Carbohydrates

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GLC	D	1	4	11,11,12	0.36	0	15,15,17	1.31	2 (13%)
4	GLC	D	2	4	11,11,12	0.24	0	15,15,17	0.46	0
4	GLC	D	3	4	11,11,12	0.24	0	15,15,17	0.46	0
4	GLC	D	4	4	11,11,12	0.21	0	15,15,17	0.64	0
4	GLC	D	5	4	11,11,12	0.27	0	15,15,17	0.64	0
4	GLC	D	6	4	11,11,12	0.25	0	15,15,17	1.10	1 (6%)
4	GLC	D	7	4	11,11,12	0.20	0	15,15,17	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	D	1	4	-	1/2/19/22	0/1/1/1
4	GLC	D	2	4	-	1/2/19/22	0/1/1/1
4	GLC	D	3	4	-	0/2/19/22	0/1/1/1
4	GLC	D	4	4	-	0/2/19/22	0/1/1/1
4	GLC	D	5	4	-	1/2/19/22	0/1/1/1
4	GLC	D	6	4	-	0/2/19/22	0/1/1/1
4	GLC	D	7	4	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1	GLC	C1-O5-C5	3.52	116.90	112.19
4	D	6	GLC	C1-O5-C5	2.53	115.58	112.19
4	D	1	GLC	C3-C4-C5	2.15	114.14	110.23

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	2	GLC	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	D	1	GLC	O5-C5-C6-O6
4	D	5	GLC	O5-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	7	GLC	2	0
4	D	4	GLC	8	0
4	D	3	GLC	2	0
4	D	6	GLC	3	0
4	D	5	GLC	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	STU	A	601	-	39,42,42	2.57	15 (38%)	50,68,68	2.85	19 (38%)
6	CG7	A	602	-	36,38,38	2.42	8 (22%)	49,55,55	1.03	2 (4%)
7	AMP	C	400	-	25,25,25	1.54	4 (16%)	37,38,38	1.95	8 (21%)
7	AMP	C	401	-	25,25,25	1.53	4 (16%)	37,38,38	1.93	9 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	STU	A	601	-	-	0/4/42/42	-
6	CG7	A	602	-	-	4/14/16/16	0/5/5/5
7	AMP	C	400	-	-	0/10/26/26	0/3/3/3
7	AMP	C	401	-	-	2/10/26/26	0/3/3/3

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	602	CG7	CBB-CBF	-7.73	1.40	1.49
6	A	602	CG7	CAA-CAW	-5.73	1.40	1.51
5	A	601	STU	C9-C10	-5.19	1.46	1.50
5	A	601	STU	C5-C20	5.18	1.48	1.41
5	A	601	STU	C12-C17	5.12	1.48	1.41
7	C	401	AMP	C5-C4	5.10	1.48	1.39
7	C	400	AMP	C5-C4	5.09	1.48	1.39
6	A	602	CG7	CBE-CBA	-4.88	1.40	1.49
5	A	601	STU	C11-C10	4.87	1.49	1.40
6	A	602	CG7	CBG-CBH	-4.86	1.34	1.40
5	A	601	STU	C6-C7	4.69	1.49	1.40
6	A	602	CG7	CBD-CAV	-4.51	1.40	1.49
5	A	601	STU	C19-C18	4.04	1.49	1.40
5	A	601	STU	C7-C10	4.00	1.46	1.39
5	A	601	STU	C25-N3	3.95	1.48	1.45
5	A	601	STU	C9-N1	3.81	1.49	1.45
5	A	601	STU	C18-N2	-3.72	1.35	1.40
5	A	601	STU	C11-C18	3.65	1.48	1.41
6	A	602	CG7	CAQ-CBG	-3.45	1.34	1.39
7	C	401	AMP	C5-C6	3.04	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	400	AMP	C5-C6	2.98	1.49	1.41
6	A	602	CG7	CBG-NAR	-2.97	1.33	1.38
5	A	601	STU	C6-C19	2.87	1.46	1.41
6	A	602	CG7	CBH-NAT	-2.76	1.33	1.38
5	A	601	STU	C17-N2	-2.69	1.37	1.40
5	A	601	STU	O5-C8	2.40	1.28	1.23
7	C	400	AMP	C8-N7	2.37	1.36	1.31
7	C	400	AMP	C5-N7	-2.34	1.34	1.39
7	C	401	AMP	C8-N7	2.32	1.36	1.31
7	C	401	AMP	C5-N7	-2.30	1.34	1.39
5	A	601	STU	C19-N3	-2.05	1.36	1.39

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	601	STU	C11-C10-C7	-6.94	116.68	121.25
7	C	400	AMP	C5-C4-N3	-5.86	118.64	126.72
5	A	601	STU	C7-C8-N1	5.80	111.91	106.38
7	C	401	AMP	C5-C4-N3	-5.79	118.74	126.72
5	A	601	STU	C6-C7-C10	5.59	124.66	120.76
5	A	601	STU	C9-C10-C11	5.47	132.88	128.73
5	A	601	STU	C18-N2-C17	5.38	113.87	107.37
5	A	601	STU	C9-N1-C8	-5.32	109.01	113.86
5	A	601	STU	C10-C7-C8	-5.09	103.84	108.09
5	A	601	STU	C28-N4-C23	4.74	120.05	114.39
7	C	400	AMP	N3-C4-N9	4.67	135.11	127.17
5	A	601	STU	C12-C17-N2	-4.63	105.90	108.94
7	C	401	AMP	N3-C4-N9	4.47	134.77	127.17
5	A	601	STU	C1-C20-C5	-4.10	116.79	121.59
5	A	601	STU	C16-C17-N2	4.04	136.28	130.22
7	C	400	AMP	C2-N3-C4	3.92	121.39	111.83
7	C	401	AMP	C2-N3-C4	3.86	121.25	111.83
5	A	601	STU	C4-C5-C20	3.72	123.54	119.24
7	C	400	AMP	N3-C2-N1	-3.68	123.01	128.58
7	C	401	AMP	N3-C2-N1	-3.54	123.23	128.58
7	C	401	AMP	C4-C5-N7	-3.47	106.61	110.58
7	C	400	AMP	C4-C5-N7	-3.39	106.70	110.58
5	A	601	STU	C16-C17-C12	-3.23	117.81	121.59
6	A	602	CG7	CAQ-CAY-CBF	-3.19	118.65	121.88
6	A	602	CG7	CBB-CBF-NAS	3.16	119.41	115.10
5	A	601	STU	C10-C9-N1	3.15	104.81	101.75
5	A	601	STU	O5-C8-C7	-3.08	124.00	128.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	601	STU	C13-C12-C17	3.08	122.80	119.24
5	A	601	STU	C1-C20-N3	2.78	134.47	129.73
7	C	400	AMP	C5-N7-C8	2.50	107.38	103.45
7	C	401	AMP	C5-N7-C8	2.46	107.32	103.45
7	C	400	AMP	C4-N9-C8	2.35	108.21	105.74
7	C	401	AMP	C6-C5-N7	2.30	136.52	132.09
7	C	401	AMP	C3'-C2'-C1'	2.23	105.68	101.46
7	C	400	AMP	C6-C5-N7	2.23	136.38	132.09
5	A	601	STU	C3-C4-C5	-2.21	116.57	120.23
5	A	601	STU	C14-C13-C12	-2.15	116.67	120.23
7	C	401	AMP	C4-N9-C8	2.11	107.96	105.74

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	602	CG7	OAC-CAV-CBD-CAP
6	A	602	CG7	OAB-CAV-CBD-CAP
7	C	401	AMP	C2'-C1'-N9-C8
6	A	602	CG7	OAC-CAV-CBD-CAW
6	A	602	CG7	OAB-CAV-CBD-CAW
7	C	401	AMP	O4'-C1'-N9-C8


There are no ring outliers.

1 monomer is involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	601	STU	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand STU A 601




Bond lengths



Bond angles




Torsions




Rings


Ligand CG7 A 602




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/565 (78%)	0.45	18 (4%) 41 30	26, 124, 197, 252	0
2	B	192/272 (70%)	0.81	18 (9%) 14 16	28, 145, 198, 243	0
3	C	295/336 (87%)	0.43	8 (2%) 56 38	87, 135, 194, 210	0
All	All	929/1173 (79%)	0.52	44 (4%) 36 27	26, 130, 195, 252	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	71	LYS	5.1
1	A	288	ILE	5.0
1	A	174	CYS	4.0
1	A	287	VAL	4.0
2	B	266	THR	3.6
1	A	335	MET	3.5
2	B	70	VAL	3.4
1	A	475	ASP	3.4
3	C	299	ARG	3.3
1	A	289	ASP	3.2
2	B	80	VAL	2.8
2	B	200	GLU	2.8
2	B	157	LYS	2.8
1	A	282	SER	2.7
1	A	280	ASP	2.7
3	C	105	GLN	2.7
3	C	38	CYS	2.7
2	B	67	GLU	2.6
2	B	72	PRO	2.5
2	B	132	GLN	2.5
2	B	99	TRP	2.5
2	B	73	THR	2.4
2	B	79	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	101	THR	2.4
1	A	544	CYS	2.4
1	A	281	PRO	2.3
1	A	192	GLY	2.3
2	B	116	LEU	2.2
2	B	255	ALA	2.2
3	C	114	ILE	2.2
1	A	160	LEU	2.2
3	C	96	HIS	2.1
2	B	76	ALA	2.1
1	A	469	ASP	2.1
1	A	405	LEU	2.1
3	C	176	LEU	2.1
2	B	167	LYS	2.1
2	B	151	ASN	2.1
1	A	10	ARG	2.0
3	C	312	ILE	2.0
1	A	374	LEU	2.0
1	A	86	PRO	2.0
1	A	88	ASP	2.0
3	C	239	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	172	11/12	0.53	0.27	144,145,147,149	0
2	SEP	B	108	10/11	0.89	0.11	151,154,163,163	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GLC	D	5	11/12	0.35	0.11	213,213,213,213	0
4	GLC	D	2	11/12	0.45	0.14	212,212,212,212	0
4	GLC	D	4	11/12	0.50	0.12	212,212,213,213	0
4	GLC	D	7	11/12	0.63	0.09	213,213,213,213	0
4	GLC	D	3	11/12	0.64	0.16	212,212,212,212	0
4	GLC	D	1	11/12	0.64	0.09	212,213,213,213	0
4	GLC	D	6	11/12	0.66	0.09	212,212,213,213	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	CG7	A	602	34/34	0.82	0.17	136,136,137,137	0
7	AMP	C	401	23/23	0.86	0.13	143,143,143,143	0
7	AMP	C	400	23/23	0.90	0.12	134,134,134,135	0
5	STU	A	601	35/35	0.93	0.13	88,88,89,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CG7 A 602:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP C 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around STU A 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.