



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 18, 2026 – 02:53 AM UTC

PDB ID : 4B3R / pdb_00004b3r
Title : Crystal structure of the 30S ribosome in complex with compound 30
Authors : Ng, C.L.; Lang, K.; Shcherbakov, D.; Matt, T.; Perez-Fernandez, D.; Patak, R.; Meyer, M.; Duscha, S.; Akbergenov, R.; Boukari, H.; Freihofer, P.; Kudyba, I.; Reddy, M.S.K.; Nandurikar, R.S.; Ramakrishnan, V.; Vasella, A.; Bottger, E.C.
Deposited on : 2012-07-26
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : ?? (???), CSD ??CSD?? (????)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)
RNA backbone	3983	1109 (3.20-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1521	
2	B	256	
3	C	239	
4	D	208	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	161	
6	F	101	
7	G	155	
8	H	138	
9	I	128	
10	J	104	
11	K	129	
12	L	132	
13	M	126	
14	N	60	
15	O	88	
16	P	88	
17	Q	104	
18	R	88	
19	S	92	
20	T	106	
21	V	26	
22	W	6	
23	Z	16	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	MG	A	2549	-	-	-	X
24	MG	A	2551	-	-	-	X
24	MG	A	2570	-	-	-	X
24	MG	A	2589	-	-	-	X
24	MG	A	2595	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
24	MG	A	2613	-	-	-	X
24	MG	A	2626	-	-	-	X
24	MG	A	2644	-	-	-	X
24	MG	A	2679	-	-	-	X
24	MG	A	2684	-	-	-	X
24	MG	A	2685	-	-	-	X
24	MG	A	2687	-	-	-	X
24	MG	A	2691	-	-	-	X
24	MG	A	2694	-	-	-	X
24	MG	A	2702	-	-	-	X
24	MG	A	2707	-	-	-	X
24	MG	A	2722	-	-	-	X
24	MG	A	2728	-	-	-	X
24	MG	A	2748	-	-	-	X

2 Entry composition

There are 28 unique types of molecules in this entry. The entry contains 52404 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1512	Total	C	N	O	P	0	0	0
			32486	14462	6011	10503	1510			

- Molecule 2 is a protein called 30S RIBOSOMAL PROTEIN S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	235	Total	C	N	O	S	0	0	1
			1901	1213	342	341	5			

- Molecule 3 is a protein called 30S RIBOSOMAL PROTEIN S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	207	Total	C	N	O	S	0	0	1
			1613	1016	315	281	1			

- Molecule 4 is a protein called 30S RIBOSOMAL PROTEIN S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S RIBOSOMAL PROTEIN S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	151	Total	C	N	O	S	0	0	1
			1147	724	218	201	4			

- Molecule 6 is a protein called 30S RIBOSOMAL PROTEIN S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S RIBOSOMAL PROTEIN S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S RIBOSOMAL PROTEIN S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S RIBOSOMAL PROTEIN S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	127	Total	C	N	O	S	0	0	0
			1011	639	198	174				

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	57	ARG	HIS	conflict	UNP P80374

- Molecule 10 is a protein called 30S RIBOSOMAL PROTEIN S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	99	Total	C	N	O	S	0	0	1
			795	499	157	138	1			

- Molecule 11 is a protein called 30S RIBOSOMAL PROTEIN S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S RIBOSOMAL PROTEIN S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	125	Total	C	N	O	S	0	0	1
			971	611	196	163	1			

- Molecule 13 is a protein called 30S RIBOSOMAL PROTEIN S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	125	Total	C	N	O	S	0	0	0
			997	617	207	171	2			

- Molecule 14 is a protein called 30S RIBOSOMAL PROTEIN S14 TYPE Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S RIBOSOMAL PROTEIN S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	O	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S RIBOSOMAL PROTEIN S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	P	84	Total	C	N	O	S	0	0	1
			701	443	140	117	1			

- Molecule 17 is a protein called 30S RIBOSOMAL PROTEIN S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Q	104	Total	C	N	O	S	0	0	0
			857	547	161	147	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	95	GLN	GLU	conflict	UNP Q5SHP7

- Molecule 18 is a protein called 30S RIBOSOMAL PROTEIN S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	R	73	Total	C	N	O		0	0	0
			597	380	118	99				

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	45	GLY	ALA	conflict	UNP Q5SLQ0

- Molecule 19 is a protein called 30S RIBOSOMAL PROTEIN S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	S	81	Total	C	N	O	S	0	0	1
			648	414	120	112	2			

- Molecule 20 is a protein called 30S RIBOSOMAL PROTEIN S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	T	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
T	34	VAL	ILE	conflict	UNP P80380

- Molecule 21 is a protein called 30S RIBOSOMAL PROTEIN THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	V	25	Total	C	N	O	0	0	1
			209	128	51	30			

- Molecule 22 is a RNA chain called 5'-R(*UP*UP*CP*AP*AP*AP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	W	4	Total	C	N	O	P	0	0	0
			79	37	12	27	3			

- Molecule 23 is a RNA chain called 5'-R(*GP*GP*GP*AP*UP*UP*GP*AP*AP*AP*AP*UP*CP*CP*CP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	Z	15	Total	C	N	O	P	0	0	0
			319	144	60	101	14			

- Molecule 24 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
24	A	192	Total	Mg	0	0
			192	192		
24	B	2	Total	Mg	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
24	D	1	Total 1	Mg 1	0	0
24	E	2	Total 2	Mg 2	0	0
24	F	1	Total 1	Mg 1	0	0
24	H	2	Total 2	Mg 2	0	0
24	J	1	Total 1	Mg 1	0	0
24	K	1	Total 1	Mg 1	0	0
24	L	1	Total 1	Mg 1	0	0
24	M	1	Total 1	Mg 1	0	0
24	N	1	Total 1	Mg 1	0	0
24	Q	2	Total 2	Mg 2	0	0

- Molecule 25 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
25	A	14	Total 14	K 14	0	0

- Molecule 26 is (1R,2R,3S,4R,6S)-4,6-diamino-2-{[3-O-(2,6-diamino-2,6-dideoxy-beta-L-idopyranosyl)-beta-D-ribofuranosyl]oxy}-3-hydroxycyclohexyl 2-amino-2-deoxy-4,6-O-[(1R)-3-phenylpropylidene]-alpha-D-glucopyranoside (CCD ID: M5Z) (formula: C₃₂H₅₃N₅O₁₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
26	A	1	Total	C	N	O	0	0
			51	32	5	14		

- Molecule 27 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
27	D	1	Total	Zn	0	0
			1	1		
27	N	1	Total	Zn	0	0
			1	1		


- Molecule 28 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
28	A	7	Total	O	0	0
			7	7		




• Molecule 2: 30S RIBOSOMAL PROTEIN S2









• Molecule 3: 30S RIBOSOMAL PROTEIN S3



• Molecule 4: 30S RIBOSOMAL PROTEIN S4



• Molecule 5: 30S RIBOSOMAL PROTEIN S5



ALA
GLN
GLY


• Molecule 6: 30S RIBOSOMAL PROTEIN S6

Chain F: 41% 50% 9%




• Molecule 7: 30S RIBOSOMAL PROTEIN S7

Chain G: 7% 45% 50% 5%




• Molecule 8: 30S RIBOSOMAL PROTEIN S8

Chain H: 3% 51% 40% 8%




• Molecule 9: 30S RIBOSOMAL PROTEIN S9


Chain I: 14% 27% 57% 13%




R127


- Molecule 10: 30S RIBOSOMAL PROTEIN S10

Chain J: 




- Molecule 11: 30S RIBOSOMAL PROTEIN S11

Chain K: 




- Molecule 12: 30S RIBOSOMAL PROTEIN S12

Chain L: 



- Molecule 13: 30S RIBOSOMAL PROTEIN S13


Chain M: 




- Molecule 14: 30S RIBOSOMAL PROTEIN S14 TYPE Z

Chain N: 







• Molecule 15: 30S RIBOSOMAL PROTEIN S15




• Molecule 16: 30S RIBOSOMAL PROTEIN S16




• Molecule 17: 30S RIBOSOMAL PROTEIN S17




• Molecule 18: 30S RIBOSOMAL PROTEIN S18




• Molecule 19: 30S RIBOSOMAL PROTEIN S19






• Molecule 20: 30S RIBOSOMAL PROTEIN S20




• Molecule 21: 30S RIBOSOMAL PROTEIN THX



• Molecule 22: 5'-R(*UP*UP*CP*AP*AP*AP)-3'



• Molecule 23: 5'-R(*GP*GP*GP*AP*UP*UP*GP*AP*AP*AP*AP*UP*CP*CP*CP)-3'



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	402.48Å 402.48Å 174.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 3.00 40.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.3 (40.00-3.00) 99.2 (40.00-3.00)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 3.01Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.214 , 0.248 (Not available) , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	73.3	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 73.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	52404	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: M5Z, K, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.41	3/36362 (0.0%)	0.75	106/56750 (0.2%)
2	B	0.43	1/1936 (0.1%)	0.96	7/2611 (0.3%)
3	C	0.49	1/1637 (0.1%)	0.98	6/2207 (0.3%)
4	D	0.43	0/1733	1.01	8/2318 (0.3%)
5	E	0.59	1/1163 (0.1%)	1.08	5/1566 (0.3%)
6	F	0.40	0/856	0.98	5/1154 (0.4%)
7	G	0.43	0/1276	0.98	4/1709 (0.2%)
8	H	0.55	0/1136	1.13	6/1527 (0.4%)
9	I	0.42	0/1029	0.97	3/1378 (0.2%)
10	J	0.48	1/808 (0.1%)	1.05	3/1087 (0.3%)
11	K	0.55	0/900	1.04	5/1213 (0.4%)
12	L	0.57	1/987 (0.1%)	1.11	5/1322 (0.4%)
13	M	0.44	0/1008	0.92	2/1347 (0.1%)
14	N	0.49	0/501	1.05	4/664 (0.6%)
15	O	0.41	0/745	0.88	1/992 (0.1%)
16	P	0.54	1/717 (0.1%)	1.10	6/965 (0.6%)
17	Q	0.51	0/870	1.10	4/1159 (0.3%)
18	R	0.38	0/603	0.92	1/799 (0.1%)
19	S	0.48	1/662 (0.2%)	1.11	7/892 (0.8%)
20	T	0.50	0/764	1.11	3/1006 (0.3%)
21	V	0.62	1/213 (0.5%)	0.87	0/279
22	W	0.40	0/87	0.78	0/133
23	Z	0.43	0/357	0.60	0/555
All	All	0.44	11/56350 (0.0%)	0.84	191/83633 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	47	38

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	925	G	O5'-C5'	6.43	1.52	1.42
3	C	206	VAL	C-N	-5.64	1.25	1.33
21	V	25	LYS	C-N	-5.60	1.25	1.33
16	P	83	GLU	C-N	-5.55	1.25	1.33
2	B	234	GLN	C-N	-5.54	1.25	1.33

The worst 5 of 191 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1400	C	C2'-C3'-O3'	14.20	130.81	109.50
1	A	884	U	C2'-C3'-O3'	14.12	130.67	109.50
20	T	6	LEU	N-CA-C	-13.98	95.89	113.23
1	A	1452	C	C2'-C3'-O3'	13.68	130.01	109.50
1	A	925	G	N9-C1'-C2'	13.66	132.50	112.00

5 of 47 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	60	A	C1',C3',C4'
1	A	109	A	C3'
1	A	189(G)	G	C3'
1	A	189(H)	G	C1',C4'
1	A	277	C	C3'

5 of 38 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	112	G	Sidechain
1	A	189(H)	G	Sidechain
1	A	195	A	Sidechain
1	A	35	G	Sidechain
1	A	73	G	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32486	0	16402	878	0
2	B	1901	0	1954	221	1
3	C	1613	0	1680	207	0
4	D	1703	0	1767	128	0
5	E	1147	0	1210	79	0
6	F	843	0	857	78	0
7	G	1257	0	1299	87	0
8	H	1116	0	1177	74	0
9	I	1011	0	1046	118	0
10	J	795	0	843	140	0
11	K	885	0	907	80	0
12	L	971	0	1059	96	0
13	M	997	0	1075	105	0
14	N	492	0	533	58	0
15	O	734	0	773	43	0
16	P	701	0	720	43	0
17	Q	857	0	932	60	0
18	R	597	0	670	69	0
19	S	648	0	673	90	0
20	T	762	0	862	61	0
21	V	209	0	221	10	0
22	W	79	0	44	2	0
23	Z	319	0	164	5	0
24	A	192	0	0	0	0
24	B	2	0	0	0	0
24	D	1	0	0	0	0
24	E	2	0	0	0	0
24	F	1	0	0	0	0
24	H	2	0	0	0	0
24	J	1	0	0	0	0
24	K	1	0	0	0	0
24	L	1	0	0	0	0
24	M	1	0	0	0	0
24	N	1	0	0	0	0
24	Q	2	0	0	0	0
25	A	14	0	0	0	0
26	A	51	0	53	3	0
27	D	1	0	0	0	0
27	N	1	0	0	0	0
28	A	7	0	0	1	0
All	All	52404	0	36921	2489	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

The worst 5 of 2489 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:972:C:H4'	10:J:55:LYS:HG2	1.24	1.13
1:A:177:C:H2'	1:A:178:C:H5''	1.27	1.12
6:F:28:ARG:HH11	6:F:28:ARG:HB2	1.10	1.09
10:J:43:ARG:HB3	10:J:43:ARG:HH11	1.04	1.09
1:A:188:C:H2'	1:A:189:G:H5''	1.27	1.09

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:151:ARG:NH1	2:B:151:ARG:NH1[7_555]	1.88	0.32

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	233/256 (91%)	163 (70%)	43 (18%)	27 (12%)	0	1
3	C	205/239 (86%)	143 (70%)	38 (18%)	24 (12%)	0	1
4	D	206/208 (99%)	173 (84%)	21 (10%)	12 (6%)	1	8
5	E	149/161 (92%)	138 (93%)	9 (6%)	2 (1%)	9	38
6	F	99/101 (98%)	81 (82%)	15 (15%)	3 (3%)	3	19
7	G	153/155 (99%)	125 (82%)	24 (16%)	4 (3%)	4	23
8	H	136/138 (99%)	117 (86%)	16 (12%)	3 (2%)	5	26
9	I	125/128 (98%)	97 (78%)	14 (11%)	14 (11%)	0	1
10	J	97/104 (93%)	70 (72%)	18 (19%)	9 (9%)	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	K	117/129 (91%)	100 (86%)	11 (9%)	6 (5%)	1	10
12	L	123/132 (93%)	100 (81%)	17 (14%)	6 (5%)	1	10
13	M	123/126 (98%)	91 (74%)	22 (18%)	10 (8%)	1	3
14	N	58/60 (97%)	44 (76%)	11 (19%)	3 (5%)	1	9
15	O	86/88 (98%)	81 (94%)	3 (4%)	2 (2%)	5	25
16	P	82/88 (93%)	77 (94%)	3 (4%)	2 (2%)	4	24
17	Q	102/104 (98%)	86 (84%)	8 (8%)	8 (8%)	1	4
18	R	71/88 (81%)	58 (82%)	10 (14%)	3 (4%)	2	13
19	S	79/92 (86%)	56 (71%)	18 (23%)	5 (6%)	1	6
20	T	97/106 (92%)	70 (72%)	18 (19%)	9 (9%)	0	2
21	V	23/26 (88%)	18 (78%)	5 (22%)	0	100	100
All	All	2364/2529 (94%)	1888 (80%)	324 (14%)	152 (6%)	1	6

5 of 152 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	10	HIS
2	B	12	GLY
2	B	15	ARG
2	B	18	TRP
2	B	184	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	202/220 (92%)	183 (91%)	19 (9%)	8	32
3	C	160/188 (85%)	149 (93%)	11 (7%)	14	45
4	D	180/180 (100%)	167 (93%)	13 (7%)	13	43
5	E	115/122 (94%)	101 (88%)	14 (12%)	5	21
6	F	90/90 (100%)	83 (92%)	7 (8%)	11	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	126/126 (100%)	121 (96%)	5 (4%)	28	62
8	H	119/119 (100%)	108 (91%)	11 (9%)	8	33
9	I	98/99 (99%)	90 (92%)	8 (8%)	10	37
10	J	88/91 (97%)	82 (93%)	6 (7%)	14	45
11	K	90/99 (91%)	79 (88%)	11 (12%)	5	21
12	L	104/109 (95%)	92 (88%)	12 (12%)	5	24
13	M	100/101 (99%)	94 (94%)	6 (6%)	17	50
14	N	49/49 (100%)	41 (84%)	8 (16%)	2	12
15	O	79/79 (100%)	73 (92%)	6 (8%)	12	41
16	P	72/74 (97%)	66 (92%)	6 (8%)	10	37
17	Q	96/96 (100%)	90 (94%)	6 (6%)	16	48
18	R	64/77 (83%)	62 (97%)	2 (3%)	35	68
19	S	71/79 (90%)	65 (92%)	6 (8%)	10	36
20	T	76/82 (93%)	67 (88%)	9 (12%)	5	22
21	V	19/21 (90%)	19 (100%)	0	100	100
All	All	1998/2101 (95%)	1832 (92%)	166 (8%)	10	37

5 of 166 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	L	109	ARG
17	Q	33	LYS
13	M	80	LEU
14	N	43	LEU
18	R	23	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 60 such sidechains are listed below:

Mol	Chain	Res	Type
7	G	36	ASN
16	P	16	HIS
9	I	72	GLN
16	P	14	ASN
19	S	14	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1510/1521 (99%)	248 (16%)	60 (3%)
22	W	3/6 (50%)	0	0
23	Z	14/16 (87%)	0	0
All	All	1527/1543 (98%)	248 (16%)	60 (3%)

5 of 248 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	G
1	A	9	G
1	A	32	A
1	A	33	A
1	A	36	C

5 of 60 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	730	G
1	A	1346	A
1	A	884	U
1	A	1226	C
1	A	1452	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 224 ligands modelled in this entry, 223 are monoatomic - leaving 1 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1512/1521 (99%)	0.34	106 (7%) 22 12	38, 71, 142, 200	0
2	B	235/256 (91%)	0.85	25 (10%) 11 6	54, 100, 159, 182	0
3	C	207/239 (86%)	0.83	18 (8%) 16 8	53, 90, 134, 166	0
4	D	208/208 (100%)	0.66	24 (11%) 9 6	54, 87, 138, 186	0
5	E	151/161 (93%)	0.13	3 (1%) 65 41	39, 62, 98, 156	0
6	F	101/101 (100%)	0.53	0 100 100	69, 97, 133, 160	0
7	G	155/155 (100%)	0.50	11 (7%) 22 11	56, 85, 136, 172	0
8	H	138/138 (100%)	0.04	4 (2%) 53 31	40, 61, 92, 139	0
9	I	127/128 (99%)	1.00	18 (14%) 6 4	46, 100, 135, 185	0
10	J	99/104 (95%)	1.50	29 (29%) 1 1	49, 121, 182, 196	0
11	K	119/129 (92%)	0.38	8 (6%) 24 12	41, 74, 113, 163	0
12	L	125/132 (94%)	0.31	5 (4%) 42 23	37, 67, 111, 196	0
13	M	125/126 (99%)	0.92	19 (15%) 5 3	60, 88, 153, 184	0
14	N	60/60 (100%)	0.98	9 (15%) 5 3	51, 81, 113, 176	0
15	O	88/88 (100%)	0.16	0 100 100	51, 76, 120, 170	0
16	P	84/88 (95%)	0.23	2 (2%) 59 36	48, 66, 96, 173	0
17	Q	104/104 (100%)	0.52	11 (10%) 11 6	42, 71, 123, 201	0
18	R	73/88 (82%)	0.25	1 (1%) 73 51	53, 82, 137, 194	0
19	S	81/92 (88%)	1.16	14 (17%) 4 3	67, 106, 154, 188	0
20	T	99/106 (93%)	0.63	9 (9%) 15 8	45, 75, 112, 200	0
21	V	25/26 (96%)	0.92	3 (12%) 9 5	51, 76, 111, 146	0
22	W	4/6 (66%)	0.76	0 100 100	79, 80, 80, 105	0
23	Z	15/16 (93%)	1.18	3 (20%) 3 2	74, 110, 176, 185	0
All	All	3935/4072 (96%)	0.51	322 (8%) 17 9	37, 77, 147, 201	0

The worst 5 of 322 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
19	S	3	ARG	10.1
13	M	123	PRO	7.8
1	A	1539	C	7.4
1	A	1129	C	7.2
19	S	2	PRO	7.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
24	MG	A	2702	1/1	0.38	0.53	98,98,98,98	0
24	MG	A	2687	1/1	0.47	0.48	95,95,95,95	0
24	MG	A	2589	1/1	0.47	0.52	86,86,86,86	0
24	MG	A	2708	1/1	0.50	0.26	75,75,75,75	0
24	MG	A	2644	1/1	0.56	0.75	95,95,95,95	0
24	MG	A	2694	1/1	0.57	0.59	81,81,81,81	0
25	K	A	2677	1/1	0.59	0.31	126,126,126,126	0
24	MG	A	2685	1/1	0.61	0.41	77,77,77,77	0
24	MG	A	2622	1/1	0.61	0.25	64,64,64,64	0
24	MG	A	2615	1/1	0.61	0.29	68,68,68,68	0
24	MG	A	2684	1/1	0.63	0.55	89,89,89,89	0
24	MG	A	2689	1/1	0.64	0.32	86,86,86,86	0
24	MG	A	2626	1/1	0.65	0.47	90,90,90,90	0
24	MG	A	2554	1/1	0.65	0.30	69,69,69,69	0
24	MG	A	2718	1/1	0.66	0.33	88,88,88,88	0
24	MG	A	2613	1/1	0.66	0.44	79,79,79,79	0
24	MG	A	2558	1/1	0.67	0.29	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
24	MG	A	2728	1/1	0.68	0.82	99,99,99,99	0
24	MG	A	2707	1/1	0.68	0.43	80,80,80,80	0
24	MG	A	2679	1/1	0.71	0.65	72,72,72,72	0
24	MG	A	2586	1/1	0.71	0.28	87,87,87,87	0
24	MG	A	2722	1/1	0.72	0.40	75,75,75,75	0
24	MG	A	2587	1/1	0.73	0.25	51,51,51,51	0
24	MG	A	2549	1/1	0.73	0.47	81,81,81,81	0
25	K	A	2676	1/1	0.74	0.23	106,106,106,106	0
24	MG	A	2595	1/1	0.74	0.95	92,92,92,92	0
24	MG	A	2697	1/1	0.75	0.37	72,72,72,72	0
24	MG	A	2700	1/1	0.75	0.32	77,77,77,77	0
24	MG	A	2682	1/1	0.75	0.33	56,56,56,56	0
24	MG	A	2691	1/1	0.75	0.42	66,66,66,66	0
24	MG	A	2545	1/1	0.75	0.11	66,66,66,66	0
24	MG	A	2717	1/1	0.76	0.38	92,92,92,92	0
24	MG	A	2610	1/1	0.76	0.37	63,63,63,63	0
25	K	A	2675	1/1	0.77	0.25	116,116,116,116	0
24	MG	A	2646	1/1	0.77	0.33	76,76,76,76	0
24	MG	A	2721	1/1	0.77	0.24	78,78,78,78	0
24	MG	B	1236	1/1	0.78	0.13	76,76,76,76	0
24	MG	F	1102	1/1	0.78	0.13	80,80,80,80	0
24	MG	A	2560	1/1	0.78	0.32	64,64,64,64	0
24	MG	A	2655	1/1	0.78	0.13	57,57,57,57	0
24	MG	B	1235	1/1	0.78	0.13	74,74,74,74	0
24	MG	A	2567	1/1	0.79	0.33	56,56,56,56	0
24	MG	A	2748	1/1	0.79	0.43	64,64,64,64	0
24	MG	A	2551	1/1	0.80	0.41	68,68,68,68	0
24	MG	A	2570	1/1	0.80	0.47	76,76,76,76	0
24	MG	A	2575	1/1	0.80	0.28	50,50,50,50	0
24	MG	A	2657	1/1	0.80	0.17	61,61,61,61	0
24	MG	A	2628	1/1	0.80	0.14	65,65,65,65	0
25	K	A	2667	1/1	0.80	0.28	112,112,112,112	0
24	MG	A	2704	1/1	0.80	0.15	55,55,55,55	0
24	MG	A	2725	1/1	0.80	0.37	79,79,79,79	0
24	MG	A	2726	1/1	0.80	0.39	74,74,74,74	0
24	MG	A	2751	1/1	0.81	0.44	69,69,69,69	0
24	MG	A	2716	1/1	0.81	0.52	81,81,81,81	0
24	MG	A	2605	1/1	0.81	0.33	50,50,50,50	0
24	MG	A	2654	1/1	0.81	0.18	66,66,66,66	0
24	MG	A	2683	1/1	0.82	0.38	55,55,55,55	0
24	MG	A	2713	1/1	0.82	0.26	75,75,75,75	0
24	MG	A	2603	1/1	0.82	0.20	95,95,95,95	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
24	MG	A	2590	1/1	0.82	0.43	66,66,66,66	0
24	MG	A	2732	1/1	0.82	0.44	76,76,76,76	0
24	MG	A	2705	1/1	0.82	0.14	66,66,66,66	0
24	MG	A	2588	1/1	0.82	0.27	54,54,54,54	0
24	MG	A	2597	1/1	0.83	0.27	44,44,44,44	0
24	MG	A	2598	1/1	0.83	0.31	69,69,69,69	0
24	MG	A	2706	1/1	0.83	0.17	72,72,72,72	0
24	MG	A	2559	1/1	0.83	0.28	73,73,73,73	0
25	K	A	2678	1/1	0.83	0.13	93,93,93,93	0
24	MG	A	2568	1/1	0.84	0.28	73,73,73,73	0
24	MG	A	2553	1/1	0.84	0.16	41,41,41,41	0
24	MG	A	2612	1/1	0.84	0.30	60,60,60,60	0
24	MG	A	2645	1/1	0.84	0.13	72,72,72,72	0
24	MG	A	2625	1/1	0.84	0.23	61,61,61,61	0
24	MG	A	2660	1/1	0.85	0.36	63,63,63,63	0
24	MG	A	2648	1/1	0.85	0.33	65,65,65,65	0
25	K	A	2668	1/1	0.85	0.32	111,111,111,111	0
25	K	A	2671	1/1	0.85	0.29	109,109,109,109	0
25	K	A	2674	1/1	0.85	0.19	105,105,105,105	0
24	MG	A	2599	1/1	0.85	0.21	66,66,66,66	0
24	MG	A	2711	1/1	0.85	0.32	70,70,70,70	0
24	MG	A	2617	1/1	0.85	0.13	51,51,51,51	0
24	MG	A	2550	1/1	0.85	0.13	65,65,65,65	0
24	MG	A	2569	1/1	0.86	0.41	53,53,53,53	0
24	MG	A	2580	1/1	0.86	0.31	65,65,65,65	0
24	MG	A	2616	1/1	0.86	0.13	50,50,50,50	0
24	MG	A	2634	1/1	0.86	0.28	62,62,62,62	0
24	MG	A	2690	1/1	0.86	0.26	72,72,72,72	0
24	MG	A	2638	1/1	0.86	0.39	68,68,68,68	0
24	MG	A	2585	1/1	0.86	0.61	62,62,62,62	0
24	MG	A	2729	1/1	0.86	0.68	66,66,66,66	0
24	MG	A	2564	1/1	0.86	0.56	60,60,60,60	0
24	MG	A	2714	1/1	0.86	0.29	61,61,61,61	0
24	MG	A	2623	1/1	0.86	0.17	49,49,49,49	0
24	MG	A	2681	1/1	0.87	0.61	74,74,74,74	0
24	MG	A	2574	1/1	0.87	0.32	49,49,49,49	0
24	MG	A	2608	1/1	0.87	0.21	43,43,43,43	0
24	MG	A	2572	1/1	0.87	0.24	76,76,76,76	0
24	MG	A	2566	1/1	0.88	0.26	49,49,49,49	0
24	MG	A	2741	1/1	0.88	0.44	66,66,66,66	0
24	MG	A	2747	1/1	0.88	0.34	75,75,75,75	0
24	MG	A	2656	1/1	0.88	0.18	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
24	MG	A	2600	1/1	0.88	0.30	60,60,60,60	0
24	MG	A	2658	1/1	0.88	0.13	48,48,48,48	0
24	MG	A	2602	1/1	0.88	0.24	44,44,44,44	0
24	MG	A	2662	1/1	0.88	0.18	75,75,75,75	0
24	MG	N	1062	1/1	0.88	0.17	60,60,60,60	0
24	MG	Q	1105	1/1	0.88	0.10	67,67,67,67	0
24	MG	A	2699	1/1	0.88	0.10	46,46,46,46	0
24	MG	A	2640	1/1	0.88	0.32	53,53,53,53	0
24	MG	A	2591	1/1	0.88	0.34	50,50,50,50	0
24	MG	A	2724	1/1	0.88	0.85	51,51,51,51	0
24	MG	A	2594	1/1	0.88	0.29	57,57,57,57	0
24	MG	A	2555	1/1	0.88	0.15	81,81,81,81	0
24	MG	A	2571	1/1	0.88	0.25	72,72,72,72	0
24	MG	A	2565	1/1	0.88	0.34	54,54,54,54	0
24	MG	A	2582	1/1	0.89	0.19	44,44,44,44	0
24	MG	A	2547	1/1	0.89	0.47	61,61,61,61	0
24	MG	A	2745	1/1	0.89	0.56	62,62,62,62	0
24	MG	H	2001	1/1	0.89	0.32	74,74,74,74	0
24	MG	A	2650	1/1	0.89	0.30	77,77,77,77	0
24	MG	A	2651	1/1	0.89	0.12	71,71,71,71	0
24	MG	A	2731	1/1	0.89	0.38	66,66,66,66	0
24	MG	A	2583	1/1	0.90	0.17	41,41,41,41	0
24	MG	A	2643	1/1	0.90	0.18	48,48,48,48	0
24	MG	E	1151	1/1	0.90	0.42	71,71,71,71	0
24	MG	A	2584	1/1	0.90	0.15	63,63,63,63	0
24	MG	A	2576	1/1	0.90	0.50	65,65,65,65	0
24	MG	A	2579	1/1	0.90	0.51	63,63,63,63	0
24	MG	A	2563	1/1	0.90	0.37	62,62,62,62	0
24	MG	A	2696	1/1	0.90	0.17	74,74,74,74	0
24	MG	A	2632	1/1	0.90	0.28	55,55,55,55	0
24	MG	A	2633	1/1	0.90	0.14	51,51,51,51	0
25	K	A	2673	1/1	0.90	0.13	96,96,96,96	0
24	MG	A	2743	1/1	0.90	0.58	70,70,70,70	0
24	MG	A	2604	1/1	0.90	0.22	48,48,48,48	0
24	MG	A	2701	1/1	0.90	0.21	67,67,67,67	0
24	MG	A	2719	1/1	0.90	0.20	62,62,62,62	0
24	MG	A	2562	1/1	0.90	0.29	46,46,46,46	0
24	MG	A	2578	1/1	0.91	0.38	60,60,60,60	0
24	MG	A	2611	1/1	0.91	0.17	52,52,52,52	0
24	MG	A	2561	1/1	0.91	0.36	38,38,38,38	0
24	MG	A	2577	1/1	0.91	0.32	46,46,46,46	0
24	MG	A	2581	1/1	0.91	0.27	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
24	MG	A	2749	1/1	0.91	0.40	72,72,72,72	0
24	MG	A	2663	1/1	0.91	0.17	65,65,65,65	0
24	MG	A	2601	1/1	0.91	0.21	45,45,45,45	0
24	MG	A	2680	1/1	0.91	0.50	71,71,71,71	0
24	MG	A	2630	1/1	0.91	0.28	73,73,73,73	0
24	MG	E	1152	1/1	0.91	0.14	64,64,64,64	0
24	MG	A	2738	1/1	0.91	0.32	51,51,51,51	0
24	MG	A	2635	1/1	0.92	0.13	41,41,41,41	0
24	MG	A	2661	1/1	0.92	0.16	48,48,48,48	0
24	MG	A	2636	1/1	0.92	0.16	48,48,48,48	0
24	MG	A	2557	1/1	0.92	0.30	78,78,78,78	0
24	MG	A	2664	1/1	0.92	0.17	64,64,64,64	0
24	MG	A	2692	1/1	0.92	0.12	55,55,55,55	0
24	MG	A	2709	1/1	0.92	0.18	66,66,66,66	0
24	MG	H	1139	1/1	0.92	0.10	59,59,59,59	0
24	MG	A	2730	1/1	0.92	0.27	69,69,69,69	0
24	MG	K	1120	1/1	0.92	0.14	62,62,62,62	0
24	MG	L	1125	1/1	0.92	0.12	55,55,55,55	0
24	MG	A	2652	1/1	0.92	0.08	79,79,79,79	0
24	MG	A	2695	1/1	0.92	0.18	101,101,101,101	0
24	MG	A	2736	1/1	0.92	0.48	65,65,65,65	0
24	MG	A	2737	1/1	0.92	0.39	64,64,64,64	0
25	K	A	2670	1/1	0.92	0.16	89,89,89,89	0
24	MG	A	2620	1/1	0.92	0.12	52,52,52,52	0
24	MG	A	2739	1/1	0.92	0.40	57,57,57,57	0
24	MG	A	2715	1/1	0.92	0.16	52,52,52,52	0
24	MG	A	2621	1/1	0.92	0.10	42,42,42,42	0
24	MG	A	2614	1/1	0.92	0.18	56,56,56,56	0
24	MG	A	2606	1/1	0.92	0.11	48,48,48,48	0
24	MG	A	2546	1/1	0.92	0.65	80,80,80,80	0
26	M5Z	A	2733	51/51	0.92	0.14	51,61,76,78	0
24	MG	A	2703	1/1	0.93	0.17	55,55,55,55	0
25	K	A	2666	1/1	0.93	0.10	87,87,87,87	0
24	MG	A	2552	1/1	0.93	0.12	61,61,61,61	0
24	MG	A	2573	1/1	0.93	0.28	38,38,38,38	0
24	MG	A	2593	1/1	0.93	0.60	73,73,73,73	0
24	MG	A	2647	1/1	0.93	0.08	58,58,58,58	0
25	K	A	2672	1/1	0.93	0.23	139,139,139,139	0
24	MG	A	2642	1/1	0.93	0.13	58,58,58,58	0
24	MG	A	2723	1/1	0.93	0.48	58,58,58,58	0
24	MG	A	2698	1/1	0.93	0.76	78,78,78,78	0
24	MG	A	2688	1/1	0.93	0.43	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
24	MG	A	2649	1/1	0.93	0.11	52,52,52,52	0
24	MG	A	2619	1/1	0.93	0.14	49,49,49,49	0
24	MG	A	2659	1/1	0.93	0.10	60,60,60,60	0
24	MG	A	2631	1/1	0.94	0.13	58,58,58,58	0
24	MG	A	2556	1/1	0.94	0.45	55,55,55,55	0
24	MG	A	2740	1/1	0.94	0.53	74,74,74,74	0
24	MG	A	2735	1/1	0.94	0.35	41,41,41,41	0
24	MG	A	2710	1/1	0.94	0.26	68,68,68,68	0
24	MG	A	2744	1/1	0.94	0.36	75,75,75,75	0
24	MG	A	2627	1/1	0.94	0.07	34,34,34,34	0
24	MG	A	2727	1/1	0.95	0.33	77,77,77,77	0
24	MG	A	2548	1/1	0.95	0.17	20,20,20,20	0
24	MG	A	2624	1/1	0.95	0.12	53,53,53,53	0
24	MG	J	1099	1/1	0.95	0.13	61,61,61,61	0
24	MG	A	2750	1/1	0.95	0.50	63,63,63,63	0
24	MG	A	2639	1/1	0.95	0.10	37,37,37,37	0
24	MG	M	1126	1/1	0.95	0.11	61,61,61,61	0
24	MG	A	2618	1/1	0.95	0.08	34,34,34,34	0
24	MG	A	2686	1/1	0.95	0.26	8,8,8,8	0
24	MG	A	2641	1/1	0.95	0.21	35,35,35,35	0
24	MG	A	2607	1/1	0.95	0.32	61,61,61,61	0
25	K	A	2665	1/1	0.96	0.05	87,87,87,87	0
24	MG	A	2693	1/1	0.96	0.57	71,71,71,71	0
24	MG	A	2629	1/1	0.96	0.19	63,63,63,63	0
24	MG	A	2609	1/1	0.96	0.09	43,43,43,43	0
24	MG	D	1210	1/1	0.96	0.07	54,54,54,54	0
24	MG	A	2596	1/1	0.96	0.15	33,33,33,33	0
24	MG	Q	2001	1/1	0.96	0.18	64,64,64,64	0
27	ZN	D	1209	1/1	0.96	0.16	108,108,108,108	0
25	K	A	2669	1/1	0.97	0.15	92,92,92,92	0
24	MG	A	2742	1/1	0.97	0.43	69,69,69,69	0
24	MG	A	2712	1/1	0.97	0.11	55,55,55,55	0
24	MG	A	2592	1/1	0.98	0.10	47,47,47,47	0
24	MG	A	2653	1/1	0.98	0.11	28,28,28,28	0
24	MG	A	2637	1/1	0.98	0.05	19,19,19,19	0
24	MG	A	2746	1/1	0.98	0.46	57,57,57,57	0
24	MG	A	2720	1/1	0.98	0.11	61,61,61,61	0
27	ZN	N	1061	1/1	0.98	0.04	124,124,124,124	0
24	MG	A	2734	1/1	0.99	0.41	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.