



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:13 PM UTC

PDB ID : 1B5P / pdb_00001b5p
Title : THERMUS THERMOPHILUS ASPARTATE AMINOTRANSFERASE
DOUBLE MUTANT 1
Authors : Ura, H.; Nakai, T.; Kawaguchi, S.I.; Miyahara, I.; Hirotsu, K.; Kuramitsu, S.
Deposited on : 1999-01-07
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	385	
1	B	385	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6272 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (ASPARTATE AMINOTRANSFERASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	382	Total	C	N	O	S	0	0	0
			2946	1864	523	551	8			
1	B	382	Total	C	N	O	S	0	0	0
			2946	1864	523	551	8			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	101	SER	LYS	engineered mutation	UNP Q56232
A	261	ARG	SER	engineered mutation	UNP Q56232
B	101	SER	LYS	engineered mutation	UNP Q56232
B	261	ARG	SER	engineered mutation	UNP Q56232

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
3	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	161	Total	O	0	0
			161	161		
4	B	179	Total	O	0	0
			179	179		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTEIN (ASPARTATE AMINOTRANSFERASE)



• Molecule 1: PROTEIN (ASPARTATE AMINOTRANSFERASE)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.49Å 113.62Å 124.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 1.80	Depositor
% Data completeness (in resolution range)	89.2 (8.00-1.80)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.193 , 0.239	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6272	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	1/3007 (0.0%)	1.18	21/4089 (0.5%)
1	B	0.60	0/3007	1.15	22/4089 (0.5%)
All	All	0.61	1/6014 (0.0%)	1.16	43/8178 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	11	MET	SD-CE	-5.43	1.66	1.79

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	175	ASN	N-CA-C	-8.01	96.58	109.40
1	A	27	ARG	N-CA-C	-7.72	102.87	111.28
1	B	233	ALA	N-CA-C	7.68	120.39	111.02
1	A	233	ALA	N-CA-C	7.58	120.26	111.02
1	A	175	ASN	N-CA-C	-7.32	95.09	108.85
1	A	100	GLY	N-CA-C	-7.29	105.33	114.16
1	B	174	ASN	N-CA-C	7.07	121.84	109.96
1	A	38	ALA	N-CA-C	6.99	120.52	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	LEU	CA-C-N	6.95	126.77	119.05
1	A	145	LEU	C-N-CA	6.95	126.77	119.05
1	A	226	THR	N-CA-C	6.88	120.14	109.07
1	B	12	LYS	CA-C-N	6.58	128.07	119.84
1	B	12	LYS	C-N-CA	6.58	128.07	119.84
1	B	113	ASP	N-CA-C	-6.54	101.84	110.40
1	B	38	ALA	N-CA-C	6.52	119.82	110.24
1	B	19	VAL	N-CA-C	-6.37	104.06	111.00
1	B	112	LEU	N-CA-C	6.33	119.55	109.24
1	A	47	GLU	N-CA-C	6.25	118.89	111.33
1	B	331	ALA	CA-C-N	6.18	125.86	119.56
1	B	331	ALA	C-N-CA	6.18	125.86	119.56
1	A	174	ASN	N-CA-C	6.12	120.24	109.96
1	B	127	SER	N-CA-C	6.11	118.90	111.82
1	B	334	GLU	N-CA-C	5.86	119.68	112.54
1	A	334	GLU	N-CA-C	5.84	118.43	111.71
1	B	226	THR	N-CA-C	5.83	118.46	109.07
1	A	112	LEU	N-CA-C	5.78	118.38	109.07
1	A	366	THR	CB-CA-C	-5.78	97.98	111.09
1	A	34	VAL	N-CA-C	-5.61	100.33	108.36
1	B	177	THR	N-CA-C	5.46	119.11	112.23
1	A	113	ASP	N-CA-C	-5.37	102.33	110.50
1	B	145	LEU	CA-C-N	5.36	125.17	119.28
1	B	145	LEU	C-N-CA	5.36	125.17	119.28
1	B	14	SER	N-CA-C	5.27	118.08	110.28
1	A	20	ASN	N-CA-C	-5.17	106.24	112.54
1	A	126	VAL	N-CA-C	5.17	118.30	111.17
1	A	127	SER	N-CA-C	5.13	118.79	112.54
1	B	18	ALA	N-CA-C	5.12	117.59	111.71
1	B	378	PHE	N-CA-C	-5.07	105.83	111.36
1	B	336	ARG	N-CA-C	-5.04	105.79	111.28
1	A	93	GLU	N-CA-C	-5.03	106.88	112.57
1	B	207	GLU	N-CA-C	5.01	117.39	111.33
1	A	177	THR	N-CA-C	5.00	119.09	112.89
1	A	219	GLY	N-CA-C	-5.00	108.85	114.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	211	TYR	Sidechain
1	B	211	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2946	0	2961	81	0
1	B	2946	0	2962	42	0
2	A	5	0	0	1	0
2	B	5	0	0	0	0
3	A	15	0	6	1	0
3	B	15	0	6	1	0
4	A	161	0	0	5	0
4	B	179	0	0	0	0
All	All	6272	0	5935	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:VAL:HA	1:A:11:MET:HE3	1.40	0.98
1:B:45:THR:HG21	1:B:241:TRP:HE1	1.29	0.97
1:B:8:VAL:HA	1:B:11:MET:HE3	1.51	0.91
1:A:45:THR:HG21	1:A:241:TRP:HE1	1.39	0.88
1:B:373:LYS:O	1:B:377:ARG:HG2	1.81	0.80
1:A:332:PRO:HG2	1:A:336:ARG:NH2	1.98	0.79
1:A:8:VAL:HA	1:A:11:MET:CE	2.16	0.74
1:A:251:GLU:HA	1:A:254:LYS:HE3	1.70	0.73
1:B:286:ARG:O	1:B:290:GLU:HG2	1.89	0.72
1:A:217:SER:O	1:A:220:ARG:HG3	1.92	0.70
1:A:11:MET:SD	1:B:262:GLN:OE1	2.51	0.69
1:B:45:THR:HG21	1:B:241:TRP:NE1	2.04	0.69
1:A:12:LYS:HB3	1:A:13:PRO:HD2	1.75	0.67
1:A:183:LYS:O	1:A:187:GLU:HG3	1.96	0.66
1:A:11:MET:HE2	1:A:134:PHE:CD1	2.31	0.66
1:A:75:GLU:HG2	4:A:651:HOH:O	1.95	0.66
1:A:93:GLU:CG	1:A:250:LYS:HD2	2.26	0.65
1:B:12:LYS:HG2	1:B:13:PRO:HD2	1.80	0.64
1:A:22:LYS:O	1:A:26:LEU:HG	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:GLN:OE1	1:B:11:MET:SD	2.56	0.64
1:A:93:GLU:HG2	1:A:250:LYS:HD2	1.82	0.62
1:A:366:THR:HG21	4:A:576:HOH:O	1.99	0.61
1:A:373:LYS:O	1:A:377:ARG:HG2	2.01	0.61
1:A:45:THR:HG21	1:A:241:TRP:NE1	2.12	0.60
1:A:79:GLU:HG2	1:A:82:ARG:HH21	1.66	0.60
1:A:92:GLU:HB2	1:A:250:LYS:HE3	1.84	0.59
1:A:184:GLU:H	1:A:184:GLU:CD	2.10	0.59
1:A:341:LEU:HD23	1:A:381:VAL:HG21	1.86	0.58
1:A:155:GLU:O	1:A:159:ARG:HG3	2.03	0.58
1:A:79:GLU:HG2	1:A:82:ARG:NH2	2.20	0.57
1:A:373:LYS:HB2	1:A:373:LYS:NZ	2.20	0.57
1:A:339:GLU:O	1:A:343:GLU:HG2	2.05	0.56
1:B:254:LYS:C	1:B:254:LYS:HD2	2.30	0.56
1:B:203:ASP:OD1	1:B:205:ILE:HG13	2.05	0.56
1:A:203:ASP:OD1	1:A:205:ILE:HG13	2.05	0.56
1:B:22:LYS:HA	1:B:25:GLU:CD	2.30	0.56
1:A:313:LYS:HE3	4:A:622:HOH:O	2.04	0.55
1:A:25:GLU:HG2	1:A:26:LEU:HD23	1.88	0.55
1:A:286:ARG:O	1:A:290:GLU:HG2	2.07	0.54
1:A:315:VAL:HG23	4:A:652:HOH:O	2.08	0.54
1:B:158:ARG:O	1:B:158:ARG:NE	2.41	0.54
1:B:376:GLU:O	1:B:379:ALA:HB3	2.08	0.54
1:A:155:GLU:OE2	1:A:158:ARG:HD2	2.07	0.54
1:B:369:GLU:H	1:B:369:GLU:CD	2.16	0.54
1:A:91:PRO:O	1:A:94:THR:HB	2.08	0.53
1:A:332:PRO:HG2	1:A:336:ARG:CZ	2.38	0.53
1:A:11:MET:HE2	1:A:134:PHE:HD1	1.71	0.52
1:A:47:GLU:OE2	1:A:50:LYS:HD2	2.09	0.52
1:A:283:GLU:H	1:A:283:GLU:CD	2.17	0.52
1:B:11:MET:HE2	1:B:134:PHE:CD1	2.45	0.52
1:B:114:PRO:HA	1:B:136:GLY:O	2.10	0.52
1:B:270:ILE:HD12	1:B:270:ILE:N	2.26	0.51
1:A:12:LYS:HB3	1:A:13:PRO:CD	2.41	0.50
1:A:16:THR:HG22	1:A:17:VAL:N	2.26	0.50
1:A:48:HIS:HE1	1:A:285:SER:OG	1.94	0.50
1:B:270:ILE:HD12	1:B:270:ILE:H	1.77	0.50
1:A:11:MET:HE2	1:A:134:PHE:CE1	2.47	0.50
1:A:1:MET:SD	1:B:197:ASP:OD2	2.70	0.49
1:B:304:LEU:HD11	1:B:317:PRO:HD2	1.94	0.49
1:A:130:GLU:OE1	1:B:262:GLN:HG2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:LYS:HG2	1:B:13:PRO:CD	2.41	0.49
1:B:122:SER:HA	1:B:123:PRO:C	2.37	0.49
1:A:130:GLU:HB3	1:B:262:GLN:HE21	1.79	0.48
1:A:82:ARG:HA	1:A:87:LEU:O	2.14	0.48
1:A:145:LEU:HB3	1:A:147:GLU:HG2	1.96	0.48
1:B:11:MET:HE2	1:B:134:PHE:HD1	1.77	0.48
1:A:182:PRO:HB2	1:A:184:GLU:OE1	2.15	0.47
1:A:373:LYS:HB2	1:A:373:LYS:HZ3	1.79	0.47
1:A:172:SER:HA	1:A:173:PRO:C	2.40	0.47
1:A:145:LEU:HA	1:A:146:PRO:HD3	1.77	0.46
1:A:23:ALA:O	1:A:27:ARG:HG3	2.15	0.46
1:A:93:GLU:O	1:A:247:CYS:HA	2.16	0.46
1:A:333:ASP:OD1	1:A:336:ARG:HG3	2.15	0.46
1:B:377:ARG:HG2	1:B:377:ARG:H	1.58	0.46
1:A:11:MET:CE	1:A:134:PHE:CE1	2.99	0.46
1:A:328:SER:HB2	1:A:329:PRO:CD	2.46	0.46
1:A:261:ARG:HH11	1:A:261:ARG:HG2	1.81	0.46
1:B:331:ALA:HB1	1:B:332:PRO:HD2	1.98	0.46
1:B:354:PHE:O	1:B:355:ALA:HB3	2.16	0.45
1:A:268:ASP:OD1	1:B:241:TRP:HA	2.16	0.45
1:B:102:GLN:O	1:B:102:GLN:HG2	2.16	0.45
1:A:1:MET:SD	1:B:197:ASP:CG	3.00	0.45
1:A:332:PRO:HG2	1:A:336:ARG:HH22	1.81	0.45
1:B:302:LEU:C	1:B:302:LEU:HD23	2.42	0.45
1:A:128:TYR:HB2	1:A:129:PRO:CD	2.47	0.44
1:A:147:GLU:CD	1:A:147:GLU:H	2.26	0.44
1:B:26:LEU:O	1:B:31:VAL:HG23	2.17	0.44
1:A:212:GLU:CD	1:A:316:ARG:NH2	2.76	0.44
1:A:11:MET:CE	1:A:134:PHE:HE1	2.31	0.44
1:A:203:ASP:OD2	3:A:413:PLP:N1	2.51	0.44
1:B:1:MET:SD	1:B:2:ARG:N	2.90	0.43
1:B:79:GLU:OE1	1:B:82:ARG:NH2	2.50	0.43
1:B:119:ILE:HA	1:B:140:VAL:O	2.18	0.43
1:A:18:ALA:O	1:A:21:ALA:HB3	2.19	0.43
1:A:39:GLY:HA3	2:A:414:PO4:O2	2.18	0.43
1:A:341:LEU:CD2	1:A:381:VAL:HG21	2.49	0.43
1:A:116:ASP:OD1	1:A:164:ARG:NH2	2.51	0.42
1:A:180:VAL:HG21	1:A:210:LEU:CD1	2.49	0.42
1:B:93:GLU:O	1:B:247:CYS:HA	2.19	0.42
1:A:184:GLU:CD	1:A:184:GLU:N	2.77	0.42
1:B:145:LEU:HA	1:B:146:PRO:HD3	1.88	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:340:ARG:HA	1:A:343:GLU:HG3	2.01	0.42
1:B:45:THR:HG22	1:B:237:ALA:O	2.19	0.42
1:A:369:GLU:HG3	4:A:564:HOH:O	2.20	0.42
1:A:130:GLU:CD	1:B:261:ARG:HH12	2.28	0.41
1:B:203:ASP:OD2	3:B:413:PLP:N1	2.53	0.41
1:A:11:MET:HE1	1:A:134:PHE:HE1	1.85	0.41
1:A:299:ARG:HB3	1:A:371:LEU:HD11	2.01	0.41
1:A:227:LEU:HD21	1:A:252:VAL:HG11	2.02	0.41
1:A:291:MET:SD	1:A:291:MET:C	3.03	0.41
1:B:367:SER:HB2	1:B:369:GLU:OE1	2.21	0.41
1:A:92:GLU:CB	1:A:250:LYS:HE3	2.49	0.40
1:A:46:PRO:HB2	1:A:48:HIS:CD2	2.56	0.40
1:A:328:SER:HB2	1:A:329:PRO:HD3	2.04	0.40
1:A:167:ALA:HA	1:A:199:TYR:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/385 (99%)	369 (97%)	11 (3%)	0	100	100
1	B	380/385 (99%)	367 (97%)	13 (3%)	0	100	100
All	All	760/770 (99%)	736 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/306 (100%)	269 (88%)	36 (12%)	5	1
1	B	305/306 (100%)	278 (91%)	27 (9%)	9	2
All	All	610/612 (100%)	547 (90%)	63 (10%)	7	2

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	A	12	LYS
1	A	13	PRO
1	A	16	THR
1	A	17	VAL
1	A	45	THR
1	A	73	LEU
1	A	77	LEU
1	A	87	LEU
1	A	88	SER
1	A	94	THR
1	A	147	GLU
1	A	166	LYS
1	A	176	PRO
1	A	186	LEU
1	A	200	LEU
1	A	205	ILE
1	A	209	LEU
1	A	221	VAL
1	A	224	GLU
1	A	245	TYR
1	A	250	LYS
1	A	294	GLU
1	A	302	LEU
1	A	303	LEU
1	A	305	GLU
1	A	308	THR
1	A	332	PRO
1	A	336	ARG
1	A	343	GLU
1	A	360	VAL
1	A	366	THR
1	A	373	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	376	GLU
1	A	377	ARG
1	A	381	VAL
1	B	6	ARG
1	B	8	VAL
1	B	12	LYS
1	B	17	VAL
1	B	25	GLU
1	B	45	THR
1	B	73	LEU
1	B	77	LEU
1	B	87	LEU
1	B	94	THR
1	B	158	ARG
1	B	164	ARG
1	B	166	LYS
1	B	176	PRO
1	B	186	LEU
1	B	205	ILE
1	B	209	LEU
1	B	245	TYR
1	B	254	LYS
1	B	302	LEU
1	B	303	LEU
1	B	324	LEU
1	B	360	VAL
1	B	363	SER
1	B	366	THR
1	B	377	ARG
1	B	380	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	HIS
1	A	106	ASN
1	A	208	HIS
1	A	262	GLN
1	A	370	ASN
1	B	48	HIS
1	B	59	GLN
1	B	106	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	109	GLN
1	B	208	HIS
1	B	262	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	414	-	4,4,4	1.09	0	6,6,6	0.83	0
3	PLP	A	413	1	15,15,16	1.62	2 (13%)	21,22,23	1.85	5 (23%)
2	PO4	B	414	-	4,4,4	1.30	0	6,6,6	0.81	0
3	PLP	B	413	1	15,15,16	1.36	3 (20%)	21,22,23	1.60	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	A	413	1	-	2/6/6/8	0/1/1/1
3	PLP	B	413	1	-	2/6/6/8	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	413	PLP	C3-C2	-4.55	1.36	1.41
3	B	413	PLP	C3-C2	-2.92	1.37	1.41
3	B	413	PLP	C2A-C2	2.36	1.54	1.50
3	A	413	PLP	P-O3P	-2.15	1.46	1.54
3	B	413	PLP	C2-N1	2.15	1.37	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	413	PLP	O4P-C5A-C5	5.43	119.53	109.36
3	B	413	PLP	O4P-C5A-C5	4.23	117.28	109.36
3	A	413	PLP	O2P-P-O4P	-3.10	98.59	106.67
3	B	413	PLP	O2P-P-O4P	-2.62	99.83	106.67
3	B	413	PLP	C6-C5-C4	2.42	120.08	118.10
3	A	413	PLP	C5A-C5-C6	-2.40	115.45	119.36
3	B	413	PLP	C5-C6-N1	-2.37	119.97	123.83
3	A	413	PLP	C5-C6-N1	-2.35	120.00	123.83
3	B	413	PLP	C5A-C5-C6	-2.03	116.06	119.36
3	A	413	PLP	O3P-P-O1P	2.03	118.73	110.83

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	413	PLP	C4-C5-C5A-O4P
3	A	413	PLP	C6-C5-C5A-O4P
3	B	413	PLP	C4-C5-C5A-O4P
3	B	413	PLP	C6-C5-C5A-O4P

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	414	PO4	1	0
3	A	413	PLP	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	413	PLP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.