



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:38 AM UTC

PDB ID : 8B54 / pdb_00008b54
Title : CDK2/cyclin A2 in complex with pyrazolo[4,3-d]pyrimidine inhibitor LGR6768
Authors : Djukic, S.; Skerlova, J.; Rezacova, P.
Deposited on : 2022-09-21
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	299	5% 84% 14% .
1	C	299	5% 83% 14% .
2	B	258	2% 83% 16% ..
2	D	258	4% 82% 17% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9257 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	P	S	0	1	0
			2358	1532	400	417	1	8			
1	C	292	Total	C	N	O	P	S	0	0	0
			2348	1526	397	416	1	8			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP P24941
C	0	SER	-	expression tag	UNP P24941

- Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	1	0
			2077	1345	339	382	11			
2	D	255	Total	C	N	O	S	0	0	0
			2062	1336	336	379	11			

- Molecule 3 is {N}-[(2-phenylphenyl)methyl]-5-piperidin-4-ylsulfanyl-3-propan-2-yl-2 {H}-p yrazolo[4,3-d]pyrimidin-7-amine (CCD ID: P2V) (formula: C₂₆H₃₀N₆S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	S	0	0
			33	26	6	1		
3	C	1	Total	C	N	S	0	0
			33	26	6	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	81	Total	O	0	0
			81	81		
6	B	83	Total	O	0	2
			83	83		
6	C	79	Total	O	0	0
			79	79		
6	D	71	Total	O	0	0
			71	71		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cyclin-dependent kinase 2




- Molecule 1: Cyclin-dependent kinase 2




- Molecule 2: Cyclin-A2



- Molecule 2: Cyclin-A2





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.02Å 134.98Å 163.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.56 – 2.60 49.56 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.56-2.60) 99.9 (49.56-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.233 , 0.287 0.240 , 0.288	Depositor DCC
R_{free} test set	1460 reflections (2.88%)	wwPDB-VP
Wilson B-factor (Å ²)	39.1	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9257	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.66 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.2706e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, EDO, P2V, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	1/2407 (0.0%)	1.34	0/3264
1	C	1.07	0/2396	1.36	4/3249 (0.1%)
2	B	1.05	0/2130	1.40	1/2890 (0.0%)
2	D	1.05	0/2111	1.43	2/2864 (0.1%)
All	All	1.07	1/9044 (0.0%)	1.38	7/12267 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	150	ARG	C-N	-6.26	1.24	1.33

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	145	ASP	CA-CB-CG	-6.47	106.13	112.60
1	C	7	VAL	N-CA-C	-5.76	107.23	111.90
1	C	288	ASP	CA-CB-CG	5.70	118.30	112.60
2	D	181	ASP	CA-CB-CG	5.69	118.29	112.60
1	C	253	PRO	N-CA-C	5.43	117.33	110.70
2	D	397	THR	O-C-N	5.37	127.81	122.12
2	B	288	LYS	N-CA-C	-5.07	105.64	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2358	0	2399	26	0
1	C	2348	0	2393	28	0
2	B	2077	0	2098	25	0
2	D	2062	0	2087	23	0
3	A	33	0	0	2	0
3	C	33	0	0	1	0
4	A	6	0	8	0	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
4	D	6	0	8	0	0
5	A	4	0	6	0	0
5	C	4	0	6	0	0
6	A	81	0	0	0	0
6	B	83	0	0	0	0
6	C	79	0	0	0	0
6	D	71	0	0	0	0
All	All	9257	0	9021	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:346:PRO:O	2:B:349:LYS:HG2	1.85	0.76
1:A:14:THR:HG21	1:A:148:LEU:HG	1.74	0.69
2:B:294:MET:O	2:B:298:VAL:HG23	1.94	0.68
2:B:347:TYR:HH	2:B:397:THR:HG1	1.40	0.68
2:D:407:GLN:OE1	2:D:410:ARG:NH1	2.33	0.61
2:D:312:ASN:OD1	2:D:334:MET:HE1	2.01	0.60
1:C:198:THR:O	1:C:199:ARG:HB2	2.02	0.60
2:D:332:LEU:HD23	2:D:363:ALA:HA	1.85	0.59
1:A:88:LYS:HA	1:A:91:MET:HE2	1.84	0.58
2:B:335:PHE:HB2	2:B:413:TYR:CD2	2.39	0.58
2:B:215:VAL:HG12	2:B:342:ILE:HD13	1.87	0.57
2:B:239:ILE:HD11	2:B:257:GLY:HA2	1.89	0.55
2:D:327:CYS:HB3	2:D:419:HIS:NE2	2.22	0.55
2:B:230:GLU:HB2	2:B:312:ASN:ND2	2.22	0.54
2:B:265:SER:O	2:B:269:GLU:HB2	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:294:MET:O	2:D:298:VAL:HG23	2.08	0.54
1:C:161:HIS:CD2	1:C:162:GLU:HG3	2.41	0.54
1:C:252:VAL:HG21	1:C:255:LEU:HD23	1.89	0.54
2:D:289:LYS:HE2	2:D:293:ARG:HE	1.73	0.54
1:A:38:ASP:CB	1:A:41:THR:HG23	2.37	0.53
1:A:60:HIS:CG	1:A:61:PRO:HD2	2.42	0.53
2:B:361:HIS:CD2	2:B:391:LEU:HD21	2.43	0.53
2:B:414:LYS:O	2:B:415:ASN:C	2.51	0.53
2:D:210:MET:HE1	2:D:250:ARG:HH21	1.74	0.53
2:B:332:LEU:HD23	2:B:363:ALA:HA	1.91	0.52
2:D:214:LEU:HD11	2:D:257:GLY:HA3	1.92	0.52
1:C:188:SER:O	1:C:192:ILE:HG13	2.11	0.51
2:B:227:LEU:HD12	2:B:261:MET:HE3	1.92	0.51
1:C:60:HIS:CG	1:C:61:PRO:HD2	2.46	0.51
1:C:1:MET:HE2	1:C:70:ILE:HG21	1.92	0.50
1:A:101:LEU:N	1:A:102:PRO:HD2	2.26	0.50
2:D:347:TYR:OH	2:D:394:LEU:HA	2.11	0.50
1:C:101:LEU:N	1:C:102:PRO:CD	2.75	0.49
1:C:1:MET:CE	1:C:70:ILE:HG21	2.43	0.49
1:A:83:LEU:O	3:A:301:P2V:N09	2.46	0.49
1:A:49:ILE:HG23	2:B:306:LEU:HD12	1.94	0.49
1:C:211:GLN:O	1:C:215:ILE:HG13	2.12	0.49
1:C:86:ASP:OD1	1:C:86:ASP:C	2.54	0.49
2:D:401:ALA:N	2:D:402:PRO:CD	2.75	0.49
2:D:361:HIS:CD2	2:D:391:LEU:HD21	2.48	0.48
1:C:248:PHE:HB3	1:C:260:ARG:HD2	1.95	0.48
2:D:376:LEU:O	2:D:380:THR:OG1	2.24	0.48
2:D:223:GLU:OE2	2:D:412:LYS:HE3	2.14	0.48
2:B:263:LEU:HD21	2:B:295:GLU:HG3	1.95	0.48
2:D:239:ILE:HD11	2:D:257:GLY:HA2	1.96	0.48
1:C:122:ARG:O	1:C:151:ALA:HA	2.14	0.47
1:A:154:VAL:HB	2:B:317:GLN:HG2	1.96	0.47
1:A:227:TRP:O	1:A:230:VAL:HG12	2.15	0.47
2:B:214:LEU:HD11	2:B:257:GLY:HA3	1.96	0.47
1:A:290:THR:C	1:A:292:PRO:HD3	2.40	0.47
2:D:275:VAL:HG21	2:D:292:LEU:HD21	1.97	0.47
1:A:38:ASP:HB3	1:A:41:THR:HG23	1.97	0.46
2:D:321:HIS:HD2	2:D:375:SER:HB2	1.80	0.46
2:B:347:TYR:OH	2:B:394:LEU:HA	2.15	0.46
2:B:401:ALA:N	2:B:402:PRO:CD	2.79	0.46
1:C:121:HIS:C	1:C:122:ARG:HG3	2.41	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:180:TYR:C	1:C:180:TYR:CD1	2.93	0.46
2:D:219:VAL:HG22	2:D:232:LEU:HD21	1.98	0.46
1:A:42:GLU:OE1	2:B:275:VAL:HG23	2.16	0.46
2:B:252:LYS:HD2	1:C:25:LEU:O	2.15	0.46
1:C:283:HIS:CG	1:C:284:PRO:HD2	2.51	0.45
1:A:86:ASP:C	1:A:86:ASP:OD1	2.58	0.45
1:A:253:PRO:HB2	1:A:254:PRO:HD3	1.99	0.45
1:C:250:LYS:O	1:C:253:PRO:HD3	2.16	0.45
1:A:61:PRO:O	1:A:142:LYS:HE2	2.17	0.44
2:B:275:VAL:HG21	2:B:292:LEU:HD21	2.00	0.43
1:A:136:ASN:ND2	1:A:140:ALA:HB3	2.32	0.43
1:C:206:ASP:OD1	1:C:206:ASP:N	2.50	0.43
1:C:212:LEU:HA	1:C:212:LEU:HD23	1.84	0.43
1:A:10:ILE:HG21	3:A:301:P2V:N23	2.34	0.42
1:C:198:THR:C	1:C:199:ARG:HD3	2.43	0.42
2:D:388:LYS:O	2:D:389:PRO:C	2.62	0.42
1:C:10:ILE:HG21	3:C:302:P2V:N23	2.35	0.42
2:D:235:ALA:O	2:D:239:ILE:HG13	2.19	0.42
1:A:55:LEU:HD23	1:A:55:LEU:HA	1.96	0.42
2:B:388:LYS:HB3	2:B:389:PRO:HD3	2.02	0.42
1:A:78:LEU:HD12	1:A:78:LEU:N	2.34	0.41
1:C:253:PRO:N	1:C:254:PRO:CD	2.83	0.41
2:D:345:ASP:HA	2:D:346:PRO:HA	1.88	0.41
1:A:52:ILE:O	1:A:56:LYS:HG3	2.20	0.41
1:C:252:VAL:HG21	1:C:255:LEU:CD2	2.50	0.41
1:C:253:PRO:HD2	1:C:254:PRO:HD3	2.03	0.41
1:A:121:HIS:C	1:A:122:ARG:HG3	2.45	0.41
1:C:227:TRP:O	1:C:230:VAL:HG12	2.20	0.41
1:A:177:CYS:SG	1:A:233:MET:HE3	2.61	0.41
1:C:49:ILE:HD12	2:D:266:LYS:HD3	2.02	0.41
1:A:120:SER:HB2	2:B:181:ASP:HB3	2.02	0.41
1:A:154:VAL:HA	1:A:155:PRO:HA	1.86	0.41
1:A:85:GLN:HB3	1:A:135:ILE:HG13	2.02	0.41
1:A:122:ARG:HA	1:A:152:PHE:CE1	2.57	0.40
2:B:263:LEU:CD2	2:B:295:GLU:HG3	2.51	0.40
1:C:38:ASP:HA	1:C:41:THR:HG22	2.04	0.40
1:C:49:ILE:HG23	2:D:306:LEU:HD12	2.03	0.40
2:B:327:CYS:HB3	2:B:419:HIS:NE2	2.36	0.40
2:D:428:GLU:HA	2:D:428:GLU:OE2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/299 (96%)	278 (96%)	8 (3%)	2 (1%)	18	38
1	C	287/299 (96%)	272 (95%)	13 (4%)	2 (1%)	18	38
2	B	255/258 (99%)	250 (98%)	5 (2%)	0	100	100
2	D	253/258 (98%)	245 (97%)	8 (3%)	0	100	100
All	All	1083/1114 (97%)	1045 (96%)	34 (3%)	4 (0%)	30	51

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	VAL
1	C	164	VAL
1	A	73	GLU
1	C	73	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/263 (98%)	256 (100%)	1 (0%)	84	93
1	C	256/263 (97%)	256 (100%)	0	100	100
2	B	231/232 (100%)	226 (98%)	5 (2%)	45	72
2	D	229/232 (99%)	229 (100%)	0	100	100
All	All	973/990 (98%)	967 (99%)	6 (1%)	81	91

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	150	ARG
2	B	296[A]	HIS
2	B	296[B]	HIS
2	B	312	ASN
2	B	323	GLN
2	B	346	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	ASN
1	A	113	GLN
2	B	312	ASN
1	C	161	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	160	1	8,10,11	1.04	1 (12%)	10,14,16	1.23	1 (10%)
1	TPO	C	160	1	8,10,11	1.18	1 (12%)	10,14,16	1.09	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/9/11/13	-
1	TPO	C	160	1	-	1/9/11/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	160	TPO	P-OG1	2.82	1.64	1.59
1	A	160	TPO	P-OG1	2.71	1.64	1.59

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	TPO	O-C-CA	-2.67	117.90	124.77
1	C	160	TPO	O-C-CA	-2.58	118.13	124.77

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	160	TPO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	C	301	-	5,5,5	0.42	0	5,5,5	0.64	0
4	GOL	A	302	-	5,5,5	0.19	0	5,5,5	0.35	0
4	GOL	D	501	-	5,5,5	0.21	0	5,5,5	0.55	0
3	P2V	C	302	-	35,37,37	2.02	11 (31%)	41,51,51	1.69	8 (19%)
5	EDO	C	303	-	3,3,3	0.31	0	2,2,2	0.36	0
3	P2V	A	301	-	35,37,37	1.89	10 (28%)	41,51,51	1.72	9 (21%)
5	EDO	A	303	-	3,3,3	0.23	0	2,2,2	0.19	0
4	GOL	B	501	-	5,5,5	0.29	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	301	-	-	2/4/4/4	-
4	GOL	A	302	-	-	2/4/4/4	-
4	GOL	D	501	-	-	0/4/4/4	-
3	P2V	C	302	-	-	4/17/25/25	0/5/5/5
5	EDO	C	303	-	-	1/1/1/1	-
3	P2V	A	301	-	-	5/17/25/25	0/5/5/5
5	EDO	A	303	-	-	1/1/1/1	-
4	GOL	B	501	-	-	1/4/4/4	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	P2V	C02-C04	6.80	1.58	1.50
3	C	302	P2V	C15-C16	4.82	1.47	1.40
3	C	302	P2V	C24-S25	4.28	1.82	1.76
3	C	302	P2V	C33-N32	3.90	1.42	1.35
3	C	302	P2V	C04-N05	-3.61	1.29	1.34
3	A	301	P2V	C15-C16	3.56	1.45	1.40
3	C	302	P2V	C22-C17	3.54	1.46	1.39
3	C	302	P2V	C02-C04	3.26	1.54	1.50
3	A	301	P2V	C16-C17	-3.25	1.43	1.49
3	C	302	P2V	C13-C12	2.66	1.43	1.38
3	C	302	P2V	C19-C20	2.62	1.44	1.38
3	A	301	P2V	C22-C17	2.37	1.44	1.39
3	A	301	P2V	C10-C11	2.34	1.58	1.51
3	C	302	P2V	C16-C17	-2.28	1.45	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	P2V	C13-C12	2.23	1.42	1.38
3	A	301	P2V	C19-C20	2.22	1.43	1.38
3	A	301	P2V	C33-N32	2.13	1.39	1.35
3	C	302	P2V	C01-C02	2.10	1.59	1.51
3	A	301	P2V	C01-C02	2.07	1.59	1.51
3	C	302	P2V	C10-C11	2.04	1.57	1.51
3	A	301	P2V	C07-C33	-2.02	1.38	1.45

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	P2V	C10-N09-C08	-4.78	116.90	123.08
3	C	302	P2V	C30-N29-C28	3.87	121.34	110.40
3	C	302	P2V	C27-C28-N29	3.81	117.99	110.81
3	A	301	P2V	C31-C30-N29	3.32	117.07	110.81
3	A	301	P2V	C15-C16-C11	3.17	121.92	118.93
3	C	302	P2V	C13-C14-C15	-3.02	116.52	120.24
3	C	302	P2V	C24-N23-C08	2.97	123.19	117.54
3	A	301	P2V	C01-C02-C04	-2.96	107.54	111.64
3	A	301	P2V	C14-C13-C12	2.72	123.59	120.24
3	A	301	P2V	C03-C02-C04	2.67	115.33	111.64
3	A	301	P2V	C30-N29-C28	2.62	117.81	110.40
3	C	302	P2V	C03-C02-C04	-2.52	108.16	111.64
3	C	302	P2V	S25-C24-N32	2.35	124.44	116.05
3	A	301	P2V	C13-C14-C15	-2.30	117.40	120.24
3	C	302	P2V	C33-C04-N05	2.20	109.18	105.34
3	A	301	P2V	C30-C31-C26	-2.13	105.07	109.71
3	C	302	P2V	C18-C17-C16	-2.07	117.48	120.91

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	P2V	N23-C24-S25-C26
3	A	301	P2V	N32-C24-S25-C26
3	A	301	P2V	C31-C26-S25-C24
3	A	301	P2V	C03-C02-C04-N05
3	A	301	P2V	C03-C02-C04-C33
3	C	302	P2V	N23-C24-S25-C26
3	C	302	P2V	N32-C24-S25-C26
3	C	302	P2V	C01-C02-C04-N05
3	C	302	P2V	C01-C02-C04-C33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	302	GOL	O1-C1-C2-C3
4	C	301	GOL	O1-C1-C2-O2
4	C	301	GOL	O1-C1-C2-C3
4	B	501	GOL	C1-C2-C3-O3
4	A	302	GOL	O1-C1-C2-O2
5	A	303	EDO	O1-C1-C2-O2
5	C	303	EDO	O1-C1-C2-O2


There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	302	P2V	1	0
3	A	301	P2V	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand P2V C 302



Ligand P2V A 301



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	291/299 (97%)	-0.01	15 (5%)	33	27	15, 36, 80, 106	1 (0%)
1	C	291/299 (97%)	-0.04	16 (5%)	30	25	22, 36, 83, 123	0
2	B	256/258 (99%)	-0.06	6 (2%)	61	55	22, 37, 68, 88	1 (0%)
2	D	255/258 (98%)	0.05	10 (3%)	43	38	22, 40, 77, 110	0
All	All	1093/1114 (98%)	-0.02	47 (4%)	40	34	15, 37, 78, 123	2 (0%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	14	THR	4.2
1	A	38	ASP	4.1
1	A	16	GLY	3.5
1	A	293	VAL	3.5
1	C	41	THR	3.5
2	D	178	TYR	3.4
1	A	97	THR	3.2
2	D	429	THR	3.2
1	A	13	GLY	3.2
2	D	324	PRO	2.9
1	C	291	LYS	2.8
1	A	37	LEU	2.8
2	D	179	HIS	2.8
1	C	288	ASP	2.8
2	D	323	GLN	2.7
1	C	250	LYS	2.7
2	B	177	ASP	2.7
1	A	199	ARG	2.7
1	C	293	VAL	2.6
1	C	37	LEU	2.6
1	C	292	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161	HIS	2.4
2	D	424	LEU	2.4
2	B	323	GLN	2.4
1	C	294	PRO	2.3
2	D	420	GLY	2.3
2	D	197	VAL	2.3
1	C	38	ASP	2.3
2	B	324	PRO	2.3
1	C	248	PHE	2.3
2	D	414	LYS	2.2
1	C	15	TYR	2.2
1	A	96	LEU	2.2
2	B	432	LEU	2.2
2	B	194	LYS	2.2
1	A	250	LYS	2.2
1	C	14	THR	2.2
1	A	294	PRO	2.2
2	D	328	LYS	2.2
1	C	11	GLY	2.2
1	A	290	THR	2.1
1	C	290	THR	2.1
2	B	179	HIS	2.1
1	C	251	VAL	2.1
1	C	16	GLY	2.0
1	A	36	ARG	2.0
1	A	74	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	160	11/12	0.98	0.06	28,32,39,43	0
1	TPO	C	160	11/12	0.98	0.07	26,28,42,42	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	B	501	6/6	0.87	0.15	51,55,60,61	0
4	GOL	D	501	6/6	0.87	0.13	49,52,55,56	0
5	EDO	A	303	4/4	0.91	0.14	54,55,57,59	0
4	GOL	A	302	6/6	0.93	0.11	47,48,53,54	0
3	P2V	C	302	33/33	0.93	0.12	35,46,64,69	0
4	GOL	C	301	6/6	0.94	0.11	34,39,44,44	0
3	P2V	A	301	33/33	0.95	0.10	35,46,56,59	0
5	EDO	C	303	4/4	0.96	0.07	36,37,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around P2V C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around P2V A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.