



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:24 PM UTC

PDB ID : 2B7N / pdb_00002b7n
Title : Crystal structure of quinolinic acid phosphoribosyltransferase from *Helicobacter pylori*
Authors : Kim, M.K.; Im, Y.J.; Lee, J.H.; Eom, S.H.
Deposited on : 2005-10-04
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	3% 73% 25% .
1	B	273	3% 70% 27% .
1	C	273	19% 67% 32% .

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6744 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable nicotinate-nucleotide pyrophosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	273	Total	C	N	O	S	0	0	0
			2161	1368	377	403	13			
1	B	273	Total	C	N	O	S	0	0	0
			2161	1368	377	403	13			
1	C	273	Total	C	N	O	S	0	0	0
			2161	1368	377	403	13			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is QUINOLINIC ACID (CCD ID: NTM) (formula: $C_7H_5NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			12	7	1	4		
3	B	1	Total	C	N	O	0	0
			12	7	1	4		
3	C	1	Total	C	N	O	0	0
			12	7	1	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	69	Total	O	0	0
			69	69		
4	B	92	Total	O	0	0
			92	92		
4	C	49	Total	O	0	0
			49	49		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable nicotinate-nucleotide pyrophosphorylase




- Molecule 1: Probable nicotinate-nucleotide pyrophosphorylase



- Molecule 1: Probable nicotinate-nucleotide pyrophosphorylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	148.85Å 148.85Å 145.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.17 – 2.30 29.17 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.1 (29.17-2.30) 94.1 (29.17-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.11 (at 2.29Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.224 , 0.256 0.223 , 0.255	Depositor DCC
R_{free} test set	6947 reflections (10.11%)	wwPDB-VP
Wilson B-factor (Å ²)	33.0	Xtriage
Anisotropy	0.229	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.011 for -h,-l,-k 0.003 for l,-k,h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6744	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NTM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/2193	0.87	4/2942 (0.1%)
1	B	0.42	0/2193	0.88	3/2942 (0.1%)
1	C	0.35	0/2193	0.83	2/2942 (0.1%)
All	All	0.40	0/6579	0.86	9/8826 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	147	HIS	N-CA-C	-7.00	99.01	109.86
1	B	266	ILE	N-CA-C	-6.67	98.73	108.87
1	A	266	ILE	N-CA-C	-5.73	100.33	108.58
1	C	147	HIS	N-CA-C	-5.63	101.31	109.31
1	B	147	HIS	N-CA-C	-5.61	101.17	109.86
1	A	261	HIS	N-CA-C	5.18	119.35	113.19
1	B	142	GLY	N-CA-C	-5.08	107.74	115.66
1	A	204	ASP	N-CA-C	-5.06	105.46	111.69
1	C	38	LYS	N-CA-C	-5.03	105.53	113.02

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2161	0	2207	67	0
1	B	2161	0	2207	75	0
1	C	2161	0	2207	87	0
2	A	5	0	0	1	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
3	A	12	0	3	0	0
3	B	12	0	3	0	0
3	C	12	0	3	0	0
4	A	69	0	0	0	0
4	B	92	0	0	0	0
4	C	49	0	0	1	0
All	All	6744	0	6630	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HB3	1:A:4:ARG:HG3	1.35	1.06
1:B:261:HIS:HD2	1:B:262:GLN:HE21	1.09	1.01
1:B:124:THR:HG22	1:B:126:LYS:H	1.20	0.99
1:A:23:ARG:HH22	1:B:146:ASN:HD22	1.10	0.98
1:C:124:THR:HG22	1:C:126:LYS:H	1.32	0.95
1:A:146:ASN:HD22	1:C:23:ARG:HH22	1.12	0.94
1:C:158:LYS:H	1:C:161:HIS:HD2	1.15	0.91
1:C:1:MET:HB3	1:C:4:ARG:HB2	1.57	0.84
1:A:261:HIS:HD2	1:A:262:GLN:HE21	1.22	0.84
1:A:168:LEU:HD11	1:A:187:ILE:HD13	1.59	0.83
1:B:124:THR:CG2	1:B:126:LYS:H	1.93	0.81
1:B:1:MET:H3	1:B:4:ARG:NE	1.79	0.81
1:B:63:THR:HG23	1:B:77:MET:HG2	1.63	0.81
1:C:63:THR:HG22	1:C:64:ILE:O	1.80	0.81
1:A:85:MET:HE2	1:A:89:VAL:HG23	1.63	0.80
1:B:23:ARG:HH22	1:C:146:ASN:HD22	1.25	0.80
1:B:114:LEU:HD23	1:B:243:ILE:HD12	1.65	0.79
1:B:261:HIS:CD2	1:B:262:GLN:HE21	1.97	0.79
1:A:85:MET:HE3	1:A:85:MET:HA	1.65	0.78
1:C:261:HIS:HD2	1:C:262:GLN:HG2	1.49	0.78
1:C:39:GLN:NE2	1:C:267:ASP:H	1.82	0.78
1:A:261:HIS:CD2	1:A:262:GLN:HE21	2.02	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:63:THR:HG22	1:B:64:ILE:O	1.85	0.76
1:C:158:LYS:H	1:C:161:HIS:CD2	2.02	0.76
1:B:85:MET:HE2	1:B:89:VAL:HG23	1.69	0.74
1:C:124:THR:HG22	1:C:126:LYS:N	2.03	0.74
1:A:4:ARG:HG2	1:A:51:GLU:OE2	1.88	0.73
1:B:256:VAL:HG13	1:B:259:LEU:HG	1.69	0.73
1:C:261:HIS:CD2	1:C:262:GLN:HG2	2.24	0.72
1:C:94:LEU:HB3	1:C:98:GLN:HE21	1.54	0.72
1:A:172:LEU:HD11	1:A:187:ILE:HD11	1.72	0.71
1:A:121:LEU:HD22	1:A:259:LEU:HD11	1.74	0.70
1:B:39:GLN:NE2	1:B:267:ASP:H	1.89	0.70
1:C:114:LEU:HD23	1:C:243:ILE:HG12	1.73	0.69
1:C:124:THR:HG22	1:C:125:ARG:N	2.07	0.69
1:C:1:MET:HB3	1:C:4:ARG:HE	1.57	0.69
1:A:146:ASN:ND2	1:C:23:ARG:HH22	1.89	0.68
1:C:1:MET:HE2	1:C:3:ILE:HG12	1.76	0.68
1:B:4:ARG:HG2	1:B:51:GLU:OE2	1.94	0.68
1:B:124:THR:HG22	1:B:126:LYS:N	2.04	0.68
1:A:158:LYS:H	1:A:161:HIS:CD2	2.11	0.68
1:C:256:VAL:HG13	1:C:259:LEU:HG	1.76	0.68
1:C:124:THR:CG2	1:C:125:ARG:N	2.57	0.67
1:B:114:LEU:HD23	1:B:243:ILE:CD1	2.24	0.67
1:C:42:VAL:HG12	1:C:69:ARG:HD3	1.76	0.67
1:B:71:LYS:O	1:B:74:ASP:HB2	1.97	0.64
1:C:155:LEU:HD12	1:C:179:LEU:HD11	1.79	0.64
1:C:1:MET:HE3	1:C:2:GLU:H	1.64	0.63
1:A:42:VAL:CG1	1:A:105:THR:HA	2.28	0.62
1:A:85:MET:HE3	1:A:88:LYS:HB2	1.80	0.62
1:A:168:LEU:HD22	1:A:172:LEU:HG	1.83	0.61
1:B:85:MET:HE3	1:B:88:LYS:HB2	1.81	0.61
1:A:158:LYS:H	1:A:161:HIS:HD2	1.49	0.61
1:C:258:ALA:HA	1:C:261:HIS:CD2	2.36	0.60
1:B:85:MET:HE2	1:B:89:VAL:CG2	2.32	0.60
1:A:39:GLN:NE2	1:A:267:ASP:H	1.99	0.60
1:A:1:MET:HB2	1:A:4:ARG:NE	2.16	0.60
1:A:72:PRO:O	1:A:73:LYS:HB2	2.02	0.59
1:B:39:GLN:HE21	1:B:267:ASP:H	1.50	0.59
1:C:114:LEU:CD1	1:C:116:SER:HB3	2.32	0.59
1:C:71:LYS:HB3	1:C:72:PRO:HD2	1.84	0.59
1:C:39:GLN:HE21	1:C:267:ASP:H	1.48	0.59
1:A:187:ILE:HD12	1:A:203:ALA:HB2	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:ARG:C	1:A:223:ARG:HD2	2.27	0.58
1:B:124:THR:HG23	1:B:125:ARG:N	2.18	0.58
1:C:205:ILE:HG12	1:C:231:LEU:HB2	1.85	0.58
1:A:23:ARG:HH22	1:B:146:ASN:ND2	1.92	0.57
1:B:114:LEU:HD22	1:B:247:ALA:HB2	1.86	0.57
1:B:1:MET:HG3	1:B:4:ARG:HE	1.69	0.57
1:B:66:ASP:O	1:B:67:LYS:HB2	2.04	0.57
1:C:30:LYS:HE2	1:C:80:ARG:NE	2.20	0.57
1:C:107:THR:O	1:C:111:VAL:HG23	2.05	0.57
1:B:102:GLY:HA2	1:B:266:ILE:HG12	1.88	0.56
1:C:63:THR:HG23	1:C:77:MET:HG2	1.87	0.56
1:B:124:THR:CG2	1:B:125:ARG:N	2.69	0.56
1:C:124:THR:CG2	1:C:125:ARG:H	2.18	0.56
1:C:121:LEU:HD13	1:C:144:ALA:HB2	1.88	0.55
1:C:158:LYS:HG2	1:C:161:HIS:CD2	2.41	0.55
1:A:1:MET:HB3	1:A:4:ARG:CG	2.24	0.55
1:A:132:ARG:HD2	1:A:149:LEU:O	2.07	0.55
1:C:188:GLU:HA	1:C:207:MET:HB3	1.87	0.55
1:A:213:VAL:HG12	1:A:217:LYS:HE3	1.88	0.54
1:C:39:GLN:HE21	1:C:267:ASP:HB2	1.73	0.54
1:A:85:MET:HE1	1:A:88:LYS:HE2	1.90	0.54
1:A:235:SER:HB3	1:A:255:SER:OG	2.08	0.53
1:B:158:LYS:H	1:B:161:HIS:CD2	2.25	0.53
1:A:146:ASN:HD22	1:C:23:ARG:NH2	1.94	0.53
1:B:114:LEU:HD13	1:B:116:SER:HB3	1.90	0.53
1:B:223:ARG:HD2	1:B:223:ARG:C	2.33	0.53
1:A:17:HIS:HB3	1:B:149:LEU:HD13	1.90	0.53
1:A:148:ARG:HB2	1:A:153:ASP:HB3	1.90	0.52
1:B:1:MET:H3	1:B:4:ARG:CD	2.22	0.52
1:C:223:ARG:C	1:C:223:ARG:HD2	2.34	0.52
1:A:148:ARG:NE	1:A:156:MET:HE3	2.25	0.52
1:C:261:HIS:CD2	1:C:262:GLN:HE21	2.27	0.52
1:A:39:GLN:HE21	1:A:267:ASP:H	1.58	0.52
1:A:228:PRO:HG2	1:A:229:PHE:CD1	2.45	0.52
1:B:42:VAL:HG12	1:B:105:THR:HA	1.92	0.52
1:A:85:MET:CE	1:A:88:LYS:HE2	2.39	0.51
1:A:214:LEU:O	1:A:218:GLU:HG3	2.10	0.51
1:C:121:LEU:CD2	1:C:259:LEU:HD11	2.40	0.51
1:A:85:MET:CE	1:A:88:LYS:HB2	2.41	0.51
1:C:113:ALA:O	1:C:244:ASN:HB2	2.10	0.51
1:A:114:LEU:HG	1:A:243:ILE:HD12	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:HIS:HD2	1:A:262:GLN:NE2	2.00	0.51
1:B:114:LEU:CD1	1:B:116:SER:HB3	2.41	0.51
1:B:1:MET:N	1:B:4:ARG:CD	2.74	0.51
1:A:243:ILE:HD13	1:A:243:ILE:O	2.10	0.51
1:B:1:MET:N	1:B:4:ARG:NE	2.54	0.51
1:A:51:GLU:O	1:A:55:MET:HG3	2.11	0.50
1:A:180:PRO:HG2	1:A:183:ALA:HB2	1.93	0.50
1:B:42:VAL:CG1	1:B:105:THR:HA	2.42	0.50
1:C:91:ARG:HG3	1:C:95:ASN:HD21	1.76	0.50
1:B:136:LYS:HG3	1:B:149:LEU:HD23	1.94	0.50
1:C:58:ILE:HD13	1:C:86:LEU:HD23	1.93	0.50
1:B:72:PRO:O	1:B:73:LYS:HB2	2.11	0.50
1:C:121:LEU:HD21	1:C:256:VAL:CG1	2.42	0.49
1:C:121:LEU:HD22	1:C:259:LEU:HD11	1.94	0.49
1:B:239:SER:O	1:B:243:ILE:HB	2.13	0.49
1:C:1:MET:HE3	1:C:2:GLU:N	2.26	0.49
1:C:30:LYS:HE2	1:C:80:ARG:HE	1.78	0.49
1:A:1:MET:SD	1:A:3:ILE:HG12	2.53	0.49
1:C:149:LEU:HB2	1:C:153:ASP:OD2	2.13	0.49
1:C:72:PRO:O	1:C:73:LYS:HB2	2.13	0.49
1:A:110:PHE:HB3	1:A:121:LEU:HD11	1.95	0.48
1:B:85:MET:CE	1:B:89:VAL:HG23	2.42	0.48
1:B:124:THR:HG23	1:B:125:ARG:H	1.77	0.48
1:B:158:LYS:H	1:B:161:HIS:HD2	1.60	0.48
1:A:217:LYS:HG2	1:A:249:SER:HA	1.96	0.48
1:C:190:GLU:O	1:C:211:LEU:HD21	2.13	0.48
1:C:91:ARG:HG3	1:C:95:ASN:ND2	2.29	0.48
1:B:39:GLN:HE21	1:B:267:ASP:HB2	1.79	0.47
1:C:148:ARG:HB2	1:C:153:ASP:HB3	1.96	0.47
1:C:193:GLU:O	1:C:197:ASN:HB2	2.14	0.47
1:B:196:LYS:HG3	1:B:222:TYR:CE2	2.49	0.47
1:A:158:LYS:HG2	1:A:161:HIS:CD2	2.48	0.47
1:C:114:LEU:HD13	1:C:116:SER:HB3	1.96	0.47
1:A:121:LEU:CD2	1:A:259:LEU:HD11	2.44	0.47
1:C:1:MET:HG3	1:C:3:ILE:H	1.79	0.47
1:C:132:ARG:O	1:C:136:LYS:HG2	2.15	0.47
1:A:121:LEU:HD21	1:A:256:VAL:CG1	2.44	0.47
1:C:61:VAL:HG12	1:C:62:GLN:HG3	1.97	0.47
1:A:42:VAL:HG13	1:A:105:THR:HA	1.96	0.46
1:C:162:LEU:HA	1:C:165:VAL:CG2	2.45	0.46
1:C:231:LEU:HD22	1:C:231:LEU:N	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:LYS:HE2	1:A:80:ARG:NE	2.31	0.46
1:B:1:MET:HG3	1:B:4:ARG:NE	2.30	0.46
1:C:66:ASP:O	1:C:67:LYS:HB2	2.16	0.46
1:C:124:THR:HB	4:C:2007:HOH:O	2.16	0.46
1:A:1:MET:H3	1:A:4:ARG:HD2	1.81	0.45
1:A:188:GLU:HG2	1:A:207:MET:SD	2.56	0.45
1:C:42:VAL:HG22	1:C:105:THR:HA	1.97	0.45
1:A:213:VAL:CG1	1:A:217:LYS:HE3	2.46	0.45
1:C:1:MET:HG2	1:C:51:GLU:HG2	1.98	0.45
1:C:94:LEU:O	1:C:98:GLN:HG3	2.16	0.45
1:A:94:LEU:HB3	1:A:98:GLN:HE21	1.81	0.45
1:B:196:LYS:HG3	1:B:222:TYR:CZ	2.52	0.45
1:B:217:LYS:HG2	1:B:249:SER:HA	1.99	0.45
1:C:217:LYS:HE3	1:C:217:LYS:HB2	1.84	0.45
1:B:39:GLN:HE21	1:B:267:ASP:CB	2.30	0.45
1:B:121:LEU:HD21	1:B:256:VAL:CG1	2.47	0.45
1:C:63:THR:HG21	1:C:77:MET:HE3	1.98	0.45
1:A:66:ASP:O	1:A:67:LYS:HB2	2.15	0.44
1:A:158:LYS:HA	1:A:188:GLU:HB2	1.99	0.44
1:B:232:LEU:HB3	1:B:251:VAL:HG23	1.98	0.44
1:A:102:GLY:HA2	1:A:266:ILE:HG12	1.99	0.44
1:A:114:LEU:CD2	1:A:116:SER:HB3	2.47	0.44
1:B:34:PHE:CE2	1:B:78:GLU:HG3	2.52	0.44
1:B:188:GLU:HG2	1:B:207:MET:SD	2.58	0.44
1:C:96:LEU:HD12	1:C:97:LEU:N	2.33	0.44
1:A:148:ARG:CZ	1:A:156:MET:HE3	2.48	0.43
1:A:158:LYS:O	1:A:162:LEU:HD22	2.18	0.43
1:B:136:LYS:HG3	1:B:149:LEU:CD2	2.48	0.43
1:C:163:ARG:HG2	1:C:163:ARG:HH11	1.83	0.43
1:B:114:LEU:CD2	1:B:247:ALA:HB2	2.48	0.43
1:B:96:LEU:C	1:B:96:LEU:HD12	2.44	0.43
1:B:108:SER:O	1:B:112:GLU:HG3	2.19	0.43
1:C:235:SER:HB3	1:C:255:SER:OG	2.18	0.42
1:B:66:ASP:O	1:B:67:LYS:CB	2.66	0.42
1:B:110:PHE:HB3	1:B:121:LEU:HD11	2.01	0.42
1:C:140:LEU:HG	1:C:146:ASN:ND2	2.34	0.42
1:A:158:LYS:HG2	1:A:161:HIS:HD2	1.83	0.42
1:B:272:MET:HB3	1:B:273:ALA:H	1.67	0.42
1:C:102:GLY:HA2	1:C:266:ILE:HG12	2.01	0.42
1:B:220:ALA:HA	1:B:232:LEU:CD1	2.49	0.42
1:C:51:GLU:OE2	1:C:51:GLU:HA	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:ASP:OD2	1:B:136:LYS:HD3	2.20	0.42
1:B:124:THR:CG2	1:B:126:LYS:N	2.74	0.42
1:C:58:ILE:CD1	1:C:89:VAL:HG11	2.50	0.42
1:A:261:HIS:CD2	1:A:262:GLN:HG2	2.54	0.42
1:C:30:LYS:HE2	1:C:80:ARG:CD	2.49	0.42
1:C:256:VAL:HG13	1:C:259:LEU:CG	2.48	0.42
1:B:256:VAL:HG13	1:B:259:LEU:CG	2.44	0.41
1:B:261:HIS:CD2	1:B:262:GLN:HG2	2.54	0.41
1:C:132:ARG:HD3	1:C:149:LEU:O	2.20	0.41
1:A:140:LEU:HG	1:A:146:ASN:HD21	1.84	0.41
1:A:261:HIS:HE1	2:A:2003:SO4:O4	2.03	0.41
1:B:212:SER:OG	1:B:215:GLU:HB2	2.20	0.41
1:C:39:GLN:HE21	1:C:267:ASP:CB	2.33	0.41
1:C:124:THR:HG23	1:C:125:ARG:H	1.83	0.41
1:B:20:LEU:O	1:B:23:ARG:HB2	2.20	0.41
1:A:272:MET:HB3	1:A:273:ALA:H	1.67	0.41
1:B:26:GLU:C	1:B:27:LYS:HG3	2.46	0.41
1:B:93:LEU:C	1:B:93:LEU:HD13	2.46	0.41
1:C:172:LEU:O	1:C:176:ARG:HG2	2.20	0.41
1:A:223:ARG:C	1:A:223:ARG:CD	2.94	0.40
1:B:243:ILE:CG2	1:B:244:ASN:N	2.82	0.40
1:C:162:LEU:HD22	1:C:162:LEU:N	2.36	0.40
1:C:213:VAL:HG12	1:C:217:LYS:HE3	2.03	0.40
1:C:231:LEU:HD22	1:C:231:LEU:H	1.86	0.40
1:A:208:CYS:HB3	1:A:211:LEU:HD12	2.02	0.40
1:B:232:LEU:O	1:B:251:VAL:HG22	2.21	0.40
1:C:140:LEU:HG	1:C:146:ASN:HD21	1.86	0.40
1:B:140:LEU:HG	1:B:146:ASN:HD21	1.86	0.40
1:C:168:LEU:HD23	1:C:168:LEU:HA	1.77	0.40
1:C:266:ILE:HD13	1:C:266:ILE:HA	1.96	0.40
1:B:71:LYS:HB3	1:B:72:PRO:HD2	2.04	0.40
1:C:103:ILE:CD1	1:C:135:GLU:HG2	2.50	0.40
1:B:121:LEU:HD22	1:B:259:LEU:HD11	2.04	0.40
1:B:227:TYR:HB3	1:B:230:VAL:HG23	2.03	0.40
1:C:186:GLU:OE1	1:C:233:GLU:OE2	2.40	0.40
1:C:261:HIS:CD2	1:C:261:HIS:C	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/273 (99%)	260 (96%)	11 (4%)	0	100	100
1	B	271/273 (99%)	258 (95%)	12 (4%)	1 (0%)	30	38
1	C	271/273 (99%)	255 (94%)	16 (6%)	0	100	100
All	All	813/819 (99%)	773 (95%)	39 (5%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	2	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/233 (100%)	219 (94%)	14 (6%)	17	25
1	B	233/233 (100%)	217 (93%)	16 (7%)	14	20
1	C	233/233 (100%)	225 (97%)	8 (3%)	32	49
All	All	699/699 (100%)	661 (95%)	38 (5%)	20	29

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	11	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	25	LEU
1	A	42	VAL
1	A	93	LEU
1	A	106	LEU
1	A	121	LEU
1	A	155	LEU
1	A	162	LEU
1	A	168	LEU
1	A	215	GLU
1	A	243	ILE
1	A	256	VAL
1	A	269	HIS
1	B	11	LEU
1	B	25	LEU
1	B	42	VAL
1	B	106	LEU
1	B	121	LEU
1	B	124	THR
1	B	137	TYR
1	B	153	ASP
1	B	155	LEU
1	B	162	LEU
1	B	168	LEU
1	B	214	LEU
1	B	215	GLU
1	B	231	LEU
1	B	243	ILE
1	B	256	VAL
1	C	11	LEU
1	C	26	GLU
1	C	93	LEU
1	C	121	LEU
1	C	137	TYR
1	C	155	LEU
1	C	256	VAL
1	C	261	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	98	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	146	ASN
1	A	161	HIS
1	A	197	ASN
1	A	200	ASN
1	A	210	ASN
1	A	244	ASN
1	A	261	HIS
1	B	39	GLN
1	B	62	GLN
1	B	98	GLN
1	B	146	ASN
1	B	161	HIS
1	B	237	ASN
1	B	261	HIS
1	B	269	HIS
1	C	39	GLN
1	C	95	ASN
1	C	98	GLN
1	C	146	ASN
1	C	161	HIS
1	C	174	HIS
1	C	244	ASN
1	C	261	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NTM	B	1002	-	12,12,12	1.55	2 (16%)	15,16,16	1.53	2 (13%)
2	SO4	B	2002	-	4,4,4	0.31	0	6,6,6	1.11	0
2	SO4	C	2001	-	4,4,4	0.31	0	6,6,6	1.17	0
3	NTM	C	1003	-	12,12,12	1.56	3 (25%)	15,16,16	1.48	2 (13%)
2	SO4	A	2003	-	4,4,4	0.29	0	6,6,6	1.10	0
3	NTM	A	1001	-	12,12,12	1.51	2 (16%)	15,16,16	1.53	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NTM	C	1003	-	-	2/8/8/8	0/1/1/1
3	NTM	B	1002	-	-	0/8/8/8	0/1/1/1
3	NTM	A	1001	-	-	0/8/8/8	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1002	NTM	C5-C4	2.81	1.43	1.38
3	C	1003	NTM	C5-C4	2.52	1.43	1.38
3	A	1001	NTM	C5-C4	2.36	1.42	1.38
3	C	1003	NTM	C4-C3	2.27	1.43	1.39
3	A	1001	NTM	C3-C2	2.18	1.44	1.40
3	B	1002	NTM	C3-C8	2.13	1.54	1.49
3	C	1003	NTM	O3-C8	2.12	1.28	1.22

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1002	NTM	C6-N1-C2	3.86	124.31	116.80
3	C	1003	NTM	C6-N1-C2	3.86	124.30	116.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	NTM	C6-N1-C2	3.83	124.26	116.80
3	B	1002	NTM	C5-C6-N1	-2.36	119.68	123.42
3	C	1003	NTM	C5-C6-N1	-2.15	120.01	123.42
3	A	1001	NTM	C5-C6-N1	-2.10	120.10	123.42

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1003	NTM	C2-C3-C8-O4
3	C	1003	NTM	C2-C3-C8-O3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2003	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	273/273 (100%)	0.20	9 (3%)	49	51	20, 35, 48, 63	0
1	B	273/273 (100%)	0.04	8 (2%)	53	56	19, 31, 46, 57	0
1	C	273/273 (100%)	1.01	51 (18%)	3	4	26, 45, 70, 90	0
All	All	819/819 (100%)	0.42	68 (8%)	17	19	19, 36, 62, 90	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	273	ALA	5.7
1	B	273	ALA	5.6
1	A	273	ALA	4.9
1	C	164	HIS	4.6
1	B	159	ASP	4.3
1	C	214	LEU	4.3
1	C	166	LYS	4.1
1	C	163	ARG	3.7
1	C	174	HIS	3.7
1	C	4	ARG	3.5
1	C	200	ASN	3.4
1	C	197	ASN	3.4
1	C	114	LEU	3.2
1	B	197	ASN	3.2
1	B	63	THR	3.2
1	C	243	ILE	3.2
1	C	63	THR	3.1
1	C	220	ALA	3.1
1	C	27	LYS	3.0
1	C	165	VAL	2.9
1	C	168	LEU	2.9
1	C	26	GLU	2.9
1	A	153	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	225	ALA	2.9
1	C	162	LEU	2.8
1	C	251	VAL	2.8
1	C	30	LYS	2.8
1	C	229	PHE	2.7
1	C	228	PRO	2.7
1	C	117	HIS	2.6
1	C	215	GLU	2.6
1	C	219	ILE	2.6
1	A	218	GLU	2.5
1	B	112	GLU	2.5
1	A	4	ARG	2.5
1	C	75	ALA	2.5
1	C	192	PHE	2.5
1	C	213	VAL	2.5
1	C	212	SER	2.5
1	A	118	LYS	2.5
1	B	27	LYS	2.4
1	C	240	LEU	2.4
1	C	246	TYR	2.4
1	C	153	ASP	2.4
1	C	195	ALA	2.4
1	C	71	LYS	2.4
1	C	224	ASP	2.3
1	B	237	ASN	2.3
1	A	27	LYS	2.3
1	C	210	ASN	2.3
1	A	117	HIS	2.3
1	C	109	ARG	2.3
1	C	112	GLU	2.2
1	C	113	ALA	2.2
1	C	116	SER	2.2
1	B	4	ARG	2.2
1	C	172	LEU	2.2
1	C	216	THR	2.2
1	C	42	VAL	2.1
1	C	231	LEU	2.1
1	C	196	LYS	2.1
1	A	71	LYS	2.1
1	C	167	ASP	2.1
1	C	111	VAL	2.1
1	C	159	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	227	TYR	2.0
1	A	114	LEU	2.0
1	C	211	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NTM	A	1001	12/12	0.87	0.31	6,12,16,18	12
3	NTM	C	1003	12/12	0.91	0.12	44,48,51,54	0
2	SO4	B	2002	5/5	0.93	0.13	51,52,53,55	0
3	NTM	B	1002	12/12	0.94	0.10	28,31,35,37	0
2	SO4	C	2001	5/5	0.94	0.10	56,57,58,58	0
2	SO4	A	2003	5/5	0.97	0.07	41,43,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.