



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:08 PM UTC

PDB ID : 3B7J / pdb_00003b7j
Title : Crystal structure of (3R)-Hydroxyacyl-Acyl Carrier Protein Dehydratase(FabZ) from Helicobacter pylori complexed with juglone
Authors : Zhang, L.; Kong, Y.H.; Wu, D.; Shen, X.; Jiang, H.L.
Deposited on : 2007-10-31
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	74% 19% • •
1	B	159	68% 25% • 6%
1	C	159	74% 18% • 6%
1	D	159	72% 20% • •
1	E	159	74% 20% • •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	159	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	JUG	C	162	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7876 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called (3R)-hydroxymyristoyl-acyl carrier protein dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	152	Total	C	N	O	S	0	0	0
			1224	803	203	213	5			
1	B	150	Total	C	N	O	S	0	0	0
			1207	792	200	210	5			
1	C	150	Total	C	N	O	S	0	0	0
			1207	792	201	209	5			
1	D	152	Total	C	N	O	S	0	0	0
			1225	803	203	214	5			
1	E	152	Total	C	N	O	S	0	0	0
			1225	803	203	214	5			
1	F	149	Total	C	N	O	S	0	0	0
			1201	789	199	208	5			

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		
2	D	1	Total	Cl	0	0
			1	1		
2	E	1	Total	Cl	0	0
			1	1		
2	F	1	Total	Cl	0	0
			1	1		

- Molecule 3 is BENZAMIDINE (CCD ID: BEN) (formula: C₇H₈N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			9	7	2		
3	B	1	Total	C	N	0	0
			9	7	2		
3	B	1	Total	C	N	0	0
			9	7	2		
3	C	1	Total	C	N	0	0
			9	7	2		
3	E	1	Total	C	N	0	0
			9	7	2		
3	E	1	Total	C	N	0	0
			9	7	2		
3	F	1	Total	C	N	0	0
			9	7	2		

- Molecule 4 is 5-hydroxynaphthalene-1,4-dione (CCD ID: JUG) (formula: C₁₀H₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			13	10	3		
4	C	1	Total	C	O	0	0
			13	10	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	81	Total	O	0	0
			81	81		
5	B	92	Total	O	0	0
			92	92		
5	C	82	Total	O	0	0
			82	82		
5	D	80	Total	O	0	0
			80	80		
5	E	80	Total	O	0	0
			80	80		
5	F	77	Total	O	0	0
			77	77		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase




- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase




- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase




- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase






- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase

Chain E: 74% 20%



- Molecule 1: (3R)-hydroxymyristoyl-acyl carrier protein dehydratase

Chain F: 75% 16% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.98Å 100.37Å 186.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.40 15.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (15.00-2.40) 99.3 (15.00-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.02 (at 2.39Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.192 , 0.228 0.194 , 0.195	Depositor DCC
R_{free} test set	2792 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtrriage
Anisotropy	0.306	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7876	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 29.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6707e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: JUG, BEN, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/1255	0.89	3/1698 (0.2%)
1	B	0.46	0/1238	0.88	1/1675 (0.1%)
1	C	0.42	0/1238	0.88	2/1675 (0.1%)
1	D	0.43	0/1256	0.90	0/1698
1	E	0.44	0/1256	0.93	2/1698 (0.1%)
1	F	0.46	0/1232	0.96	7/1667 (0.4%)
All	All	0.44	0/7475	0.91	15/10111 (0.1%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	70	ILE	N-CA-C	-6.17	104.49	110.72
1	A	41	LYS	N-CA-C	5.82	116.98	108.14
1	C	139	ALA	N-CA-C	-5.78	99.97	109.40
1	C	70	ILE	N-CA-C	-5.70	104.96	110.72
1	E	139	ALA	N-CA-C	-5.69	100.12	109.40
1	F	62	LYS	CA-C-N	5.54	126.77	119.84
1	F	62	LYS	C-N-CA	5.54	126.77	119.84
1	A	102	MET	N-CA-C	-5.53	105.33	112.68
1	A	139	ALA	N-CA-C	-5.40	100.10	108.90
1	F	126	LEU	N-CA-C	-5.40	106.82	113.41
1	B	70	ILE	N-CA-C	-5.36	105.31	110.72
1	F	54	VAL	CB-CA-C	-5.27	105.13	112.04
1	F	98	ILE	N-CA-C	-5.17	102.22	108.53
1	F	139	ALA	N-CA-C	-5.13	101.33	109.59
1	E	70	ILE	N-CA-C	-5.11	105.56	110.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1224	0	1243	27	0
1	B	1207	0	1224	40	0
1	C	1207	0	1226	28	0
1	D	1225	0	1243	26	0
1	E	1225	0	1243	28	0
1	F	1201	0	1219	29	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	9	0	7	2	0
3	B	18	0	14	3	0
3	C	9	0	7	1	0
3	E	18	0	14	2	0
3	F	9	0	7	0	0
4	B	13	0	5	1	0
4	C	13	0	5	5	0
5	A	81	0	0	4	0
5	B	92	0	0	2	0
5	C	82	0	0	1	0
5	D	80	0	0	0	0
5	E	80	0	0	1	0
5	F	77	0	0	2	0
All	All	7876	0	7457	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:GLN:HE21	3:A:161:BEN:HN22	1.02	0.99
1:D:29:LEU:H	1:D:76:GLN:HE22	1.08	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:LEU:H	1:B:76:GLN:HE22	1.18	0.87
1:E:35:GLU:HG2	1:E:43:VAL:HB	1.63	0.81
1:E:104:ILE:HB	1:F:107:VAL:HG13	1.66	0.78
1:D:111:ILE:HB	1:D:146:VAL:HG22	1.67	0.77
1:D:29:LEU:N	1:D:76:GLN:HE22	1.84	0.76
1:A:29:LEU:H	1:A:76:GLN:HE22	1.34	0.76
1:C:47:ASN:HB3	1:E:47:ASN:HB3	1.67	0.76
1:B:47:ASN:HB3	1:F:47:ASN:HB3	1.67	0.74
1:C:98:ILE:HG23	1:C:158:ARG:HB2	1.68	0.74
1:C:111:ILE:O	1:C:146:VAL:HG13	1.88	0.74
1:E:104:ILE:HB	1:F:107:VAL:CG1	2.17	0.73
1:B:97:LYS:O	3:B:161:BEN:H5	1.91	0.70
1:A:47:ASN:HB3	1:D:47:ASN:HB3	1.73	0.69
1:E:82:ALA:O	1:E:86:LEU:HD22	1.94	0.68
1:C:98:ILE:CG2	1:C:158:ARG:HB2	2.23	0.67
1:C:100:TYR:HD2	1:C:154:MET:HE2	1.60	0.67
1:E:60:PRO:O	1:F:158:ARG:NH1	2.28	0.66
4:C:162:JUG:HAG	5:C:241:HOH:O	1.94	0.66
1:A:35:GLU:HB2	1:A:43:VAL:HB	1.77	0.65
1:C:107:VAL:CG1	1:D:104:ILE:HB	2.27	0.65
1:C:107:VAL:HG13	1:D:104:ILE:HB	1.79	0.65
1:D:29:LEU:H	1:D:76:GLN:NE2	1.88	0.65
1:A:40:GLN:NE2	3:A:161:BEN:HN22	1.86	0.62
1:B:132:ILE:HD13	1:B:154:MET:HG3	1.82	0.62
1:A:158:ARG:HD3	5:B:247:HOH:O	2.00	0.62
1:A:98:ILE:HD13	1:A:99:VAL:N	2.14	0.62
1:C:98:ILE:HA	4:C:162:JUG:HAH	1.81	0.61
1:F:110:ARG:HH11	1:F:110:ARG:HG2	1.65	0.61
5:A:162:HOH:O	4:B:163:JUG:HAH	2.01	0.61
1:F:33:ILE:HD12	1:F:42:ILE:HD11	1.83	0.60
1:C:107:VAL:HG13	1:D:104:ILE:O	2.01	0.60
1:E:107:VAL:HG22	1:F:104:ILE:HB	1.85	0.59
1:D:157:GLU:C	1:D:159:GLU:H	2.10	0.58
1:E:104:ILE:O	1:F:107:VAL:HG13	2.04	0.58
1:F:90:ASP:CG	1:F:93:ILE:HG22	2.29	0.58
1:B:15:GLU:HG2	5:F:229:HOH:O	2.04	0.57
1:D:75:ALA:HB2	1:D:101:PHE:CZ	2.40	0.57
1:E:107:VAL:CG2	1:F:104:ILE:HB	2.35	0.57
1:D:107:VAL:HA	1:D:148:GLU:O	2.05	0.56
1:B:134:GLN:HB3	5:B:242:HOH:O	2.06	0.56
1:C:98:ILE:HD11	1:C:100:TYR:CZ	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:40:GLN:NE2	3:E:161:BEN:N1	2.54	0.56
1:E:124:GLU:CD	3:E:161:BEN:H2	2.32	0.55
1:C:100:TYR:CD2	1:C:154:MET:HE2	2.40	0.55
1:E:36:LEU:C	1:E:36:LEU:HD23	2.31	0.55
1:C:99:VAL:H	4:C:162:JUG:CAJ	2.19	0.55
1:C:35:GLU:HB2	1:C:43:VAL:HB	1.89	0.55
1:A:99:VAL:HG22	1:A:155:ILE:HD13	1.88	0.54
1:C:98:ILE:HA	4:C:162:JUG:CAH	2.36	0.54
1:B:15:GLU:CG	5:F:229:HOH:O	2.55	0.54
1:B:134:GLN:HG2	1:B:152:LYS:HG3	1.89	0.54
1:B:159:GLU:HA	1:B:159:GLU:OE1	2.08	0.53
1:D:86:LEU:HD13	1:D:133:TRP:HZ2	1.73	0.53
1:B:158:ARG:O	1:B:159:GLU:HB2	2.08	0.53
1:E:107:VAL:HA	1:E:148:GLU:O	2.07	0.53
1:F:92:GLU:OE1	1:F:95:LYS:HE3	2.08	0.53
1:C:97:LYS:O	4:C:162:JUG:HAH	2.08	0.53
1:A:36:LEU:C	1:A:36:LEU:HD13	2.34	0.52
1:B:29:LEU:N	1:B:76:GLN:HE22	1.97	0.52
1:B:29:LEU:H	1:B:76:GLN:NE2	1.98	0.52
1:D:138:THR:HG22	1:D:148:GLU:HG2	1.92	0.52
1:B:99:VAL:HB	3:B:161:BEN:C	2.41	0.51
1:E:83:PHE:CZ	1:E:94:ALA:HB2	2.46	0.51
1:E:36:LEU:HD23	1:E:37:GLN:N	2.25	0.51
1:A:9:GLN:NE2	5:A:232:HOH:O	2.44	0.51
1:A:99:VAL:HG22	1:A:155:ILE:CD1	2.40	0.51
1:F:92:GLU:CD	1:F:95:LYS:HE3	2.36	0.51
1:B:132:ILE:CD1	1:B:154:MET:HG3	2.41	0.50
1:A:39:ASN:ND2	1:A:85:SER:HB3	2.26	0.50
1:A:98:ILE:HD13	1:A:98:ILE:C	2.36	0.50
1:E:9:GLN:HE21	1:E:10:SER:H	1.59	0.50
1:F:90:ASP:CG	1:F:93:ILE:CG2	2.85	0.50
1:E:104:ILE:HB	1:F:107:VAL:HG11	1.94	0.49
1:B:75:ALA:HB1	1:B:101:PHE:CE1	2.48	0.49
1:A:110:ARG:HG2	1:A:110:ARG:HH11	1.77	0.49
1:B:98:ILE:HD12	3:B:161:BEN:H6	1.94	0.49
1:F:110:ARG:HG2	1:F:110:ARG:NH1	2.28	0.49
1:A:36:LEU:HD13	1:A:37:GLN:N	2.26	0.49
1:C:107:VAL:HA	1:C:148:GLU:O	2.13	0.49
1:B:138:THR:HG22	1:B:148:GLU:HB3	1.94	0.49
1:D:157:GLU:C	1:D:159:GLU:N	2.70	0.49
1:F:122:HIS:C	1:F:123:LEU:HD22	2.38	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:HIS:O	1:B:137:GLY:HA3	2.13	0.48
1:B:158:ARG:O	1:B:159:GLU:CB	2.61	0.48
1:F:107:VAL:HA	1:F:148:GLU:O	2.13	0.48
1:F:86:LEU:HD13	1:F:133:TRP:HZ2	1.77	0.48
1:E:83:PHE:CD2	1:E:83:PHE:C	2.91	0.48
1:B:107:VAL:HG22	1:B:149:ALA:CB	2.44	0.48
1:C:38:ALA:HB2	3:C:161:BEN:HN22	1.79	0.48
1:D:36:LEU:HD23	1:D:36:LEU:C	2.38	0.48
1:A:151:LEU:HD22	1:A:151:LEU:O	2.14	0.48
1:B:98:ILE:HD12	1:B:99:VAL:H	1.79	0.47
1:B:87:TRP:CZ2	1:B:97:LYS:HE2	2.50	0.47
1:F:90:ASP:OD1	1:F:93:ILE:HG22	2.14	0.47
1:F:110:ARG:NH2	1:F:148:GLU:OE1	2.46	0.47
1:B:139:ALA:O	1:B:146:VAL:HG22	2.15	0.47
1:E:120:GLU:CD	1:E:122:HIS:HE2	2.23	0.47
1:F:92:GLU:O	1:F:95:LYS:HG2	2.15	0.47
1:E:118:ARG:HD2	5:E:180:HOH:O	2.15	0.46
1:E:27:MET:HE2	1:F:66:PRO:CG	2.45	0.46
1:D:11:GLN:HG3	1:D:33:ILE:O	2.16	0.46
1:A:104:ILE:HB	1:B:107:VAL:HB	1.96	0.46
1:D:114:THR:HB	1:D:115:PRO:HD2	1.98	0.46
1:F:93:ILE:HD11	1:F:97:LYS:HE3	1.96	0.45
1:D:96:THR:O	1:D:97:LYS:HD3	2.17	0.45
1:F:86:LEU:HD13	1:F:133:TRP:CZ2	2.51	0.45
1:A:134:GLN:HG3	1:A:152:LYS:HG3	1.98	0.45
1:A:151:LEU:HD22	1:A:151:LEU:C	2.42	0.45
1:B:33:ILE:HD12	1:B:42:ILE:HD11	1.99	0.45
1:C:151:LEU:N	1:C:151:LEU:HD12	2.32	0.45
1:A:122:HIS:O	1:A:137:GLY:HA3	2.17	0.45
1:A:124:GLU:HG3	5:A:235:HOH:O	2.15	0.44
1:C:154:MET:HE3	1:C:156:ALA:HB2	1.98	0.44
1:F:37:GLN:HE21	1:F:40:GLN:HE21	1.65	0.44
1:B:42:ILE:HG22	1:B:81:LEU:HD22	1.99	0.44
1:E:15:GLU:H	1:E:15:GLU:CD	2.25	0.44
1:E:62:LYS:HE2	1:F:158:ARG:O	2.18	0.44
1:C:113:VAL:CG2	1:C:146:VAL:HG11	2.48	0.44
1:B:107:VAL:HA	1:B:148:GLU:O	2.18	0.44
1:B:111:ILE:HB	1:B:146:VAL:HG12	1.99	0.44
1:B:11:GLN:HG2	1:B:33:ILE:O	2.18	0.43
1:C:82:ALA:O	1:C:86:LEU:HD22	2.17	0.43
1:C:107:VAL:HG11	1:D:104:ILE:HB	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:35:GLU:HB2	1:F:43:VAL:HB	2.00	0.43
1:B:114:THR:HB	1:B:115:PRO:HD2	2.01	0.43
1:B:36:LEU:C	1:B:36:LEU:HD23	2.44	0.43
1:D:98:ILE:HD11	1:D:100:TYR:CE1	2.53	0.43
1:A:39:ASN:HD22	1:A:133:TRP:HH2	1.67	0.43
1:C:86:LEU:HD21	1:C:133:TRP:CZ2	2.54	0.43
1:D:113:VAL:CG2	1:D:146:VAL:HG11	2.49	0.43
1:E:22:PRO:HG3	1:E:98:ILE:HA	1.99	0.43
1:A:41:LYS:NZ	5:A:218:HOH:O	2.49	0.43
1:B:107:VAL:HG22	1:B:149:ALA:HB2	2.00	0.42
1:C:68:VAL:HB	1:D:68:VAL:HB	2.01	0.42
1:D:96:THR:C	1:D:97:LYS:HG2	2.44	0.42
1:C:114:THR:HB	1:C:115:PRO:HD2	2.00	0.42
1:A:102:MET:SD	1:A:152:LYS:HE3	2.59	0.42
1:B:36:LEU:HD23	1:B:37:GLN:N	2.35	0.42
1:C:62:LYS:HA	1:C:62:LYS:HD2	1.84	0.42
1:E:122:HIS:O	1:E:137:GLY:HA3	2.20	0.41
1:B:110:ARG:NH2	1:B:148:GLU:OE2	2.50	0.41
1:D:25:TYR:HA	1:D:26:PRO:HA	1.86	0.41
1:D:12:PHE:HB3	1:D:16:HIS:HB2	2.01	0.41
1:A:110:ARG:HG2	1:A:110:ARG:NH1	2.36	0.41
1:C:98:ILE:CD1	1:C:100:TYR:CZ	3.04	0.41
1:E:111:ILE:HB	1:E:146:VAL:HG12	2.02	0.41
1:B:35:GLU:HB2	1:B:43:VAL:HB	2.03	0.41
1:A:98:ILE:HD12	1:A:100:TYR:CE2	2.56	0.41
1:B:114:THR:HB	1:B:115:PRO:CD	2.51	0.41
1:B:127:LYS:HB3	1:B:127:LYS:HE3	1.89	0.41
1:E:27:MET:HE2	1:F:66:PRO:HG2	2.02	0.41
1:E:60:PRO:O	1:E:61:ASN:HB2	2.21	0.41
1:F:37:GLN:HB3	1:F:40:GLN:HE21	1.86	0.41
1:B:36:LEU:HD11	1:B:84:THR:OG1	2.21	0.40
1:D:14:ILE:HG13	1:D:18:LEU:HD22	2.03	0.40
1:B:139:ALA:HB3	1:B:147:ALA:HB3	2.04	0.40
1:A:72:GLU:O	1:A:76:GLN:HG3	2.21	0.40
1:C:122:HIS:O	1:C:137:GLY:HA3	2.20	0.40
1:B:111:ILE:HA	1:B:112:PRO:HD3	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	150/159 (94%)	143 (95%)	7 (5%)	0	100	100
1	B	148/159 (93%)	143 (97%)	5 (3%)	0	100	100
1	C	148/159 (93%)	144 (97%)	4 (3%)	0	100	100
1	D	150/159 (94%)	143 (95%)	6 (4%)	1 (1%)	18	28
1	E	150/159 (94%)	143 (95%)	7 (5%)	0	100	100
1	F	147/159 (92%)	142 (97%)	5 (3%)	0	100	100
All	All	893/954 (94%)	858 (96%)	34 (4%)	1 (0%)	48	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	9	GLN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	131/138 (95%)	122 (93%)	9 (7%)	14	24
1	B	129/138 (94%)	126 (98%)	3 (2%)	44	66
1	C	129/138 (94%)	122 (95%)	7 (5%)	20	35
1	D	131/138 (95%)	122 (93%)	9 (7%)	14	24
1	E	131/138 (95%)	124 (95%)	7 (5%)	20	36
1	F	128/138 (93%)	122 (95%)	6 (5%)	23	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	779/828 (94%)	738 (95%)	41 (5%)	20	36

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	A	11	GLN
1	A	15	GLU
1	A	26	PRO
1	A	36	LEU
1	A	98	ILE
1	A	108	LYS
1	A	151	LEU
1	A	154	MET
1	B	11	GLN
1	B	26	PRO
1	B	158	ARG
1	C	11	GLN
1	C	26	PRO
1	C	86	LEU
1	C	105	ASP
1	C	107	VAL
1	C	123	LEU
1	C	158	ARG
1	D	18	LEU
1	D	35	GLU
1	D	41	LYS
1	D	86	LEU
1	D	99	VAL
1	D	101	PHE
1	D	105	ASP
1	D	107	VAL
1	D	146	VAL
1	E	8	LEU
1	E	9	GLN
1	E	26	PRO
1	E	54	VAL
1	E	86	LEU
1	E	101	PHE
1	E	107	VAL
1	F	15	GLU
1	F	54	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	86	LEU
1	F	93	ILE
1	F	101	PHE
1	F	107	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	19	GLN
1	A	37	GLN
1	A	39	ASN
1	A	40	GLN
1	A	61	ASN
1	A	76	GLN
1	B	11	GLN
1	B	40	GLN
1	B	76	GLN
1	C	11	GLN
1	C	37	GLN
1	C	40	GLN
1	D	39	ASN
1	D	51	ASN
1	D	76	GLN
1	D	134	GLN
1	E	9	GLN
1	E	37	GLN
1	E	40	GLN
1	E	51	ASN
1	F	37	GLN
1	F	40	GLN
1	F	134	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 6 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BEN	F	161	-	9,9,9	1.51	1 (11%)	7,11,11	0.80	0
3	BEN	B	161	-	9,9,9	1.51	1 (11%)	7,11,11	0.68	0
4	JUG	C	162	-	14,14,14	2.07	4 (28%)	20,20,20	1.03	2 (10%)
3	BEN	C	161	-	9,9,9	1.50	1 (11%)	7,11,11	0.66	0
3	BEN	B	162	-	9,9,9	1.48	1 (11%)	7,11,11	0.65	0
3	BEN	E	161	-	9,9,9	1.49	1 (11%)	7,11,11	0.71	0
3	BEN	E	162	-	9,9,9	1.52	1 (11%)	7,11,11	0.66	0
4	JUG	B	163	-	14,14,14	2.11	4 (28%)	20,20,20	1.09	2 (10%)
3	BEN	A	161	-	9,9,9	1.51	1 (11%)	7,11,11	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEN	F	161	-	-	0/4/4/4	0/1/1/1
3	BEN	B	161	-	-	4/4/4/4	0/1/1/1
4	JUG	C	162	-	-	-	0/2/2/2
3	BEN	C	161	-	-	4/4/4/4	0/1/1/1
3	BEN	B	162	-	-	0/4/4/4	0/1/1/1
3	BEN	E	161	-	-	4/4/4/4	0/1/1/1
3	BEN	E	162	-	-	0/4/4/4	0/1/1/1
4	JUG	B	163	-	-	-	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEN	A	161	-	-	0/4/4/4	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	163	JUG	CAL-CAJ	-5.17	1.39	1.48
4	C	162	JUG	CAL-CAJ	-5.10	1.39	1.48
3	E	162	BEN	C1-C	-4.23	1.39	1.47
3	A	161	BEN	C1-C	-4.19	1.39	1.47
3	B	161	BEN	C1-C	-4.19	1.39	1.47
3	F	161	BEN	C1-C	-4.18	1.39	1.47
3	C	161	BEN	C1-C	-4.16	1.39	1.47
3	E	161	BEN	C1-C	-4.13	1.39	1.47
3	B	162	BEN	C1-C	-4.09	1.39	1.47
4	B	163	JUG	CAG-CAK	-3.23	1.39	1.46
4	B	163	JUG	CAF-CAJ	-3.19	1.39	1.46
4	C	162	JUG	CAF-CAJ	-3.16	1.39	1.46
4	C	162	JUG	CAG-CAK	-3.12	1.39	1.46
4	C	162	JUG	CAM-CAK	-2.90	1.39	1.46
4	B	163	JUG	CAM-CAK	-2.87	1.39	1.46

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	163	JUG	CAL-CAJ-CAF	2.24	120.26	116.89
4	C	162	JUG	CAL-CAJ-CAF	2.13	120.11	116.89
4	C	162	JUG	CAG-CAF-CAJ	-2.10	119.60	122.06
4	B	163	JUG	CAG-CAF-CAJ	-2.01	119.71	122.06

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	161	BEN	N2-C-C1-C2
3	B	161	BEN	N2-C-C1-C6
3	C	161	BEN	N2-C-C1-C2
3	C	161	BEN	N2-C-C1-C6
3	E	161	BEN	N2-C-C1-C2
3	E	161	BEN	N2-C-C1-C6
3	B	161	BEN	N1-C-C1-C2
3	B	161	BEN	N1-C-C1-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	161	BEN	N1-C-C1-C2
3	C	161	BEN	N1-C-C1-C6
3	E	161	BEN	N1-C-C1-C2
3	E	161	BEN	N1-C-C1-C6

There are no ring outliers.

6 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	161	BEN	3	0
4	C	162	JUG	5	0
3	C	161	BEN	1	0
3	E	161	BEN	2	0
4	B	163	JUG	1	0
3	A	161	BEN	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	152/159 (95%)	-0.56	2 (1%) 75 71	11, 18, 33, 53	0
1	B	150/159 (94%)	-0.51	1 (0%) 84 81	11, 18, 32, 60	0
1	C	150/159 (94%)	-0.55	1 (0%) 84 81	12, 19, 32, 56	0
1	D	152/159 (95%)	-0.46	1 (0%) 84 81	10, 20, 38, 66	0
1	E	152/159 (95%)	-0.57	0 100 100	11, 19, 33, 47	0
1	F	149/159 (93%)	-0.52	1 (0%) 84 81	12, 19, 32, 68	0
All	All	905/954 (94%)	-0.53	6 (0%) 84 81	10, 19, 34, 68	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	10	SER	3.1
1	A	101	PHE	2.8
1	D	8	LEU	2.5
1	C	100	TYR	2.3
1	A	159	GLU	2.3
1	F	159	GLU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	JUG	C	162	13/13	0.69	0.20	39,40,41,43	0
3	BEN	E	161	9/9	0.70	0.18	38,41,44,45	0
4	JUG	B	163	13/13	0.71	0.18	49,51,53,53	0
3	BEN	B	161	9/9	0.73	0.19	33,35,40,41	0
3	BEN	B	162	9/9	0.76	0.17	35,36,38,38	0
3	BEN	F	161	9/9	0.76	0.19	41,41,47,50	0
3	BEN	E	162	9/9	0.77	0.16	39,40,41,42	0
3	BEN	C	161	9/9	0.87	0.15	31,32,37,37	0
2	CL	B	160	1/1	0.93	0.07	54,54,54,54	0
3	BEN	A	161	9/9	0.95	0.07	19,20,22,22	0
2	CL	A	160	1/1	0.96	0.06	32,32,32,32	0
2	CL	E	160	1/1	0.96	0.04	37,37,37,37	0
2	CL	F	160	1/1	0.96	0.05	35,35,35,35	0
2	CL	C	160	1/1	0.98	0.05	29,29,29,29	0
2	CL	D	160	1/1	0.99	0.07	39,39,39,39	0

6.5 Other polymers

There are no such residues in this entry.