



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:08 AM UTC

PDB ID : 8B7C / pdb_00008b7c
Title : Tubulin-maytansinoid-12 complex
Authors : Boiarska, Z.; Perez-Pena, H.; Abel, A.-C.; Marzullo, P.; Alvarez-Bernad, B.; Bonato, F.; Santini, B.; Horvath, D.; Lucena-Agell, D.; Vasile, F.; Sironi, M.; Diaz, J.F.; Steinmetz, M.O.; Prota, A.E.; Pieraccini, S.; Passarella, D.
Deposited on : 2022-09-29
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	
1	C	451	
2	B	445	
2	D	445	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	143	4% 80% 6% 14%
4	F	384	10% 82% 7% 11%

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 18822 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	1	0
			3427	2169	582	653	23			
1	C	440	Total	C	N	O	S	0	7	0
			3468	2194	586	663	25			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	423	Total	C	N	O	S	0	1	0
			3345	2102	572	644	27			
2	D	426	Total	C	N	O	S	0	1	0
			3354	2104	574	649	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	1	0
			1019	628	184	202	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043


- Molecule 4 is a protein called Tubulin tyrosine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	342	Total	C	N	O	S	0	1	0
			2804	1800	481	508	15			

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	?	-	ALA	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	MET	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	GLY	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	THR	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	VAL	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	ALA	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	THR	deletion	UNP A0A8V0Z8P0
F	?	-	HIS	deletion	UNP A0A8V0Z8P0
F	?	-	PRO	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	VAL	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	LYS	deletion	UNP A0A8V0Z8P0
F	?	-	ASN	deletion	UNP A0A8V0Z8P0
F	?	-	HIS	deletion	UNP A0A8V0Z8P0
F	?	-	GLY	deletion	UNP A0A8V0Z8P0
F	?	-	PHE	deletion	UNP A0A8V0Z8P0
F	379	HIS	-	expression tag	UNP A0A8V0Z8P0
F	380	HIS	-	expression tag	UNP A0A8V0Z8P0
F	381	HIS	-	expression tag	UNP A0A8V0Z8P0
F	382	HIS	-	expression tag	UNP A0A8V0Z8P0
F	383	HIS	-	expression tag	UNP A0A8V0Z8P0
F	384	HIS	-	expression tag	UNP A0A8V0Z8P0

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
5	C	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Mg 1 1	0	0
6	B	1	Total Mg 1 1	0	0
6	C	1	Total Mg 1 1	0	0
6	D	1	Total Mg 1 1	0	0
6	F	1	Total Mg 1 1	0	0

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	B	1	Total Ca 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total	Ca	0	0
			1	1		
7	E	1	Total	Ca	0	0
			1	1		

- Molecule 8 is IMIDAZOLE (CCD ID: IMD) (formula: $C_3H_5N_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	N	0	0
			5	3	2		

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
9	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 11 is [(1 {S},2 {R},3 {S},5 {S},6 {S},16 {E},18 {E},20 {R},21 {S})-11-chloranyl-12,20-dimethoxy-2,5,9,16-tetramethyl-21-oxidanyl-8,23-bis(oxidanylidene)-4,24-dioxa-9,22-diazatetracyclo[19.3.1.1[^]{10,14}.0[^]{3,5}]hexacosa-10(26),11,13,16,18-pentaen-6-yl] 4-[2-(2-azanylhrazinyl)ethyl]benzoate (CCD ID: PWC) (formula: C₃₇H₄₄ClN₅O₉) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	217	Total	O	0	0
			217	217		
13	B	244	Total	O	0	0
			244	244		
13	C	394	Total	O	0	0
			394	394		
13	D	168	Total	O	0	0
			168	168		
13	E	58	Total	O	0	0
			58	58		
13	F	95	Total	O	0	0
			95	95		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain





- Molecule 2: Tubulin beta-2B chain







● Molecule 3: Stathmin-4



● Molecule 4: Tubulin tyrosine ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.87Å 157.94Å 180.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.57 – 1.90 49.57 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.57-1.90) 99.9 (49.57-1.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.98 (at 1.90Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.183 , 0.211 (Not available) , 0.190	Depositor DCC
R_{free} test set	11768 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	39.5	Xtriage
Anisotropy	0.189	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18822	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, GTP, CA, IMD, ACP, PWC, MES, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/3508	0.31	0/4762
1	C	0.14	0/3564	0.35	0/4839
2	B	0.13	0/3419	0.31	0/4629
2	D	0.11	0/3427	0.29	0/4640
3	E	0.10	0/1030	0.23	0/1367
4	F	0.09	0/2870	0.29	0/3872
All	All	0.12	0/17818	0.31	0/24109

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3427	0	3339	18	0
1	C	3468	0	3383	15	0
2	B	3345	0	3227	25	0
2	D	3354	0	3234	17	0
3	E	1019	0	1035	5	0
4	F	2804	0	2778	17	0
5	A	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	A	5	0	5	0	0
9	B	28	0	12	0	0
9	D	28	0	12	1	0
10	B	12	0	12	0	0
11	D	52	0	0	0	0
12	F	31	0	14	1	0
13	A	217	0	0	0	0
13	B	244	0	0	4	0
13	C	394	0	0	1	0
13	D	168	0	0	2	0
13	E	58	0	0	2	0
13	F	95	0	0	2	0
All	All	18822	0	17075	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:229:HIS:ND1	13:B:605:HOH:O	2.29	0.65
1:A:132:LEU:O	1:A:164:LYS:NZ	2.32	0.62
1:C:112:LYS:NZ	1:C:113:GLU:OE2	2.32	0.62
1:C:1:MET:O	13:C:601:HOH:O	2.16	0.61
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.83	0.60
1:C:335:ILE:HG23	1:C:339:ARG:HG3	1.84	0.60
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.85	0.58
4:F:1:MET:HE3	4:F:28:LYS:HB2	1.85	0.58
1:C:275:VAL:HG13	1:C:368:LEU:HD21	1.86	0.58
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.85	0.57
3:E:44:ASP:N	13:E:304:HOH:O	2.37	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:159:GLY:N	13:F:501:HOH:O	2.37	0.56
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.24	0.55
1:C:167:LEU:HG	1:C:200:CYS:HB3	1.88	0.54
2:B:2:ARG:NH1	13:B:610:HOH:O	2.38	0.54
1:C:4[A]:CYS:SG	1:C:136:LEU:HG	2.48	0.53
2:B:176:LYS:HD2	2:B:207:GLU:HG3	1.91	0.52
3:E:58:GLU:HG2	3:E:62:LYS:HE3	1.92	0.52
4:F:236:LYS:HB3	4:F:240:LEU:HD13	1.92	0.51
4:F:217:ARG:HG3	4:F:218:GLU:HG2	1.93	0.50
3:E:85:LYS:NZ	13:E:306:HOH:O	2.43	0.50
4:F:292:ARG:NH2	13:F:503:HOH:O	2.40	0.50
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.92	0.50
4:F:14:TYR:HB3	4:F:41:LEU:HD13	1.93	0.49
1:A:76:ASP:OD1	1:A:79:ARG:NH1	2.43	0.49
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.30	0.49
4:F:333:ASN:ND2	12:F:401:ACP:O3G	2.40	0.49
2:D:12:CYS:HB2	9:D:501:GDP:C8	2.46	0.49
2:B:147:SER:OG	2:B:190:SER:OG	2.27	0.49
4:F:128:ARG:NH2	4:F:174:ASP:OD1	2.45	0.49
2:B:136:GLN:HA	2:B:167:ASN:O	2.14	0.48
1:C:320:ARG:HG3	1:C:360:PRO:HG3	1.96	0.48
1:C:320:ARG:HA	1:C:356:ASN:O	2.14	0.48
1:A:47:ASP:N	1:A:47:ASP:OD1	2.47	0.48
2:B:291:LEU:HD12	2:B:373:MET:HE2	1.97	0.47
1:C:211:ASP:OD2	1:C:304:LYS:NZ	2.44	0.47
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.96	0.47
4:F:16:GLU:OE2	4:F:19:ARG:NH2	2.49	0.46
2:B:147:SER:HG	2:B:190:SER:HG	1.57	0.46
1:A:274:PRO:HB3	1:A:286:LEU:HD12	1.98	0.46
1:C:209:ILE:HG23	1:C:230:LEU:HD23	1.97	0.46
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.99	0.45
4:F:14:TYR:HA	4:F:17:VAL:HB	1.98	0.45
2:D:136:GLN:HA	2:D:167:ASN:O	2.17	0.45
2:D:438:ALA:O	13:D:602:HOH:O	2.20	0.45
2:B:31:ASP:OD1	2:B:35:SER:N	2.41	0.45
2:D:297:ASP:OD2	2:D:299:LYS:NZ	2.42	0.44
2:B:21:TRP:CZ3	2:B:63:PRO:HB3	2.53	0.44
2:B:295:MET:HG2	2:B:377:PHE:HB2	2.00	0.44
1:C:172:TYR:HB3	1:C:205:ASP:HA	2.00	0.44
4:F:200:ASP:OD2	4:F:222:ARG:NH2	2.51	0.44
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:GLU:HG2	1:A:258:ASN:ND2	2.33	0.43
3:E:135:LYS:HE2	3:E:139:LEU:HD11	2.00	0.43
4:F:73:ARG:HB2	4:F:76:SER:HB2	1.99	0.43
2:B:165:ILE:HG21	2:B:252:LEU:HB3	2.00	0.43
1:A:34:GLY:HA3	1:A:60:LYS:HG3	1.99	0.43
2:B:422:GLU:HG3	13:B:602:HOH:O	2.18	0.43
2:D:347:ILE:HG22	2:D:350:ASN:HB3	2.00	0.43
1:A:22:GLU:HG3	1:A:83:TYR:CE1	2.54	0.43
1:C:210:TYR:CZ	1:C:222:PRO:HD2	2.53	0.43
2:B:172:MET:HG3	2:B:387:LEU:HD11	2.00	0.43
2:D:106:GLY:O	2:D:111:GLY:HA3	2.19	0.43
1:A:345:ASP:HB3	3:E:28:SER:HB2	1.99	0.43
2:B:69:ASP:O	2:B:94:PHE:HA	2.19	0.43
2:D:298:SER:HB3	2:D:307:PRO:HD2	2.01	0.43
1:A:172:TYR:HB3	1:A:205:ASP:HA	2.01	0.42
2:D:167:ASN:ND2	13:D:611:HOH:O	2.52	0.42
2:B:106:GLY:O	2:B:111:GLY:HA3	2.19	0.42
2:D:217:LEU:HA	2:D:277:SER:HB3	2.01	0.42
2:B:46:LEU:HA	2:B:49:ILE:HB	2.00	0.42
2:B:400:ARG:HG3	2:B:401:ARG:HG2	2.01	0.42
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.54	0.42
4:F:220:VAL:HG11	4:F:339:ALA:HB2	2.02	0.42
2:B:48:ARG:NH2	2:B:241:CYS:O	2.52	0.42
4:F:225:SER:HB2	4:F:252:ASN:HB2	2.01	0.42
2:B:203:CYS:SG	2:B:267:PHE:HB3	2.60	0.42
1:C:172:TYR:CE2	1:C:391:LEU:HD22	2.55	0.42
1:A:187:SER:HB3	1:A:391:LEU:HD21	2.01	0.41
1:A:401:LYS:HG3	2:B:346:TRP:CE3	2.55	0.41
2:B:424:ASN:HB3	13:B:626:HOH:O	2.21	0.41
2:D:316:ALA:HB3	2:D:378:ILE:HB	2.03	0.41
2:D:21:TRP:CZ3	2:D:63:PRO:HB3	2.55	0.41
4:F:216:TYR:CE2	4:F:218:GLU:HB2	2.56	0.41
1:A:21:TRP:CZ3	1:A:63:PRO:HB3	2.56	0.41
2:D:213:CYS:HA	2:D:217:LEU:HB2	2.03	0.41
1:A:209:ILE:HD11	1:A:302:MET:SD	2.60	0.41
2:D:163:ASP:O	2:D:253:ARG:NH2	2.54	0.41
4:F:222:ARG:HH22	4:F:318:ASP:CG	2.29	0.41
4:F:214:TYR:HB3	4:F:375:PHE:HB3	2.02	0.40
1:A:346:TRP:CD1	1:A:346:TRP:H	2.39	0.40
2:B:15:GLN:O	2:B:19:LYS:HG2	2.22	0.40
1:C:292:THR:HG22	1:C:335:ILE:HD12	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:295:MET:HE2	2:B:295:MET:HB3	1.95	0.40
2:D:165:ILE:HG21	2:D:252:LEU:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/451 (97%)	428 (98%)	9 (2%)	0	100	100
1	C	445/451 (99%)	436 (98%)	9 (2%)	0	100	100
2	B	420/445 (94%)	414 (99%)	6 (1%)	0	100	100
2	D	423/445 (95%)	416 (98%)	7 (2%)	0	100	100
3	E	120/143 (84%)	120 (100%)	0	0	100	100
4	F	331/384 (86%)	323 (98%)	8 (2%)	0	100	100
All	All	2176/2319 (94%)	2137 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/379 (98%)	367 (99%)	3 (1%)	73	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	378/379 (100%)	376 (100%)	2 (0%)	81	84
2	B	368/383 (96%)	368 (100%)	0	100	100
2	D	369/383 (96%)	369 (100%)	0	100	100
3	E	111/127 (87%)	110 (99%)	1 (1%)	70	73
4	F	307/342 (90%)	307 (100%)	0	100	100
All	All	1903/1993 (96%)	1897 (100%)	6 (0%)	86	88

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	ASP
1	A	188	ILE
1	A	381	THR
1	C	71	GLU
1	C	391	LEU
3	E	140	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	393	HIS
2	B	300	ASN
2	B	331	GLN
2	B	349	ASN
1	C	85	GLN
1	C	256	GLN
2	D	167	ASN
2	D	331	GLN
2	D	436	GLN
4	F	269	GLN
4	F	306	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 9 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	GTP	C	501	6	33,34,34	0.92	2 (6%)	50,54,54	1.47	8 (16%)
8	IMD	A	504	-	5,5,5	0.65	0	5,5,5	0.43	0
11	PWC	D	503	-	54,56,56	5.21	38 (70%)	62,82,82	2.09	18 (29%)
9	GDP	D	501	6	29,30,30	1.15	2 (6%)	45,47,47	1.71	6 (13%)
9	GDP	B	501	6	29,30,30	1.15	2 (6%)	45,47,47	1.68	6 (13%)
5	GTP	A	501	6	33,34,34	0.94	2 (6%)	50,54,54	1.48	8 (16%)
12	ACP	F	401	6	31,33,33	2.14	11 (35%)	47,52,52	1.75	9 (19%)
10	MES	B	504	-	12,12,12	2.20	1 (8%)	15,16,16	1.90	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	C	501	6	-	8/22/38/38	0/3/3/3
8	IMD	A	504	-	-	-	0/1/1/1
11	PWC	D	503	-	-	9/55/81/81	0/3/5/5
9	GDP	D	501	6	-	3/16/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GDP	B	501	6	-	4/16/32/32	0/3/3/3
5	GTP	A	501	6	-	8/22/38/38	0/3/3/3
12	ACP	F	401	6	-	3/19/38/38	0/3/3/3
10	MES	B	504	-	-	4/6/14/14	0/1/1/1

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	D	503	PWC	N55-N54	12.97	1.49	1.23
11	D	503	PWC	C7-C8	11.68	1.62	1.52
11	D	503	PWC	N54-N53	11.24	1.50	1.23
11	D	503	PWC	O41-C39	9.00	1.48	1.22
11	D	503	PWC	C7-C3	8.12	1.64	1.51
11	D	503	PWC	O21-C17	7.83	1.36	1.21
11	D	503	PWC	C5-C6	7.48	1.47	1.40
10	B	504	MES	C8-S	-7.37	1.67	1.77
11	D	503	PWC	O34-C1	7.34	1.49	1.37
11	D	503	PWC	C27-C26	7.23	1.62	1.52
11	D	503	PWC	C6-CL33	7.20	1.88	1.72
11	D	503	PWC	O29-C23	6.15	1.52	1.45
11	D	503	PWC	C45-C39	6.15	1.63	1.50
12	F	401	ACP	PG-O1G	5.67	1.61	1.50
11	D	503	PWC	O29-C25	5.44	1.52	1.46
11	D	503	PWC	C47-C46	5.41	1.47	1.38
11	D	503	PWC	C4-C3	5.26	1.48	1.39
11	D	503	PWC	C22-C19	5.24	1.66	1.53
11	D	503	PWC	C2-C1	5.23	1.47	1.38
11	D	503	PWC	C50-C49	5.22	1.47	1.38
11	D	503	PWC	C46-C45	5.21	1.47	1.39
11	D	503	PWC	C50-C45	5.19	1.47	1.39
11	D	503	PWC	C38-C25	5.08	1.63	1.52
11	D	503	PWC	C1-C6	5.07	1.47	1.40
11	D	503	PWC	C4-C5	5.02	1.47	1.39
11	D	503	PWC	C35-N31	5.00	1.54	1.46
11	D	503	PWC	C2-C3	4.95	1.47	1.39
12	F	401	ACP	C5-C4	4.63	1.47	1.39
11	D	503	PWC	C14-N16	4.58	1.53	1.45
11	D	503	PWC	O42-C14	4.56	1.48	1.41
11	D	503	PWC	C47-C48	4.44	1.47	1.38
12	F	401	ACP	PB-O1B	4.20	1.61	1.51
11	D	503	PWC	C25-C23	4.14	1.52	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	D	503	PWC	O18-C19	4.12	1.52	1.46
11	D	503	PWC	C49-C48	4.10	1.47	1.38
11	D	503	PWC	C51-C48	4.08	1.63	1.51
11	D	503	PWC	C9-C8	4.02	1.60	1.50
12	F	401	ACP	PB-O2B	-3.33	1.48	1.56
9	D	501	GDP	C5-C4	3.12	1.47	1.38
12	F	401	ACP	PB-O3A	3.09	1.61	1.58
9	B	501	GDP	C5-C4	3.01	1.47	1.38
12	F	401	ACP	PG-O2G	-2.97	1.48	1.55
11	D	503	PWC	C25-C26	2.78	1.62	1.54
12	F	401	ACP	PG-O3G	2.78	1.61	1.55
11	D	503	PWC	C22-C23	2.71	1.61	1.54
12	F	401	ACP	C5-C6	2.70	1.48	1.41
12	F	401	ACP	PA-O3A	2.43	1.62	1.59
12	F	401	ACP	C5-N7	-2.39	1.34	1.39
11	D	503	PWC	O15-C37	2.34	1.50	1.42
9	D	501	GDP	C6-N1	-2.31	1.34	1.38
9	B	501	GDP	C6-N1	-2.31	1.34	1.38
5	A	501	GTP	PB-O3B	2.22	1.61	1.59
11	D	503	PWC	O34-C36	2.18	1.48	1.42
5	C	501	GTP	C2-N3	2.13	1.38	1.33
5	C	501	GTP	PB-O3B	2.12	1.61	1.59
12	F	401	ACP	C8-N7	2.08	1.35	1.31
5	A	501	GTP	C2-N3	2.07	1.38	1.33
11	D	503	PWC	C24-C22	2.03	1.57	1.53

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	503	PWC	C11-C10-C8	-9.25	114.68	127.69
9	D	501	GDP	C5-C4-N3	-5.93	118.96	128.39
12	F	401	ACP	C5-C4-N3	-5.90	118.59	126.72
9	B	501	GDP	C5-C4-N3	-5.57	119.52	128.39
11	D	503	PWC	C9-C8-C7	5.17	119.86	115.53
9	D	501	GDP	C2-N3-C4	4.98	120.87	112.30
9	B	501	GDP	C2-N3-C4	4.83	120.62	112.30
12	F	401	ACP	N3-C4-N9	4.78	135.29	127.17
5	A	501	GTP	C5-C4-N3	-4.68	120.94	128.39
11	D	503	PWC	O30-C39-C45	4.61	119.31	111.90
5	C	501	GTP	C5-C4-N3	-4.56	121.12	128.39
11	D	503	PWC	O34-C1-C6	4.50	120.37	115.44
5	A	501	GTP	C2-N3-C4	4.44	119.95	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	D	501	GDP	N9-C4-N3	4.32	134.59	125.95
10	B	504	MES	O1S-S-C8	4.26	113.17	106.73
5	C	501	GTP	C2-N3-C4	4.25	119.62	112.30
9	B	501	GDP	N9-C4-N3	4.16	134.26	125.95
12	F	401	ACP	C2-N3-C4	3.65	120.74	111.83
9	B	501	GDP	C6-C5-N7	3.47	136.61	130.29
10	B	504	MES	C5-N4-C3	3.38	116.12	108.84
9	D	501	GDP	C6-C5-N7	3.37	136.43	130.29
12	F	401	ACP	C4-C5-N7	-3.35	106.75	110.58
11	D	503	PWC	O29-C23-C22	-3.28	113.48	117.41
12	F	401	ACP	N3-C2-N1	-3.02	124.00	128.58
5	C	501	GTP	N9-C4-N3	3.00	131.96	125.95
5	C	501	GTP	N9-C8-N7	-2.87	108.07	113.40
5	A	501	GTP	N9-C4-N3	2.78	131.52	125.95
10	B	504	MES	C7-N4-C5	2.77	118.63	111.24
11	D	503	PWC	C10-C11-C12	-2.75	118.06	124.43
5	A	501	GTP	N9-C8-N7	-2.70	108.39	113.40
11	D	503	PWC	C36-O34-C1	-2.67	113.59	117.51
12	F	401	ACP	C4-N9-C8	2.62	108.48	105.74
9	D	501	GDP	C4-C5-N7	-2.61	106.54	110.67
5	A	501	GTP	C2-N1-C6	-2.59	120.41	125.11
5	A	501	GTP	C8-N7-C5	2.59	108.88	104.26
12	F	401	ACP	PB-O3A-PA	-2.57	123.98	132.37
10	B	504	MES	C6-C5-N4	-2.57	106.21	110.12
11	D	503	PWC	O34-C1-C2	-2.55	119.69	124.08
12	F	401	ACP	C5-N7-C8	2.49	107.37	103.45
5	C	501	GTP	C8-N7-C5	2.46	108.64	104.26
5	C	501	GTP	C2-N1-C6	-2.46	120.65	125.11
9	B	501	GDP	C4-C5-N7	-2.44	106.80	110.67
11	D	503	PWC	O30-C26-C25	2.43	110.97	105.48
11	D	503	PWC	C19-O18-C17	-2.43	114.85	121.06
11	D	503	PWC	O30-C26-C27	2.36	109.64	105.09
11	D	503	PWC	C24-C22-C23	-2.36	107.26	112.42
5	C	501	GTP	C5-C6-N1	2.33	119.19	113.25
5	A	501	GTP	C5-C6-N1	2.30	119.12	113.25
11	D	503	PWC	C4-C5-C6	-2.29	119.77	122.54
9	B	501	GDP	O6-C6-C5	-2.28	120.51	126.53
11	D	503	PWC	C26-O30-C39	2.18	121.31	117.52
5	C	501	GTP	O6-C6-C5	-2.14	120.88	126.53
11	D	503	PWC	O18-C17-N16	2.09	122.68	118.78
9	D	501	GDP	O6-C6-C5	-2.08	121.03	126.53
11	D	503	PWC	C38-C25-C26	2.08	120.07	114.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	F	401	ACP	C3'-C2'-C1'	2.05	105.34	101.46
5	A	501	GTP	O6-C6-C5	-2.05	121.13	126.53
11	D	503	PWC	C35-N31-C5	2.03	119.60	116.74
11	D	503	PWC	C24-C22-C19	-2.03	108.43	111.39

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
9	B	501	GDP	C5'-O5'-PA-O3A
9	B	501	GDP	C5'-O5'-PA-O1A
9	B	501	GDP	C5'-O5'-PA-O2A
9	D	501	GDP	C5'-O5'-PA-O3A
9	D	501	GDP	C5'-O5'-PA-O1A
9	D	501	GDP	C5'-O5'-PA-O2A
10	B	504	MES	C8-C7-N4-C5
10	B	504	MES	C7-C8-S-O2S
10	B	504	MES	C7-C8-S-O3S
11	D	503	PWC	C12-C13-O15-C37
11	D	503	PWC	C6-C1-O34-C36
11	D	503	PWC	C25-C26-O30-C39
12	F	401	ACP	C5'-O5'-PA-O2A
11	D	503	PWC	C2-C1-O34-C36
11	D	503	PWC	C27-C26-O30-C39
11	D	503	PWC	C14-C13-O15-C37
10	B	504	MES	C7-C8-S-O1S
5	A	501	GTP	PB-O3B-PG-O1G
11	D	503	PWC	C20-C19-C22-C24
5	A	501	GTP	C5'-O5'-PA-O2A
12	F	401	ACP	C5'-O5'-PA-O1A
12	F	401	ACP	C5'-O5'-PA-O3A
11	D	503	PWC	C49-C48-C51-C52
5	C	501	GTP	PB-O3A-PA-O2A
11	D	503	PWC	C47-C48-C51-C52
5	C	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	PB-O3B-PG-O3G

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3B-PG-O3G
5	A	501	GTP	PB-O3A-PA-O1A
5	A	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O1A
9	B	501	GDP	PB-O3A-PA-O2A



There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	D	501	GDP	1	0
12	F	401	ACP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/451 (97%)	0.15	7 (1%) 70 74	31, 49, 82, 154	1 (0%)
1	C	440/451 (97%)	-0.10	11 (2%) 58 62	16, 38, 64, 101	7 (1%)
2	B	423/445 (95%)	0.23	15 (3%) 47 50	19, 47, 83, 128	1 (0%)
2	D	426/445 (95%)	0.37	21 (4%) 35 37	23, 55, 90, 132	1 (0%)
3	E	123/143 (86%)	0.58	6 (4%) 35 37	32, 61, 101, 137	1 (0%)
4	F	342/384 (89%)	0.78	37 (10%) 11 11	29, 72, 138, 178	1 (0%)
All	All	2192/2319 (94%)	0.28	97 (4%) 39 41	16, 51, 98, 178	12 (0%)

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	340	SER	4.5
4	F	155	ALA	4.5
4	F	179	VAL	4.5
3	E	143	ALA	4.2
1	A	282	TYR	4.0
2	D	277	SER	3.9
4	F	125	THR	3.7
2	B	1	MET	3.6
4	F	382	HIS	3.6
1	A	262	TYR	3.6
2	B	285	ALA	3.5
4	F	161	LEU	3.6
2	D	276	THR	3.5
2	B	286	LEU	3.4
4	F	159	GLY	3.3
4	F	381	HIS	3.2
4	F	231	ALA	3.2
2	D	1	MET	3.2
1	C	440	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	102	PRO	3.1
4	F	160	ILE	3.0
1	C	357	TYR	3.0
4	F	130	VAL	3.0
4	F	181	VAL	3.0
4	F	186	LEU	3.0
2	D	172	MET	2.9
4	F	173	ILE	2.9
1	C	163	LYS	2.9
2	D	286	LEU	2.9
2	B	276	THR	2.8
3	E	28	SER	2.8
4	F	169	LEU	2.8
2	D	97	SER	2.8
2	B	275	LEU	2.8
3	E	6	MET	2.8
2	D	406	HIS	2.7
1	C	1	MET	2.7
1	A	281	ALA	2.7
4	F	132	LEU	2.7
4	F	153	ALA	2.7
4	F	362	ALA	2.7
1	A	179	THR	2.7
4	F	249	TYR	2.6
4	F	170	LEU	2.6
4	F	240	LEU	2.6
4	F	134	ALA	2.6
2	D	37	HIS	2.6
4	F	166	ALA	2.6
3	E	26	PRO	2.5
2	B	400	ARG	2.5
2	B	57	THR	2.5
2	B	325	MET	2.5
2	D	279	GLY	2.5
4	F	131	PHE	2.5
2	D	317	ALA	2.5
4	F	379	HIS	2.4
2	B	214	PHE	2.4
4	F	99	VAL	2.4
4	F	91	CYS	2.4
4	F	162	ILE	2.4
1	C	283	HIS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	362	VAL	2.4
1	C	350	GLY	2.4
2	D	181	VAL	2.4
2	D	98	GLY	2.3
2	D	124	LYS	2.3
4	F	156	LYS	2.3
2	D	280	SER	2.3
2	B	248	LEU	2.3
2	B	333	LEU	2.3
1	A	18	ASN	2.3
4	F	353	VAL	2.3
2	D	247	GLN	2.3
2	B	42	LEU	2.3
2	B	97	SER	2.2
4	F	142	ARG	2.2
1	C	128	GLN	2.2
4	F	330	ILE	2.2
2	B	355	VAL	2.2
3	E	27	PRO	2.2
4	F	182	ILE	2.2
3	E	8	VAL	2.2
1	A	283	HIS	2.1
1	C	341	ILE	2.1
4	F	245	ILE	2.1
1	C	164	LYS	2.1
2	D	248	LEU	2.1
2	D	83	PHE	2.1
1	C	282	TYR	2.1
2	B	2	ARG	2.1
2	D	57	THR	2.1
4	F	220	VAL	2.1
2	D	56	ALA	2.1
4	F	235	ASP	2.1
4	F	172	PHE	2.0
2	D	128	SER	2.0
2	D	278	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	CA	B	503	1/1	0.85	0.09	87,87,87,87	0
8	IMD	A	504	5/5	0.86	0.17	65,67,72,74	0
11	PWC	D	503	52/52	0.87	0.14	46,69,95,102	0
12	ACP	F	401	31/31	0.89	0.11	63,76,98,99	0
6	MG	D	502	1/1	0.90	0.09	61,61,61,61	0
7	CA	E	201	1/1	0.92	0.14	106,106,106,106	0
10	MES	B	504	12/12	0.92	0.12	38,49,62,63	0
9	GDP	D	501	28/28	0.94	0.09	43,50,60,68	0
6	MG	F	402	1/1	0.95	0.09	69,69,69,69	0
7	CA	A	503	1/1	0.97	0.06	61,61,61,61	0
5	GTP	C	501	32/32	0.98	0.05	24,30,32,33	0
9	GDP	B	501	28/28	0.98	0.05	27,34,40,41	0
5	GTP	A	501	32/32	0.98	0.05	27,33,38,39	0
6	MG	C	502	1/1	0.99	0.03	29,29,29,29	0
7	CA	C	503	1/1	0.99	0.03	47,47,47,47	0
6	MG	A	502	1/1	0.99	0.04	34,34,34,34	0
6	MG	B	502	1/1	1.00	0.03	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PWC D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACP F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP C 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.