



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:14 AM UTC

PDB ID : 1B8G / pdb_00001b8g
Title : 1-AMINOCYCLOPROPANE-1-CARBOXYLATE SYNTHASE
Authors : Capitani, G.; Hohenester, E.; Feng, L.; Storici, P.; Kirsch, J.F.; Jansonius, J.N.
Deposited on : 1999-01-31
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	429	% 58% 31% 9% .
1	B	429	% 59% 33% 8% .

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (1-AMINOCYCLOPROPANE-1-CARBOXYLATE SYNTHASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	421	Total	C	N	O	S	0	1	0
			3333	2124	566	622	21			
1	B	425	Total	C	N	O	S	0	1	0
			3368	2145	571	631	21			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	55	Total 55	O 55	0	0
3	B	119	Total 119	O 119	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROTEIN (1-AMINOCYCLOPROPANE-1-CARBOXYLATE SYNTHASE)



• Molecule 1: PROTEIN (1-AMINOCYCLOPROPANE-1-CARBOXYLATE SYNTHASE)





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.63Å 69.06Å 123.24Å 90.00° 90.04° 90.00°	Depositor
Resolution (Å)	19.70 – 2.37 19.70 – 2.37	Depositor EDS
% Data completeness (in resolution range)	93.6 (19.70-2.37) 93.1 (19.70-2.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	4.70	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.09 (at 2.38Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.179 , 0.242 0.185 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	27.7	Xtriage
Anisotropy	0.341	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 62.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.035 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6905	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/3413	0.97	12/4619 (0.3%)
1	B	0.56	0/3449	0.95	12/4666 (0.3%)
All	All	0.54	0/6862	0.96	24/9285 (0.3%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	19	TYR	N-CA-C	-9.92	100.08	112.88
1	A	202	ASN	N-CA-C	-7.56	94.64	108.85
1	A	50	LEU	N-CA-C	7.47	120.49	111.82
1	B	50	LEU	N-CA-C	7.20	120.17	111.82
1	B	201	SER	N-CA-C	7.01	121.28	110.20
1	A	201	SER	N-CA-C	7.00	121.25	110.20
1	B	202	ASN	N-CA-C	-6.83	96.02	108.85
1	A	163	ILE	N-CA-C	-6.73	97.41	107.37
1	A	353	LEU	N-CA-C	-6.69	99.92	109.96
1	B	353	LEU	N-CA-C	-6.61	100.04	109.96
1	B	19	TYR	N-CA-C	6.54	121.12	113.20
1	B	163	ILE	N-CA-C	-6.48	97.65	106.85
1	A	347	LYS	N-CA-C	-5.93	105.89	113.01
1	B	9	THR	N-CA-C	5.81	117.37	108.30
1	B	250	LEU	N-CA-C	-5.75	104.92	111.07
1	A	18	SER	N-CA-C	5.69	118.94	108.58
1	A	321	LYS	N-CA-C	-5.64	105.21	111.36
1	B	347	LYS	N-CA-C	-5.54	106.37	113.01
1	A	250	LEU	N-CA-C	-5.50	105.18	111.07
1	A	272	SER	N-CA-C	5.36	118.03	111.82
1	A	164	HIS	N-CA-C	5.09	118.24	110.20
1	B	363	VAL	N-CA-C	5.06	116.24	108.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	321	LYS	N-CA-C	-5.05	105.85	111.36
1	B	272	SER	N-CA-C	5.04	117.67	111.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3333	0	3281	113	0
1	B	3368	0	3308	112	0
2	A	15	0	6	0	0
2	B	15	0	6	0	0
3	A	55	0	0	2	0
3	B	119	0	0	8	0
All	All	6905	0	6601	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:HIS:HD2	1:A:35:HIS:CD2	1.67	1.11
1:A:367:HIS:CE1	1:A:368:LEU:HD13	1.98	0.98
1:B:174:THR:HG22	1:B:177:ALA:H	1.35	0.92
1:A:32:HIS:CD2	1:A:35:HIS:CD2	2.58	0.91
1:A:32:HIS:CD2	1:A:35:HIS:NE2	2.38	0.91
1:A:174:THR:HG22	1:A:177:ALA:H	1.41	0.85
1:A:365:MET:HE1	1:A:384:ILE:HD11	1.56	0.85
1:B:365:MET:HE1	1:B:384:ILE:HD11	1.59	0.83
1:B:392:ILE:HD11	1:B:408:VAL:HB	1.62	0.82
1:A:32:HIS:HD2	1:A:35:HIS:NE2	1.74	0.81
1:A:392:ILE:HD11	1:A:408:VAL:HB	1.63	0.80
1:B:43:MET:HB2	1:B:392:ILE:HD12	1.65	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:MET:HB2	1:A:392:ILE:HD12	1.67	0.76
1:A:367:HIS:ND1	1:A:368:LEU:HD13	1.99	0.76
1:A:247:MET:HE2	1:A:267:VAL:HG23	1.66	0.75
1:A:308:GLN:OE1	1:B:308:GLN:OE1	2.06	0.74
1:B:379:GLU:HG3	3:B:605:HOH:O	1.86	0.74
1:A:198:THR:HG22	1:A:201:SER:HA	1.69	0.73
1:B:142:THR:CG2	3:B:571:HOH:O	2.37	0.73
1:B:198:THR:HG22	1:B:201:SER:HA	1.68	0.72
1:B:378:MET:O	1:B:382:LYS:HG3	1.90	0.71
1:B:263:GLN:HG3	3:B:585:HOH:O	1.91	0.70
1:A:378:MET:O	1:A:382:LYS:HG3	1.90	0.70
1:B:247:MET:HE2	1:B:267:VAL:HG23	1.73	0.69
1:A:341:LEU:HD21	1:A:408:VAL:HG22	1.75	0.69
1:B:21:LEU:HD21	1:B:386:TYR:OH	1.93	0.68
1:A:33:GLU:OE2	1:A:416:ARG:NH1	2.26	0.68
1:A:425:LEU:O	1:A:429:VAL:HG23	1.95	0.66
1:B:425:LEU:O	1:B:429:VAL:HG23	1.94	0.66
1:A:329:GLU:OE2	1:A:333:ARG:HD2	1.96	0.65
1:B:300:SER:O	1:B:304:LEU:HD13	1.96	0.65
1:B:70:LYS:O	1:B:73:GLU:HB2	1.95	0.65
1:A:300:SER:O	1:A:304:LEU:HD13	1.98	0.64
1:B:341:LEU:HD21	1:B:408:VAL:HG22	1.79	0.64
1:B:329:GLU:OE2	1:B:333:ARG:HD2	1.97	0.63
1:A:308:GLN:OE1	1:B:308:GLN:HG2	1.99	0.63
1:B:103:ARG:NH2	3:B:560:HOH:O	2.32	0.62
1:B:367:HIS:CE1	1:B:368:LEU:HD13	2.34	0.62
1:B:53:ASP:OD1	1:B:333:ARG:NH2	2.33	0.61
1:B:26:TYR:HD1	1:B:40:ILE:HG22	1.65	0.60
1:A:21:LEU:HD11	1:A:386:TYR:OH	2.01	0.60
1:A:214:TYR:HE1	1:A:249:VAL:HG13	1.67	0.59
1:A:53:ASP:OD1	1:A:333:ARG:NH2	2.35	0.59
1:A:70:LYS:HD2	1:A:311:HIS:HE1	1.68	0.59
1:A:214:TYR:CE1	1:A:249:VAL:HG13	2.38	0.59
1:B:64:GLU:CD	1:B:64:GLU:H	2.11	0.59
1:A:240:SER:HA	1:A:241:PRO:C	2.28	0.58
1:A:422:MET:HE2	1:A:422:MET:HA	1.86	0.58
1:B:43:MET:HB2	1:B:392:ILE:CD1	2.33	0.58
1:A:31:TYR:HA	1:A:39:GLY:HA3	1.84	0.57
1:A:43:MET:HB2	1:A:392:ILE:CD1	2.35	0.57
1:A:173:ILE:HG22	1:A:215:LEU:HD21	1.87	0.57
1:A:64:GLU:CD	1:A:64:GLU:H	2.12	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:GLU:OE1	1:B:73:GLU:HA	2.03	0.56
1:B:142:THR:HG22	3:B:571:HOH:O	2.03	0.56
1:B:17:SER:HB3	1:B:20:PHE:CE2	2.41	0.56
1:B:240:SER:HA	1:B:241:PRO:C	2.30	0.56
1:B:262:TRP:CZ3	1:B:288:ASN:HB3	2.40	0.56
1:A:127:PHE:CZ	1:A:266:HIS:HB3	2.41	0.56
1:B:142:THR:HG21	1:B:164:HIS:HD2	1.71	0.55
1:A:340:LYS:HE2	1:A:415:GLU:HB3	1.88	0.55
1:A:96:VAL:HG22	1:A:109:PHE:HB2	1.88	0.55
1:B:422:MET:HA	1:B:422:MET:HE2	1.88	0.55
1:A:114:LEU:HD11	1:A:284:ALA:HB1	1.88	0.55
1:B:127:PHE:CE2	1:B:285:ILE:HG23	2.42	0.54
1:A:142:THR:HG21	1:A:164:HIS:HD2	1.72	0.54
1:A:262:TRP:CZ3	1:A:288:ASN:HB3	2.42	0.54
1:A:365:MET:HE2	1:A:380:LEU:HD11	1.89	0.54
1:A:198:THR:HG22	1:A:200:PRO:O	2.07	0.54
1:B:198:THR:HG22	1:B:200:PRO:O	2.08	0.54
1:B:214:TYR:CE1	1:B:249:VAL:HG13	2.43	0.54
1:A:257:GLU:CD	1:A:257:GLU:H	2.16	0.53
1:B:178:LEU:HD12	1:B:215:LEU:HD11	1.88	0.53
1:A:281:ARG:HD2	1:B:304:LEU:CB	2.38	0.53
1:A:239:SER:O	1:A:356:ASN:HB2	2.07	0.53
1:A:92:LYS:HG2	1:A:114:LEU:HD23	1.91	0.53
1:A:308:GLN:HG2	1:B:308:GLN:OE1	2.09	0.53
1:B:31:TYR:HA	1:B:39:GLY:HA3	1.90	0.52
1:B:182:TYR:CE1	1:B:223:LYS:HG2	2.44	0.52
1:A:178:LEU:HD12	1:A:215:LEU:HD11	1.92	0.52
1:B:114:LEU:HD11	1:B:284:ALA:HB1	1.90	0.52
1:A:53:ASP:CG	1:A:333:ARG:HH22	2.18	0.52
1:B:214:TYR:HE1	1:B:249:VAL:HG13	1.74	0.52
1:B:174:THR:HG23	1:B:176:THR:H	1.73	0.52
1:B:365:MET:HE2	1:B:380:LEU:HD11	1.92	0.52
1:A:345:LEU:HD23	1:A:352:CYS:SG	2.49	0.52
1:A:3:MET:HE2	1:B:191:ARG:HH22	1.75	0.52
1:A:85[B]:TYR:HD1	1:A:304:LEU:HD21	1.75	0.51
1:A:226:HIS:HD2	1:A:266:HIS:NE2	2.08	0.51
1:B:312:LEU:HD13	1:B:316:MET:HE3	1.91	0.51
1:B:53:ASP:CG	1:B:333:ARG:HH22	2.18	0.51
1:A:174:THR:CG2	1:A:176:THR:H	2.23	0.51
1:B:239:SER:O	1:B:356:ASN:HB2	2.11	0.51
1:B:430:GLY:C	1:B:431:GLU:HG2	2.36	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:THR:HG22	1:B:177:ALA:N	2.16	0.51
1:A:220:VAL:HG22	1:A:225:ILE:HG13	1.92	0.51
1:A:341:LEU:HD21	1:A:408:VAL:CG2	2.41	0.50
1:A:428:PHE:C	1:A:430:GLY:N	2.69	0.50
1:A:383:LYS:HG2	1:A:387:GLU:OE2	2.11	0.50
1:B:340:LYS:HE2	1:B:415:GLU:HB3	1.94	0.50
1:B:96:VAL:HG22	1:B:109:PHE:HB2	1.93	0.50
1:B:127:PHE:CZ	1:B:266:HIS:HB3	2.45	0.50
1:B:129:PHE:HB3	1:B:299:MET:HE1	1.94	0.50
1:B:174:THR:CG2	1:B:176:THR:H	2.25	0.49
1:A:127:PHE:CE2	1:A:285:ILE:HG23	2.47	0.49
1:A:349:GLY:HA2	3:A:534:HOH:O	2.12	0.49
1:A:247:MET:HE2	1:A:267:VAL:CG2	2.39	0.49
1:A:68:PHE:CZ	1:A:308:GLN:HG3	2.48	0.49
1:A:3:MET:CE	1:B:191:ARG:HH22	2.26	0.49
1:A:281:ARG:HD2	1:B:304:LEU:HB2	1.94	0.49
1:B:226:HIS:HD2	1:B:266:HIS:NE2	2.11	0.49
1:B:220:VAL:HG22	1:B:225:ILE:HG13	1.94	0.48
1:A:174:THR:HG23	1:A:176:THR:H	1.79	0.48
1:B:257:GLU:H	1:B:257:GLU:CD	2.21	0.48
1:B:365:MET:HE3	1:B:368:LEU:HD23	1.96	0.48
1:A:226:HIS:CD2	1:A:266:HIS:NE2	2.82	0.47
1:B:173:ILE:HG22	1:B:215:LEU:HD21	1.95	0.47
1:B:345:LEU:HD23	1:B:352:CYS:SG	2.54	0.47
1:A:304:LEU:HB2	1:B:281:ARG:HD2	1.96	0.47
1:A:174:THR:HG22	1:A:177:ALA:N	2.20	0.47
1:A:174:THR:CG2	1:A:176:THR:HB	2.44	0.47
1:A:256:ASP:OD1	1:A:258:ASN:HB2	2.15	0.47
1:B:383:LYS:HG2	1:B:387:GLU:OE2	2.14	0.47
1:B:275:LEU:HD12	1:B:326:TYR:CE1	2.49	0.47
1:A:312:LEU:HD13	1:A:316:MET:HE3	1.97	0.47
1:A:174:THR:HG22	1:A:176:THR:N	2.30	0.46
1:B:29:ASN:OD1	1:B:36:ASN:ND2	2.43	0.46
1:B:226:HIS:CD2	1:B:266:HIS:NE2	2.84	0.46
1:B:150:ARG:NH1	1:B:151:ASP:OD1	2.49	0.46
1:A:374:PHE:O	1:A:378:MET:HG2	2.15	0.46
1:B:196:LEU:HD23	1:B:196:LEU:C	2.41	0.46
1:B:369:LEU:HB3	1:B:371:SER:O	2.16	0.46
1:A:25:GLU:OE1	1:A:25:GLU:HA	2.16	0.46
1:A:127:PHE:HZ	1:A:266:HIS:HB3	1.79	0.46
1:A:367:HIS:CE1	1:A:368:LEU:CD1	2.86	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:LEU:HD23	1:A:313:LEU:HD13	1.97	0.46
1:B:25:GLU:HG3	1:B:386:TYR:CE1	2.51	0.46
1:A:203:PRO:HB3	1:A:407:ARG:HD3	1.99	0.45
1:A:291:MET:HB3	1:B:4:LEU:HD11	1.98	0.45
1:A:275:LEU:HD12	1:A:326:TYR:CE1	2.52	0.45
1:B:341:LEU:HD21	1:B:408:VAL:CG2	2.46	0.45
1:B:92:LYS:HG2	1:B:114:LEU:HD23	1.97	0.45
1:A:182:TYR:CE1	1:A:223:LYS:HG2	2.51	0.45
1:A:139:LEU:HD23	1:A:161:VAL:HB	1.99	0.45
1:A:428:PHE:C	1:A:430:GLY:H	2.23	0.45
1:A:371:SER:HB2	1:A:376:ALA:HB2	1.99	0.45
1:B:288:ASN:HB2	3:B:587:HOH:O	2.17	0.45
1:A:58:TRP:HA	1:A:61:LYS:HE2	1.98	0.45
1:A:308:GLN:OE1	1:B:308:GLN:CG	2.64	0.44
1:B:370:ARG:NH2	3:B:608:HOH:O	2.48	0.44
1:A:274:ASP:OD1	1:A:275:LEU:N	2.49	0.44
1:A:277:LEU:HD23	1:B:80:ALA:HB1	1.99	0.44
1:B:25:GLU:OE1	1:B:25:GLU:HA	2.17	0.44
1:A:103:ARG:NH1	1:A:231:GLU:OE1	2.50	0.44
1:B:103:ARG:NH1	1:B:231:GLU:OE1	2.51	0.44
1:B:141:PRO:HA	1:B:163:ILE:HB	2.00	0.44
1:B:271:LEU:HD23	1:B:313:LEU:HD13	2.00	0.44
1:A:91:PHE:HA	1:A:314:SER:HB2	2.00	0.43
1:B:58:TRP:HA	1:B:61:LYS:HE2	1.99	0.43
1:A:51:CYS:HB3	1:A:54:LEU:HD12	2.01	0.43
1:A:196:LEU:C	1:A:196:LEU:HD23	2.43	0.43
1:A:150:ARG:NH1	1:A:151:ASP:OD1	2.50	0.43
1:B:196:LEU:HD23	1:B:197:VAL:N	2.32	0.43
1:B:232:ILE:HG23	1:B:233:TYR:CD2	2.53	0.43
1:A:85[B]:TYR:CD1	1:A:304:LEU:HD21	2.52	0.43
1:A:343:SER:O	1:A:346:GLN:HG2	2.18	0.43
1:A:133:ASP:OD1	1:B:5:SER:HB2	2.19	0.43
1:A:196:LEU:HD23	1:A:197:VAL:N	2.33	0.43
1:B:174:THR:CG2	1:B:176:THR:HB	2.48	0.43
1:A:304:LEU:CB	1:B:281:ARG:HD2	2.48	0.43
1:B:256:ASP:OD1	1:B:258:ASN:HB2	2.19	0.43
1:B:262:TRP:CH2	1:B:288:ASN:HB3	2.53	0.43
1:B:429:VAL:C	1:B:431:GLU:H	2.26	0.43
1:B:139:LEU:HD23	1:B:161:VAL:HB	2.01	0.42
1:A:232:ILE:HG23	1:A:233:TYR:CD2	2.55	0.42
1:A:95:MET:HE2	1:A:95:MET:HB3	1.97	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:ASP:OD1	1:B:275:LEU:N	2.51	0.42
1:B:44:GLY:HA2	3:B:529:HOH:O	2.19	0.42
1:A:75:ILE:HD11	1:A:311:HIS:CE1	2.55	0.42
1:A:129:PHE:HB3	1:A:299:MET:HE1	2.01	0.42
1:A:141:PRO:HA	1:A:163:ILE:HB	2.02	0.42
1:B:127:PHE:HZ	1:B:266:HIS:HB3	1.85	0.42
1:A:44:GLY:HA2	3:A:506:HOH:O	2.19	0.42
1:A:150:ARG:HD3	1:A:154:TRP:CE3	2.55	0.42
1:A:262:TRP:CH2	1:A:288:ASN:HB3	2.55	0.42
1:B:289:ASP:OD1	1:B:289:ASP:C	2.63	0.42
1:B:41:ILE:HB	1:B:390:LEU:HD23	2.02	0.41
1:B:67:ALA:O	1:B:68:PHE:C	2.63	0.41
1:B:374:PHE:O	1:B:378:MET:HG2	2.20	0.41
1:B:91:PHE:HA	1:B:314:SER:HB2	2.02	0.41
1:B:127:PHE:CZ	1:B:285:ILE:HG23	2.55	0.41
1:B:163:ILE:HD13	1:B:178:LEU:HD23	2.01	0.41
1:B:203:PRO:HB3	1:B:407:ARG:HD3	2.02	0.41
1:B:402:GLU:HA	1:B:403:PRO:HD3	1.89	0.41
1:A:281:ARG:HD2	1:B:304:LEU:HB3	2.01	0.41
1:A:73:GLU:H	1:A:73:GLU:HG2	1.70	0.41
1:A:142:THR:HG21	1:A:401:THR:HG23	2.02	0.41
1:A:163:ILE:HD13	1:A:178:LEU:HD23	2.03	0.41
1:B:174:THR:HG22	1:B:176:THR:N	2.36	0.41
1:B:142:THR:HG21	1:B:401:THR:HG23	2.03	0.41
1:A:47:GLU:HG3	1:A:412:ASN:HB3	2.04	0.40
1:A:422:MET:HE2	1:A:422:MET:CA	2.51	0.40
1:B:150:ARG:HD3	1:B:154:TRP:CE3	2.56	0.40
1:A:213:LEU:HD13	1:A:249:VAL:HG21	2.03	0.40
1:A:308:GLN:OE1	1:B:308:GLN:CD	2.62	0.40
1:A:308:GLN:CG	1:B:308:GLN:OE1	2.69	0.40
1:A:425:LEU:HA	1:A:425:LEU:HD12	1.82	0.40
1:B:51:CYS:HB3	1:B:54:LEU:HD12	2.02	0.40
1:B:343:SER:O	1:B:346:GLN:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	418/429 (97%)	399 (96%)	19 (4%)	0	100	100
1	B	422/429 (98%)	399 (94%)	23 (6%)	0	100	100
All	All	840/858 (98%)	798 (95%)	42 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/371 (98%)	295 (81%)	70 (19%)	1	2
1	B	369/371 (100%)	303 (82%)	66 (18%)	2	2
All	All	734/742 (99%)	598 (82%)	136 (18%)	2	2

All (136) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	MET
1	A	20	PHE
1	A	21	LEU
1	A	24	GLN
1	A	28	LYS
1	A	40	ILE
1	A	42	GLN
1	A	45	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	57	SER
1	A	64	GLU
1	A	69	LYS
1	A	70	LYS
1	A	73	GLU
1	A	85[A]	TYR
1	A	85[B]	TYR
1	A	92	LYS
1	A	95	MET
1	A	96	VAL
1	A	103	ARG
1	A	106	LYS
1	A	115	VAL
1	A	127	PHE
1	A	142	THR
1	A	153	LYS
1	A	173	ILE
1	A	174	THR
1	A	175	GLU
1	A	183	GLN
1	A	184	GLU
1	A	186	GLU
1	A	187	LYS
1	A	197	VAL
1	A	215	LEU
1	A	218	SER
1	A	220	VAL
1	A	227	LEU
1	A	251	LYS
1	A	257	GLU
1	A	260	GLU
1	A	261	VAL
1	A	271	LEU
1	A	275	LEU
1	A	291	MET
1	A	304	LEU
1	A	312	LEU
1	A	320	LYS
1	A	321	LYS
1	A	332	LYS
1	A	333	ARG
1	A	336	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	337	ARG
1	A	339	LYS
1	A	345	LEU
1	A	347	LYS
1	A	348	SER
1	A	353	LEU
1	A	363	VAL
1	A	367	HIS
1	A	368	LEU
1	A	379	GLU
1	A	380	LEU
1	A	392	ILE
1	A	393	SER
1	A	402	GLU
1	A	408	VAL
1	A	413	LEU
1	A	416	ARG
1	A	418	LEU
1	A	420	LEU
1	A	424	ARG
1	B	3	MET
1	B	40	ILE
1	B	42	GLN
1	B	45	LEU
1	B	57	SER
1	B	64	GLU
1	B	69	LYS
1	B	73	GLU
1	B	85[A]	TYR
1	B	85[B]	TYR
1	B	95	MET
1	B	96	VAL
1	B	103	ARG
1	B	106	LYS
1	B	115	VAL
1	B	127	PHE
1	B	142	THR
1	B	153	LYS
1	B	173	ILE
1	B	174	THR
1	B	175	GLU
1	B	183	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	184	GLU
1	B	186	GLU
1	B	187	LYS
1	B	197	VAL
1	B	215	LEU
1	B	218	SER
1	B	220	VAL
1	B	227	LEU
1	B	240	SER
1	B	251	LYS
1	B	257	GLU
1	B	260	GLU
1	B	261	VAL
1	B	271	LEU
1	B	275	LEU
1	B	291	MET
1	B	304	LEU
1	B	312	LEU
1	B	320	LYS
1	B	321	LYS
1	B	332	LYS
1	B	333	ARG
1	B	336	GLN
1	B	337	ARG
1	B	339	LYS
1	B	345	LEU
1	B	347	LYS
1	B	348	SER
1	B	353	LEU
1	B	363	VAL
1	B	367	HIS
1	B	368	LEU
1	B	379	GLU
1	B	380	LEU
1	B	392	ILE
1	B	393	SER
1	B	402	GLU
1	B	408	VAL
1	B	413	LEU
1	B	416	ARG
1	B	418	LEU
1	B	420	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	424	ARG
1	B	431	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	35	HIS
1	A	105	ASN
1	A	112	ASN
1	A	164	HIS
1	A	172	GLN
1	A	226	HIS
1	A	311	HIS
1	A	346	GLN
1	B	11	ASN
1	B	24	GLN
1	B	86	HIS
1	B	105	ASN
1	B	112	ASN
1	B	164	HIS
1	B	172	GLN
1	B	211	ASN
1	B	226	HIS
1	B	311	HIS
1	B	325	ASN
1	B	346	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PLP	A	500	1	15,15,16	1.08	1 (6%)	21,22,23	1.52	6 (28%)
2	PLP	B	500	1	15,15,16	1.01	1 (6%)	21,22,23	1.49	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	500	1	-	1/6/6/8	0/1/1/1
2	PLP	B	500	1	-	0/6/6/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	PLP	C5-C4	2.25	1.43	1.40
2	A	500	PLP	C5-C4	2.17	1.43	1.40

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	PLP	C4A-C4-C5	3.53	124.58	120.94
2	A	500	PLP	C4A-C4-C5	3.47	124.51	120.94
2	B	500	PLP	C3-C2-N1	-2.57	117.72	120.96
2	A	500	PLP	C3-C2-N1	-2.55	117.75	120.96
2	A	500	PLP	C2A-C2-C3	2.44	123.65	120.80
2	B	500	PLP	C4A-C4-C3	-2.39	116.54	120.52
2	A	500	PLP	C4A-C4-C3	-2.35	116.61	120.52
2	B	500	PLP	C6-N1-C2	2.25	123.27	119.20
2	A	500	PLP	C6-N1-C2	2.15	123.10	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	PLP	C2A-C2-C3	2.08	123.23	120.80
2	A	500	PLP	O3-C3-C2	2.05	121.83	117.58

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	500	PLP	C5A-O4P-P-O3P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/429 (98%)	-0.03	5 (1%) 76 76	11, 31, 67, 97	1 (0%)
1	B	425/429 (99%)	-0.30	4 (0%) 81 80	10, 23, 51, 84	1 (0%)
All	All	846/858 (98%)	-0.16	9 (1%) 78 77	10, 27, 60, 97	2 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	430	GLY	3.6
1	A	22	GLY	2.8
1	B	11	ASN	2.6
1	A	23	TRP	2.5
1	A	9	THR	2.4
1	B	3	MET	2.2
1	A	20	PHE	2.1
1	B	20	PHE	2.1
1	B	183	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PLP	A	500	15/16	0.98	0.06	20,25,31,34	0
2	PLP	B	500	15/16	0.98	0.05	14,18,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.