



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:57 PM UTC

PDB ID : 2B8O / pdb_00002b8o
Title : Crystal Structure of Glu-Gly-Arg-Chloromethyl Ketone-Factor VIIa/Soluble Tissue Factor Complex
Authors : Bajaj, S.P.; Schmidt, A.E.; Padmanabhan, K.
Deposited on : 2005-10-08
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	142	2% 53% 38% 8%
2	H	254	% 58% 34% 7%
3	T	205	% 48% 37% 6% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	CL	H	514	-	-	X	-
11	CL	H	515	-	-	X	-
4	GLC	L	501	X	-	-	-
5	FUC	L	502	X	-	-	-

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 4959 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Coagulation factor VII light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	142	Total	C	N	O	S	0	0	0
			1135	683	189	248	15			


- Molecule 2 is a protein called Coagulation factor VII heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	254	Total	C	N	O	S	0	0	0
			1974	1253	351	357	13			

- Molecule 3 is a protein called Tissue factor.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	T	191	Total	C	N	O	S	0	0	0
			1551	987	250	309	5			

- Molecule 4 is alpha-D-glucopyranose (CCD ID: GLC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	L	1	Total	C	O	0	0
			11	6	5		

- Molecule 5 is alpha-L-fucopyranose (CCD ID: FUC) (formula: C₆H₁₂O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	L	1	Total	C	O	0	0
			10	6	4		


- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	L	5	Total	Ca	0	0
			5	5		
6	H	1	Total	Ca	0	0
			1	1		

- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	L	2	Total	Mg	0	0
			2	2		

- Molecule 8 is L-alpha-glutamyl-N-{(1S)-4-{[amino(iminio)methyl]amino}-1-[(1S)-2-chloro-1-hydroxyethyl]butyl}glycinamide (CCD ID: 0GJ) (formula: C₁₄H₂₈ClN₆O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	H	1	Total	C	N	O	0	0
			25	14	6	5		

- Molecule 9 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	H	1	Total Na 1 1	0	0

- Molecule 10 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	H	2	Total	Zn	0	0
			2	2		

- Molecule 11 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	H	2	Total Cl 2 2	0	0
11	T	1	Total Cl 1 1	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	L	66	Total 66	O 66	0	0
12	H	91	Total 91	O 91	0	0
12	T	82	Total 82	O 82	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Coagulation factor VII light chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.28Å 81.11Å 126.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.80 8.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (8.00-2.80) 87.7 (8.00-2.80)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.73 (at 2.20Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.225 , 0.285 0.211 , 0.351	Depositor DCC
R_{free} test set	2013 reflections (9.89%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.944	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 86.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4959	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, OGJ, CL, ZN, CGU, FUC, GLC, NA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.76	0/1029	1.27	9/1374 (0.7%)
2	H	0.90	3/2024 (0.1%)	1.34	27/2755 (1.0%)
3	T	0.87	0/1585	1.32	20/2156 (0.9%)
All	All	0.86	3/4638 (0.1%)	1.32	56/6285 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1
3	T	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	212	ILE	CA-CB	6.54	1.62	1.54
2	H	85	VAL	CA-CB	6.39	1.61	1.53
2	H	165	THR	CA-CB	5.13	1.61	1.53

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	193	ILE	N-CA-C	-9.35	98.89	108.15
1	L	128	THR	CA-C-N	9.05	129.08	119.76
1	L	128	THR	C-N-CA	9.05	129.08	119.76
1	L	2	ASN	N-CA-C	8.78	123.47	110.30
2	H	55	ALA	N-CA-C	7.94	121.86	109.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	27	CYS	CA-C-N	7.61	129.35	119.84
2	H	27	CYS	C-N-CA	7.61	129.35	119.84
3	T	20	LYS	N-CA-C	-7.57	96.93	108.96
3	T	97	SER	CA-C-N	-7.55	112.91	120.31
3	T	97	SER	C-N-CA	-7.55	112.91	120.31
2	H	26	GLU	N-CA-C	7.33	122.22	113.28
2	H	190	SER	N-CA-C	-7.26	100.06	110.59
3	T	50	PHE	N-CA-C	7.11	120.04	109.59
2	H	29	TRP	N-CA-C	-7.07	103.22	112.41
3	T	29	PRO	N-CA-C	6.91	122.52	111.26
3	T	197	THR	N-CA-C	-6.68	105.42	113.97
2	H	50	ILE	CB-CA-C	-6.66	105.20	111.06
2	H	123	LEU	N-CA-C	-6.62	100.04	109.24
3	T	185	TYR	N-CA-C	6.53	119.98	109.79
2	H	247	ARG	CA-C-N	6.44	127.89	119.84
2	H	247	ARG	C-N-CA	6.44	127.89	119.84
2	H	97	GLY	N-CA-C	-6.33	107.16	114.69
3	T	66	ASP	N-CA-C	-6.30	97.39	110.80
2	H	245	GLU	N-CA-C	-6.29	101.72	109.65
1	L	72	CYS	N-CA-C	6.29	120.52	109.96
3	T	200	ARG	N-CA-C	6.25	118.17	111.36
1	L	123	ASP	N-CA-C	6.23	120.14	112.54
2	H	170(D)	LYS	N-CA-C	6.20	119.62	109.76
3	T	189	VAL	N-CA-C	6.12	117.91	109.46
3	T	108	LEU	N-CA-C	-6.11	99.75	109.76
3	T	101	THR	N-CA-C	-6.01	100.88	109.24
1	L	4	PHE	N-CA-C	6.00	123.58	110.80
2	H	71	HIS	N-CA-C	-5.84	98.35	110.80
2	H	165	THR	N-CA-C	5.66	118.38	111.82
3	T	177	ILE	N-CA-C	5.65	117.46	108.87
2	H	112	VAL	CB-CA-C	-5.62	105.15	111.45
3	T	169	LYS	N-CA-C	5.59	118.21	108.76
3	T	136	ARG	N-CA-C	5.58	118.67	110.30
2	H	27	CYS	N-CA-C	-5.55	101.04	109.30
3	T	33	VAL	N-CA-C	-5.52	99.89	108.44
2	H	110	GLN	CA-C-N	5.51	125.94	119.99
2	H	110	GLN	C-N-CA	5.51	125.94	119.99
2	H	129(F)	PHE	N-CA-C	5.39	119.55	112.92
2	H	247	ARG	N-CA-C	5.39	118.27	110.14
1	L	139	PRO	N-CA-C	5.36	120.97	113.53
2	H	122	CYS	N-CA-C	5.33	118.24	109.76
3	T	201	LYS	N-CA-C	5.32	117.91	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	175	ASN	N-CA-C	-5.31	101.46	109.85
3	T	11	ASN	N-CA-C	5.31	118.66	111.17
2	H	193	GLY	N-CA-C	-5.31	107.79	115.27
2	H	100	ASN	N-CA-C	5.29	117.90	109.96
3	T	170	THR	N-CA-C	5.25	117.80	109.50
2	H	28	PRO	N-CA-C	5.22	123.22	112.47
2	H	170(F)	GLY	N-CA-C	5.18	121.73	115.31
1	L	73	LEU	N-CA-C	-5.04	102.94	110.20
1	L	108	THR	N-CA-C	-5.01	101.61	108.38

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	44	TYR	Sidechain
3	T	103	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1135	0	988	40	0
2	H	1974	0	1950	66	0
3	T	1551	0	1501	47	0
4	L	11	0	10	0	0
5	L	10	0	10	3	0
6	H	1	0	0	0	0
6	L	5	0	0	0	0
7	L	2	0	0	0	0
8	H	25	0	25	8	0
9	H	1	0	0	0	0
10	H	2	0	0	0	0
11	H	2	0	0	4	0
11	T	1	0	0	1	0
12	H	91	0	0	1	0
12	L	66	0	0	0	0
12	T	82	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4959	0	4484	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:1:OGJ:HB3	11:H:514:CL:CL	2.03	0.94
2:H:196:GLY:HA2	2:H:212:ILE:HG23	1.57	0.84
2:H:81:GLN:OE1	2:H:112:VAL:HG12	1.77	0.83
3:T:10:TYR:H	3:T:10:TYR:HD1	1.31	0.79
2:H:44:GLY:HA2	2:H:196:GLY:O	1.86	0.75
3:T:172:THR:HG22	3:T:173:ASN:H	1.51	0.74
1:L:101:TYR:OH	1:L:115:HIS:HD2	1.70	0.73
1:L:38:LYS:HD3	1:L:39:LEU:HD22	1.72	0.71
1:L:79:ARG:HE	3:T:22:ILE:HD13	1.55	0.70
2:H:57:HIS:NE2	8:H:1:OGJ:H27	2.06	0.69
3:T:135:ARG:HG3	3:T:135:ARG:O	1.90	0.69
3:T:152:ILE:HG13	3:T:152:ILE:O	1.94	0.68
3:T:192:VAL:HG22	3:T:201:LYS:HB3	1.77	0.67
1:L:99:GLU:HA	2:H:204:ARG:HD2	1.77	0.66
1:L:41:TRP:CZ3	1:L:44:TYR:HD2	2.13	0.65
2:H:143:GLN:HG3	2:H:192:LYS:HG3	1.82	0.61
1:L:13:LEU:HB2	1:L:17:CYS:SG	2.41	0.60
1:L:93:ASN:HB2	3:T:50:PHE:CZ	2.36	0.60
2:H:195:SER:OG	8:H:1:OGJ:C2	2.49	0.60
1:L:79:ARG:HG2	1:L:80:ASN:OD1	2.02	0.60
2:H:32:LEU:HD22	2:H:70:GLU:HG2	1.84	0.59
2:H:162:ARG:HH21	2:H:230:ARG:NH1	1.99	0.59
1:L:62:LYS:HD2	12:T:594:HOH:O	2.02	0.59
5:L:502:FUC:C6	3:T:140:PHE:HE2	2.16	0.58
2:H:238:LEU:O	2:H:242:MET:HE2	2.04	0.57
3:T:76:PHE:HD1	3:T:94:TYR:HB3	1.68	0.57
1:L:17:CYS:O	1:L:20:CGU:O	2.23	0.56
2:H:162:ARG:C	2:H:163:LEU:HD12	2.31	0.56
2:H:146:ASP:O	2:H:147:ARG:HB2	2.05	0.56
2:H:231:VAL:HG12	2:H:231:VAL:O	2.05	0.56
1:L:14:CGU:HA	1:L:18:LYS:HB2	1.88	0.55
2:H:110:GLN:HB2	11:H:515:CL:CL	2.43	0.55
1:L:140:ILE:O	1:L:140:ILE:HG12	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:170(B):SER:HA	2:H:223:GLY:O	2.07	0.55
1:L:110:ARG:HD2	1:L:110:ARG:C	2.32	0.55
3:T:12:LEU:HG	3:T:25:TRP:HB3	1.89	0.55
3:T:123:VAL:HG23	3:T:179:VAL:HG21	1.88	0.54
2:H:203:TYR:CE2	2:H:204:ARG:HG3	2.42	0.54
3:T:47:SER:HB3	3:T:50:PHE:HE1	1.71	0.54
3:T:82:ASN:HB2	12:T:575:HOH:O	2.08	0.54
2:H:234:TYR:O	2:H:238:LEU:HD12	2.08	0.53
1:L:25:CGU:O	1:L:26:CGU:C	2.56	0.53
2:H:55:ALA:HB1	2:H:102:ASP:OD1	2.08	0.53
2:H:184:TYR:N	2:H:184:TYR:CD2	2.77	0.53
1:L:132:GLU:O	1:L:134:PRO:HD3	2.09	0.53
5:L:502:FUC:H61	3:T:140:PHE:CE2	2.43	0.53
3:T:122:LYS:HE2	3:T:176:LEU:HD13	1.91	0.53
2:H:69:GLY:HA3	2:H:79:ASP:O	2.09	0.52
3:T:116:PHE:HA	3:T:124:ASN:O	2.10	0.52
2:H:177:THR:C	2:H:179:TYR:H	2.17	0.52
3:T:18:ASN:O	3:T:133:LEU:HD23	2.09	0.51
2:H:35:VAL:HG13	2:H:35:VAL:O	2.09	0.51
2:H:126:ARG:HG3	2:H:232:SER:O	2.10	0.51
3:T:153:TYR:OH	11:T:516:CL:CL	2.53	0.51
3:T:127:VAL:HG23	3:T:173:ASN:O	2.11	0.51
2:H:158:LEU:HD11	2:H:188:LYS:HB3	1.93	0.50
2:H:162:ARG:NH2	2:H:230:ARG:NH1	2.60	0.50
3:T:97:SER:HB2	3:T:98:PRO:HD2	1.93	0.50
2:H:16:ILE:HG13	2:H:156:MET:O	2.10	0.49
2:H:209:LEU:HD13	2:H:231:VAL:HG11	1.94	0.49
3:T:10:TYR:O	3:T:12:LEU:HD12	2.12	0.49
3:T:122:LYS:HE3	3:T:178:ASP:OD1	2.12	0.49
2:H:49:THR:O	2:H:112:VAL:HG23	2.12	0.49
5:L:502:FUC:C6	3:T:140:PHE:CE2	2.96	0.49
3:T:40:THR:O	3:T:42:SER:N	2.46	0.49
1:L:112:CYS:SG	1:L:125:VAL:HG12	2.53	0.49
3:T:118:GLN:HB3	3:T:210:MET:HE1	1.94	0.49
2:H:195:SER:HA	2:H:213:VAL:HB	1.94	0.49
8:H:1:OGJ:CB	11:H:514:CL:CL	2.90	0.48
2:H:195:SER:HG	8:H:1:OGJ:C2	2.26	0.48
1:L:38:LYS:O	1:L:40:PHE:N	2.47	0.48
1:L:56:GLN:HG3	1:L:80:ASN:O	2.14	0.48
2:H:74:SER:HB3	2:H:153:LEU:HD22	1.96	0.48
1:L:14:CGU:O	1:L:19:CGU:HB3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:108:LEU:HD11	3:T:193:ILE:HG12	1.97	0.47
2:H:212:ILE:O	2:H:214:SER:N	2.46	0.47
3:T:111:PRO:HB2	3:T:189:VAL:HG23	1.95	0.47
1:L:38:LYS:O	1:L:39:LEU:C	2.57	0.47
1:L:102:CYS:O	2:H:129(B):ARG:NH2	2.48	0.47
3:T:187:PHE:O	3:T:207:VAL:HG13	2.15	0.47
1:L:46:ASP:OD1	1:L:65:LEU:HD22	2.15	0.47
2:H:45:THR:OG1	2:H:198:PRO:HG3	2.15	0.47
2:H:164:MET:HE2	3:T:94:TYR:CE1	2.50	0.47
3:T:185:TYR:CD1	3:T:185:TYR:N	2.82	0.47
2:H:238:LEU:O	2:H:242:MET:HG3	2.15	0.47
2:H:178:GLU:O	2:H:233:GLN:NE2	2.48	0.46
2:H:33:LEU:HD11	2:H:106:LEU:HD11	1.98	0.46
2:H:214:SER:OG	2:H:215:TRP:HD1	1.98	0.46
2:H:162:ARG:O	2:H:163:LEU:HD12	2.16	0.46
2:H:166:GLN:NE2	3:T:94:TYR:CE1	2.83	0.46
2:H:188(A):SER:C	2:H:188:LYS:HG2	2.41	0.46
3:T:63:ILE:C	3:T:65:LYS:H	2.24	0.46
1:L:105:HIS:CE1	1:L:111:SER:OG	2.69	0.45
3:T:135:ARG:O	3:T:135:ARG:CG	2.62	0.45
1:L:71:PHE:CE2	3:T:131:ARG:HG3	2.51	0.45
3:T:6:THR:HG22	3:T:32:GLN:HG2	1.98	0.45
1:L:76:PHE:HA	1:L:83:THR:O	2.17	0.45
2:H:61:TRP:O	2:H:250:VAL:HG21	2.16	0.45
2:H:164:MET:HB3	2:H:164:MET:HE3	1.64	0.45
2:H:195:SER:OG	8:H:1:OGJ:O2	2.35	0.45
1:L:31:PHE:O	1:L:32:LYS:HB2	2.17	0.44
3:T:67:VAL:HG22	12:T:545:HOH:O	2.16	0.44
2:H:239:GLN:HA	2:H:242:MET:HE3	2.00	0.44
3:T:100:PHE:CD2	3:T:100:PHE:O	2.71	0.44
1:L:3:ALA:H	1:L:7:CGU:CD2	2.30	0.44
2:H:109:HIS:CD2	11:H:515:CL:CL	3.08	0.44
1:L:28:ARG:O	1:L:32:LYS:N	2.49	0.43
1:L:70:CYS:HB2	1:L:79:ARG:O	2.19	0.43
2:H:184:TYR:HB3	2:H:186:ASP:OD1	2.19	0.43
2:H:195:SER:C	2:H:197:GLY:H	2.25	0.43
3:T:16:SER:HB3	3:T:106:THR:HA	2.00	0.43
3:T:41:LYS:O	3:T:42:SER:HB3	2.18	0.43
2:H:143:GLN:HB3	2:H:145:LEU:O	2.19	0.43
2:H:60(B):ILE:HD13	12:H:594:HOH:O	2.19	0.42
1:L:132:GLU:C	1:L:134:PRO:HD3	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:80:ASN:OD1	1:L:80:ASN:N	2.52	0.42
2:H:137:LEU:HA	2:H:158:LEU:O	2.19	0.42
3:T:192:VAL:HG22	3:T:201:LYS:CB	2.47	0.42
1:L:140:ILE:HD12	2:H:25:GLY:HA3	2.00	0.42
2:H:170(H):SER:HA	2:H:170(I):PRO:HD3	1.84	0.42
2:H:188:LYS:O	2:H:189:ASP:HB2	2.20	0.42
1:L:128:THR:HA	1:L:129:PRO:HD3	1.85	0.42
1:L:71:PHE:CZ	3:T:131:ARG:HG3	2.55	0.42
3:T:72:LEU:HD13	3:T:73:ALA:N	2.34	0.41
3:T:140:PHE:CD2	3:T:140:PHE:N	2.88	0.41
1:L:69:ILE:HG22	1:L:71:PHE:CE1	2.55	0.41
2:H:45:THR:HG21	2:H:121:LEU:HD23	2.03	0.41
2:H:177:THR:C	2:H:179:TYR:N	2.78	0.41
2:H:231:VAL:O	2:H:231:VAL:CG1	2.68	0.41
2:H:26:GLU:C	2:H:28:PRO:HD3	2.46	0.41
3:T:185:TYR:N	3:T:185:TYR:HD1	2.18	0.41
2:H:195:SER:OG	8:H:1:OGJ:H27	2.21	0.41
2:H:219:GLY:O	8:H:1:OGJ:NH1	2.47	0.41
3:T:150:ASP:O	3:T:194:PRO:HD2	2.19	0.41
1:L:25:CGU:O	1:L:28:ARG:N	2.54	0.41
1:L:110:ARG:HD2	1:L:110:ARG:O	2.21	0.41
1:L:119:SER:O	1:L:127:CYS:HA	2.20	0.41
3:T:154:THR:HG22	3:T:169:LYS:HG2	2.03	0.41
2:H:162:ARG:NH2	2:H:230:ARG:HH11	2.19	0.41
2:H:57:HIS:CE1	2:H:195:SER:OG	2.74	0.40
1:L:41:TRP:CZ3	1:L:44:TYR:CD2	3.00	0.40
2:H:119:VAL:HA	2:H:120:PRO:HD3	1.89	0.40
2:H:42:CYS:HB3	2:H:43:GLY:H	1.72	0.40
1:L:105:HIS:O	1:L:106:THR:C	2.63	0.40
2:H:195:SER:C	2:H:197:GLY:N	2.80	0.40
3:T:37:GLN:HA	3:T:46:LYS:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	130/142 (92%)	108 (83%)	18 (14%)	4 (3%)	3	12
2	H	252/254 (99%)	220 (87%)	23 (9%)	9 (4%)	2	10
3	T	185/205 (90%)	160 (86%)	17 (9%)	8 (4%)	2	7
All	All	567/601 (94%)	488 (86%)	58 (10%)	21 (4%)	2	9

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	48	ASN
2	H	195	SER
2	H	248	PRO
3	T	41	LYS
3	T	42	SER
3	T	138	ASN
1	L	4	PHE
2	H	213	VAL
2	H	214	SER
3	T	135	ARG
1	L	106	THR
3	T	184	ASN
1	L	38	LYS
2	H	74	SER
2	H	170(I)	PRO
2	H	102	ASP
3	T	79	PRO
3	T	64	VAL
1	L	96	GLY
2	H	249	GLY
3	T	134	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	99/114 (87%)	84 (85%)	15 (15%)	3	10
2	H	216/216 (100%)	196 (91%)	20 (9%)	8	27
3	T	178/189 (94%)	151 (85%)	27 (15%)	3	10
All	All	493/519 (95%)	431 (87%)	62 (13%)	4	15

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	38	LYS
1	L	42	ILE
1	L	43	SER
1	L	53	SER
1	L	56	GLN
1	L	80	ASN
1	L	84	HIS
1	L	94	GLU
1	L	100	GLN
1	L	106	THR
1	L	111	SER
1	L	121	LEU
1	L	125	VAL
1	L	140	ILE
1	L	142	GLU
2	H	20	LYS
2	H	28	PRO
2	H	40	GLN
2	H	42	CYS
2	H	75	GLU
2	H	84	ARG
2	H	106	LEU
2	H	112	VAL
2	H	114	LEU
2	H	139	SER
2	H	145	LEU
2	H	156	MET
2	H	159	ASN
2	H	164	MET
2	H	192	LYS
2	H	209	LEU
2	H	217	GLN
2	H	245	GLU
2	H	248	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	253	ARG
3	T	10	TYR
3	T	18	ASN
3	T	23	LEU
3	T	27	PRO
3	T	38	ILE
3	T	41	LYS
3	T	47	SER
3	T	52	THR
3	T	53	THR
3	T	56	GLU
3	T	63	ILE
3	T	99	GLU
3	T	101	THR
3	T	104	LEU
3	T	112	THR
3	T	114	GLN
3	T	119	VAL
3	T	121	THR
3	T	135	ARG
3	T	149	LYS
3	T	174	GLU
3	T	176	LEU
3	T	181	LYS
3	T	183	GLU
3	T	185	TYR
3	T	199	ASN
3	T	201	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	84	HIS
1	L	115	HIS
2	H	109	HIS
2	H	110	GLN
2	H	117	HIS
2	H	143	GLN
2	H	166	GLN
2	H	175	ASN
2	H	233	GLN
3	T	31	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	T	69	GLN
3	T	114	GLN
3	T	124	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

10 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CGU	L	25	6,1	9,11,12	0.97	0	10,14,16	0.80	0
1	CGU	L	6	6,1	9,11,12	2.05	2 (22%)	10,14,16	0.82	0
1	CGU	L	35	1	9,11,12	1.43	1 (11%)	10,14,16	0.66	0
1	CGU	L	20	1	9,11,12	2.13	2 (22%)	10,14,16	0.97	0
1	CGU	L	19	7,1	9,11,12	1.51	2 (22%)	10,14,16	0.94	0
1	CGU	L	29	6,1	9,11,12	1.42	1 (11%)	10,14,16	1.10	2 (20%)
1	CGU	L	7	6,1	9,11,12	1.94	1 (11%)	10,14,16	1.29	1 (10%)
1	CGU	L	26	7,1	9,11,12	1.25	0	10,14,16	0.67	0
1	CGU	L	16	7,6,1	9,11,12	1.27	1 (11%)	10,14,16	1.31	2 (20%)
1	CGU	L	14	7,1	9,11,12	1.21	0	10,14,16	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CGU	L	25	6,1	-	2/13/14/16	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CGU	L	6	6,1	-	3/13/14/16	-
1	CGU	L	35	1	-	8/13/14/16	-
1	CGU	L	20	1	-	7/13/14/16	-
1	CGU	L	19	7,1	-	7/13/14/16	-
1	CGU	L	29	6,1	-	1/13/14/16	-
1	CGU	L	7	6,1	-	2/13/14/16	-
1	CGU	L	26	7,1	-	4/13/14/16	-
1	CGU	L	16	7,6,1	-	8/13/14/16	-
1	CGU	L	14	7,1	-	6/13/14/16	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	7	CGU	CG-CD1	4.34	1.57	1.52
1	L	6	CGU	CG-CD2	4.10	1.57	1.52
1	L	20	CGU	CG-CD2	3.91	1.57	1.52
1	L	20	CGU	CG-CD1	3.79	1.57	1.52
1	L	6	CGU	CG-CD1	3.22	1.56	1.52
1	L	19	CGU	CG-CD2	2.72	1.55	1.52
1	L	35	CGU	CG-CD1	2.62	1.55	1.52
1	L	19	CGU	CG-CD1	2.37	1.55	1.52
1	L	29	CGU	CG-CD2	2.32	1.55	1.52
1	L	16	CGU	CG-CD1	2.01	1.54	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	7	CGU	CB-CG-CD2	-3.12	106.77	113.11
1	L	16	CGU	CB-CG-CD2	-2.72	107.59	113.11
1	L	16	CGU	CB-CA-C	-2.23	107.56	110.99
1	L	29	CGU	CB-CA-C	2.12	114.25	110.99
1	L	29	CGU	OE12-CD1-OE11	-2.09	119.34	124.08

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	L	6	CGU	CA-CB-CG-CD2
1	L	7	CGU	N-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	L	14	CGU	CA-CB-CG-CD1
1	L	14	CGU	CA-CB-CG-CD2
1	L	14	CGU	OE12-CD1-CG-CB
1	L	14	CGU	OE12-CD1-CG-CD2
1	L	16	CGU	OE12-CD1-CG-CD2
1	L	19	CGU	O-C-CA-CB
1	L	19	CGU	C-CA-CB-CG
1	L	19	CGU	CA-CB-CG-CD1
1	L	19	CGU	CA-CB-CG-CD2
1	L	20	CGU	CA-CB-CG-CD1
1	L	20	CGU	CA-CB-CG-CD2
1	L	25	CGU	OE21-CD2-CG-CB
1	L	25	CGU	OE22-CD2-CG-CB
1	L	26	CGU	N-CA-CB-CG
1	L	26	CGU	C-CA-CB-CG
1	L	26	CGU	OE12-CD1-CG-CD2
1	L	35	CGU	O-C-CA-CB
1	L	35	CGU	CA-CB-CG-CD1
1	L	35	CGU	CA-CB-CG-CD2
1	L	35	CGU	OE11-CD1-CG-CB
1	L	35	CGU	OE12-CD1-CG-CB
1	L	35	CGU	OE12-CD1-CG-CD2
1	L	6	CGU	OE21-CD2-CG-CB
1	L	6	CGU	OE22-CD2-CG-CB
1	L	14	CGU	OE11-CD1-CG-CB
1	L	16	CGU	OE11-CD1-CG-CB
1	L	16	CGU	OE12-CD1-CG-CB
1	L	16	CGU	OE21-CD2-CG-CB
1	L	16	CGU	OE22-CD2-CG-CB
1	L	19	CGU	OE11-CD1-CG-CB
1	L	19	CGU	OE12-CD1-CG-CB
1	L	20	CGU	OE11-CD1-CG-CB
1	L	20	CGU	OE12-CD1-CG-CB
1	L	26	CGU	OE11-CD1-CG-CB
1	L	7	CGU	OE21-CD2-CG-CD1
1	L	14	CGU	OE11-CD1-CG-CD2
1	L	16	CGU	OE21-CD2-CG-CD1
1	L	16	CGU	OE22-CD2-CG-CD1
1	L	35	CGU	OE11-CD1-CG-CD2
1	L	19	CGU	N-CA-CB-CG
1	L	20	CGU	OE21-CD2-CG-CB
1	L	20	CGU	OE22-CD2-CG-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	L	16	CGU	OE11-CD1-CG-CD2
1	L	20	CGU	OE11-CD1-CG-CD2
1	L	29	CGU	OE12-CD1-CG-CD2
1	L	35	CGU	OE21-CD2-CG-CD1

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	L	25	CGU	2	0
1	L	20	CGU	1	0
1	L	19	CGU	1	0
1	L	7	CGU	1	0
1	L	26	CGU	1	0
1	L	14	CGU	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 14 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GLC	L	501	1	11,11,12	1.65	2 (18%)	15,15,17	1.31	1 (6%)
8	OGJ	H	1	-	23,24,25	1.73	9 (39%)	26,30,31	1.43	4 (15%)
5	FUC	L	502	1	10,10,11	1.27	2 (20%)	14,14,16	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	L	501	1	1/1/4/5	2/2/19/22	0/1/1/1
8	0GJ	H	1	-	-	11/29/29/31	-
5	FUC	L	502	1	1/1/4/5	-	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	501	GLC	C2-C3	3.42	1.57	1.52
8	H	1	0GJ	CA1-C1	-3.34	1.42	1.52
8	H	1	0GJ	CA2-N2	2.61	1.50	1.46
8	H	1	0GJ	CB-CA	2.54	1.58	1.53
8	H	1	0GJ	CZ-NE	2.44	1.38	1.33
4	L	501	GLC	C1-C2	2.33	1.57	1.52
5	L	502	FUC	C4-C5	2.15	1.57	1.52
8	H	1	0GJ	C1-N2	2.14	1.38	1.34
8	H	1	0GJ	O2-C2	2.13	1.48	1.43
5	L	502	FUC	C1-C2	2.13	1.57	1.52
8	H	1	0GJ	OE1-CD	2.10	1.29	1.22
8	H	1	0GJ	CA1-N1	2.06	1.50	1.45
8	H	1	0GJ	CB1-CA2	2.00	1.56	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	501	GLC	C1-O5-C5	4.10	117.67	112.19
8	H	1	0GJ	C2-CA2-N2	-3.00	105.45	110.90
8	H	1	0GJ	CB-CA-N	2.98	117.88	110.12
8	H	1	0GJ	OE2-CD-CG	2.23	121.06	114.00
8	H	1	0GJ	CB1-CA2-N2	-2.15	107.51	110.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	L	501	GLC	C1
5	L	502	FUC	C1

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	H	1	0GJ	C1-CA1-N1-C

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	H	1	0GJ	O2-C2-CA2-CB1
8	H	1	0GJ	O-C-N1-CA1
8	H	1	0GJ	CA-C-N1-CA1
4	L	501	GLC	O5-C5-C6-O6
4	L	501	GLC	C4-C5-C6-O6
8	H	1	0GJ	O2-C2-CA2-N2
8	H	1	0GJ	C3-C2-CA2-N2
8	H	1	0GJ	OE1-CD-CG-CB
8	H	1	0GJ	OE2-CD-CG-CB
8	H	1	0GJ	O1-C1-N2-CA2
8	H	1	0GJ	N2-CA2-CB1-CG1
8	H	1	0GJ	C3-C2-CA2-CB1

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	H	1	0GJ	8	0
5	L	502	FUC	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	132/142 (92%)	-0.08	3 (2%) 61 51	3, 20, 38, 40	0
2	H	254/254 (100%)	-0.31	2 (0%) 82 75	2, 12, 28, 47	0
3	T	191/205 (93%)	-0.30	2 (1%) 79 72	3, 17, 34, 40	0
All	All	577/601 (96%)	-0.26	7 (1%) 76 68	2, 15, 33, 47	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	3	ALA	4.6
3	T	120	GLY	3.2
3	T	82	ASN	3.0
2	H	170(G)	ASP	3.0
2	H	27	CYS	2.9
1	L	1	ALA	2.6
1	L	4	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CGU	L	35	12/13	0.66	0.13	40,46,50,51	0
1	CGU	L	20	12/13	0.67	0.14	30,37,45,45	0
1	CGU	L	14	12/13	0.67	0.13	26,41,43,43	0
1	CGU	L	6	12/13	0.68	0.14	27,32,39,40	0
1	CGU	L	29	12/13	0.77	0.13	18,22,26,26	0
1	CGU	L	7	12/13	0.78	0.12	21,27,29,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	CGU	L	25	12/13	0.78	0.17	20,33,37,42	0
1	CGU	L	19	12/13	0.80	0.12	29,38,46,47	0
1	CGU	L	26	12/13	0.80	0.14	22,27,36,37	0
1	CGU	L	16	12/13	0.92	0.10	9,12,26,28	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	CL	T	516	1/1	0.36	0.07	23,23,23,23	0
9	NA	H	511	1/1	0.42	0.26	49,49,49,49	0
4	GLC	L	501	11/12	0.43	0.27	44,48,51,51	0
6	CA	L	503	1/1	0.63	0.12	50,50,50,50	0
11	CL	H	514	1/1	0.70	0.20	49,49,49,49	0
7	MG	L	508	1/1	0.75	0.09	38,38,38,38	0
5	FUC	L	502	10/11	0.77	0.14	34,36,38,39	0
6	CA	L	506	1/1	0.78	0.11	55,55,55,55	0
6	CA	L	504	1/1	0.81	0.19	60,60,60,60	0
6	CA	L	507	1/1	0.82	0.16	66,66,66,66	0
8	OGJ	H	1	25/26	0.83	0.13	20,27,34,34	0
7	MG	L	505	1/1	0.86	0.08	25,25,25,25	0
6	CA	H	510	1/1	0.88	0.05	35,35,35,35	0
10	ZN	H	512	1/1	0.89	0.18	44,44,44,44	0
10	ZN	H	513	1/1	0.93	0.30	57,57,57,57	0
6	CA	L	509	1/1	0.94	0.05	29,29,29,29	0
11	CL	H	515	1/1	0.96	0.04	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 0GJ H 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.