



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:32 PM UTC

PDB ID : 1BAN / pdb_00001ban
Title : THE CONTRIBUTION OF BURIED HYDROGEN BONDS TO PROTEIN STABILITY: THE CRYSTAL STRUCTURES OF TWO BARNASE MUTANTS
Authors : Chen, Y.W.; Fersht, A.R.; Henrick, K.
Deposited on : 1993-05-19
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	110	
1	B	110	
1	C	110	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2825 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BARNASE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	108	Total	C	N	O	0	0	0
			839	535	144	160			
1	B	108	Total	C	N	O	0	0	0
			850	541	147	162			
1	C	109	Total	C	N	O	0	0	0
			870	551	151	168			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	91	ALA	SER	conflict	UNP P00648
B	91	ALA	SER	conflict	UNP P00648
C	91	ALA	SER	conflict	UNP P00648


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	73	Total	O	0	0
			73	73		
2	B	91	Total	O	0	0
			91	91		
2	C	102	Total	O	0	0
			102	102		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: BARNASE



• Molecule 1: BARNASE



• Molecule 1: BARNASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	59.53Å 59.53Å 82.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	6.00 – 2.20 6.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (6.00-2.20) 91.9 (6.00-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 2.20Å)	Xtriage
Refinement program	PROLSQ, X-PLOR	Depositor
R, R_{free}	0.176 , (Not available) (Not available) , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	17.0	Xtriage
Anisotropy	0.145	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 99.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l 0.085 for h,-h-k,-l 0.055 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2825	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.45	3/860 (0.3%)	3.05	111/1166 (9.5%)
1	B	1.49	4/871 (0.5%)	2.94	108/1180 (9.2%)
1	C	1.54	6/891 (0.7%)	2.94	111/1206 (9.2%)
All	All	1.49	13/2622 (0.5%)	2.98	330/3552 (9.3%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	12	ASP	N-CA	6.74	1.54	1.46
1	B	80	SER	N-CA	6.63	1.54	1.46
1	B	43	ALA	N-CA	6.59	1.54	1.46
1	C	11	ALA	C-O	6.53	1.31	1.24
1	C	75	ASP	C-O	6.05	1.31	1.23
1	C	96	ILE	CA-CB	5.50	1.61	1.54
1	B	75	ASP	N-CA	5.34	1.52	1.46
1	A	10	VAL	N-CA	5.26	1.52	1.46
1	C	102	HIS	C-O	5.23	1.30	1.24
1	A	70	THR	N-CA	5.20	1.52	1.46
1	B	12	ASP	N-CA	5.16	1.52	1.46
1	C	51	ILE	N-CA	5.07	1.52	1.46
1	C	4	ILE	CA-CB	5.06	1.61	1.54

All (330) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	3	VAL	CA-C-N	13.78	142.15	122.99
1	C	3	VAL	C-N-CA	13.78	142.15	122.99
1	A	29	GLU	CA-C-O	13.49	134.98	120.82
1	C	36	VAL	O-C-N	11.93	135.75	122.99
1	A	110	ARG	NE-CZ-NH2	11.82	129.84	119.20
1	B	27	LYS	CA-C-N	11.60	135.52	120.44
1	B	27	LYS	C-N-CA	11.60	135.52	120.44
1	C	2	GLN	CA-CB-CG	11.50	137.10	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	8	ASP	CA-CB-CG	-11.27	101.33	112.60
1	A	41	ASN	OD1-CG-ND2	-10.86	111.74	122.60
1	A	93	ASP	CA-CB-CG	10.72	123.32	112.60
1	B	36	VAL	CA-C-N	10.71	136.88	120.82
1	B	36	VAL	C-N-CA	10.71	136.88	120.82
1	B	84	ASN	OD1-CG-ND2	-10.71	111.89	122.60
1	A	49	LYS	CA-C-O	10.65	133.92	121.46
1	C	57	SER	N-CA-C	10.62	124.14	111.82
1	A	29	GLU	CA-C-N	10.34	133.88	120.44
1	A	29	GLU	C-N-CA	10.34	133.88	120.44
1	A	68	GLY	CA-C-N	10.09	135.92	122.30
1	A	68	GLY	C-N-CA	10.09	135.92	122.30
1	B	58	ASN	CA-CB-CG	10.01	122.61	112.60
1	B	81	GLY	CA-C-N	10.01	135.53	120.82
1	B	81	GLY	C-N-CA	10.01	135.53	120.82
1	A	23	ASN	CA-CB-CG	9.90	122.50	112.60
1	A	110	ARG	CD-NE-CZ	9.82	138.16	124.40
1	C	83	ARG	NE-CZ-NH2	9.66	127.90	119.20
1	B	27	LYS	O-C-N	-9.55	112.00	122.12
1	A	21	PRO	CA-C-N	9.55	134.32	120.38
1	A	21	PRO	C-N-CA	9.55	134.32	120.38
1	C	2	GLN	CB-CG-CD	9.32	128.44	112.60
1	B	19	LYS	CA-CB-CG	9.24	132.59	114.10
1	C	110	ARG	CA-CB-CG	9.13	132.36	114.10
1	B	101	ASP	CA-CB-CG	9.10	121.70	112.60
1	C	59	ARG	CD-NE-CZ	9.10	137.14	124.40
1	B	41	ASN	N-CA-C	9.08	123.07	112.72
1	A	10	VAL	CB-CA-C	9.02	123.52	111.97
1	C	36	VAL	CA-C-O	-8.94	110.65	120.48
1	C	10	VAL	O-C-N	8.91	131.01	121.83
1	B	103	TYR	CA-C-O	-8.80	110.00	120.12
1	C	50	SER	CA-C-O	-8.79	111.18	121.11
1	C	41	ASN	OD1-CG-ND2	-8.76	113.84	122.60
1	B	102	HIS	CA-C-O	8.76	131.89	121.65
1	A	18	HIS	CA-CB-CG	-8.68	105.12	113.80
1	C	80	SER	N-CA-CB	-8.66	98.14	111.56
1	B	110	ARG	CA-CB-CG	8.64	131.39	114.10
1	A	67	SER	CA-C-O	8.61	130.50	120.69
1	A	21	PRO	CA-C-O	8.59	133.07	122.08
1	C	25	ILE	CA-C-O	-8.55	112.22	121.28
1	C	2	GLN	OE1-CD-NE2	-8.53	114.07	122.60
1	B	37	ALA	CA-C-O	-8.48	111.42	120.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	11	ALA	CA-C-O	-8.48	111.96	120.70
1	C	108	LYS	CA-C-O	-8.40	111.75	121.16
1	C	89	LEU	CA-C-O	-8.39	111.01	120.32
1	C	3	VAL	CA-C-O	8.37	131.24	120.78
1	C	4	ILE	N-CA-CB	-8.36	99.31	111.52
1	B	98	LYS	CA-CB-CG	8.35	130.81	114.10
1	A	108	LYS	CA-C-O	-8.31	111.26	120.81
1	B	90	TYR	CA-C-O	8.30	129.67	120.70
1	A	15	GLN	CA-C-O	-8.30	112.35	120.90
1	B	102	HIS	CB-CG-CD2	-8.29	120.42	131.20
1	B	75	ASP	CA-CB-CG	8.28	120.88	112.60
1	B	53	GLY	CA-C-N	8.15	132.44	120.87
1	B	53	GLY	C-N-CA	8.15	132.44	120.87
1	B	14	LEU	CA-C-O	8.10	129.57	120.90
1	A	55	ILE	O-C-N	8.10	131.50	122.67
1	B	108	LYS	CA-C-N	8.08	136.52	121.97
1	B	108	LYS	C-N-CA	8.08	136.52	121.97
1	A	54	ASP	CA-C-N	8.07	131.96	120.98
1	A	54	ASP	C-N-CA	8.07	131.96	120.98
1	C	93	ASP	CB-CA-C	8.06	124.11	111.13
1	B	89	LEU	CA-C-O	-8.05	111.94	120.40
1	A	90	TYR	CA-C-O	8.03	129.89	120.66
1	A	55	ILE	CA-C-N	-8.02	111.65	122.72
1	A	55	ILE	C-N-CA	-8.02	111.65	122.72
1	C	76	ILE	CA-C-O	8.02	130.06	120.67
1	C	57	SER	CA-CB-OG	-7.96	95.18	111.10
1	C	69	ARG	CA-C-O	7.95	130.06	120.92
1	B	41	ASN	N-CA-CB	-7.93	98.89	110.70
1	B	100	THR	CA-CB-CG2	7.91	123.95	110.50
1	A	27	LYS	O-C-N	7.90	131.98	122.27
1	A	57	SER	CA-CB-OG	-7.80	95.49	111.10
1	A	55	ILE	N-CA-CB	-7.79	100.72	110.31
1	B	18	HIS	CA-CB-CG	-7.77	106.03	113.80
1	B	110	ARG	N-CA-CB	7.70	123.58	110.50
1	B	19	LYS	CA-C-O	7.62	129.39	121.23
1	C	80	SER	CA-C-O	-7.62	113.07	121.23
1	B	72	ARG	CA-C-O	-7.60	112.57	121.46
1	A	106	PHE	CA-C-N	7.56	135.37	122.37
1	A	106	PHE	C-N-CA	7.56	135.37	122.37
1	B	23	ASN	CA-C-O	7.54	129.00	119.12
1	A	99	THR	CA-CB-CG2	7.54	123.31	110.50
1	B	67	SER	N-CA-CB	7.53	121.11	110.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43	ALA	O-C-N	7.48	130.97	122.22
1	C	72	ARG	NE-CZ-NH2	-7.47	112.48	119.20
1	A	70	THR	CB-CA-C	7.40	123.25	109.71
1	C	18	HIS	CA-CB-CG	-7.39	106.41	113.80
1	B	95	LEU	N-CA-C	-7.32	98.63	110.20
1	A	21	PRO	O-C-N	-7.32	114.07	123.00
1	C	80	SER	CA-CB-OG	-7.32	96.46	111.10
1	A	38	SER	N-CA-C	7.30	121.28	112.38
1	A	56	PHE	CB-CA-C	7.29	121.77	109.75
1	C	87	ARG	CD-NE-CZ	-7.27	114.23	124.40
1	B	8	ASP	O-C-N	7.26	130.43	122.15
1	B	17	TYR	N-CA-C	7.26	122.31	113.38
1	B	5	ASN	CB-CG-ND2	7.25	127.28	116.40
1	A	69	ARG	NE-CZ-NH2	7.20	125.68	119.20
1	C	91	ALA	O-C-N	7.17	131.13	123.03
1	C	21	PRO	CA-C-N	7.14	132.03	120.60
1	C	21	PRO	C-N-CA	7.14	132.03	120.60
1	A	83	ARG	CD-NE-CZ	7.11	134.36	124.40
1	C	14	LEU	N-CA-CB	-7.10	99.72	110.01
1	B	13	TYR	CA-C-N	7.09	130.11	120.54
1	B	13	TYR	C-N-CA	7.09	130.11	120.54
1	A	50	SER	O-C-N	7.07	131.73	123.17
1	A	80	SER	CA-C-O	-7.05	113.88	121.36
1	C	89	LEU	O-C-N	7.00	131.50	123.31
1	A	81	GLY	CA-C-N	6.99	130.80	120.87
1	A	81	GLY	C-N-CA	6.99	130.80	120.87
1	B	29	GLU	CB-CG-CD	6.95	124.41	112.60
1	C	62	LYS	CA-C-O	-6.94	111.99	119.97
1	C	38	SER	N-CA-C	6.93	120.83	112.38
1	C	37	ALA	CA-C-O	-6.92	113.15	120.63
1	B	110	ARG	NE-CZ-NH2	6.88	125.39	119.20
1	A	41	ASN	CA-C-N	6.85	129.77	120.38
1	A	41	ASN	C-N-CA	6.85	129.77	120.38
1	C	21	PRO	O-C-N	-6.82	114.53	122.71
1	A	85	SER	CA-C-N	6.81	131.50	122.30
1	A	85	SER	C-N-CA	6.81	131.50	122.30
1	C	102	HIS	CA-C-O	6.77	130.20	120.51
1	A	94	TRP	N-CA-C	6.75	121.22	111.56
1	B	108	LYS	CA-C-O	-6.75	113.60	121.16
1	B	39	LYS	CA-C-O	-6.72	111.75	119.14
1	A	69	ARG	CA-C-N	-6.70	113.54	122.99
1	A	69	ARG	C-N-CA	-6.70	113.54	122.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	41	ASN	CA-C-O	-6.68	111.83	119.78
1	B	38	SER	N-CA-C	6.67	121.02	113.01
1	C	73	GLU	CG-CD-OE2	6.65	133.70	118.40
1	C	15	GLN	OE1-CD-NE2	-6.65	115.95	122.60
1	A	95	LEU	CA-C-O	-6.63	113.21	120.43
1	C	106	PHE	CA-C-N	6.58	132.27	122.99
1	C	106	PHE	C-N-CA	6.58	132.27	122.99
1	A	6	THR	N-CA-CB	6.58	121.36	110.63
1	C	17	TYR	N-CA-C	6.54	121.54	113.50
1	B	45	VAL	N-CA-CB	6.52	119.91	110.52
1	A	3	VAL	N-CA-CB	-6.52	100.42	111.50
1	B	85	SER	N-CA-C	6.49	121.35	113.17
1	A	27	LYS	CA-C-O	-6.46	112.54	119.97
1	A	57	SER	CA-C-O	-6.44	111.46	119.38
1	C	106	PHE	CA-C-O	-6.40	113.62	121.11
1	A	8	ASP	O-C-N	6.37	130.50	122.23
1	A	28	SER	CA-C-N	6.36	128.71	120.44
1	A	28	SER	C-N-CA	6.36	128.71	120.44
1	C	83	ARG	O-C-N	-6.36	115.05	122.87
1	B	77	ASN	CA-CB-CG	-6.35	106.25	112.60
1	C	102	HIS	CB-CG-CD2	-6.35	122.95	131.20
1	A	29	GLU	O-C-N	-6.33	115.55	122.07
1	C	9	GLY	CA-C-O	-6.32	113.33	120.09
1	A	101	ASP	CA-C-N	-6.32	113.53	122.63
1	A	101	ASP	C-N-CA	-6.32	113.53	122.63
1	A	42	LEU	CA-C-O	6.31	127.45	120.63
1	A	54	ASP	CA-CB-CG	6.31	118.91	112.60
1	C	9	GLY	O-C-N	6.29	129.57	122.34
1	C	90	TYR	CB-CA-C	6.29	122.14	109.38
1	C	10	VAL	CB-CA-C	6.27	120.87	112.22
1	C	31	GLN	OE1-CD-NE2	-6.27	116.33	122.60
1	A	6	THR	CA-CB-CG2	6.27	121.15	110.50
1	C	84	ASN	CA-CB-CG	6.25	118.85	112.60
1	A	11	ALA	CA-C-N	-6.24	111.92	120.28
1	A	11	ALA	C-N-CA	-6.24	111.92	120.28
1	C	83	ARG	NE-CZ-NH1	-6.24	115.26	121.50
1	C	51	ILE	CB-CG1-CD1	6.20	126.82	113.80
1	B	72	ARG	NE-CZ-NH2	-6.19	113.63	119.20
1	A	67	SER	CB-CA-C	6.17	119.89	109.84
1	B	6	THR	CA-C-O	-6.15	114.02	121.28
1	B	104	GLN	OE1-CD-NE2	6.15	128.75	122.60
1	C	104	GLN	O-C-N	-6.15	115.14	122.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	87	ARG	CA-CB-CG	6.14	126.39	114.10
1	A	56	PHE	O-C-N	6.12	130.19	123.27
1	C	8	ASP	N-CA-C	6.12	117.96	111.28
1	A	21	PRO	CB-CA-C	6.12	118.97	110.95
1	B	23	ASN	N-CA-CB	-6.11	100.52	110.42
1	B	104	GLN	CG-CD-NE2	-6.11	107.23	116.40
1	C	103	TYR	CA-C-O	-6.10	113.10	120.12
1	B	99	THR	N-CA-CB	6.10	122.04	111.13
1	B	65	GLY	N-CA-C	6.09	127.62	113.18
1	A	24	TYR	CA-C-O	-6.08	114.10	121.28
1	C	88	ILE	CA-C-O	-6.08	113.78	120.84
1	A	33	LEU	CA-C-N	6.07	131.38	122.10
1	A	33	LEU	C-N-CA	6.07	131.38	122.10
1	B	22	ASP	CA-C-O	-6.06	111.18	119.05
1	B	105	THR	O-C-N	6.04	130.63	123.33
1	C	50	SER	O-C-N	6.03	131.02	123.19
1	B	106	PHE	CA-C-N	6.02	132.02	122.74
1	B	106	PHE	C-N-CA	6.02	132.02	122.74
1	B	85	SER	CA-C-N	6.00	130.39	122.30
1	B	85	SER	C-N-CA	6.00	130.39	122.30
1	B	69	ARG	N-CA-CB	5.98	119.11	110.37
1	A	12	ASP	CA-C-O	5.95	126.86	120.55
1	B	69	ARG	CA-C-O	5.95	126.94	119.98
1	C	40	GLY	CA-C-N	-5.95	113.15	122.73
1	C	40	GLY	C-N-CA	-5.95	113.15	122.73
1	C	75	ASP	CA-C-O	5.95	127.82	121.16
1	A	76	ILE	CA-C-N	5.94	130.81	122.08
1	A	76	ILE	C-N-CA	5.94	130.81	122.08
1	C	10	VAL	N-CA-C	-5.94	104.72	110.72
1	A	37	ALA	CB-CA-C	5.93	120.64	110.79
1	C	81	GLY	CA-C-N	5.92	130.23	120.94
1	C	81	GLY	C-N-CA	5.92	130.23	120.94
1	B	26	THR	N-CA-CB	-5.91	101.98	110.44
1	A	16	THR	CA-C-O	-5.89	113.19	119.97
1	B	68	GLY	CA-C-O	5.89	126.54	119.82
1	C	10	VAL	CA-C-O	-5.88	114.61	120.85
1	A	22	ASP	N-CA-C	5.88	119.28	111.75
1	B	10	VAL	O-C-N	5.88	127.57	121.87
1	A	19	LYS	O-C-N	5.88	129.95	123.25
1	B	41	ASN	CA-C-N	5.88	128.15	120.28
1	B	41	ASN	C-N-CA	5.88	128.15	120.28
1	C	91	ALA	CB-CA-C	-5.87	100.12	109.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	97	TYR	OH-CZ-CE2	5.86	137.49	119.90
1	B	13	TYR	O-C-N	-5.85	115.82	122.08
1	A	89	LEU	O-C-N	5.85	130.11	123.27
1	C	31	GLN	N-CA-CB	5.84	118.65	109.94
1	A	58	ASN	CA-C-N	5.82	128.40	120.54
1	A	58	ASN	C-N-CA	5.82	128.40	120.54
1	B	67	SER	CA-CB-OG	5.82	122.74	111.10
1	B	50	SER	CA-C-O	-5.82	114.30	121.11
1	A	49	LYS	N-CA-CB	5.82	120.62	111.20
1	B	104	GLN	N-CA-CB	5.81	119.50	110.44
1	C	103	TYR	CA-CB-CG	5.81	124.35	113.90
1	B	100	THR	CA-CB-OG1	-5.80	100.90	109.60
1	C	82	PHE	N-CA-C	-5.80	102.32	110.50
1	C	15	GLN	CB-CG-CD	5.79	122.44	112.60
1	A	110	ARG	NE-CZ-NH1	-5.78	115.72	121.50
1	C	65	GLY	O-C-N	5.76	130.12	123.21
1	A	30	ALA	N-CA-C	-5.75	104.91	111.07
1	A	21	PRO	N-CA-C	-5.74	102.80	111.41
1	B	43	ALA	O-C-N	-5.73	115.22	122.27
1	B	85	SER	CA-CB-OG	-5.70	99.69	111.10
1	A	95	LEU	N-CA-C	-5.70	99.95	109.24
1	A	58	ASN	CA-C-O	5.69	128.14	121.54
1	A	84	ASN	CA-C-O	5.68	128.39	120.84
1	C	59	ARG	NE-CZ-NH1	5.67	127.17	121.50
1	B	73	GLU	CA-C-O	-5.63	114.85	121.44
1	B	56	PHE	CB-CA-C	5.63	119.05	109.75
1	B	8	ASP	CA-CB-CG	-5.63	106.97	112.60
1	C	42	LEU	O-C-N	5.63	127.94	122.09
1	A	98	LYS	CA-CB-CG	5.62	125.34	114.10
1	C	62	LYS	N-CA-C	-5.62	105.30	111.82
1	B	20	LEU	CA-C-N	5.61	126.40	120.11
1	B	20	LEU	C-N-CA	5.61	126.40	120.11
1	C	14	LEU	CA-C-O	5.61	126.71	120.82
1	B	85	SER	N-CA-CB	-5.58	102.23	110.49
1	C	72	ARG	NE-CZ-NH1	5.58	127.08	121.50
1	B	29	GLU	N-CA-CB	5.57	118.24	109.94
1	A	60	GLU	N-CA-C	5.56	119.15	112.93
1	C	38	SER	CA-CB-OG	-5.55	100.00	111.10
1	C	101	ASP	CA-C-O	-5.55	113.34	119.78
1	A	54	ASP	N-CA-CB	5.55	118.72	110.29
1	B	23	ASN	O-C-N	-5.54	114.18	122.39
1	A	89	LEU	CA-C-O	-5.54	114.37	120.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	4	ILE	N-CA-CB	5.54	118.12	111.31
1	B	26	THR	CA-CB-OG1	-5.52	101.32	109.60
1	C	54	ASP	O-C-N	5.52	129.24	123.06
1	A	46	ALA	O-C-N	5.50	125.21	121.19
1	C	109	ILE	CA-C-N	5.49	131.58	121.70
1	C	109	ILE	C-N-CA	5.49	131.58	121.70
1	A	91	ALA	CA-C-O	5.47	128.34	121.66
1	C	60	GLU	CG-CD-OE2	5.47	130.97	118.40
1	C	82	PHE	O-C-N	5.46	129.31	122.86
1	A	73	GLU	CB-CG-CD	-5.46	103.33	112.60
1	C	52	GLY	O-C-N	-5.45	115.61	122.70
1	C	42	LEU	CB-CA-C	5.44	119.52	110.81
1	C	27	LYS	N-CA-C	5.43	117.20	111.28
1	B	46	ALA	O-C-N	5.43	126.25	121.37
1	A	88	ILE	CB-CA-C	5.42	118.69	110.62
1	C	87	ARG	NE-CZ-NH1	5.41	126.91	121.50
1	A	35	TRP	O-C-N	-5.40	116.25	122.95
1	B	8	ASP	CA-C-O	-5.39	114.70	120.42
1	C	64	PRO	CA-C-N	5.39	128.20	122.38
1	C	64	PRO	C-N-CA	5.39	128.20	122.38
1	C	76	ILE	CA-C-N	5.38	130.20	122.40
1	C	76	ILE	C-N-CA	5.38	130.20	122.40
1	A	69	ARG	CA-C-O	-5.38	114.41	120.43
1	B	45	VAL	CA-C-O	-5.36	114.58	120.96
1	C	107	THR	CA-CB-CG2	5.34	119.59	110.50
1	A	41	ASN	O-C-N	-5.34	115.93	122.34
1	B	69	ARG	O-C-N	5.34	129.77	123.36
1	C	3	VAL	O-C-N	-5.33	115.91	122.57
1	B	19	LYS	CB-CA-C	5.32	120.52	110.62
1	C	29	GLU	CA-C-N	5.32	127.36	120.44
1	C	29	GLU	C-N-CA	5.32	127.36	120.44
1	A	15	GLN	N-CA-CB	5.32	117.69	109.98
1	B	99	THR	N-CA-C	-5.30	100.05	109.06
1	B	12	ASP	O-C-N	5.29	127.73	122.12
1	C	69	ARG	NE-CZ-NH1	5.29	126.79	121.50
1	B	4	ILE	CA-CB-CG1	5.28	119.37	110.40
1	A	99	THR	N-CA-CB	5.27	121.31	111.52
1	B	66	LYS	CA-CB-CG	5.26	124.62	114.10
1	B	98	LYS	O-C-N	5.25	129.26	123.33
1	A	12	ASP	CA-CB-CG	-5.25	107.35	112.60
1	B	95	LEU	CA-CB-CG	5.23	134.61	116.30
1	B	28	SER	CA-CB-OG	-5.23	100.64	111.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	63	LEU	CA-C-O	-5.22	114.11	120.54
1	A	15	GLN	O-C-N	5.21	127.65	122.03
1	A	83	ARG	NE-CZ-NH2	-5.20	114.52	119.20
1	B	73	GLU	O-C-N	5.20	129.91	123.15
1	C	96	ILE	CB-CG1-CD1	5.20	124.72	113.80
1	B	43	ALA	N-CA-CB	5.19	118.32	110.28
1	C	51	ILE	O-C-N	-5.17	117.08	122.81
1	C	93	ASP	N-CA-CB	-5.16	102.71	111.17
1	B	38	SER	CA-C-O	5.16	125.75	119.05
1	B	84	ASN	N-CA-CB	-5.15	102.52	109.94
1	A	56	PHE	N-CA-C	-5.15	100.85	109.24
1	A	29	GLU	CB-CG-CD	5.14	121.34	112.60
1	A	102	HIS	CB-CG-CD2	-5.14	124.52	131.20
1	C	75	ASP	CB-CG-OD1	5.12	130.17	118.40
1	B	9	GLY	CA-C-O	-5.10	115.49	121.00
1	C	40	GLY	O-C-N	5.10	127.21	122.57
1	A	33	LEU	CB-CA-C	-5.09	101.30	110.37
1	B	81	GLY	O-C-N	5.08	127.73	122.90
1	C	21	PRO	CA-C-O	5.08	129.63	122.31
1	C	4	ILE	CA-C-O	-5.08	114.98	120.36
1	B	102	HIS	CB-CG-ND1	5.06	130.29	122.70
1	A	72	ARG	N-CA-CB	5.05	120.56	111.37
1	C	51	ILE	CA-C-O	5.03	126.58	120.85
1	A	84	ASN	OD1-CG-ND2	-5.02	117.58	122.60
1	C	13	TYR	CB-CG-CD2	-5.02	113.28	120.80
1	B	11	ALA	CA-C-N	-5.01	113.56	120.28
1	B	11	ALA	C-N-CA	-5.01	113.56	120.28
1	C	4	ILE	N-CA-C	5.00	115.33	108.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	839	0	790	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	850	0	816	16	0
1	C	870	0	834	10	0
2	A	73	0	0	0	0
2	B	91	0	0	2	0
2	C	102	0	0	2	0
All	All	2825	0	2440	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:LYS:HG2	1:B:41:ASN:HB3	1.67	0.75
1:C:74:ALA:HB3	1:C:88:ILE:HG22	1.73	0.71
1:C:3:VAL:HG23	1:C:23:ASN:HB3	1.71	0.71
1:C:98:LYS:HD3	1:C:109:ILE:HG21	1.76	0.65
1:A:28:SER:HA	1:A:31:GLN:HE21	1.64	0.63
1:C:96:ILE:HB	1:C:110:ARG:HB2	1.85	0.57
1:A:101:ASP:HB2	1:A:104:GLN:HE21	1.71	0.56
1:C:21:PRO:HD2	1:C:24:TYR:CD2	2.43	0.53
1:A:46:ALA:N	1:A:47:PRO:HD3	2.23	0.53
1:A:96:ILE:HD12	1:A:110:ARG:HB2	1.91	0.53
1:C:87:ARG:HG3	1:C:103:TYR:CE1	2.49	0.48
1:B:69:ARG:HG3	1:B:91:ALA:HB1	1.95	0.48
1:C:52:GLY:HA2	1:C:74:ALA:HA	1.95	0.47
1:B:74:ALA:HB3	1:B:88:ILE:CG2	2.45	0.46
1:A:52:GLY:HA2	1:A:74:ALA:HA	1.99	0.44
1:B:17:TYR:HB3	1:B:19:LYS:HD2	2.00	0.44
1:B:95:LEU:HD22	1:B:108:LYS:HE3	1.99	0.44
1:B:69:ARG:HE	1:B:93:ASP:CG	2.25	0.44
1:A:20:LEU:HA	1:A:21:PRO:HD3	1.80	0.44
1:A:27:LYS:NZ	1:A:54:ASP:OD2	2.50	0.43
1:B:42:LEU:HD23	1:B:78:TYR:CE1	2.53	0.43
1:C:57:SER:HB2	2:C:153:HOH:O	2.17	0.43
1:A:42:LEU:HD23	1:A:78:TYR:CE2	2.53	0.43
1:A:87:ARG:HB2	1:A:99:THR:CG2	2.49	0.43
1:A:101:ASP:O	1:A:104:GLN:NE2	2.51	0.43
1:B:66:LYS:O	1:B:69:ARG:HB3	2.19	0.43
1:B:57:SER:O	1:B:58:ASN:HB3	2.19	0.42
1:B:5:ASN:HB2	2:B:122:HOH:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:PRO:HB3	1:C:34:GLY:HA2	2.02	0.41
1:B:79:THR:HG23	2:B:165:HOH:O	2.21	0.41
1:B:93:ASP:O	1:B:94:TRP:HB2	2.20	0.41
1:B:103:TYR:HB3	1:B:106:PHE:HZ	1.86	0.41
1:B:87:ARG:HG3	1:B:103:TYR:CE2	2.57	0.40
1:B:95:LEU:HD13	1:B:97:TYR:HE1	1.86	0.40
1:C:62:LYS:HB2	2:C:130:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	106/110 (96%)	98 (92%)	8 (8%)	0	100	100
1	B	106/110 (96%)	96 (91%)	9 (8%)	1 (1%)	14	14
1	C	107/110 (97%)	102 (95%)	4 (4%)	1 (1%)	14	14
All	All	319/330 (97%)	296 (93%)	21 (7%)	2 (1%)	21	23

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	3	VAL
1	B	58	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	83/91 (91%)	78 (94%)	5 (6%)	17	21
1	B	87/91 (96%)	76 (87%)	11 (13%)	4	4
1	C	90/91 (99%)	83 (92%)	7 (8%)	11	13
All	All	260/273 (95%)	237 (91%)	23 (9%)	9	10

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	LYS
1	A	50	SER
1	A	55	ILE
1	A	98	LYS
1	A	102	HIS
1	B	19	LYS
1	B	28	SER
1	B	55	ILE
1	B	62	LYS
1	B	63	LEU
1	B	70	THR
1	B	88	ILE
1	B	92	SER
1	B	98	LYS
1	B	103	TYR
1	B	104	GLN
1	C	19	LYS
1	C	51	ILE
1	C	69	ARG
1	C	92	SER
1	C	102	HIS
1	C	104	GLN
1	C	110	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	104	GLN
1	B	31	GLN
1	C	2	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	5	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	108/110 (98%)	-0.74	0 100 100	6, 16, 31, 34	0
1	B	108/110 (98%)	-0.67	0 100 100	2, 12, 35, 45	0
1	C	109/110 (99%)	-0.91	0 100 100	2, 11, 23, 32	0
All	All	325/330 (98%)	-0.78	0 100 100	2, 13, 32, 45	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.