



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:44 AM UTC

PDB ID : 6BAD / pdb_00006bad
Title : Lactate Dehydrogenase in complex with inhibitor (R)-3-((2-chlorophenyl)thio)-6-(3-((4-fluorophenyl)amino)phenyl)-4-hydroxy-6-(thiophen-3-yl)-5,6-dihydro-2H-pyran-2-one
Authors : Ultsch, M.; Eigenbrot, C.
Deposited on : 2017-10-12
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	2% 92% 7%
1	B	331	5% 92% 7%
1	C	331	3% 91% 8%
1	D	331	4% 93% 7%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 11527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-lactate dehydrogenase A chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	331	Total	C	N	O	S	0	4	0
			2598	1661	443	480	14			
1	B	331	Total	C	N	O	S	0	1	0
			2576	1644	442	477	13			
1	C	331	Total	C	N	O	S	0	1	0
			2574	1644	440	477	13			
1	D	331	Total	C	N	O	S	0	3	0
			2582	1654	439	475	14			


- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: C₈H₁₈N₂O₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is (6R)-3-[(2-chlorophenyl)sulfanyl]-6-{3-[(4-fluorophenyl)amino]phenyl}-4-hydroxy-6-(thiophen-3-yl)-5,6-dihydro-2H-pyran-2-one (CCD ID: D0Y) (formula: $C_{27}H_{19}ClFNO_3S_2$).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
5	A	1	Total	C	Cl	F	N	O	S	0	0
			35	27	1	1	1	3	2		
5	B	1	Total	C	Cl	F	N	O	S	0	0
			35	27	1	1	1	3	2		
5	C	1	Total	C	Cl	F	N	O	S	0	0
			35	27	1	1	1	3	2		
5	D	1	Total	C	Cl	F	N	O	S	0	0
			35	27	1	1	1	3	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	192	Total	O	0	0
			192	192		
6	B	180	Total	O	0	0
			180	180		
6	C	192	Total	O	0	0
			192	192		
6	D	187	Total	O	0	0
			187	187		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.40Å 80.71Å 102.43Å 90.00° 96.81° 90.00°	Depositor
Resolution (Å)	46.64 – 2.10 46.64 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.3 (46.64-2.10) 99.1 (46.64-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 2.08Å)	Xtriage
Refinement program	BUSTER 2.11.6	Depositor
R, R_{free}	0.194 , 0.230 0.189 , 0.221	Depositor DCC
R_{free} test set	1452 reflections (2.03%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtriage
Anisotropy	0.385	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11527	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, SO4, EPE, D0Y

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.81	0/2652	1.19	6/3584 (0.2%)
1	B	0.83	0/2623	1.19	4/3546 (0.1%)
1	C	0.82	0/2621	1.18	2/3543 (0.1%)
1	D	0.84	0/2636	1.16	2/3564 (0.1%)
All	All	0.83	0/10532	1.18	14/14237 (0.1%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	55	ASP	CA-CB-CG	6.65	119.25	112.60
1	B	55	ASP	CA-CB-CG	6.39	118.99	112.60
1	A	109	VAL	N-CA-CB	6.22	119.00	110.54
1	A	110	GLN	CA-C-N	6.01	128.25	120.44
1	A	110	GLN	C-N-CA	6.01	128.25	120.44
1	A	45	ASP	CA-CB-CG	6.01	118.61	112.60
1	A	111	ARG	CB-CA-C	-6.00	101.46	110.88
1	D	197	VAL	N-CA-C	5.92	114.47	107.73
1	B	45	ASP	CA-CB-CG	5.49	118.09	112.60
1	B	108	LEU	CA-C-N	5.28	127.30	120.70
1	B	108	LEU	C-N-CA	5.28	127.30	120.70
1	C	152	PHE	CA-CB-CG	5.27	119.07	113.80
1	D	105	ARG	N-CA-C	-5.24	105.69	111.71
1	C	45	ASP	CA-CB-CG	5.04	117.64	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2598	0	2692	17	0
1	B	2576	0	2669	17	0
1	C	2574	0	2669	17	0
1	D	2582	0	2681	14	0
2	A	44	0	25	0	0
2	B	44	0	25	0	0
2	C	44	0	25	1	0
2	D	44	0	25	1	0
3	A	30	0	34	2	0
3	B	30	0	34	4	0
3	C	45	0	51	4	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	10	0	0	0	0
4	D	5	0	0	0	0
5	A	35	0	0	0	0
5	B	35	0	0	0	0
5	C	35	0	0	0	0
5	D	35	0	0	1	0
6	A	192	0	0	2	0
6	B	180	0	0	1	0
6	C	192	0	0	1	0
6	D	187	0	0	0	0
All	All	11527	0	10930	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:276:ILE:HD13	1:B:282:ILE:HD13	1.64	0.79
1:C:151:GLY:O	3:C:802:EPE:H72	1.86	0.76
1:D:104:SER:HB3	1:D:107:ASN:HD22	1.52	0.74
1:B:153:PRO:HA	3:B:802:EPE:H91	1.76	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:276:ILE:HD13	1:C:282:ILE:HD13	1.77	0.66
1:C:276:ILE:HD11	1:C:286:VAL:HG23	1.77	0.66
1:B:276:ILE:HD11	1:B:286:VAL:HG23	1.80	0.63
1:A:109:VAL:HG11	1:A:141:ILE:HG21	1.79	0.63
1:C:276:ILE:HG12	1:C:288:LEU:HB2	1.82	0.60
1:B:276:ILE:HG12	1:B:288:LEU:HB2	1.84	0.60
1:D:200:TRP:CE3	1:D:203[B]:MET:SD	2.96	0.59
1:D:293[A]:ILE:HD12	1:D:301:ASP:HB2	1.85	0.56
1:D:247:THR:HG23	2:D:801:NAD:H5N	1.86	0.56
1:A:231:LYS:O	1:A:234:VAL:HG22	2.08	0.54
1:A:109:VAL:HG22	1:A:138:PRO:HG2	1.89	0.54
1:C:293:ILE:HD12	1:C:301:ASP:HB2	1.90	0.53
1:B:293:ILE:HD12	1:B:301:ASP:HB2	1.90	0.53
1:B:168:ARG:HH12	1:B:247:THR:HG21	1.74	0.53
1:C:247:THR:HG23	2:C:801:NAD:H5N	1.90	0.53
1:C:3:LEU:HD13	1:D:214:HIS:HB2	1.91	0.52
1:A:168:ARG:HH12	1:A:247:THR:HG21	1.75	0.51
1:A:293:ILE:HD12	1:A:301:ASP:HB2	1.91	0.51
1:B:115:ILE:HG23	1:B:119:ILE:HD12	1.91	0.51
1:C:231:LYS:O	1:C:234:VAL:HG22	2.11	0.50
1:D:203[A]:MET:HE2	1:D:217:LEU:HD21	1.93	0.50
1:B:240:VAL:HG11	1:B:247:THR:HG22	1.94	0.50
1:A:99:GLN:HE22	3:A:803:EPE:H61	1.77	0.49
1:A:240:VAL:HG11	1:A:247:THR:HG22	1.95	0.49
1:D:99:GLN:HA	1:D:108:LEU:HD11	1.93	0.49
1:C:238:TYR:CE2	3:C:806:EPE:H21	2.47	0.49
1:A:3:LEU:HD13	1:B:214:HIS:HB2	1.93	0.48
1:D:203[A]:MET:HG2	1:D:210:LEU:HD22	1.95	0.48
1:C:214:HIS:HB2	1:D:3:LEU:HD13	1.96	0.48
1:B:240:VAL:CG1	1:B:247:THR:HG22	2.44	0.48
1:B:109:VAL:HG22	1:B:138:PRO:HG2	1.96	0.47
1:A:240:VAL:CG1	1:A:247:THR:HG22	2.45	0.47
1:B:114:ASN:HA	1:B:117:LYS:HD3	1.97	0.46
1:B:99:GLN:HE22	3:B:803:EPE:H62	1.80	0.46
5:D:803:D0Y:C22	5:D:803:D0Y:C26	2.93	0.46
3:C:806:EPE:H61	3:C:806:EPE:H101	1.65	0.46
1:C:232:GLN:HG2	6:C:1073:HOH:O	2.16	0.45
1:B:115:ILE:HG23	1:B:119:ILE:CD1	2.46	0.45
1:D:200:TRP:HE3	1:D:203[B]:MET:SD	2.39	0.45
1:A:238:TYR:OH	3:A:803:EPE:H51	2.17	0.45
3:B:802:EPE:H21	6:B:945:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:VAL:HG21	6:A:1091:HOH:O	2.16	0.45
1:A:327:LYS:HE3	6:A:914:HOH:O	2.17	0.44
1:C:32:MET:HE1	1:C:64:LEU:HD11	2.00	0.44
1:C:109:VAL:CG2	1:C:138:PRO:HG2	2.47	0.43
1:A:190:GLY:HA3	1:A:315:LEU:HD21	1.99	0.43
1:B:105:ARG:O	1:B:109:VAL:HG23	2.18	0.43
1:A:42:ASP:CG	1:A:72[A]:ARG:HE	2.26	0.43
1:D:276:ILE:HD11	1:D:290:VAL:HG11	2.01	0.43
3:B:802:EPE:H102	3:B:802:EPE:H22	1.63	0.42
1:A:55:ASP:O	1:B:243:LEU:HB3	2.19	0.42
1:D:82:TYR:CG	1:D:122:ASN:HB3	2.55	0.41
1:B:109:VAL:CG2	1:B:138:PRO:HG2	2.51	0.41
1:A:190:GLY:HA3	1:A:315:LEU:CD2	2.51	0.41
1:D:225:GLN:HB3	1:D:228:GLU:HG2	2.03	0.41
1:C:113:VAL:HG22	1:C:145:VAL:HG21	2.03	0.40
1:C:141:ILE:HG13	1:C:322:LEU:HD22	2.03	0.40
1:C:276:ILE:CD1	1:C:286:VAL:HG23	2.49	0.40
1:A:20:ASN:HD21	1:D:20:ASN:HD21	1.67	0.40
1:C:138:PRO:HG3	3:C:803:EPE:O3S	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/331 (101%)	326 (98%)	7 (2%)	0	100	100
1	B	330/331 (100%)	321 (97%)	9 (3%)	0	100	100
1	C	330/331 (100%)	323 (98%)	6 (2%)	1 (0%)	36	36
1	D	332/331 (100%)	323 (97%)	9 (3%)	0	100	100
All	All	1325/1324 (100%)	1293 (98%)	31 (2%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	14	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/287 (101%)	287 (99%)	4 (1%)	59	67
1	B	288/287 (100%)	285 (99%)	3 (1%)	68	76
1	C	288/287 (100%)	283 (98%)	5 (2%)	53	62
1	D	289/287 (101%)	288 (100%)	1 (0%)	86	91
All	All	1156/1148 (101%)	1143 (99%)	13 (1%)	65	74

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	LYS
1	A	109	VAL
1	A	275	MET
1	A	315	LEU
1	B	19	GLN
1	B	115	ILE
1	B	165	ASP
1	C	117	LYS
1	C	176	ARG
1	C	228	GLU
1	C	275	MET
1	C	276	ILE
1	D	103	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	16	GLN
1	A	20	ASN
1	A	99	GLN
1	A	107	ASN
1	A	163	ASN
1	A	326	GLN
1	B	10	ASN
1	B	16	GLN
1	B	87	ASN
1	B	225	GLN
1	B	296	GLN
1	B	297	ASN
1	B	326	GLN
1	C	20	ASN
1	C	296	GLN
1	C	297	ASN
1	C	326	GLN
1	D	10	ASN
1	D	99	GLN
1	D	107	ASN
1	D	232	GLN
1	D	326	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	A	804	-	4,4,4	0.21	0	6,6,6	0.21	0
5	D0Y	D	803	-	39,39,39	1.04	2 (5%)	42,56,56	1.08	4 (9%)
4	SO4	C	804	-	4,4,4	0.27	0	6,6,6	0.14	0
4	SO4	D	802	-	4,4,4	0.47	0	6,6,6	0.17	0
2	NAD	A	801	-	46,48,48	1.83	9 (19%)	64,73,73	1.72	15 (23%)
2	NAD	B	801	-	46,48,48	1.83	10 (21%)	64,73,73	1.70	13 (20%)
3	EPE	C	802	-	15,15,15	1.64	1 (6%)	19,20,20	0.77	1 (5%)
2	NAD	C	801	-	46,48,48	1.85	9 (19%)	64,73,73	1.72	12 (18%)
3	EPE	C	806	-	15,15,15	0.88	1 (6%)	19,20,20	0.57	0
2	NAD	D	801	-	46,48,48	1.78	10 (21%)	64,73,73	1.71	14 (21%)
3	EPE	B	803	-	15,15,15	0.92	1 (6%)	19,20,20	0.86	1 (5%)
3	EPE	B	802	-	15,15,15	0.92	1 (6%)	19,20,20	0.54	0
3	EPE	C	803	-	15,15,15	1.27	1 (6%)	19,20,20	0.60	0
4	SO4	B	804	-	4,4,4	0.38	0	6,6,6	0.14	0
5	D0Y	A	805	-	39,39,39	1.12	2 (5%)	42,56,56	1.11	3 (7%)
3	EPE	A	802	-	15,15,15	1.16	1 (6%)	19,20,20	0.46	0
5	D0Y	C	807	-	39,39,39	1.02	1 (2%)	42,56,56	1.13	3 (7%)
3	EPE	A	803	-	15,15,15	1.12	1 (6%)	19,20,20	0.47	0
4	SO4	C	805	-	4,4,4	0.53	0	6,6,6	0.14	0
5	D0Y	B	805	-	39,39,39	0.98	1 (2%)	42,56,56	1.01	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EPE	A	803	-	-	5/9/19/19	0/1/1/1
2	NAD	A	801	-	-	6/30/62/62	0/5/5/5
2	NAD	B	801	-	-	5/30/62/62	0/5/5/5
3	EPE	B	802	-	-	4/9/19/19	0/1/1/1
3	EPE	C	802	-	-	3/9/19/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EPE	C	803	-	-	2/9/19/19	0/1/1/1
2	NAD	C	801	-	-	4/30/62/62	0/5/5/5
5	D0Y	C	807	-	-	0/16/38/38	0/5/5/5
5	D0Y	D	803	-	-	0/16/38/38	0/5/5/5
5	D0Y	A	805	-	-	0/16/38/38	0/5/5/5
5	D0Y	B	805	-	-	0/16/38/38	0/5/5/5
3	EPE	A	802	-	-	5/9/19/19	0/1/1/1
3	EPE	C	806	-	-	6/9/19/19	0/1/1/1
2	NAD	D	801	-	-	3/30/62/62	0/5/5/5
3	EPE	B	803	-	-	4/9/19/19	0/1/1/1

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	802	EPE	C10-S	-6.21	1.68	1.77
2	C	801	NAD	C7N-N7N	5.81	1.43	1.33
2	A	801	NAD	C7N-N7N	5.35	1.42	1.33
2	D	801	NAD	C7N-N7N	5.18	1.42	1.33
2	B	801	NAD	C7N-N7N	4.90	1.42	1.33
3	C	803	EPE	C10-S	-4.87	1.70	1.77
2	A	801	NAD	C6A-N6A	4.67	1.46	1.34
2	A	801	NAD	C2B-C3B	-4.63	1.40	1.53
2	B	801	NAD	C6A-N6A	4.61	1.46	1.34
2	C	801	NAD	C6A-N6A	4.56	1.45	1.34
2	C	801	NAD	C2B-C3B	-4.44	1.41	1.53
3	A	802	EPE	C10-S	-4.36	1.71	1.77
3	A	803	EPE	C10-S	-4.27	1.71	1.77
2	D	801	NAD	C2B-C3B	-4.19	1.42	1.53
2	D	801	NAD	C6A-N6A	4.18	1.44	1.34
2	B	801	NAD	C2B-C3B	-4.17	1.42	1.53
3	B	802	EPE	C10-S	-3.40	1.72	1.77
2	A	801	NAD	O2D-C2D	-3.37	1.34	1.43
5	A	805	D0Y	C15-C16	3.35	1.54	1.51
3	B	803	EPE	C10-S	-3.34	1.72	1.77
5	B	805	D0Y	C15-C16	3.20	1.53	1.51
5	C	807	D0Y	C15-C16	3.20	1.53	1.51
3	C	806	EPE	C10-S	-3.17	1.73	1.77
2	D	801	NAD	O2D-C2D	-3.09	1.35	1.43
2	B	801	NAD	C2N-N1N	2.94	1.38	1.35
2	B	801	NAD	O2D-C2D	-2.93	1.35	1.43
5	D	803	D0Y	C15-C16	2.86	1.53	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	801	NAD	O2D-C2D	-2.85	1.35	1.43
5	A	805	D0Y	C6-S5	2.46	1.80	1.77
2	C	801	NAD	C5D-C4D	-2.41	1.44	1.51
2	A	801	NAD	C5A-N7A	-2.39	1.34	1.39
2	C	801	NAD	C5A-N7A	-2.37	1.34	1.39
2	B	801	NAD	C5D-C4D	-2.36	1.44	1.51
2	D	801	NAD	C5D-C4D	-2.35	1.44	1.51
2	B	801	NAD	C5A-N7A	-2.34	1.34	1.39
2	C	801	NAD	C5B-C4B	-2.29	1.44	1.51
2	B	801	NAD	C5B-C4B	-2.23	1.44	1.51
2	D	801	NAD	C5B-C4B	-2.19	1.45	1.51
2	C	801	NAD	C2N-N1N	2.19	1.37	1.35
2	D	801	NAD	C2N-N1N	2.18	1.37	1.35
2	A	801	NAD	PA-O3	2.18	1.61	1.59
2	D	801	NAD	C5A-N7A	-2.17	1.35	1.39
2	B	801	NAD	C8A-N7A	2.17	1.35	1.31
2	A	801	NAD	C5B-C4B	-2.17	1.45	1.51
2	C	801	NAD	O4B-C4B	-2.08	1.40	1.45
2	A	801	NAD	C5D-C4D	-2.06	1.45	1.51
5	D	803	D0Y	C17-S18	2.04	1.76	1.70
2	D	801	NAD	C5N-C4N	2.03	1.42	1.38
2	A	801	NAD	O4B-C4B	-2.03	1.40	1.45
2	B	801	NAD	PA-O3	2.02	1.61	1.59
2	D	801	NAD	C8A-N7A	2.02	1.35	1.31

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	801	NAD	N3A-C2A-N1A	-5.07	120.90	128.58
2	D	801	NAD	N3A-C2A-N1A	-4.88	121.20	128.58
2	A	801	NAD	N3A-C2A-N1A	-4.87	121.21	128.58
2	C	801	NAD	C5A-C4A-N3A	-4.86	120.02	126.72
2	B	801	NAD	N3A-C2A-N1A	-4.84	121.26	128.58
2	D	801	NAD	C5A-C4A-N3A	-4.84	120.06	126.72
2	B	801	NAD	C5A-C4A-N3A	-4.83	120.06	126.72
2	A	801	NAD	C5A-C4A-N3A	-4.55	120.45	126.72
2	B	801	NAD	C2A-N3A-C4A	3.71	120.88	111.83
2	C	801	NAD	C2A-N3A-C4A	3.71	120.88	111.83
2	D	801	NAD	C2A-N3A-C4A	3.70	120.87	111.83
2	A	801	NAD	N9A-C8A-N7A	-3.63	108.79	113.94
2	A	801	NAD	C2A-N3A-C4A	3.49	120.36	111.83
2	B	801	NAD	C4D-O4D-C1D	-3.47	106.75	109.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	801	NAD	N3A-C4A-N9A	3.47	133.06	127.17
2	C	801	NAD	N9A-C8A-N7A	-3.42	109.08	113.94
2	D	801	NAD	C4D-O4D-C1D	-3.39	106.82	109.92
2	B	801	NAD	N3A-C4A-N9A	3.30	132.78	127.17
2	D	801	NAD	N3A-C4A-N9A	3.28	132.75	127.17
5	A	805	D0Y	O35-C13-C4	-3.27	120.45	126.25
2	C	801	NAD	C5A-N7A-C8A	3.26	108.58	103.45
2	C	801	NAD	C4D-O4D-C1D	-3.22	106.98	109.92
2	A	801	NAD	N3A-C4A-N9A	3.19	132.59	127.17
2	A	801	NAD	C5A-N7A-C8A	3.18	108.44	103.45
2	A	801	NAD	C3N-C7N-N7N	3.07	121.52	117.74
2	B	801	NAD	C3N-C7N-N7N	3.06	121.51	117.74
2	D	801	NAD	N9A-C8A-N7A	-3.05	109.60	113.94
2	B	801	NAD	N9A-C8A-N7A	-3.03	109.63	113.94
2	C	801	NAD	C4A-C5A-N7A	-3.03	107.12	110.58
5	D	803	D0Y	O35-C13-C4	-3.01	120.91	126.25
5	A	805	D0Y	O14-C13-O35	2.95	121.30	117.56
2	D	801	NAD	C4A-C5A-N7A	-2.95	107.21	110.58
2	D	801	NAD	C5A-N7A-C8A	2.88	107.98	103.45
5	C	807	D0Y	O35-C13-C4	-2.83	121.22	126.25
2	D	801	NAD	O2N-PN-O3	2.80	114.85	107.27
2	C	801	NAD	C3N-C7N-N7N	2.77	121.15	117.74
2	A	801	NAD	C4A-C5A-N7A	-2.74	107.45	110.58
2	D	801	NAD	C3N-C7N-N7N	2.69	121.05	117.74
3	B	803	EPE	O2S-S-C10	-2.67	102.69	106.73
2	B	801	NAD	C5A-N7A-C8A	2.64	107.60	103.45
2	B	801	NAD	C4A-C5A-N7A	-2.61	107.59	110.58
2	A	801	NAD	C4A-N9A-C8A	2.57	108.43	105.74
2	A	801	NAD	C4D-O4D-C1D	-2.56	107.58	109.92
2	B	801	NAD	O2N-PN-O3	2.51	114.06	107.27
2	C	801	NAD	O2A-PA-O3	2.50	114.04	107.27
5	C	807	D0Y	C6-S5-C4	2.49	105.97	102.81
5	A	805	D0Y	C6-S5-C4	2.46	105.93	102.81
2	C	801	NAD	C4A-N9A-C8A	2.45	108.31	105.74
2	B	801	NAD	O7N-C7N-N7N	-2.42	119.12	122.62
2	A	801	NAD	O2N-PN-O3	2.38	113.72	107.27
5	C	807	D0Y	O14-C13-O35	2.36	120.55	117.56
5	D	803	D0Y	O14-C13-O35	2.34	120.52	117.56
2	A	801	NAD	O2A-PA-O3	2.32	113.53	107.27
2	C	801	NAD	O7N-C7N-N7N	-2.24	119.38	122.62
2	D	801	NAD	C4A-N9A-C8A	2.23	108.08	105.74
2	D	801	NAD	O7N-C7N-N7N	-2.22	119.41	122.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	NAD	C4A-N9A-C8A	2.17	108.02	105.74
2	B	801	NAD	O2A-PA-O3	2.12	113.01	107.27
5	D	803	D0Y	C30-C28-C27	-2.10	120.04	122.80
2	A	801	NAD	O7N-C7N-N7N	-2.10	119.58	122.62
2	A	801	NAD	O4B-C1B-C2B	-2.10	102.13	106.62
5	B	805	D0Y	O35-C13-C4	-2.09	122.55	126.25
5	D	803	D0Y	C31-C30-C28	2.07	120.51	118.38
2	A	801	NAD	O4B-C1B-N9A	2.06	112.06	108.09
2	D	801	NAD	C4B-O4B-C1B	-2.05	104.94	109.47
3	C	802	EPE	C10-C9-N1	-2.02	104.71	112.36
2	D	801	NAD	O3-PA-O1A	-2.02	104.63	110.70

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	NAD	O4D-C1D-N1N-C2N
2	A	801	NAD	O4D-C1D-N1N-C6N
2	A	801	NAD	C2D-C1D-N1N-C2N
2	B	801	NAD	O4D-C1D-N1N-C2N
2	B	801	NAD	O4D-C1D-N1N-C6N
2	B	801	NAD	C2D-C1D-N1N-C2N
2	C	801	NAD	O4D-C1D-N1N-C2N
2	C	801	NAD	O4D-C1D-N1N-C6N
2	C	801	NAD	C2D-C1D-N1N-C2N
2	D	801	NAD	O4D-C1D-N1N-C2N
2	D	801	NAD	O4D-C1D-N1N-C6N
2	D	801	NAD	C2D-C1D-N1N-C2N
3	A	802	EPE	C9-C10-S-O1S
3	A	802	EPE	C9-C10-S-O2S
3	A	802	EPE	C9-C10-S-O3S
3	B	802	EPE	C10-C9-N1-C2
3	C	802	EPE	C10-C9-N1-C6
3	C	806	EPE	C10-C9-N1-C6
3	C	803	EPE	N4-C7-C8-O8
3	A	803	EPE	C9-C10-S-O3S
3	C	806	EPE	C9-C10-S-O3S
3	B	803	EPE	N4-C7-C8-O8
3	B	803	EPE	C8-C7-N4-C5
3	B	802	EPE	C10-C9-N1-C6
3	B	803	EPE	C10-C9-N1-C2
3	C	802	EPE	C10-C9-N1-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	806	EPE	N4-C7-C8-O8
3	B	802	EPE	C8-C7-N4-C3
3	B	802	EPE	C8-C7-N4-C5
3	A	803	EPE	C9-C10-S-O1S
3	A	803	EPE	C9-C10-S-O2S
3	C	806	EPE	C9-C10-S-O1S
3	C	806	EPE	C9-C10-S-O2S
3	C	802	EPE	N4-C7-C8-O8
3	B	803	EPE	C10-C9-N1-C6
3	C	806	EPE	C10-C9-N1-C2
2	A	801	NAD	C2D-C1D-N1N-C6N
2	A	801	NAD	PN-O3-PA-O1A
2	B	801	NAD	PN-O3-PA-O1A
3	C	803	EPE	C10-C9-N1-C2
3	A	803	EPE	C8-C7-N4-C5
2	B	801	NAD	C2B-C1B-N9A-C8A
2	C	801	NAD	C2B-C1B-N9A-C8A
3	A	802	EPE	C8-C7-N4-C3
3	A	802	EPE	C8-C7-N4-C5
2	A	801	NAD	C2B-C1B-N9A-C8A
3	A	803	EPE	C8-C7-N4-C3


There are no ring outliers.


9 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	803	D0Y	1	0
3	C	802	EPE	1	0
2	C	801	NAD	1	0
3	C	806	EPE	2	0
2	D	801	NAD	1	0
3	B	803	EPE	1	0
3	B	802	EPE	3	0
3	C	803	EPE	1	0
3	A	803	EPE	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be



highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	331/331 (100%)	0.12	8 (2%) 59 62	10, 21, 44, 68	4 (1%)
1	B	331/331 (100%)	0.20	16 (4%) 35 38	12, 21, 45, 81	1 (0%)
1	C	331/331 (100%)	0.11	9 (2%) 56 59	11, 21, 45, 82	1 (0%)
1	D	331/331 (100%)	0.16	14 (4%) 40 42	10, 20, 48, 85	3 (0%)
All	All	1324/1324 (100%)	0.15	47 (3%) 47 49	10, 20, 46, 85	9 (0%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	105	ARG	4.9
1	C	331	PHE	4.5
1	B	331	PHE	4.4
1	B	100	GLN	4.3
1	A	118[A]	PHE	4.2
1	D	1	ALA	3.8
1	D	331	PHE	3.5
1	D	118[A]	PHE	3.5
1	B	14	GLU	3.5
1	B	16	GLN	3.4
1	D	107	ASN	3.3
1	B	101	GLU	3.2
1	B	1	ALA	3.2
1	D	16	GLN	3.2
1	D	17	THR	3.2
1	C	16	GLN	3.1
1	D	101	GLU	2.9
1	D	106	LEU	2.9
1	B	221	LYS	2.8
1	D	15	GLU	2.7
1	A	226	TRP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	12	LEU	2.6
1	A	331	PHE	2.6
1	D	13	LYS	2.6
1	D	104	SER	2.6
1	A	125	LYS	2.5
1	C	13	LYS	2.5
1	B	15	GLU	2.5
1	C	17	THR	2.4
1	C	223	LYS	2.4
1	C	1	ALA	2.4
1	B	13	LYS	2.4
1	B	80	LYS	2.3
1	C	12	LEU	2.3
1	A	13	LYS	2.3
1	C	330	GLN	2.2
1	B	219	THR	2.2
1	D	280	TYR	2.2
1	A	328	GLU	2.1
1	D	102	GLY	2.1
1	B	97	ALA	2.1
1	B	107	ASN	2.1
1	B	106	LEU	2.1
1	C	3	LEU	2.1
1	B	220	ASP	2.1
1	A	220	ASP	2.0
1	A	17	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EPE	B	802	15/15	0.75	0.21	57,69,81,81	0
3	EPE	A	802	15/15	0.76	0.21	56,62,65,65	15
3	EPE	C	802	15/15	0.77	0.17	51,57,59,60	0
3	EPE	C	806	15/15	0.77	0.21	65,67,73,74	0
4	SO4	C	805	5/5	0.78	0.21	51,51,54,57	0
4	SO4	C	804	5/5	0.80	0.16	29,32,33,36	5
3	EPE	B	803	15/15	0.80	0.19	38,43,48,48	15
4	SO4	B	804	5/5	0.83	0.15	58,60,62,62	0
4	SO4	A	804	5/5	0.88	0.18	43,49,51,52	0
3	EPE	A	803	15/15	0.89	0.14	39,46,56,58	0
4	SO4	D	802	5/5	0.89	0.17	25,32,37,39	0
3	EPE	C	803	15/15	0.91	0.12	29,34,51,52	0
5	D0Y	D	803	35/35	0.95	0.08	17,20,47,51	0
2	NAD	B	801	44/44	0.96	0.06	12,18,23,24	0
2	NAD	C	801	44/44	0.96	0.06	15,19,22,25	0
5	D0Y	A	805	35/35	0.96	0.06	15,22,25,27	0
5	D0Y	B	805	35/35	0.96	0.07	13,19,31,36	0
5	D0Y	C	807	35/35	0.96	0.06	14,19,24,26	0
2	NAD	A	801	44/44	0.96	0.06	12,17,21,23	0
2	NAD	D	801	44/44	0.97	0.06	13,16,19,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around D0Y D 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD B 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D0Y A 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D0Y B 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D0Y C 807:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD D 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.