



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:23 AM UTC

PDB ID : 3BCF / pdb_00003bcf
Title : Alpha-amylase B from Halothermothrix orenii
Authors : Tan, T.-C.; Mijts, B.N.; Swaminathan, K.; Patel, B.K.C.; Divne, C.
Deposited on : 2007-11-12
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	599	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha amylase, catalytic region.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	585	4747	3025	767	944	11	0	0	0

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total	Ca	0	0
			4	4		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	256	Total	O	0	0
			256	256		

3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha amylase, catalytic region



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	226.62Å 77.82Å 50.33Å 90.00° 99.38° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.5 (30.00-2.30) 97.4 (30.00-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	16.14 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.191 , 0.229 0.200 , 0.235	Depositor DCC
R_{free} test set	2572 reflections (4.36%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtrriage
Anisotropy	0.018	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 52.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	5008	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.34	31/4878 (0.6%)	1.11	9/6645 (0.1%)

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	318	ALA	CA-C	7.29	1.61	1.52
1	A	351	ALA	CA-CB	7.29	1.64	1.53
1	A	265	PHE	CA-CB	7.22	1.57	1.52
1	A	536	VAL	CA-CB	-6.71	1.46	1.54
1	A	357	TYR	C-O	-6.69	1.15	1.24
1	A	354	HIS	C-O	-6.60	1.15	1.24
1	A	148	LEU	N-CA	-6.51	1.38	1.46
1	A	257	ILE	CA-CB	6.48	1.64	1.54
1	A	359	PHE	CA-CB	6.43	1.63	1.53
1	A	125	ILE	N-CA	6.17	1.53	1.46
1	A	351	ALA	CA-C	-6.14	1.45	1.53
1	A	406	PHE	CA-C	6.12	1.60	1.52
1	A	366	ALA	CA-CB	6.05	1.62	1.53
1	A	350	ASP	C-O	5.83	1.30	1.23
1	A	230	VAL	CA-CB	5.66	1.60	1.53
1	A	125	ILE	CA-CB	5.63	1.61	1.54
1	A	179	ILE	CA-CB	5.48	1.61	1.54
1	A	153	ALA	CA-CB	5.43	1.62	1.53
1	A	290	TYR	C-O	5.41	1.30	1.24
1	A	327	VAL	CA-C	5.40	1.59	1.52
1	A	357	TYR	N-CA	5.38	1.53	1.46
1	A	498	LEU	C-O	-5.34	1.17	1.24
1	A	443	VAL	CA-CB	5.33	1.60	1.55
1	A	534	GLY	N-CA	5.27	1.50	1.45
1	A	189	LEU	N-CA	5.25	1.52	1.46
1	A	338	ILE	CA-CB	5.24	1.61	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	126	LEU	CA-C	-5.18	1.46	1.52
1	A	477	VAL	CA-CB	5.17	1.58	1.54
1	A	381	ALA	CA-CB	5.09	1.61	1.53
1	A	174	LYS	C-O	5.05	1.30	1.24
1	A	360	ILE	CA-CB	5.04	1.60	1.54

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	457	VAL	N-CA-C	-7.16	98.17	108.48
1	A	366	ALA	N-CA-C	-6.16	104.48	111.14
1	A	546	ASN	N-CA-C	6.06	117.99	108.96
1	A	176	MET	CG-SD-CE	5.73	113.50	100.90
1	A	327	VAL	N-CA-C	-5.46	105.40	110.53
1	A	189	LEU	N-CA-C	5.42	117.89	111.33
1	A	588	GLU	CA-C-N	5.25	127.83	120.28
1	A	588	GLU	C-N-CA	5.25	127.83	120.28
1	A	308	TYR	N-CA-C	5.13	117.54	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4747	0	4383	45	0
2	A	4	0	0	0	0
3	A	1	0	0	0	0
4	A	256	0	0	6	0
All	All	5008	0	4383	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:ALA:HB2	1:A:263:PHE:CZ	2.29	0.67
1:A:237:ALA:HB2	1:A:263:PHE:CE1	2.29	0.67
1:A:247:GLU:HA	1:A:247:GLU:OE1	1.95	0.64
1:A:237:ALA:O	4:A:791:HOH:O	2.14	0.64
1:A:174:LYS:NZ	1:A:195:PHE:O	2.32	0.62
1:A:554:SER:O	1:A:555:ARG:HB2	1.99	0.62
1:A:546:ASN:N	1:A:546:ASN:OD1	2.32	0.58
1:A:535:LEU:C	1:A:535:LEU:HD12	2.29	0.56
1:A:176:MET:HG2	1:A:235:MET:HB3	1.88	0.56
1:A:216:ASP:O	1:A:217:ALA:C	2.52	0.53
1:A:566:GLY:O	1:A:569:LYS:NZ	2.43	0.52
1:A:20:GLU:HG3	1:A:39:ILE:HD12	1.91	0.52
1:A:193:GLY:HA2	1:A:201:VAL:O	2.09	0.52
1:A:568:ILE:HG22	1:A:570:GLU:HG3	1.92	0.52
1:A:515:ASN:HD21	1:A:521:SER:H	1.57	0.52
1:A:373:ARG:O	4:A:709:HOH:O	2.19	0.51
1:A:94:ASP:OD1	1:A:94:ASP:C	2.54	0.51
1:A:483:LYS:NZ	4:A:731:HOH:O	2.40	0.51
1:A:515:ASN:ND2	1:A:521:SER:H	2.11	0.49
1:A:16:LEU:HA	1:A:41:SER:OG	2.13	0.49
1:A:263:PHE:HB2	1:A:277:TRP:HB2	1.94	0.49
1:A:386:VAL:HG12	4:A:767:HOH:O	2.12	0.48
1:A:220:ASN:HA	4:A:722:HOH:O	2.13	0.48
1:A:237:ALA:HA	1:A:263:PHE:CE2	2.48	0.48
1:A:564:LEU:C	1:A:564:LEU:HD12	2.39	0.47
1:A:167:VAL:O	1:A:167:VAL:HG23	2.14	0.47
1:A:286:ASP:O	1:A:294:SER:HA	2.15	0.46
1:A:189:LEU:HB3	1:A:334:TRP:NE1	2.31	0.45
1:A:227:PHE:O	1:A:347:PHE:HA	2.17	0.44
1:A:36:ILE:HG21	1:A:88:LEU:HD22	1.99	0.44
1:A:56:ILE:HD13	1:A:56:ILE:N	2.31	0.44
1:A:220:ASN:CG	4:A:722:HOH:O	2.60	0.44
1:A:170:PRO:O	1:A:171:PRO:C	2.60	0.44
1:A:238:ASP:N	1:A:262:GLY:O	2.51	0.44
1:A:564:LEU:HD23	1:A:596:VAL:HG11	2.00	0.43
1:A:334:TRP:O	1:A:335:GLY:C	2.57	0.43
1:A:127:GLN:HE22	1:A:445:ASN:HB2	1.82	0.43
1:A:360:ILE:HD12	1:A:360:ILE:HG23	1.70	0.43
1:A:54:ASP:OD1	1:A:54:ASP:C	2.60	0.43
1:A:286:ASP:HB3	1:A:314:TYR:OH	2.18	0.43
1:A:535:LEU:HD12	1:A:535:LEU:O	2.19	0.42
1:A:16:LEU:HD22	1:A:94:ASP:HB3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:LEU:HB2	1:A:256:TYR:CE2	2.56	0.41
1:A:192:LEU:N	1:A:192:LEU:HD23	2.34	0.41
1:A:150:ASN:O	1:A:153:ALA:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	583/599 (97%)	568 (97%)	14 (2%)	1 (0%)	43 55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	504/517 (98%)	485 (96%)	19 (4%)	29 44

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	SER
1	A	48	SER
1	A	83	THR
1	A	91	GLU
1	A	119	GLN
1	A	168	TRP
1	A	176	MET
1	A	179	ILE
1	A	222	ASP
1	A	269	ASN
1	A	325	GLU
1	A	373	ARG
1	A	386	VAL
1	A	403	VAL
1	A	455	TYR
1	A	457	VAL
1	A	564	LEU
1	A	570	GLU
1	A	588	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	GLN
1	A	112	ASN
1	A	127	GLN
1	A	173	ASN
1	A	220	ASN
1	A	221	ASN
1	A	248	ASN
1	A	515	ASN
1	A	581	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	585/599 (97%)	2.09	254 (43%) 0 0	17, 44, 60, 72	9 (1%)

All (254) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	592	TRP	10.2
1	A	540	SER	9.9
1	A	84	CYS	9.6
1	A	61	ILE	8.4
1	A	386	VAL	7.4
1	A	432	SER	7.3
1	A	373	ARG	6.2
1	A	154	GLU	6.1
1	A	587	SER	5.9
1	A	65	ASP	5.6
1	A	160	ALA	5.4
1	A	163	GLY	5.3
1	A	517	ALA	5.3
1	A	505	ALA	5.1
1	A	558	ASP	5.1
1	A	269	ASN	4.9
1	A	291	SER	4.9
1	A	220	ASN	4.8
1	A	545	GLY	4.7
1	A	585	ILE	4.6
1	A	589	ASP	4.5
1	A	214	ALA	4.5
1	A	544	SER	4.4
1	A	117	PRO	4.3
1	A	128	ALA	4.3
1	A	15	SER	4.2
1	A	222	ASP	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	124	THR	4.2
1	A	530	VAL	4.2
1	A	118	ASP	4.2
1	A	455	TYR	4.1
1	A	94	ASP	4.1
1	A	547	VAL	4.0
1	A	590	LYS	3.9
1	A	506	TYR	3.9
1	A	567	HIS	3.9
1	A	371	SER	3.8
1	A	122	ASN	3.8
1	A	588	GLU	3.8
1	A	591	GLY	3.8
1	A	311	ASP	3.8
1	A	166	ALA	3.8
1	A	274	ASN	3.7
1	A	125	ILE	3.7
1	A	577	GLU	3.7
1	A	162	ALA	3.7
1	A	113	TYR	3.7
1	A	578	GLY	3.7
1	A	565	THR	3.7
1	A	541	ASP	3.6
1	A	96	TYR	3.6
1	A	281	CYS	3.6
1	A	188	ASP	3.6
1	A	528	PRO	3.6
1	A	537	LEU	3.5
1	A	213	ASN	3.5
1	A	372	ASN	3.5
1	A	513	ASP	3.4
1	A	112	ASN	3.4
1	A	310	TRP	3.4
1	A	539	ILE	3.4
1	A	138	TYR	3.4
1	A	543	THR	3.4
1	A	41	SER	3.4
1	A	546	ASN	3.3
1	A	253	PRO	3.3
1	A	142	HIS	3.3
1	A	136	GLY	3.2
1	A	120	GLU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	237	ALA	3.2
1	A	551	TRP	3.2
1	A	95	ILE	3.2
1	A	30	SER	3.2
1	A	209	GLY	3.2
1	A	115	GLN	3.2
1	A	265	PHE	3.2
1	A	596	VAL	3.2
1	A	247	GLU	3.1
1	A	123	HIS	3.1
1	A	549	GLY	3.1
1	A	177	ALA	3.1
1	A	531	ALA	3.1
1	A	108	VAL	3.1
1	A	226	TYR	3.1
1	A	93	ILE	3.1
1	A	116	ILE	3.1
1	A	303	SER	3.0
1	A	232	ASN	3.0
1	A	159	LEU	3.0
1	A	119	GLN	3.0
1	A	224	LYS	3.0
1	A	121	VAL	3.0
1	A	518	ASP	3.0
1	A	139	ALA	3.0
1	A	520	TYR	3.0
1	A	114	PRO	3.0
1	A	325	GLU	2.9
1	A	563	ASP	2.9
1	A	557	PRO	2.9
1	A	26	GLY	2.9
1	A	586	LYS	2.9
1	A	217	ALA	2.9
1	A	260	TRP	2.9
1	A	287	TRP	2.9
1	A	59	SER	2.9
1	A	109	ASN	2.9
1	A	221	ASN	2.9
1	A	593	SER	2.9
1	A	27	ALA	2.9
1	A	62	GLN	2.9
1	A	229	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	324	ASN	2.9
1	A	562	TYR	2.8
1	A	167	VAL	2.8
1	A	215	ILE	2.8
1	A	568	ILE	2.8
1	A	574	THR	2.8
1	A	32	ASN	2.8
1	A	267	GLY	2.8
1	A	576	SER	2.8
1	A	314	TYR	2.8
1	A	141	GLU	2.8
1	A	552	ILE	2.8
1	A	575	ASP	2.8
1	A	454	SER	2.8
1	A	110	GLN	2.8
1	A	42	ASN	2.8
1	A	111	SER	2.8
1	A	370	SER	2.8
1	A	78	PHE	2.8
1	A	366	ALA	2.7
1	A	97	ASP	2.7
1	A	140	THR	2.7
1	A	126	LEU	2.7
1	A	309	ASN	2.7
1	A	559	THR	2.7
1	A	231	LEU	2.7
1	A	66	TYR	2.7
1	A	58	ASP	2.7
1	A	91	GLU	2.7
1	A	254	GLY	2.7
1	A	526	GLY	2.7
1	A	82	PRO	2.7
1	A	249	SER	2.7
1	A	31	LYS	2.6
1	A	83	THR	2.6
1	A	580	GLY	2.6
1	A	219	HIS	2.6
1	A	374	ASP	2.6
1	A	168	TRP	2.6
1	A	85	ASN	2.6
1	A	261	THR	2.6
1	A	89	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	202	ARG	2.5
1	A	365	SER	2.5
1	A	228	ASP	2.5
1	A	278	ASN	2.5
1	A	288	ASP	2.5
1	A	548	ALA	2.5
1	A	34	THR	2.5
1	A	523	VAL	2.5
1	A	223	ILE	2.5
1	A	522	TYR	2.5
1	A	80	LEU	2.5
1	A	453	GLY	2.5
1	A	327	VAL	2.5
1	A	524	ARG	2.5
1	A	279	GLY	2.5
1	A	594	ILE	2.4
1	A	103	TYR	2.4
1	A	308	TYR	2.4
1	A	504	TYR	2.4
1	A	67	ASN	2.4
1	A	147	ASN	2.4
1	A	271	GLU	2.4
1	A	597	PRO	2.4
1	A	332	ILE	2.4
1	A	363	TRP	2.4
1	A	272	TYR	2.4
1	A	153	ALA	2.4
1	A	56	ILE	2.4
1	A	74	ILE	2.4
1	A	359	PHE	2.4
1	A	290	TYR	2.4
1	A	297	TYR	2.4
1	A	329	ASN	2.4
1	A	286	ASP	2.3
1	A	385	ASP	2.3
1	A	266	PRO	2.3
1	A	295	GLY	2.3
1	A	51	ALA	2.3
1	A	573	THR	2.3
1	A	17	PHE	2.3
1	A	36	ILE	2.3
1	A	527	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	582	PHE	2.3
1	A	270	GLY	2.3
1	A	165	THR	2.3
1	A	216	ASP	2.3
1	A	251	ASP	2.3
1	A	239	TYR	2.3
1	A	53	THR	2.3
1	A	294	SER	2.3
1	A	29	VAL	2.3
1	A	533	ASP	2.3
1	A	37	ILE	2.3
1	A	275	PHE	2.2
1	A	566	GLY	2.2
1	A	86	TYR	2.2
1	A	259	ALA	2.2
1	A	207	THR	2.2
1	A	129	PHE	2.2
1	A	43	ASP	2.2
1	A	196	ASP	2.2
1	A	143	PRO	2.2
1	A	461	SER	2.2
1	A	535	LEU	2.2
1	A	201	VAL	2.2
1	A	225	VAL	2.2
1	A	70	GLY	2.2
1	A	312	GLU	2.2
1	A	187	TYR	2.2
1	A	277	TRP	2.2
1	A	529	ASP	2.2
1	A	584	VAL	2.2
1	A	406	PHE	2.2
1	A	21	SER	2.2
1	A	156	ALA	2.2
1	A	509	GLY	2.1
1	A	24	SER	2.1
1	A	135	THR	2.1
1	A	419	ALA	2.1
1	A	250	ARG	2.1
1	A	357	TYR	2.1
1	A	158	GLU	2.1
1	A	512	VAL	2.1
1	A	532	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	238	ASP	2.1
1	A	300	ASP	2.1
1	A	164	PHE	2.1
1	A	334	TRP	2.1
1	A	63	GLY	2.1
1	A	326	ALA	2.1
1	A	351	ALA	2.1
1	A	54	ASP	2.1
1	A	248	ASN	2.1
1	A	305	ASP	2.1
1	A	579	TYR	2.1
1	A	98	ASN	2.0
1	A	107	LEU	2.0
1	A	134	ASN	2.0
1	A	227	PHE	2.0
1	A	45	ASN	2.0
1	A	298	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	A	705	1/1	0.91	0.22	58,58,58,58	0
2	CA	A	703	1/1	0.95	0.16	43,43,43,43	0
2	CA	A	701	1/1	0.97	0.13	34,34,34,34	0
3	NA	A	704	1/1	0.97	0.12	29,29,29,29	0
2	CA	A	702	1/1	0.98	0.10	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.