



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:50 PM UTC

PDB ID : 1BD0 / pdb_00001bd0
Title : ALANINE RACEMASE COMPLEXED WITH ALANINE PHOSPHONATE
Authors : Stamper, G.F.; Morollo, A.A.; Ringe, D.
Deposited on : 1998-05-12
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	388	
1	B	388	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6477 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ALANINE RACEMASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total	C	N	O	S	0	0	0
			3025	1937	537	538	13			
1	B	380	Total	C	N	O	S	0	0	0
			3021	1935	536	537	13			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	383	ALA	ARG	conflict	UNP P10724
B	383	ALA	ARG	conflict	UNP P10724

- Molecule 2 is {1-[(3-HYDROXY-METHYL-5-PHOSPHONOOXY-METHYL-PYRIDIN-4-YLMETHYL)-AMINO]-ETHYL}-PHOSPHONIC ACID (CCD ID: IN5) (formula: $C_{10}H_{18}N_2O_8P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			22	10	2	8	2		
2	B	1	Total	C	N	O	P	0	0
			22	10	2	8	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	220	Total	O	0	0
			220	220		
3	B	167	Total	O	0	0
			167	167		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ALANINE RACEMASE



• Molecule 1: ALANINE RACEMASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.23Å 87.69Å 85.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.60	Depositor
% Data completeness (in resolution range)	85.0 (10.00-1.60)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.240 , 0.266	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6477	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IN5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3103	0.92	10/4218 (0.2%)
1	B	0.40	0/3099	0.90	7/4213 (0.2%)
All	All	0.41	0/6202	0.91	17/8431 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	361	SER	N-CA-C	9.72	122.24	110.19
1	A	361	SER	N-CA-C	7.69	120.50	110.43
1	B	364	VAL	N-CA-C	6.88	114.71	107.76
1	A	67	LEU	N-CA-C	6.74	119.48	111.33
1	A	202	ALA	N-CA-C	6.60	120.62	110.20
1	A	47	ASP	N-CA-C	6.59	119.06	111.02
1	A	164	TYR	N-CA-C	6.06	116.56	108.38
1	A	216	ASN	N-CA-C	5.99	119.89	112.59
1	B	355	GLU	N-CA-C	5.54	118.25	111.82
1	A	364	VAL	N-CA-C	5.48	113.30	107.76
1	B	47	ASP	N-CA-C	5.45	117.03	111.14
1	A	248	HIS	N-CA-C	5.44	117.25	109.14
1	A	289	LEU	N-CA-C	5.28	117.69	110.24
1	B	5	HIS	N-CA-C	5.25	119.27	111.87
1	B	202	ALA	N-CA-C	5.15	118.61	109.96
1	A	360	ILE	N-CA-C	-5.11	101.27	108.12
1	B	360	ILE	N-CA-C	-5.05	101.36	108.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3025	0	3017	42	0
1	B	3021	0	3014	58	0
2	A	22	0	14	1	0
2	B	22	0	14	0	0
3	A	220	0	0	4	0
3	B	167	0	0	5	0
All	All	6477	0	6059	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:VAL:H	1:B:216:ASN:HD22	1.00	0.97
1:A:243:GLU:HG2	3:A:505:HOH:O	1.70	0.92
1:B:243:GLU:HG2	3:B:490:HOH:O	1.73	0.88
1:A:351:THR:HG21	1:A:355:GLU:OE1	1.77	0.85
1:B:199:VAL:N	1:B:216:ASN:HD22	1.75	0.84
1:B:163:LEU:HD13	1:B:192:LEU:HD11	1.58	0.82
1:B:163:LEU:HD11	1:B:189:LEU:HD23	1.65	0.78
1:B:231:PRO:HA	1:B:234:LYS:HD2	1.65	0.76
1:B:29:PRO:HB2	1:B:31:ASP:OD1	1.89	0.72
1:A:163:LEU:HD11	1:A:189:LEU:CD2	2.22	0.69
1:B:163:LEU:HD11	1:B:189:LEU:CD2	2.23	0.68
1:B:199:VAL:H	1:B:216:ASN:ND2	1.83	0.68
1:A:301:GLY:HA2	1:A:335:GLN:HB3	1.75	0.67
1:B:140:LYS:HE2	3:B:397:HOH:O	1.93	0.66
1:A:163:LEU:HD11	1:A:189:LEU:HD23	1.76	0.66
1:A:17:ILE:HD13	1:A:50:VAL:HG22	1.79	0.65
3:A:537:HOH:O	1:B:140:LYS:HE3	1.97	0.64
1:A:106:PHE:CD1	1:A:107:ARG:HG3	2.34	0.63
1:B:111:LEU:HD11	1:B:148:ILE:HG23	1.82	0.62
1:A:231:PRO:HA	1:A:234:LYS:HD2	1.83	0.61
1:A:2:ASN:HB2	1:A:377:VAL:O	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:155:HIS:HB3	1:B:158:PHE:HB2	1.83	0.59
1:A:249:SER:OG	1:A:281:PRO:HD2	2.02	0.59
1:A:256:LYS:HD2	1:A:274:GLU:HG2	1.84	0.59
1:A:375:MET:HE3	3:A:609:HOH:O	2.04	0.58
1:B:163:LEU:HD21	1:B:189:LEU:CD2	2.34	0.56
1:B:2:ASN:HB3	1:B:377:VAL:O	2.06	0.56
1:A:363:ARG:HG2	1:B:66:PHE:HZ	1.71	0.56
1:B:108:SER:O	1:B:112:GLU:HG3	2.07	0.55
1:B:163:LEU:HD23	1:B:199:VAL:HG22	1.88	0.55
1:A:163:LEU:HD13	1:A:192:LEU:HD11	1.89	0.54
1:A:234:LYS:N	1:A:235:PRO:HD2	2.22	0.54
1:B:2:ASN:O	1:B:377:VAL:HB	2.08	0.53
1:A:300:ASP:O	1:A:302:GLN:HG2	2.09	0.53
1:B:240:PRO:HG2	3:B:523:HOH:O	2.09	0.52
1:A:93:ALA:HB1	1:A:124:ILE:HD13	1.92	0.52
1:B:77:GLY:O	1:B:79:GLU:HG2	2.10	0.52
1:A:220:PHE:CE1	1:A:223:ALA:HB3	2.45	0.51
1:B:370:ARG:CB	1:B:375:MET:HE2	2.40	0.51
1:A:163:LEU:HB3	1:A:196:PRO:HG2	1.91	0.51
1:B:22:GLU:O	1:B:26:ARG:HG3	2.12	0.50
1:B:163:LEU:HD21	1:B:189:LEU:HD22	1.95	0.49
1:B:212:ASP:OD2	1:B:213:ARG:HG2	2.13	0.48
1:A:299:VAL:O	1:A:302:GLN:HG3	2.14	0.48
1:B:370:ARG:HB3	1:B:375:MET:HG3	1.95	0.48
1:B:299:VAL:O	1:B:299:VAL:HG13	2.13	0.48
1:B:124:ILE:HG12	1:B:126:PHE:CZ	2.48	0.48
1:B:145:THR:O	1:B:149:VAL:HG23	2.14	0.47
1:B:269:TYR:CG	1:B:307:VAL:HG13	2.50	0.47
1:B:64:VAL:HG21	1:B:70:ALA:HB2	1.96	0.47
1:A:269:TYR:CE1	1:A:307:VAL:HG22	2.50	0.47
1:B:72:ALA:O	1:B:76:LYS:HD2	2.13	0.47
1:B:370:ARG:O	1:B:371:HIS:HB2	2.16	0.46
1:A:362:TYR:O	1:A:380:ALA:HB3	2.16	0.46
1:A:163:LEU:HD23	1:A:199:VAL:HG22	1.98	0.46
1:A:222:ILE:HB	1:A:354:TYR:CE2	2.51	0.46
1:A:311:CYS:HB2	1:A:314:GLN:O	2.16	0.46
1:B:18:TYR:CD2	1:B:370:ARG:NH2	2.84	0.46
1:B:269:TYR:CD2	1:B:307:VAL:HG13	2.51	0.45
1:A:351:THR:HG22	1:B:290:ARG:HD3	1.98	0.45
1:A:109:ASP:O	1:A:113:GLU:HG3	2.16	0.45
1:A:163:LEU:HD22	1:A:192:LEU:CD1	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:HIS:HD2	1:A:216:ASN:O	2.00	0.45
1:B:171:ASP:OD1	1:B:171:ASP:N	2.50	0.45
1:A:163:LEU:O	1:A:163:LEU:HG	2.14	0.44
1:B:199:VAL:N	1:B:216:ASN:ND2	2.54	0.44
1:A:140:LYS:HE2	1:A:140:LYS:HB3	1.74	0.44
1:B:106:PHE:CZ	1:B:137:LEU:HD22	2.53	0.44
1:B:18:TYR:CD2	1:B:57:ALA:HB2	2.51	0.44
1:A:269:TYR:CD2	1:A:307:VAL:HG13	2.53	0.44
1:A:230:SER:OG	1:A:233:ILE:HG23	2.18	0.43
1:B:49:GLN:H	1:B:49:GLN:CD	2.26	0.43
1:A:351:THR:HG22	1:B:290:ARG:HH11	1.82	0.43
1:B:233:ILE:HA	1:B:236:LEU:HD12	2.00	0.43
1:B:371:HIS:O	1:B:373:ARG:HG3	2.18	0.43
1:A:187:HIS:O	1:A:190:GLU:HB2	2.18	0.42
1:B:172:GLU:O	1:B:209:ARG:NH2	2.42	0.42
1:B:293:GLN:O	1:B:306:ILE:O	2.37	0.42
1:B:134:MET:HB3	3:B:442:HOH:O	2.20	0.42
1:A:220:PHE:CZ	1:A:223:ALA:HB3	2.55	0.42
1:A:26:ARG:HG3	1:A:26:ARG:NH1	2.35	0.42
1:B:200:HIS:HB3	1:B:217:MET:HB3	2.02	0.41
1:B:369:PHE:CE2	1:B:374:ILE:HG12	2.55	0.41
1:A:188:MET:HG2	1:A:191:TRP:CH2	2.55	0.41
1:A:219:ARG:HB2	2:A:389:IN5:H1	2.02	0.41
1:B:47:ASP:HB2	1:B:73:LEU:HD21	2.03	0.41
1:B:222:ILE:HG23	1:B:223:ALA:N	2.35	0.41
1:B:288:TRP:CZ2	1:B:331:LEU:HD23	2.54	0.41
1:A:163:LEU:HD11	1:A:189:LEU:HD21	2.01	0.41
1:B:298:LEU:HD13	1:B:335:GLN:HB2	2.03	0.41
1:A:268:THR:HB	3:A:489:HOH:O	2.21	0.41
1:B:48:VAL:HG23	1:B:49:GLN:OE1	2.21	0.41
1:B:234:LYS:HA	1:B:237:LEU:HD22	2.03	0.41
1:B:297:VAL:HG12	3:B:517:HOH:O	2.20	0.41
1:A:262:LYS:HA	1:A:269:TYR:O	2.21	0.40
1:B:34:ILE:HB	1:B:59:ALA:HA	2.03	0.40
1:B:163:LEU:CD2	1:B:199:VAL:HG22	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	379/388 (98%)	364 (96%)	15 (4%)	0	100	100
1	B	378/388 (97%)	365 (97%)	12 (3%)	1 (0%)	36	20
All	All	757/776 (98%)	729 (96%)	27 (4%)	1 (0%)	48	27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	201	CYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/322 (99%)	301 (95%)	17 (5%)	20	4
1	B	318/322 (99%)	280 (88%)	38 (12%)	5	0
All	All	636/644 (99%)	581 (91%)	55 (9%)	10	1

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	119	SER
1	A	124	ILE
1	A	140	LYS
1	A	163	LEU
1	A	173	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	194	SER
1	A	248	HIS
1	A	264	SER
1	A	268	THR
1	A	272	GLN
1	A	299	VAL
1	A	302	GLN
1	A	306	ILE
1	A	307	VAL
1	A	313	ASP
1	A	350	GLU
1	A	351	THR
1	B	3	ASP
1	B	23	ASN
1	B	48	VAL
1	B	79	GLU
1	B	98	GLN
1	B	109	ASP
1	B	113	GLU
1	B	124	ILE
1	B	140	LYS
1	B	143	GLU
1	B	146	LYS
1	B	147	ARG
1	B	163	LEU
1	B	174	ASN
1	B	179	SER
1	B	184	ARG
1	B	190	GLU
1	B	192	LEU
1	B	194	SER
1	B	195	ARG
1	B	200	HIS
1	B	209	ARG
1	B	210	PHE
1	B	213	ARG
1	B	218	VAL
1	B	233	ILE
1	B	237	LEU
1	B	242	LYS
1	B	262	LYS
1	B	272	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	291	ARG
1	B	303	LYS
1	B	307	VAL
1	B	313	ASP
1	B	334	ARG
1	B	372	LYS
1	B	373	ARG
1	B	375	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	HIS
1	A	157	HIS
1	A	253	HIS
1	A	272	GLN
1	A	314	GLN
1	B	2	ASN
1	B	23	ASN
1	B	33	HIS
1	B	157	HIS
1	B	216	ASN
1	B	294	HIS
1	B	302	GLN
1	B	379	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	IN5	A	389	-	22,22,22	2.01	7 (31%)	24,33,33	1.25	3 (12%)
2	IN5	B	389	-	22,22,22	2.47	9 (40%)	24,33,33	1.23	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IN5	A	389	-	-	2/17/17/17	0/1/1/1
2	IN5	B	389	-	-	3/17/17/17	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	389	IN5	C8-N2	-5.35	1.31	1.46
2	B	389	IN5	P2-O6	4.58	1.57	1.49
2	B	389	IN5	C9-N2	-4.10	1.41	1.45
2	A	389	IN5	C8-N2	-4.06	1.34	1.46
2	A	389	IN5	C2-N1	3.89	1.40	1.33
2	B	389	IN5	C2-N1	3.77	1.40	1.33
2	A	389	IN5	C1-N1	3.39	1.41	1.34
2	B	389	IN5	C8-C4	-3.23	1.47	1.52
2	B	389	IN5	C1-N1	3.15	1.40	1.34
2	A	389	IN5	P1-O4	2.87	1.59	1.50
2	A	389	IN5	P2-O6	2.83	1.54	1.49
2	B	389	IN5	P1-O4	2.68	1.58	1.50
2	A	389	IN5	C5-C4	2.23	1.43	1.40
2	A	389	IN5	C8-C4	-2.22	1.48	1.52
2	B	389	IN5	C5-C4	2.16	1.43	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	389	IN5	P1-O2	-2.11	1.53	1.60

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	389	IN5	C5-C1-N1	-2.49	119.78	123.83
2	B	389	IN5	C5-C1-N1	-2.41	119.91	123.83
2	B	389	IN5	C1-C5-C4	2.36	119.85	118.06
2	A	389	IN5	C1-C5-C4	2.19	119.72	118.06
2	A	389	IN5	C6-C2-N1	2.13	121.65	117.64
2	B	389	IN5	C6-C2-N1	2.05	121.50	117.64
2	B	389	IN5	O7-P2-O6	-2.02	108.38	113.45

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	389	IN5	C5-C4-C8-N2
2	B	389	IN5	C5-C4-C8-N2
2	A	389	IN5	C3-C4-C8-N2
2	B	389	IN5	C3-C4-C8-N2
2	B	389	IN5	C4-C8-N2-C9


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	389	IN5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand IN5 A 389



Ligand IN5 B 389



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.