



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:43 AM UTC

PDB ID : 3BD0 / pdb_00003bd0
Title : Crystal structure of Memo, form II
Authors : Qiu, C.
Deposited on : 2007-11-13
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	293	74% 23% .
1	B	293	76% 23% .
1	C	293	79% 20% .
1	D	293	73% 24% .

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9426 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein MEMO1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	293	Total	C	N	O	S	0	0	0
			2339	1482	403	439	15			
1	B	293	Total	C	N	O	S	0	0	0
			2339	1482	403	439	15			
1	C	293	Total	C	N	O	S	0	0	0
			2339	1482	403	439	15			
1	D	293	Total	C	N	O	S	0	0	0
			2339	1482	403	439	15			

- Molecule 2 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			7	4	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total 13	O 13	0	0
3	B	13	Total 13	O 13	0	0
3	C	17	Total 17	O 17	0	0
3	D	20	Total 20	O 20	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Protein MEMO1



• Molecule 1: Protein MEMO1



• Molecule 1: Protein MEMO1



• Molecule 1: Protein MEMO1

Chain D:

73%

24%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	139.88Å 88.31Å 97.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.68 – 3.01 29.68 – 3.01	Depositor EDS
% Data completeness (in resolution range)	99.4 (29.68-3.01) 99.5 (29.68-3.01)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 3.00Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.213 , 0.280 0.209 , 0.272	Depositor DCC
R_{free} test set	1249 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtriage
Anisotropy	0.833	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 26.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9426	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.18 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1878e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/2401	0.89	0/3252
1	B	0.62	0/2401	0.91	0/3252
1	C	0.62	0/2401	0.93	0/3252
1	D	0.64	0/2401	0.94	3/3252 (0.1%)
All	All	0.63	0/9604	0.92	3/13008 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	190	PHE	N-CA-C	5.27	113.10	108.78
1	D	68	PRO	CA-C-N	5.20	127.76	120.28
1	D	68	PRO	C-N-CA	5.20	127.76	120.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2339	0	2255	48	0
1	B	2339	0	2255	46	0
1	C	2339	0	2255	39	0
1	D	2339	0	2255	50	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	7	0	10	1	0
3	A	13	0	0	0	0
3	B	13	0	0	1	0
3	C	17	0	0	1	0
3	D	20	0	0	0	0
All	All	9426	0	9030	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:16:TRP:CB	1:D:135:MET:HE1	1.90	1.01
1:B:98:THR:HG22	1:B:100:LEU:H	1.28	0.99
1:D:16:TRP:HB2	1:D:135:MET:HE1	1.44	0.99
1:C:68:PRO:HA	1:C:144:MET:CE	1.96	0.94
1:D:221:MET:HE1	1:D:273:TYR:CD2	2.03	0.93
1:D:98:THR:HG22	1:D:100:LEU:H	1.34	0.90
1:C:259:LEU:HB2	1:C:266:MET:HE1	1.56	0.85
1:C:68:PRO:HA	1:C:144:MET:HE3	1.58	0.85
1:A:72:ARG:CG	1:A:72:ARG:HH11	1.91	0.82
1:D:16:TRP:CB	1:D:135:MET:CE	2.59	0.81
1:A:137:LEU:HB2	1:A:138:PRO:HD3	1.62	0.80
1:A:259:LEU:HB2	1:A:266:MET:HE1	1.65	0.79
1:C:68:PRO:HA	1:C:144:MET:HE1	1.64	0.78
1:D:217:ASP:HB3	1:D:221:MET:HE3	1.64	0.78
1:D:16:TRP:HB3	1:D:135:MET:HE1	1.64	0.77
1:D:221:MET:HE1	1:D:273:TYR:CE2	2.21	0.75
1:B:211:ARG:HD2	3:B:309:HOH:O	1.87	0.74
1:D:16:TRP:HB3	1:D:135:MET:CE	2.18	0.73
1:A:77:LEU:HD22	1:A:156:VAL:HB	1.69	0.73
1:D:73:ARG:HH21	1:D:181:SER:HB2	1.54	0.72
1:C:122:MET:HE3	1:C:127:ASP:CG	2.14	0.71
1:A:219:MET:HG3	1:B:263:GLY:HA3	1.71	0.71
1:C:98:THR:HG22	1:C:100:LEU:H	1.55	0.69
1:D:96:TYR:HD2	1:D:137:LEU:HD11	1.59	0.67
1:B:98:THR:HB	1:B:101:TYR:O	1.94	0.67
1:A:188:SER:HB2	1:A:245:GLY:HA3	1.77	0.66
1:A:122:MET:HE3	1:A:127:ASP:CG	2.20	0.66
1:B:49:HIS:CE1	1:B:244:CYS:SG	2.88	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:MET:HE1	1:A:239:TYR:CZ	2.31	0.66
1:B:98:THR:HG22	1:B:100:LEU:N	2.05	0.66
1:D:98:THR:HB	1:D:101:TYR:O	1.96	0.65
1:A:219:MET:HE1	1:A:239:TYR:CE2	2.31	0.65
1:A:72:ARG:HH11	1:A:72:ARG:HG3	1.60	0.65
1:C:188:SER:HB2	1:C:245:GLY:HA3	1.79	0.64
1:C:12:HIS:HD2	1:C:134:GLU:OE1	1.79	0.64
1:A:146:SER:HB2	1:A:147:HIS:HD2	1.63	0.64
1:B:69:SER:HA	1:B:147:HIS:CE1	2.33	0.63
1:B:74:ILE:HG12	1:B:183:LEU:HD23	1.80	0.62
1:B:137:LEU:HB2	1:B:138:PRO:HD3	1.80	0.62
1:A:146:SER:HB2	1:A:147:HIS:CD2	2.34	0.62
1:B:259:LEU:CB	1:B:266:MET:HE1	2.29	0.62
1:C:98:THR:HB	1:C:101:TYR:O	1.99	0.62
1:D:259:LEU:CB	1:D:266:MET:HE1	2.30	0.61
1:A:72:ARG:HG2	1:A:72:ARG:NH1	2.14	0.61
1:A:63:TYR:HE1	1:A:140:THR:HG23	1.65	0.60
1:D:252:LEU:O	1:D:256:ILE:HG13	2.02	0.60
1:C:241:ASN:HD22	1:C:242:THR:H	1.51	0.59
1:D:39:LYS:HE2	1:D:269:SER:OG	2.02	0.59
1:C:259:LEU:HB2	1:C:266:MET:CE	2.31	0.59
1:B:17:TYR:CD1	1:B:135:MET:CE	2.87	0.58
1:B:49:HIS:HE1	1:B:244:CYS:SG	2.27	0.57
1:D:217:ASP:HB3	1:D:221:MET:CE	2.32	0.57
1:C:74:ILE:HG21	1:C:140:THR:HG21	1.85	0.57
1:C:15:SER:HG	1:C:16:TRP:CD1	2.22	0.57
1:B:77:LEU:HD22	1:B:156:VAL:HB	1.86	0.57
1:C:98:THR:HG22	1:C:100:LEU:N	2.21	0.56
1:D:178:ALA:HB1	1:D:264:MET:HE1	1.87	0.56
1:A:60:ALA:HB2	1:A:139:TYR:OH	2.06	0.56
1:D:106:ASP:HB2	1:D:152:THR:HB	1.87	0.56
1:A:12:HIS:HD2	1:A:134:GLU:OE1	1.88	0.55
1:B:188:SER:HB2	1:B:245:GLY:HA3	1.89	0.55
1:C:186:VAL:HG21	1:C:252:LEU:HD22	1.88	0.55
1:B:135:MET:HE3	1:B:135:MET:HA	1.89	0.55
1:D:259:LEU:HB2	1:D:266:MET:HE1	1.89	0.55
1:A:241:ASN:HD22	1:A:242:THR:H	1.55	0.54
1:B:219:MET:O	1:B:223:ILE:HD12	2.08	0.54
1:D:241:ASN:HD22	1:D:242:THR:H	1.56	0.53
1:B:69:SER:HA	1:B:147:HIS:HE1	1.73	0.53
1:B:259:LEU:HB2	1:B:266:MET:HE1	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:LEU:N	1:A:138:PRO:CD	2.72	0.52
1:B:74:ILE:HG21	1:B:140:THR:HG21	1.92	0.52
1:D:188:SER:HB2	1:D:245:GLY:HA3	1.91	0.52
1:D:259:LEU:HB3	1:D:266:MET:HE1	1.92	0.52
1:D:67:ASP:OD1	1:D:69:SER:HB2	2.09	0.52
1:D:44:ALA:HB3	1:D:294:LEU:HB3	1.93	0.51
1:C:109:ILE:HG12	1:C:176:TYR:CE2	2.46	0.51
1:C:96:TYR:HD2	1:C:137:LEU:HD11	1.76	0.51
1:A:74:ILE:HG12	1:A:183:LEU:HD23	1.92	0.51
1:C:137:LEU:HB2	1:C:138:PRO:HD3	1.92	0.51
1:A:72:ARG:HH11	1:A:72:ARG:HG2	1.68	0.51
1:D:16:TRP:HB2	1:D:135:MET:CE	2.25	0.51
1:D:98:THR:HG22	1:D:100:LEU:N	2.14	0.51
1:D:222:SER:O	1:D:226:GLN:HG2	2.11	0.51
1:A:96:TYR:HD2	1:A:137:LEU:HD11	1.75	0.51
1:D:203:ASP:OD1	1:D:203:ASP:C	2.54	0.51
1:C:12:HIS:CD2	1:C:134:GLU:OE1	2.61	0.50
1:B:17:TYR:HD1	1:B:135:MET:CE	2.25	0.50
1:B:210:TYR:CE1	1:B:211:ARG:HG3	2.47	0.50
1:B:259:LEU:HB3	1:B:266:MET:HE1	1.94	0.50
1:B:17:TYR:CD1	1:B:135:MET:HE2	2.47	0.50
1:B:223:ILE:HA	1:B:226:GLN:HG3	1.92	0.50
1:C:136:HIS:HE1	1:C:187:SER:CB	2.24	0.50
1:B:18:THR:HG22	1:B:20:SER:H	1.77	0.50
1:A:90:LEU:HB3	1:A:110:TYR:CZ	2.47	0.49
1:A:222:SER:O	1:A:226:GLN:HG2	2.11	0.49
1:B:106:ASP:HB3	1:B:154:ILE:CD1	2.42	0.49
1:D:91:SER:OG	1:D:93:VAL:HG22	2.13	0.49
1:A:226:GLN:HA	1:B:180:PRO:HG3	1.94	0.49
1:A:296:VAL:HG12	1:A:297:HIS:N	2.27	0.49
1:D:221:MET:HE1	1:D:273:TYR:HD2	1.67	0.49
1:B:266:MET:HG2	1:B:296:VAL:HG22	1.93	0.49
1:B:62:ALA:HB2	1:B:291:ALA:HB1	1.94	0.49
1:D:186:VAL:HG21	1:D:252:LEU:HD22	1.95	0.49
1:C:63:TYR:HE1	1:C:140:THR:HG23	1.78	0.48
1:B:17:TYR:HD1	1:B:135:MET:HE2	1.79	0.48
1:D:8:ARG:HB2	1:D:93:VAL:HG21	1.96	0.47
1:B:150:GLU:HG3	1:D:108:LYS:HD2	1.96	0.47
1:A:63:TYR:CE1	1:A:140:THR:HG23	2.49	0.47
1:D:64:LYS:O	1:D:64:LYS:HG3	2.13	0.47
1:B:8:ARG:HB2	1:B:93:VAL:HG21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:HIS:O	1:B:140:THR:OG1	2.31	0.47
1:D:178:ALA:HB2	1:D:259:LEU:HD21	1.96	0.47
1:A:245:GLY:O	1:A:249:ILE:HG13	2.15	0.46
1:C:77:LEU:HD22	1:C:156:VAL:HB	1.97	0.46
1:C:214:GLU:OE2	1:C:218:LYS:NZ	2.48	0.46
1:A:73:ARG:HD2	1:A:109:ILE:CD1	2.45	0.46
1:A:238:LYS:HD3	1:A:239:TYR:CE2	2.51	0.46
1:D:134:GLU:O	1:D:137:LEU:HB2	2.16	0.46
1:A:241:ASN:HD22	1:A:242:THR:N	2.13	0.46
1:D:153:ILE:HD12	1:D:155:PRO:HG3	1.98	0.46
1:B:106:ASP:HB2	1:B:152:THR:HB	1.97	0.46
1:C:103:LEU:HD11	1:C:141:ALA:HB2	1.98	0.46
1:C:136:HIS:O	1:C:140:THR:OG1	2.30	0.46
1:C:15:SER:OG	1:C:16:TRP:HD1	1.99	0.46
1:D:217:ASP:O	1:D:221:MET:HG3	2.16	0.46
1:C:136:HIS:CE1	1:C:187:SER:HB2	2.51	0.46
1:D:241:ASN:HD22	1:D:242:THR:N	2.14	0.46
1:C:136:HIS:CE1	1:C:187:SER:CB	3.00	0.45
1:D:11:SER:OG	1:D:128:GLU:O	2.28	0.45
1:D:12:HIS:HD2	1:D:134:GLU:OE1	1.99	0.45
1:C:190:PHE:CE1	1:C:290:ALA:HB3	2.51	0.45
1:D:60:ALA:HB2	1:D:139:TYR:OH	2.16	0.45
1:D:192:HIS:HD2	1:D:242:THR:O	2.00	0.45
1:A:35:VAL:HG11	1:A:61:HIS:HA	1.99	0.44
1:A:296:VAL:CG1	1:A:297:HIS:N	2.80	0.44
1:B:17:TYR:OH	1:B:134:GLU:OE2	2.29	0.44
1:C:68:PRO:CA	1:C:144:MET:HE3	2.40	0.44
1:A:136:HIS:O	1:A:140:THR:OG1	2.29	0.44
1:C:241:ASN:HD22	1:C:242:THR:N	2.13	0.44
1:A:144:MET:O	1:A:145:GLU:C	2.61	0.44
1:C:243:ILE:O	1:C:246:ARG:HG2	2.18	0.44
1:B:103:LEU:HD12	1:B:137:LEU:HD22	2.00	0.44
1:B:179:ASP:OD1	1:B:180:PRO:HD2	2.17	0.43
1:D:72:ARG:HD2	1:D:150:GLU:O	2.17	0.43
1:B:125:GLN:O	1:B:129:ASP:HB2	2.18	0.43
1:A:15:SER:HB2	2:A:298:PEG:H21	2.00	0.43
1:D:196:ARG:HD2	1:D:197:PHE:CE1	2.53	0.43
1:B:252:LEU:HG	1:B:256:ILE:CD1	2.48	0.43
1:A:11:SER:OG	1:A:128:GLU:O	2.36	0.43
1:A:62:ALA:HB2	1:A:291:ALA:HB1	2.00	0.43
1:B:43:ARG:O	1:B:183:LEU:HA	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:68:PRO:O	1:B:72:ARG:NH1	2.52	0.43
1:A:130:GLU:HG2	1:A:157:LEU:CD1	2.49	0.43
1:A:137:LEU:N	1:A:138:PRO:HD2	2.33	0.43
1:A:40:ARG:HH21	1:A:64:LYS:HD2	1.85	0.42
1:C:101:TYR:CG	1:C:148:LYS:HE3	2.54	0.42
1:D:49:HIS:CE1	1:D:244:CYS:SG	3.13	0.42
1:A:137:LEU:H	1:A:138:PRO:HD2	1.84	0.42
1:D:96:TYR:CD2	1:D:137:LEU:HD11	2.48	0.42
1:C:101:TYR:CZ	1:C:148:LYS:HG3	2.54	0.42
1:D:63:TYR:HE1	1:D:140:THR:HG23	1.85	0.42
1:C:259:LEU:CB	1:C:266:MET:HE1	2.40	0.42
1:A:219:MET:CE	1:A:239:TYR:CE2	3.01	0.42
1:B:252:LEU:HG	1:B:256:ILE:HD12	2.01	0.42
1:C:203:ASP:OD1	1:C:203:ASP:C	2.62	0.42
1:A:113:LEU:HA	1:A:113:LEU:HD23	1.80	0.41
1:B:247:HIS:O	1:B:251:VAL:HG23	2.20	0.41
1:B:64:LYS:O	1:B:64:LYS:HG3	2.19	0.41
1:A:63:TYR:OH	1:A:136:HIS:HB3	2.20	0.41
1:A:234:ASN:HD22	1:A:234:ASN:HA	1.68	0.41
1:A:259:LEU:CB	1:A:266:MET:HE1	2.43	0.41
1:C:62:ALA:HB2	1:C:291:ALA:HB1	2.01	0.41
1:A:196:ARG:HD2	1:A:197:PHE:CZ	2.56	0.41
1:C:72:ARG:O	1:C:151:PHE:HA	2.21	0.41
1:A:191:CYS:HB2	1:A:241:ASN:HD21	1.86	0.40
1:B:283:GLN:HE21	1:B:283:GLN:N	2.19	0.40
1:C:97:ARG:HB3	3:C:299:HOH:O	2.22	0.40
1:B:190:PHE:HB3	1:B:217:ASP:OD1	2.22	0.40
1:D:175:LYS:HB2	1:D:175:LYS:HE2	1.69	0.40
1:D:47:ALA:HB1	1:D:48:PRO:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/293 (99%)	277 (95%)	12 (4%)	2 (1%)	18	51
1	B	291/293 (99%)	280 (96%)	11 (4%)	0	100	100
1	C	291/293 (99%)	280 (96%)	10 (3%)	1 (0%)	36	68
1	D	291/293 (99%)	279 (96%)	12 (4%)	0	100	100
All	All	1164/1172 (99%)	1116 (96%)	45 (4%)	3 (0%)	36	68

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	145	GLU
1	A	148	LYS
1	C	148	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/255 (100%)	228 (89%)	27 (11%)	6	25
1	B	255/255 (100%)	234 (92%)	21 (8%)	10	36
1	C	255/255 (100%)	237 (93%)	18 (7%)	13	42
1	D	255/255 (100%)	231 (91%)	24 (9%)	8	30
All	All	1020/1020 (100%)	930 (91%)	90 (9%)	9	33

All (90) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	VAL
1	A	18	THR
1	A	29	GLU
1	A	37	SER
1	A	38	THR
1	A	53	THR
1	A	57	SER
1	A	69	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	72	ARG
1	A	87	ARG
1	A	98	THR
1	A	109	ILE
1	A	110	TYR
1	A	139	TYR
1	A	140	THR
1	A	146	SER
1	A	154	ILE
1	A	196	ARG
1	A	200	SER
1	A	208	GLU
1	A	216	LEU
1	A	222	SER
1	A	243	ILE
1	A	244	CYS
1	A	271	LEU
1	A	276	SER
1	A	281	ASN
1	B	6	VAL
1	B	38	THR
1	B	53	THR
1	B	57	SER
1	B	69	SER
1	B	83	VAL
1	B	87	ARG
1	B	109	ILE
1	B	110	TYR
1	B	121	ARG
1	B	135	MET
1	B	139	TYR
1	B	140	THR
1	B	196	ARG
1	B	216	LEU
1	B	222	SER
1	B	226	GLN
1	B	257	THR
1	B	265	ASN
1	B	283	GLN
1	B	295	THR
1	C	18	THR
1	C	37	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	57	SER
1	C	104	ARG
1	C	110	TYR
1	C	139	TYR
1	C	140	THR
1	C	164	SER
1	C	200	SER
1	C	208	GLU
1	C	216	LEU
1	C	244	CYS
1	C	246	ARG
1	C	265	ASN
1	C	271	LEU
1	C	281	ASN
1	C	283	GLN
1	C	295	THR
1	D	29	GLU
1	D	37	SER
1	D	38	THR
1	D	53	THR
1	D	54	TYR
1	D	57	SER
1	D	69	SER
1	D	87	ARG
1	D	110	TYR
1	D	137	LEU
1	D	139	TYR
1	D	140	THR
1	D	152	THR
1	D	154	ILE
1	D	164	SER
1	D	175	LYS
1	D	200	SER
1	D	216	LEU
1	D	265	ASN
1	D	266	MET
1	D	271	LEU
1	D	281	ASN
1	D	283	GLN
1	D	295	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (46) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	HIS
1	A	25	ASN
1	A	49	HIS
1	A	167	GLN
1	A	192	HIS
1	A	234	ASN
1	A	240	HIS
1	A	241	ASN
1	A	260	GLN
1	A	275	GLN
1	B	23	GLN
1	B	49	HIS
1	B	61	HIS
1	B	131	HIS
1	B	167	GLN
1	B	192	HIS
1	B	226	GLN
1	B	275	GLN
1	B	283	GLN
1	B	297	HIS
1	C	12	HIS
1	C	49	HIS
1	C	61	HIS
1	C	136	HIS
1	C	147	HIS
1	C	192	HIS
1	C	234	ASN
1	C	240	HIS
1	C	241	ASN
1	C	265	ASN
1	C	275	GLN
1	C	281	ASN
1	C	283	GLN
1	C	297	HIS
1	D	12	HIS
1	D	23	GLN
1	D	49	HIS
1	D	61	HIS
1	D	131	HIS
1	D	167	GLN
1	D	182	ASN
1	D	192	HIS
1	D	215	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	241	ASN
1	D	262	ASN
1	D	265	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PEG	A	298	-	6,6,6	0.62	0	5,5,5	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	A	298	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	298	PEG	O1-C1-C2-O2
2	A	298	PEG	C1-C2-O2-C3
2	A	298	PEG	O2-C3-C4-O4
2	A	298	PEG	C4-C3-O2-C2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	298	PEG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	293/293 (100%)	-0.11	3 (1%) 79 59	10, 19, 30, 35	1 (0%)
1	B	293/293 (100%)	-0.11	0 100 100	11, 19, 30, 35	0
1	C	293/293 (100%)	-0.10	0 100 100	10, 19, 30, 35	0
1	D	293/293 (100%)	-0.15	0 100 100	10, 18, 30, 35	0
All	All	1172/1172 (100%)	-0.12	3 (0%) 90 79	10, 19, 30, 35	1 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	163	GLU	2.6
1	A	283	GLN	2.3
1	A	286	SER	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PEG	A	298	7/7	0.72	0.25	44,46,48,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.